



-





-Goby,Nmap,Nessus()

```
#Goby,Nmap,Nessus
Goby
Nmap --script=vuln nse
Nmap vulscan vulners
https://www.cnblogs.com/shwang/p/12623669.html
Nessus - -

# nessus
```

- , ()

-Metasploit,Searchsploit ()

#CVE-2019-0708 MS12-020 -

<https://www.jianshu.com/p/bd8213c53717>

-c, --case[Term]

-e, --exact [Term] exploit EXACT AND

-h, --help

-j, --json[Term] JSON

-m, --mirror [EDB-ID] ID

-o, --overflow [Term]Exploit

-p, --path[EDB-ID] ID

-t, --title[Term]

-u, --update exploitdb deb git

-w, --www [Term] Exploit-DB.com URL

-x, --examine[EDB-ID] \$ PAGER

--colour .

--id EDB-ID

--nmap[file.xml] Nmap XML nmap -sV -oX file.xml

~~10/2~~

--exclude="term" ~~11/2~~ --exclude

~~12/2~~
=term1 | term2 | term3~~13/2~~

- , , ()



<https://nmap.org>

<https://gobies.org>

<https://www.cnvd.org.cn>

<https://www.seebug.org>

<https://www.exploit-db.com>

<https://github.com/scipag/vulscan>

<https://github.com/vulnersCom/nmap-vulners>

<https://github.com/offensive-security/exploitdb>

<https://www.cnblogs.com/shwang/p/12623669.html>

https://blog.csdn.net/qq_38055050/article/details/80214684

https://pan.baidu.com/s/17uA2OmJbV_cDG2C6QnHqqA

cx4
