

BUAD621: Intro to Generative Stories


(using RV's)



Generative Stories With Random Variables

Example



XYZ Airlines operates a 3-seater airplane to show tourists the Great Barrier Reef in Cairns, Australia. The company uses a reservation system, wherein tourists call in advance and make a reservation for aerial viewing the following day. The company is so popular, that all of its seats are booked each day. Based on historical records, 15% of the tourists fail to show up for their reservation.



Generative Stories With Random Variables

Example


XYZ Airlines operates a 3-seater airplane to show tourists the Great Barrier Reef in Cairns, Australia. The company uses a reservation system, wherein tourists call in advance and make a reservation for aerial viewing the following day. The company is so popular, that all of its seats are booked each day. Based on historical records, 15% of the tourists fail to show up for their reservation.



Modelling Passenger #1's Arrival To Airplane

Example

XYZ Airlines operates a 3-seater airplane to show tourists the Great Barrier Reef in Cairns, Australia. The company uses a reservation system, wherein tourists call in advance and make a reservation for aerial viewing the following day. The company is so popular, that all of its seats are booked each day. Based on historical records, 15% of the tourists fail to show up for their reservation.





QUESTION: What is the probability passenger #1 arrives at the airplane?

Modelling Passenger #1's Arrival To Airplane

Example

XYZ Airlines operates a 3-seater airplane to show tourists the Great Barrier Reef in Cairns, Australia. The company uses a reservation system, wherein tourists call in advance and make a reservation for aerial viewing the following day. The company is so popular, that all of its seats are booked each day. Based on historical records, 15% of the tourists fail to show up for their reservation.



Note: Read the tilde (~) as "is distributed"



Modelling Passenger #1's Arrival To Airplane

Example

XYZ Airlines operates a 3-seater airplane to show tourists the Great Barrier Reef in Cairns, Australia. The company uses a reservation system, wherein tourists call in advance and make a reservation for aerial viewing the following day. The company is so popular, that all of its seats are booked each day. Based on historical records, 15% of the tourists fail to show up for their reservation.



What values of x_1 are possible?

What is the probability $x_1 = 0$?

What is the probability $x_1 = 0.85$?



What is the probability $x_1 \leq 1$?



Modelling All Passenger's Arrival

Example



XYZ Airlines operates a 3-seater airplane to show tourists the Great Barrier Reef in Cairns, Australia. The company uses a reservation system, wherein tourists call in advance and make a reservation for aerial viewing the following day. The company is so popular, that all of its seats are booked each day. Based on historical records, 15% of the tourists fail to show up for their reservation.




Modelling Total # of Passengers

Example

XYZ Airlines operates a 3-seater airplane to show tourists the Great Barrier Reef in Cairns, Australia. The company uses a reservation system, wherein tourists call in advance and make a reservation for aerial viewing the following day. The company is so popular, that all of its seats are booked each day. Based on historical records, 15% of the tourists fail to show up for their reservation.



Modelling Total # of Passengers



QUESTION: What is the probability that the airplane is full (i.e. $P(y = 3)$)?

Let's Answer This Using `XYZAirline.R`

Generative Story Estimates

