

NAME: D. PRAKASH

BATCH: 12-2 FRONTEND

EID: EID-26-007319

DATE:

HTML TEST

1. What is HTML? what does HTML stand for?

HTML

HTML stands for Hyper text markup language. HTML is used to structure the unstructured informations in webpage.

Using → Heading, title, Paragraph, Images, etc...

The word Hyper means it connects one to another. The word text means the content and markup means using tag to structure the content. language is a rules and syntax used to communication with human and system.

2. Why is HTML called a markup language? is HTML a Programming language?

HTML is not a Programming language. It is called markup language. Because it was used tags to structure the content in a webpage.

3. What is the difference between an HTML Tag and an HTML element?

Tag:

- HTML Tag is predefined keyword enclosed with a angular bracket. It has two types they are:
 - closing tag
 - self closing tag.

Elements:

HTML elements contain an opening tag, closing tag and a content between the opening and closing tag.

4. What is '<!DOCTYPE html>'? Is it an HTML Tag?

<DOCTYPE html>

* It is not a HTML Tag.

* It is used for declaration of document Type.

<!DOCTYPE html>

* It tells the browser that it was a HTML 5 document.

* Otherwise the browser says it is old browser and HTML 5 features may not work.

5. Explain the basic structure of an HTML document. What are purposes of '<html>', '<head>', and '<body>'?

<DOCTYPE html>

<html lang = "eng">

<html>

<head>

<meta charset = "UTF-8">

<meta viewport = "system width">

<meta property = "og:title", content = "structure">

<title> structure </title>

</head>

<body>

<section>

<h1> Basic structure </h1>

<p> This structure </p>

</section>

</body>

</html>

Purpose:-

<html> → It is the root element of html document, every document should start with <html> and end with </html>

<head> → This contains the element for subpage or browser understanding

<body> → This contains the content displayed in subpage.

6. What are HTML attributes? Explain with an example.

HTML attributes

HTML attributes are used to add additional information to a subpage. Every attribute should have a value.

Example:

Here is a tag and src is a attribute and "value" is the value.

7. What is difference between 'src' and 'href'?

src and href both are attribute but they have different behaviour.

src = It is called source it shows the value given in the display of the subpage. Path is usually

href = It is hyper text reference, it shows the value given in another subpage. It is usually links.

href used for src used for image tag,

href used for, <a>.

8. What is the purpose of the "alt" attribute in an tag?

usually,

In this example if the value is not shown then there will be a broken image and the text is shown as image and the

but is shown as image what the alt attribute contain

alt attribute is used to add additional information of a attribute

It helps users and developers to understand and developers rectify the problem.

9. Explain the difference between Block level elements and Inline elements with example.

Block - level	Inline - element
* Block level elements usually start with the new line and it take total available width * Don't Put a block level element in a block level element * It helps developers to understand the structure Eg: <code><h1></code>, <code>
</code>, <code><div></code>	* Inline element usually not start with new line, and it takes only the content width. * It usually like a helping tag or formatting tag. * Can use a inline tag in inline tag and also use inline tag in block-level tag Eg <code><p></code>, <code></code>, <code></code>.

10. What is Semantic HTML? What is difference between the Semantic and non Semantic element?

Semantic HTML:

Semantic means having a meaning. It usually has a behaviour. It helps developers to understand structure

Example: `<header>`, `<main>`, `<footer>`

non Semantic

But non Semantic doesn't have a behaviour
used to wrap the content or element
Example: `<span>`, `<div>`

11. What is the difference between `<div>` and `<span>`?

`<div>`

`<div>` is block-level non Semantic tag.
It usually wraps the element we
can use multiple `<div>` in a `<div>` to
structure. It has closing tag `</div>`

`<span>`

`<span>` is inline non Semantic tag. It is
used in between tags and the content
between the `<span>` can be used to formatting
etc.. It has closing tag `</span>`.

12. What are the different types of HTML lists?
Explain '`<ul>`', '`<ol>`', and '`<dl>`'

HTML Lists

HTML lists are used to list the content,
types of list are ordered list `<ol>`,
unordered list `<ul>` and description list
`<dl>`

`<ul>`

`<ul>` is a unordered list. It is used
list with the bullet point

`<ol>`

`<ol>` is a ordered list. It is used
to list the content orderly from 1 to
etc..

<dl>

<dl> is used to describe the list. It has child elements like <dt> and <dd>

13. Explain the important HTML table tags:

- <table>

- <tr>

- <th>

- <td>

- <thead>

- <tbody>

- <tfoot>

<table>

It is the table tag every table should start with this tag. This is a Parent element.

<tr>

It is table row used to open a new row

<th>

used to enter the value in row and it was header and bold by default.

<thead>

<thead> is used to describe the header of the table

<tbody>

It is used to describe the body of the table. The content shown in the table

<tfoot>

<tfoot> is used to end the table where it is used below the table all tags helps developers to identify identify.

14. What is the purpose of `<meta charset="UTF-8">` and the viewport meta tag?

It is used in meta data. `charset` is an attribute and `UTF-8` is a value. UTF stands for uniformed Transformation format. It allows the browser to form many characters like symbols and emojis, it supports.

Viewport

Viewport meta tag is used to describe the screen size of the web browser according to device.

15. What is `<open graph (OG)>`? Explain the purpose of

- `<og:title>`
- `<og:type>`
- `<og:image>`
- `<og:url>`
- `<og:description>`

`<open graph (OG)>`

`<open graph meta tag>` is used to show additional information while sharing through various social media platform.

Example: `<og:title>` describe title of website while sharing the website

`<og:title>` → It is used to show the title of a website while sharing

`<og:type>` → It is used to describe the type of the website like, video, article, Product Page etc.

`<og:image>` → It is used to display the Image or logo of a website while sharing

In other word we can say it is used to show the URL of the webpage and it should be with `https`

`<og:description>` It is used to describe the webpage in lines while sharing. It comes under the title