

Important files

AAR202 RKSI/KLAX 07 Jun 2026

Created Date Time: 07 Jun 2026 00:16 UTC

Generated Date Time: 07 Jun 2026 01:17 UTC

CFP PLAN 4001
ATTN CAPT.

7634

FLIGHT RELEASE AAR202 RKSI/KLAX ON 07/JUN/26.NONSTOP COMPUTED 0013Z

A/C REG.MK ENGINE SELCAL ROUTE PRF WX PROGS AVG WIND/TEMP UNIT
388 HL7634 TRENT970 HL-AB TR07 F BRK 0618UK P089/M55 100LBS

SPEED SKD CLB-320/.85 CRZ- 65 DSC-.85/290/ APMS/P 02.5 PCNT. IFR

	FUEL	TIME	DIST	NAM	PLAN	AGTOW	11195
TRIP	2686	10.08	5611	4791	SOW	06586	RWY 12544
RESERVE	0299	01.15					
ALTN/KONT	0113	00.22	0105	0105	PLD	00875	ACL 01482
FINAL RES	0105	00.30	T/O	Z	ZFW	07461	MZFW 08068
3 PCT CONT	0081	00.23	F/T	10.08	TOF	03127	TOF 03127
REFILE RES	0000	00.00	ETA	Z			11195
ETP RES	0000	00.00					
RQD TAKEOFF	2985	11.22	HRS	UTC-0700	TOW	10588	MTOW 12544
DISC	0142	00.40	ETA	L	TIF	02686	TCAP 12544
TANKERING	0000	00.00	RSN/	/	LDW	07902	MLDW 08620
PLN TAKEOFF	3127	12.02	ACTL		PAX		TIF 02686
					CGO		11306
TAXI	0019						
RAMP OUT	3146	12.02	ACTL				
FOD	0441	01.55	ACTL				

ETD RKSI 0340Z ETA KLAX 1348Z

2ND-\$ 370 2697 10.13

RKSI..EGOBA Y697 LANAT Y51 SAMON Y142 GTC Y512 ADNAP OTR7 EMRON..
N40E160..N41E170..N43E180..N45W170..N47W160..N47W150..N45W140..
N41W130..FATMO..PAINT..PIRAT..BURGL IRNMN2 KLAX

DIST	LATITUDE	MC	FL	ETO/MSA	R/F	OT	WIND/COMP	SR	TAS	ZT	B/O
TO	LONGITUDE	MH	ACT	ATO/DF	ACTL			MW	GS	ACTM	ACBO/
0065	N37 29.2	097	CLB	---/062	2986	17		..	...	011	141
EGOBA	E127 22.8	100		/				..	...	00.11	0141/
		088						EGOBA			
0014	N37 32.0	087	CLB	---/062	2972	20		..	...	002	014
KARBU	E127 39.9	088		/				..	...	00.13	0155/
		078						KARBU			
0023	N37 36.4	088	CLB	---/075	2948	29		..	...	002	024
TORUS	E128 08.1	090		/				..	...	00.15	0179/
		079						TORUS			
0022	N37 40.5	088	CLB	---/075	2924	33		..	...	003	024

BIKSI	E128	35.1	090	/					00.18	0203/
			079					BIKSI		
0008	N37	42.0	089	CLB	---/075	2916	38		001	008
KAE	E128	45.2	089	/					00.19	0211/
			079					GANGWON		
0030	N37	26.5	130	CLB	---/075	2885	45		004	031
PILIT	E129	17.5	138	/					00.23	0242/
			121					PILIT		
0031	N37	10.2	130	390	---/068	2873	54		002	012
ESNEG	E129	50.9	139	/					00.25	0254/
			121					ESNEG		
0047	N36	45.4	131	390	---/068	2848	54	25084P047	03 490	005 025
AGSUS	E130	40.7	139	/				40 537	00.30	0279/
			122					AGSUS		
0043	N36	22.4	131	390	---/015	2825	53	24074P035	05 492	005 023
LANAT	E131	25.7	138	/				41 527	00.35	0302/
/ RJJJ	FIR		122	FUKUOKA				LANAT		
0113	N36	16.9	101	390	---/033	2764	52	23073P053	04 493	013 061
DISSH	E133	45.7	107	/				43 546	00.48	0363/
			092					DISSH		
0016	N36	15.9	102	390	---/033	2755	52	23085P053	01 493	001 009
OVSOS	E134	05.3	110	/				40 546	00.49	0372/
			094					OVSOS		
0020	N36	14.6	102	390	---/010	2744	52	23088P053	01 493	003 011
SAMON	E134	30.2	111	/				40 546	00.52	0383/
			094					SAMON		
0119	N37	06.0	072	390	---/112	2684	52	23103P099	05 492	012 060
NESKO	E136	43.2	076	/				39 591	01.04	0443/
			064					NESKO		
0088	N37	42.6	074	390	---/059	2640	53	24108P107	06 491	008 044
BEGSA	E138	24.2	075	/				40 598	01.12	0487/
			065					BEGSA		
0037	N37	57.5	075	390	---/094	2622	53	25114P114	04 490	004 018
GTC	E139	06.9	075	/				40 604	01.16	0505/
			066					NIIGATA		
0031	N38	01.6	090	390	---/094	2607	54	25114P110	05 489	003 015
ELDAK	E139	45.7	094	/				40 599	01.19	0520/
			082					ELDAK		
0055	N38	08.3	091	390	---/088	2580	54	25114P112	06 489	006 027
SDE	E140	55.3	094	/				40 601	01.25	0547/
			083					SENDAI		
0055	N38	00.4	106	390	---/088	2553	54	26114P106	06 489	005 027
BEKEN	E142	03.7	111	/				40 595	01.30	0574/
			098					BEKEN		
0056	N37	51.4	107	390	---/010	2526	54	26115P110	06 488	006 027
SOVMO	E143	14.0	110	/				40 598	01.36	0601/
			099					SOVMO		
0015	N37	49.0	107	390	---/010	2518	54	27116P113	06 488	001 008
OATIS	E143	32.4	110	/				40 601	01.37	0609/
			099					OATIS		
0108	N37	11.8	117	390	---/010	2466	55	27117P110	06 487	011 052
ADNAP	E145	40.0	121	/				40 597	01.48	0661/
			109					ADNAP		
0214	N38	06.4	081	390	---/010	2365	54	28136P113	04 487	022 101
EMRON	E150	00.0	073	/				40 600	02.10	0762/
			074					EMRON		
0481	N40	00.0	080	390	---/010	2125	55	30110P072	02 485	051 240
40E60	E160	00.0	070	/				38 557	03.01	1002/
			073					40N160E		
0232	N40	36.7	083	390	---/010	2006	50	29048P041	01 490	027 119

FIR	E165	00.0	080	/				31	531	03.28	1121/
/ KZAK	FIR		079	OAKLAND OCEANIC				FIR			
0229	N41	00.0	083	390 ---/010	1888	50	29048P041	01	490	026	118
41E70	E170	00.0	080	/				31	531	03.54	1239/
			079					41N170E			
0079	N41	24.6	072	390 ---/010	1850	47	23066P062	01	493	009	038
ETP1	E171	39.0	074	/				31	555	04.03	1277/
			072					ETP1			
0384	N43	00.0	072	390 ---/010	1664	47	23066P062	01	493	041	186
43E80	E180	00.0	074	/				31	555	04.44	1463/
			072					43N180E			
0449	N45	00.0	068	390 ---/010	1471	52	24112P110	04	484	045	193
45N70	W170	00.0	070	/				37	594	05.29	1656/
			071					45N170W			
0435	N47	00.0	064	390 ---/010	1293	55	26129P128	07	479	043	178
47N60	W160	00.0	062	/				37	607	06.12	1834/
			070					47N160W			
0410	N47	00.0	076	390 ---/010	1130	58	27130P129	05	474	041	163
47N50	W150	00.0	075	/				38	603	06.53	1997/
			086					47N150W			
0271	N45	51.0	089	390 ---/010	1023	58	30129P123	08	472	027	107
ETP2	W143	39.6	085	/				38	595	07.20	2104/
			102					ETP2			
0164	N45	00.0	089	390 ---/010	0959	58	30129P123	08	472	017	064
45N40	W140	00.0	085	/				38	595	07.37	2168/
			102					45N140W			
0442	N41	30.4	100	390 ---/010	0779	61	32103P092	06	467	047	180
FIR	W131	05.5	095	/				37	559	08.24	2348/
/ ADIZ	FIR		115	-----				FIR			
0059	N41	00.0	100	390 ---/010	0755	61	32103P092	06	467	006	024
41N30	W130	00.0	095	/				37	559	08.30	2372/
			115					41N130W			
0181	N39	03.8	115	390 ---/010	0678	61	32059P058	04	469	021	077
FATMO	W127	00.0	114	/				36	527	08.51	2449/
/ KZOA	FIR		129	OAKLAND				FATMO			
0095	N38	00.0	118	390 ---/010	0636	60	31044P044	02	472	011	042
PAINT	W125	30.0	118	/				33	516	09.02	2491/
			132					PAINT			
0133	N37	15.5	095	390 ---/061	0577	58	30033P032	03	474	016	059
PIRAT	W122	51.8	095	/				34	506	09.18	2550/
			109					PIRAT			
0158	N35	43.5	112	390 ---/082	0507	56	27040P031	02	476	018	070
FIR	W120	12.3	115	/				34	507	09.36	2620/
/ KZLA	FIR		125	LOS ANGELES				FIR			
0006	N35	40.0	112	390 ---/082	0504	56	27040P031	02	476	001	003
BURGL	W120	06.5	115	/				34	507	09.37	2623/
			125					BURGL			
0027	N35	17.3	136	390 ---/075	0492	56	26050P013	00	476	003	012
DOUIT	W119	49.5	142	/				38	489	09.40	2635/
			148					DOUIT			
0020	N35	01.2	131	390 ---/111	0483	56	26054P018	03	476	002	009
TOD	W119	34.8	136	/				38	494	09.42	2644/
			142					TOD			
0008	N34	54.9	131	DSC ---/111	0480	54	26050P019	..	...	001	003
CROWY	W119	28.6	136	/				..	...	09.43	2647/
			142					CROWY			
0012	N34	45.0	132	DSC ---/111	0479	45	26046P016	..	...	002	001
MUPTT	W119	19.7	136	/				..	...	09.45	2648/
			143					MUPTT			
0007	N34	39.1	133	DSC ---/111	0479	42	26046P015	..	...	001	000

MDOTS W119 14.6 137	/	 09.46 2648/
144		MDOTS
0006 N34 33.8 133 DSC ---/111 0478 37 26046P014		 000 001
GRIPR W119 10.0 137	/	 09.46 2649/
144		GRIPR
0009 N34 26.6 132 DSC ---/111 0477 31 25045P012		 001 001
BIKNG W119 03.6 138	/	 09.47 2650/
144		BIKNG
0007 N34 20.6 133 DSC ---/111 0476 26 25044P010		 002 001
RUNNN W118 58.4 138	/	 09.49 2651/
144		RUNNN
0007 N34 15.3 131 DSC ---/104 0476 21 25043P010		 001 000
IRNMN W118 53.6 137	/	 09.50 2651/
143		IRNMN
0007 N34 09.9 131 DSC ---/104 0475 16 25040P008		 001 001
SYMON W118 48.6 136	/	 09.51 2652/
142		SYMON
0011 N34 01.8 126 DSC ---/104 0474 09 25035P009		 001 001
BAYST W118 39.8 132	/	 09.52 2653/
138		BAYST
0006 N34 01.2 085 DSC ---/104 0473 03 25033P026		 001 001
JUUSE W118 33.2 087	/	 09.53 2654/
096		JUUSE
0005 N34 00.6 086 DSC ---/104 0472 01 25029P026		 001 001
CLIFY W118 27.4 088	/	 09.54 2655/
097		CLIFY
0005 N34 01.6 067 DSC ---/104 0471 01 25028P026		 001 001
DAHJR W118 21.5 067	/	 09.55 2656/
078		DAHJR
0003 N34 02.0 071 DSC ---/104 0470 03 26026P024		 000 001
GADDO W118 17.9 071	/	 09.55 2657/
082		GADDO
0053 N33 56.5 214 DSC ----- 0441 16 28008M006		 013 029
KLAX W118 24.5 203	/	 10.08 2686/
225		LOS ANGELES INTL

ROUTE TO ALTN : KLAX..LAX J96 PDZ..KONT

ALTERNATE	- 1	KONT	MSA	TTK	DIST	FL	W/C	TIME	FUEL
			129	080	0105	100	P006	00.22	11300

3% CONTINGENCY ERA VALIDATION

ERA	COC	CUMD	MSA	TTK	DIST	TIME	ETA
KSFO	N4542.8	4209	61	117	1044	2.12	1315
	W14301.5						

LOLV EQUAL TIME POINT DATA

RJCC-PACD				PACD-KSFO			
DIST 2231	DIST 1306	DIST 4180	DIST 1071				
TIME 04.03	TIME 03.45	TIME 07.20	TIME 02.46				
TRIP 1277	TRIP 1109	TRIP 2104	TRIP 0802				
LAT/LONG N41246 E171390		LAT/LONG N45510	W143396				
AVG W/C RJCC M005 TO PACD	M013	AVG W/C PACD M030 TO KSFO	P027				

I HEREBY RELEASE THIS FLIGHT IN FULL COMPLIANCE WITH CIVIL AVIATION LAW AND/OR COMPANY OPERATIONS MANUAL.

- DISPATCHER: HONGJUN_KIM

I HEREBY PREPARE AND ARRANGE THIS FLIGHT RELEASE ACCORDING TO THE INSTRUCTION AND DATA PROVIDED BY

- AGENT: SIGN

I HEREBY ACCEPT THIS FLIGHT RELEASE WITH FULL ACKNOWLEDGEMENT.

- PILOT IN COMMAND: SIGN

(FPL-AAR202-IS

-A388/J-SDE1E2E3FGHIJ1J2J3J4J5M1P2RWXYZ/LB1D1

-RKSI0340

-N0490F390 DCT EGOBA Y697 LANAT Y51 SAMON Y142 GTC Y512 ADNAP OTR7

EMRON/M084F390 DCT 40N160E 41N170E 43N180E 45N170W 47N160W

47N150W 45N140W 41N130W/N0469F390 DCT FATMO DCT PAINT DCT PIRAT

DCT BURGL IRNMN2

-KLAX1008 KONT

-PBN/A1B1C1D1L101S2 DAT/1FANSP SUR/RSP180 260B CANMANDATE

DOF/260607

REG/HL7634

EET/RJJJ0035 EMRON0210 160E0301 KZAK0328 170E0354 180E0444

170W0529 160W0612 150W0653 140W0737 ADIZ0824 130W0830 KZOA0851

KZLA0936

SEL/HLAB CODE/71BE34 PER/C RALT/RJCC PACD KSFO RMK/TCAS II

EQUIPPED

-E/1202 P/TBN R/VE S/M J/L D/14 898 C SILVERGRAY

A/WHITE)

PLAN VALID FOR DEPARTURE UNTIL 0940Z 07/JUN/26

START OF WIND AND TEMPERATURE SUMMARY ICN TO LAX						
FL	ISA	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP
400	-56	25087+053-55	25090+053-54	25079+039-55	24074+057-54	
390	-56	25087+051-53	25084+047-54	24074+035-53	23073+053-52	
370	-56	26093+060-49	25076+042-49	24071+034-49	23069+053-48	
350	-54	25083+050-45	25071+039-45	25067+034-44	24065+052-43	
330	-50	25078+044-40	25070+038-40	25067+034-39	24063+053-38	
		ESNEG	AGSUS	LANAT	DISSH	
400	-56	23084+056-54	23087+056-54	23101+099-54	24114+114-55	
390	-56	23085+053-52	23088+053-52	23103+099-52	24108+107-53	
370	-56	23085+054-47	23088+058-47	23091+089-48	24099+099-48	
350	-54	23077+056-43	23080+059-42	24083+082-43	25091+091-43	
330	-50	24069+055-38	24072+057-38	24076+076-38	25081+090-38	
		OVSOS	SAMON	NESKO	BEGSA	
400	-56	25120+120-55	25123+120-55	25127+125-56	26129+120-57	
390	-56	25114+114-53	25114+110-54	25114+112-54	26114+106-54	
370	-56	25101+101-48	25101+100-49	26100+099-49	26101+096-49	
350	-54	25090+089-43	26089+089-44	26088+088-44	27088+086-44	
330	-50	26081+079-39	26080+080-39	27079+079-39	27079+078-40	
		GTC	ELDAK	SDE	BEKEN	
400	-56	26131+125-57	27131+127-57	27130+124-57	29137+111-55	
390	-56	26115+110-54	27116+113-54	27117+110-55	28136+113-54	
370	-56	27101+099-49	27102+101-49	28102+099-50	29113+090-50	
350	-54	27090+089-44	28091+091-45	28089+088-45	29094+068-46	

330	-50	28080+080-40 SOVMO	28081+081-40 OATIS	29079+079-40 ADNAP	30078+054-42 EMRON
400	-56	30105+069-56	29046+040-50	23064+060-47	24106+104-53
390	-56	30110+072-55	29048+041-50	23066+062-47	24112+110-52
370	-56	30110+072-54	29049+040-52	23067+063-47	24117+115-49
350	-54	30096+062-51	30050+040-52	23069+065-47	24114+111-46
330	-50	30085+056-47 40E60	30053+041-49 41E70	23074+069-46 43E80	24102+099-43 45N70
400	-56	26122+121-57	27121+120-60	30119+115-61	32096+088-61
390	-56	26129+128-55	27130+129-58	30129+123-58	32103+092-61
370	-56	25133+133-51	27131+131-53	30134+129-53	32107+096-58
350	-54	25121+121-47	26120+120-48	29125+123-48	31095+090-51
330	-50	25111+111-42 47N60	26112+112-43 47N50	29119+119-43 45N40	31084+082-45 41N30
400	-56	31055+055-62	30042+042-59	30034+034-57	27045+034-56
390	-56	32059+058-61	31044+044-60	30033+032-58	27040+031-56
370	-56	32062+061-56	31047+047-59	31037+035-56	28039+034-54
350	-54	31057+057-52	31050+050-53	32041+036-52	28040+037-50
330	-50	31051+051-46 FATMO	32053+053-47 PAINT	32043+036-47 PIRAT	29039+037-46 BURGL
400	-56	26050+013-56			
390	-56	26050+013-56			
370	-56	26051+016-54			
350	-54	26047+018-49			
330	-50	27044+019-45 DOUIT			

DRIFTDOWN SUMMARY DATA

CRZ	TO	BURN	FL	MSA	TO	BURN	FL	MSA	FOB	LAT	LON	W
LRC	RJCC	110505	100	092	PACD	110865	100	119	184978	N41246	E171390	M
	*PACD	080203	100	094	KSFO	079052	100	062	102347	N45510	W143396	
1LE	RJCC	085845	330	092	PACD	085268	340	119	192759	N40540	E168192	
	*PACD	056391	360	094	KSFO	055282	360	062	105649	N46150	W145360	
2LE	RJCC	103425	170	092	PACD	102462	170	119	187397	N41090	E170354	
	*PACD	067333	210	094	KSFO	066345	210	062	104194	N46048	W144450	

WARNING FLAGS: M-MSA, D-FUEL DUMP REQ., F-DIVERT FUEL REQ.,
S-SPIRAL DESCENT

END OF JEPPESEN DATAPLAN
REQUEST NO. 4001

(FPL-AAR202-IS
-A388/J-SDE1E2E3FGHIJ1J2J3J4J5M1P2RWXYZ/LB1D1
-RKSI0340
-N0490F390 DCT EGOBA Y697 LANAT Y51 SAMON Y142 GTC Y512 ADNAP OTR7
EMRON/M084F390 DCT 40N160E 41N170E 43N180E 45N170W 47N160W
47N150W 45N140W 41N130W/N0469F390 DCT FATMO DCT PAINT DCT PIRAT
DCT BURGL IRNMN2
-KLAX1008 KONT
-PBN/A1B1C1D1L101S2 DAT/1FANSP SUR/RSP180 260B CANMANDATE
DOF/260607 REG/HL7634 EET/RJJJ0035 EMRON0210 160E0301 KZAK0328
170E0354 180E0444
170W0529 160W0612 150W0653 140W0737 ADIZ0824 130W0830 KZOA0851
KZLA0936 SEL/HLAB CODE/71BE34 PER/C RALT/RJCC PACD KSFO RMK/TCAS
II EQUIPPED UPR FLT)

* COPY OF ATS FPL, SUBMITTED AT 0021Z 07JUN *

DISPATCH RELEASE INFORMATION : FLIGHT AAR0202 / 07JUN

I HEREBY RELEASE THE FLIGHT AAR0202/07JUN, ICN/LAX, HL7634, ETD 0340Z
AS PLAN # 4001 UNDER THE FOLLOWING CONDITION.

FOR MORE INFO PLZ CONTACT AT 02-6101-5503 OR ocws@flyasiana.com
(GOOGLE HANGOUT CHAT IS ALSO AVAILABLE)

1. PAX/CARGO RESERVATION

PASSENGERS: FIRST 0/0 BUSINESS 71/78 ECONOMY 217/416
PAX:65579LBS, CARGO: 22047 LBS, OTHERS : 0 LBS

2. FLIGHT SPECIAL NOTICE

- RECORD ALTIMETERS FOR RVSM
CAPT _____ STBY _____ FO _____
- Following items(Type of flight, equipment, SID/STAR or other information)
of the ATS FPL in OFP and the submitted ATS FPL may differ.
In this case, please comply with the 'COPY OF ATS FPL SUBMITTED'.
- ONT SPECIAL AIRPORT.

3. MEL / CDL ITEMS

- MEL 23-75-01A : ETACS NOT AVAILABLE SOMETIMES
- CDL 52-13 : LH WLG DOOR LIP SEAL MISSING (90CM)

4. FUEL BURN ADJUSTMENT

- TRIP FUEL INCREASE FOR 2000LBS ADDITIONAL TAKE OFF WEIGHT : 709 LBS

5. DISPATCH NOTES

- CCF : 800 LBS INCLUDED IN DISC
- TANK : 0 LBS
- EXTRA FUEL DUE TO ENROUTE WX AND ATC HOLD
- TURB/CB
PLZ USE CAUTION UNEXPECTED ENROUTE CB N TURB
PLZ USE CAUTION EXPECTED SIG WX (REFER TO SIG AND TURB CHART)
BE AWARE OF TURBULENCE AREA IN VERTICAL CHART
- MEL/CDL NO OPS RESTRICTION

*** ATTENTION ***

PLEASE UTILIZE PRE-FLIGHT INFORMATION SYSTEM OR
WEATHER REQUEST BY ACARS FOR LATEST TEXT WX INFORMATION

WEATHER BRIEFING

DEPARTURE WEATHER

TAF RKSI 062300Z 0700/0806 04006KT CAVOK TX26/0706Z TN16/0721Z TX24/0805Z
BECMG 0703/0705 29010KT 9999 FEW040 BKN120
BECMG 0710/0712 FEW010 BKN035 OVC070
TEMPO 0713/0716 4000 -RA
BECMG 0719/0721 SCT035

ARRIVAL WEATHER

TAF KLAX 062341Z 0700/0806 25012KT P6SM SCT020
FM070200 26008KT P6SM BKN025
FM070400 VRB03KT P6SM OVC017
FM071400 VRB03KT P6SM OVC025
FM071700 25007KT P6SM OVC025
FM072000 26012KT P6SM SCT025
FM080300 26006KT P6SM OVC015

ALTERNATE WEATHER

TAF KONT 062336Z 0700/0806 25011G18KT P6SM SKC
FM070500 25007KT P6SM FEW015
FM070900 VRB04KT P6SM BKN012
FM071600 VRB04KT P6SM FEW018
FM072100 25011G18KT P6SM SKC

TAF RJCC 062305Z 0700/0806 18010KT 9999 FEW006 BKN015
TEMPO 0700/0702 3000 -DZ BR FEW002 BKN004
TEMPO 0702/0706 FEW003 BKN006
BECMG 0710/0712 34004KT
BECMG 0718/0721 14012KT

TEMPO 0718/0803 4000 SHRA BR FEW004 BKN006
TEMPO 0803/0806 13020G30KT 4000 SHRA BR FEW003 BKN005

TAF PACD 062334Z 0700/0724 30020KT P6SM OVC004
FM071600 30011KT P6SM OVC015

TAF KSFO 062328Z 0700/0806 27023G35KT P6SM SKC
FM070600 29016G26KT P6SM SCT200
FM071100 26011KT P6SM SCT250
FM072100 28019G26KT P6SM SCT250
FM080500 28015KT P6SM SCT200

ENROUTE WEATHER

TAF RKSI 062300Z 0700/0806 04006KT CAVOK TX26/0706Z TN16/0721Z TX24/0805Z
BECMG 0703/0705 29010KT 9999 FEW040 BKN120
BECMG 0710/0712 FEW010 BKN035 OVC070
TEMPO 0713/0716 4000 -RA
BECMG 0719/0721 SCT035

TAF RKPC 062300Z 0700/0806 07010KT 6000 SCT010 BKN035 TX24/0705Z TN17/0720Z
TX22/0805Z
TEMPO 0700/0706 06015G25KT 3500 -RA BKN005 BKN020
BECMG 0707/0709 36007KT
BECMG 0711/0713 21006KT
TEMPO 0715/0721 33007KT 3500 -DZ SCT005 BKN025
BECMG 0722/0724 31007KT SCT025

TAF RJAA 062305Z 0700/0806 04006KT 9999 FEW005 BKN012
TEMPO 0700/0702 FEW005 BKN008
BECMG 0701/0703 12006KT
TEMPO 0707/0709 FEW002 BKN005
TEMPO 0709/0715 4000 -RA BR FEW002 BKN005
TEMPO 0715/0800 FEW002 BKN005
TEMPO 0800/0803 FEW005 BKN008

TAF RJBB 062305Z 0700/0806 05010KT 8000 -SHRA FEW008 SCT020 BKN030
TEMPO 0700/0704 4000 SHRA BR
TEMPO 0704/0709 3000 SHRA BR
BECMG 0721/0800 24008KT

TAF RJGG 062305Z 0700/0806 12014KT 8000 -RA FEW012 SCT015 BKN020
TEMPO 0707/0710 4000 RA BR FEW003 BKN008
BECMG 0715/0718 35008KT
BECMG 0800/0803 18012KT

TAF ROAH 062305Z 0700/0806 20014KT 9999 FEW008 BKN012
TEMPO 0700/0705 FEW005 BKN008
TEMPO 0705/0709 4000 SHRA BR FEW005 BKN008 FEW015CB

TEMPO 0709/0712 FEW005 BKN008

TEMPO 0712/0718 4000 SHRA BR FEW005 BKN008 FEW015CB

TEMPO 0718/0800 FEW005 BKN008

TAF RORS 062305Z 0700/0806 18012KT 8000 -SHRA FEW008 BKN012

TEMPO 0700/0703 3000 +TSRA BR FEW005 BKN008 SCT015CB

TEMPO 0706/0709 4000 SHRA BR FEW005 BKN008 FEW015CB

TEMPO 0709/0800 FEW005 BKN008

TAF RJTT 062305Z 0700/0806 05006KT 9999 FEW008 BKN015

BECMG 0705/0707 13008KT

TEMPO 0710/0715 4000 -RA BR FEW005 BKN008

BECMG 0718/0721 01010KT

TEMPO 0721/0803 FEW005 BKN008

TAF RJCC 062305Z 0700/0806 18010KT 9999 FEW006 BKN015

TEMPO 0700/0702 3000 -DZ BR FEW002 BKN004

TEMPO 0702/0706 FEW003 BKN006

BECMG 0710/0712 34004KT

BECMG 0718/0721 14012KT

TEMPO 0718/0803 4000 SHRA BR FEW004 BKN006

TEMPO 0803/0806 13020G30KT 4000 SHRA BR FEW003 BKN005

TAF PMDY 062327Z 0700/0724 18009KT P6SM FEW010 BKN025

FM070800 20013KT P6SM VCSH SCT010 BKN020

TAF PKWA 062320Z 0700/0724 05008KT P6SM VCSH SCT018 SCT030 BKN300

TAF PWAK 062200Z 0622/0804 VRB06KT 9999 FEW020 QNH2986INS TX31/0702Z TN26/0714Z

TAF PHNL 062327Z 0700/0806 06015G28KT P6SM FEW025 SCT040

FM070900 06013KT P6SM FEW025 FEW040

FM071500 06015G28KT P6SM FEW025 SCT040

TAF PACD 062334Z 0700/0724 30020KT P6SM OVC004

FM071600 30011KT P6SM OVC015

TAF KSFO 062328Z 0700/0806 27023G35KT P6SM SKC

FM070600 29016G26KT P6SM SCT200

FM071100 26011KT P6SM SCT250

FM072100 28019G26KT P6SM SCT250

FM080500 28015KT P6SM SCT200

TAF KLAX 062341Z 0700/0806 25012KT P6SM SCT020

FM070200 26008KT P6SM BKN025


FM070400 VRB03KT P6SM OVC017


FM071400 VRB03KT P6SM OVC025


FM071700 25007KT P6SM OVC025


FM072000 26012KT P6SM SCT025


FM080300 26006KT P6SM OVC015

















NOTAM PACKAGE 1

OZ202 / ICN / LAX

PRINTED AT07JUN26 0016Z

DEP: RKSI DEST: KLAX ALTN: KONT

[DEP]RKSI/ ICN/ Seoul Incheon International Airport, Seoul, KR

1. RUNWAY : 16L/34R : 13123FT X 197FT 15L/33R : 12303FT X 197FT
15R/33L : 12303FT X 197FT 16R/34L : 12303FT X 197FT

2. COMPANY RADIO : 129.35 ASIANA INCHEON/MAINTENANCE/DISPATCH

■ DEPARTURE AIRPORT TECHNICAL INFORMATION

CHECK RWY ID FOR TODC REQUEST (FOR A220 ONLY)

15L, 15L-D4-C8, 15L-K, 15R, 15R-B4, 15R-B5, 15R-B6, 15R-C10, 15R-K,
16L, 16L-N4, 16L-N5, 16L-N6, 16L-P9, 16L-U, 16L-V, 16L-W, 16R,
16R-P10, 16R-P11, 16R-P12, 16R-P7, 16R-P8, 16R-U, 16R-V, 16R-W, 33L,
33L-B1, 33L-B2, 33L-B3, 33L-C9, 33L-J, 33R, 33R-D1-C1, 33R-J, 34L,
34L-P1, 34L-P2, 34L-P4, 34L-P5, 34L-P6, 34L-T, 34L-W, 34R, 34R-N1,
34R-N2, 34R-N3-W, 34R-P3, 34R-T

■ COMPANY ADVISORY

1. 01APR26 00:00 - 31OCT26 14:59 RKSI COAD03/26

[SIMILAR CALL SIGNS]

PLZ PAY MORE ATTENTION TO ATC COMMUNICATION

- OZ335 AND OZ3355 IN SEOUL APPROACH, BY SELOV
 - OZ601 (ICN-SYD) AND KE601 (ICN CEB) DURING ICN APRON & EN-ROUTE, BY SELOB
 - OZ756 (DAD-ICN) AND OZ356 (CAN-ICN) DURING APPROACH, BY SELOV
 - OZ349 (ICN-NKG) AND OZ339 (ICN-HRB) DURING DEPARTURE, BY SELOB
- BY SELOP--

2. 11MAY26 00:00 - UFN RKSI COAD04/26

PLEASE REQUEST RUGMA DIRECT OLMEN INSTEAD OF RUGMA Z85 BILUM MELES GUKDO TO THE ATC.

IT HAS BEEN COORDINATED WITH ICN ACC FOR USE DEPENDING ON TRAFFIC CONDITIONS.

-- BY SELOP--

3. 01JUN26 00:00 - UFN RKSI COAD05/26

// RKSI SID UPDATE DUE TO NDB CHANGES //

- BACKGROUND : AFTER FEB NDB UPDATE, CERTAIN FMS ROUTES NOW DIRECT THE A/C STRAIGHT TO THE FIRST RNAV WAYPOINT.

- A321F, A330, A350, A380, B777

THE FD MAY COMMAND A TURN BELOW 400FT AGL DURING DEPARTURE.

DO NOT COMMENCE ANY TURN BELOW 400FT AGL.

(EXCEPTION : REFER TO FOM 6.4.4)

-- BY SELOC--

■ RUNWAY

16APR26 08:13 - 10JUN26 15:00 RKSI A0478/26

E) THE TRIAL OPS FOR SIMULTANEOUS INDEPENDENT PARALLEL APCH IN FORCE

BETWEEN RWY 33R AND 34L, BETWEEN RWY 15L AND 16R

■ TAXIWAY

31MAY26 23:00 - 10JUN26 07:00 RKSI A0707/26

E) TXL R10 BEHIND ACFT STAND NR 312 CLSD DUE TO WIP

■ RAMP

31MAY26 23:00 - 10JUN26 07:00

RKSI A0708/26

E) ACFT STAND NR 312 CLSD DUE TO WIP

19MAR25 16:00 - 10JUN26 16:00

RKSI Z1295/25

E) TRIGGER NOTAM - AIRAC AIP SUP 103/25
WEF 1600 UTC 19 MAR 2025 TO 1600 UTC 30 JUN 2026
- AIRCRAFT STAND NR 711 OPERATIONAL RESTRICTION
AIRCRAFT STAND NR 711 CLSD.

COMMENT) REFER TO LATEST NOTAM FOR ANY CHANGE.

24DEC25 16:00 - 12JAN27 15:00

RKSI Z1294/25

E) TRIGGER NOTAM - AIRAC AIP SUP 102/25
WEF 1600 UTC 24 DEC 2025 TO 1500 UTC 12 JAN 2027
- OPERATIONAL RESTRICTION
- AIRCRAFT STAND NR 505 CLSD DUE TO OPERATIONAL USE.

COMMENT) REFER TO LATEST NOTAM FOR ANY CHANGE.

■ NAVAID

04APR26 00:00 - UFN

RKSI A0407/26

E) REF AIP RKSI AD 2-13, 2-14.
VOR/DME SCHEDULED INSPECTION TIME CHG AS FLW:

NCN VOR/DME: EVERY 5TH, 9TH, 15TH, 21ST, 27TH DAY (1500-1900
UTC) OF
THE MONTH

WNG VOR/DME: EVERY 4TH, 8TH, 14TH, 20TH, 26TH DAY (1500-1900
UTC) OF
THE MONTH

■ GPS

06JUN26 11:16 - 08JUN26 11:11

RKSI G2504/26

D) 06 1116-1119 1215-1217 1239-1301, 07 1112-1115 1211-1213
1235-1257, 08 1108-1111

E) GPS RAIM OUTAGES PREDICTED FOR NPA

30MAY24 01:15 - UFN

RKSI Z0511/24

E) CAUTIONARY INFO FOR ACFT OPERATING IN INCHEON FIR :
PILOTS HAVE REPORTED THAT GPS SIGNALS ARE UNRELIABLE OR LOST
INTERMITTENTLY IN INCHEON FIR(AROUND INCHEON AND SEOUL AREA).
EXERCISE EXTREME CAUTION WHEN USING GPS.
COMMENT) WITHIN ICN/GMP AREA, NUISANCE GPWS
TERRAIN WARNINGS ARE OCCURRED BY GPS INTERFERENCE.
REVIEW RELATED PROCEDURE - OPERATION SAFETY ASSURANCE TEAM.

[DEST]KLAX/ LAX/ Los Angeles International Airport, Los Angeles,
US

1. RUNWAY : 07L/25R : 12923FT X 150FT 07R/25L : 11095FT X 200FT
06R/24L : 10885FT X 150FT 06L/24R : 8926FT X 150FT

■ ARRIVAL AIRPORT TECHNICAL INFORMATION

LANDING PERFORMANCE INFORMATION

NOTAM A1176/26, A1272/26, A3221/26

07L LANDING (IF FULL LENGTH NOT AVBL AND EXIT VIA TWY F)
- EFB: INPUT 125 FT (LDA SHORTENING FROM LIFTOFF END)

25R LANDING
- EFB: USE AS IS

■ COMPANY ADVISORY

1. 20OCT21 00:00 - UFN KLAX COAD02/21

D-10 / C-10 TAXILANE TAXI PROCEDURES INFO

CONTACT RAMP CONTROL PROPERLY

1) D-10 TAXILANE NORTH SIDE GATE : 131.850MHZ (DELTA RAMP CONTROL, 24/7)

2) C-10 TAXILNE SOUTH SIDE GATE : 129.325MHZ (AMERICAN RAMP CONTROL, 0530-2315L)

RMK : #151 ONLY AVBL BY TOW IN/OUT PROCEDURE

-- BY JFKKKW--

2. 20OCT21 00:00 - UFN KLAX COAD03/21

CITY RAMP CONTROL(EAST SIDE) OPERATIONAL PROCEDURES

CITY RAMP TOWER, FREQUENCY: 131.075, HOURS: 24/7

1) ARR, INBD ACFT SHOULD CONTACT RAMP CONTROL. AIRCRAFT WILL BE DIRECTED TO THE INT OF TAXIWAY C AND TAXILANE L TO "SPOT 43" AND INSTRUCTED TO CTC "CITY RAMP".

2) IN EAST FLOW OR OVER-OCEAN OPERATIONS, ARRIVING ACFT WILL BE DIRECTED TO THE INT OF TAXIWAY D AND TAXILANE K TO "SPOT 42" AND INSTRUCTED TO CTC "CITY RAMP".

3) DEP ACFT WILL BE ISSUED PUSHBACK APPROVAL BY RAMP CONTROL, AND THEN GIVEN INSTRUCTIONS TO HOLD SHORT OF TWY D ON EITHER TAXILANE K OR L AND THEN INSTRUCTED TO CONTACTED FAA GROUND CONTROL.

-- BY JFKKKW--

■ RUNWAY

02JUN26 20:20 - 23JUN26 13:30 KLAX A3221/26

E) RWY 07L/25R DECLARED DIST:

RWY 07L TORA 12091FT TODA 12091FT ASDA 12091FT LDA 11134FT.

RWY 25R TORA 11134FT TODA 11134FT ASDA 11134FT LDA 11134FT.

27MAY26 18:26 - 28MAY27 16:00 KLAX A3108/26

E) AD AP CLSD TO NON SKED TRANSIENT GA ACFT EXC 24HR PPR CTC ATLANTIC

AVIATION 310-258-9884 OR SIGNATURE AVIATION 310-410-9605

■ TAXIWAY

28MAY26 13:10 - 30JUL26 22:00 KLAX A3129/26

E) TWY B TWY DIRECTION SIGN NORTHWEST SIDE FOR TWY C8 LGT U/S

28MAY26 13:06 - 30JUL26 22:00 KLAX A3128/26

E) TWY B LOCATION SIGN BTN TWY C8 AND TWY C9 LGT U/S

01MAY26 12:30 - 08JUL26 12:30 KLAX A2540/26

E) TWY C8 BTN TWY B AND TWY C CLSD TO ACFT WINGSPAN MORE THAN 118FT

01MAY26 12:30 - 08JUL26 12:30 KLAX A2522/26

E) TWY C BTN TWY C8 AND TWY C9 CLSD

01APR26 16:44 - 10JUN26 22:00 KLAX A2010/26

E) LAX TWY P BTN TWY C AND TWY N2 IRREGULAR SFC STEEL PLATES

02MAR26 08:30 - 23JUN26 02:00 KLAX A1272/26

E) LAX TWY B1 BTN APCH END RWY 25R AND TWY B CLSD

02MAR26 14:30 - 23JUN26 02:00	KLAX A1176/26
E) LAX TWY B BTN TWY F AND TWY B1 CLSD	

■ RAMP

02APR26 13:00 - 11NOV26 14:00	KLAX A1974/26
E) LAX APRON TXL C9 NORTH OF GATE 46B CLSD	

02MAR26 08:30 - 22JUN26 23:59	KLAX A1267/26
E) LAX APRON B1 RAMP CLSD	

06JAN26 17:29 - 07JUL26 23:00	KLAX A0155/26
E) LAX APRON TXL C7, C8, D9, D10 IRREGULAR SFC NUMEROUS RUTS	

06JAN26 14:17 - 07JUL26 23:00	KLAX A0151/26
E) LAX APRON TXL C6 IRREGULAR SFC STEEL PLATES	

■ DEPARTURE

07MAY26 15:21 - 08MAY28 15:21	KLAX A2703/26
E) SID LOS ANGELES INTL, LOS ANGELES, CA. GORMAN SEVEN DEPARTURE... AVENAL TRANSITION NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. GMN VOR R-310 RESTRICTED.	

25MAR26 13:16 - 04NOV26 13:16	KLAX A1865/26
E) LAX SID LOS ANGELES INTL, LOS ANGELES, CA. GORMAN SEVEN DEPARTURE... TAKEOFF RWY 06L, 06R NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, LAX TACAN OUT OF SERVICE.	

23MAR26 12:16 - 26JUN26 12:15	KLAX A1812/26
E) LAX SID LOS ANGELES INTL, LOS ANGELES, CA. CATALINA EIGHT DEPARTURE... CHATY FIVE DEPARTURE... GORMAN SEVEN DEPARTURE... LAXX ONE DEPARTURE... PERCH THREE DEPARTURE... SEAL BEACH EIGHT DEPARTURE... VENTURA EIGHT DEPARTURE... TAKEOFF MINIMUMS: RWY 6L, TEMPORARY CRANE (2025-AWP-4386-NRA) BEGINNING 1697FT FROM DER, 912FT RIGHT OF CENTERLINE, UP TO 60 AGL/165 MSL RWY 6R, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 311FT PER NM TO 500. ADD TAKEOFF OBSTACLE NOTES: RWY 6R, TEMPORARY CRANES (2025-AWP-4384 THRU 4386-NRA) BEGINNING 854FT FROM DER, 212FT RIGHT OF CENTERLINE, UP TO 150 AGL/257 MSL RW24L: TEMP CRANE (2021-AWP-2060-NRA). 337FT FROM DER, 445FT RIGHT OF CENTERLINE, UP TO 25 AGL/134 MSL. ALL OTHER DATA REMAINS AS PUBLISHED.	

23MAR26 12:15 - 26JUN26 12:15

KLAX A1811/26

E) LAX ODP LOS ANGELES INTL, LOS ANGELES, CA.
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 14...
TAKEOFF MINIMUMS:
RWY 6L, TEMPORARY CRANE (2025-AWP-4386-NRA) BEGINNING 1697FT
FROM
DER, 912FT RIGHT OF CENTERLINE, UP TO 60 AGL/165 MSL
RWY 6R, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 311FT
PER NM
TO 500. ADD TAKEOFF OBSTACLE NOTES: RWY 6R,
TEMPORARY CRANES (2025-AWP-4384 THRU 4386-NRA) BEGINNING 854FT
FROM
DER, 212FT RIGHT OF CENTERLINE, UP TO 150 AGL/257 MSL
RW24L: TEMP CRANE (2021-AWP-2060-NRA). 337FT FROM DER, 445FT
RIGHT
OF CENTERLINE, UP TO 25 AGL/134 MSL.
ALL OTHER DATA REMAINS AS PUBLISHED.

■ **APPROACH**

15MAY26 18:58 - 15MAY28 18:58

KLAX A2928/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 25L,
AMDT
15B... ILS RWY 25L (CAT II-III), AMDT 15B... S-ILS 25L CAT II
RVR
1200. CAT II NOTE: RVR 1000 AUTHORIZED WITH SPECIFIC OPSPEC,
MSPEC,
OR LOA APPROVAL AND USE OF AUTOLAND OR HUD TO TOUCHDOWN.

15MAY26 18:47 - 15MAY28 18:47

KLAX A2927/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 24R,
AMDT
26C... ILS RWY 24R (CAT II-III), AMDT 26C... S-ILS 24R CAT II
RVR
1200. CAT II NOTE: RVR 1000 AUTHORIZED WITH SPECIFIC OPSPEC,
MSPEC,
OR LOA APPROVAL AND USE OF AUTOLAND OR HUD TO TOUCHDOWN.

28APR26 11:25 - 28AUG26 11:25

KLAX A2499/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 6L, AMDT 2...
LNAV/VNAV DA 474/HAT 355, RVR 3000 ALL
CATS. LNAV MDA 580/HAT
461 ALL CATS, CATS C/D RVR 5000. TEMP CRANE 263 MSL, 3038FT S
OF RWY
6L (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25

KLAX A2498/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 7R, AMDT 1 ...
RNP 0.30 DA 594/HAT 466, RVR 5000 ALL
CATS. TEMP CRANE 263 MSL,
4678FT NW OF RWY 7R (2025-AWP-3533-NRA)

28APR26 11:25 - 28AUG26 11:25

KLAX A2497/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 7R, AMDT 3A...

LNAV/VNAV 474/HAT 346 ALL CATS. LNAV
MDA 580/HAT 452 ALL CATS,
CATS C/D RVR 4500. TEMP CRANE 263 MSL, 4678FT NW OF RWY 7R
(2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2496/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 6R, AMDT 2A...
LNAV/VNAV DA 474/HAT 358, RVR 3000 ALL CATS LNAV MDA 580/HAT
464 ALL CATS, CATS C/D RVR 5000. TEMP CRANE 263 MSL, 2430FT S
OF RWY
6R (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2495/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 7L, AMDT 3A...
LNAV/VNAV DA 474/HAT 346 ALL CATS. LN
AV MDA 580/HAT 452 ALL
CATS, CATS C/D RVR 4500. TEMP CRANE 263 MSL, 3450FT NW OF RWY
7L
(2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2494/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 6R, AMDT 1...
RNP 0.30 DA 501/HAT 385 ALL CATS. TEMP
CRANE 263 MSL, 2430FT S
OF RWY 6R (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2492/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 6L, AMDT 1...
RNP 0.30 DA 494/HAT 375 ALL CATS.
TEMP CRANE 263 MSL, 3038FT S OF RWY 6L (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2484/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 7L, AMDT 1...
RNP 0.11 DA 526/HAT 398, RVR 3500 ALL
CATS. RNP 0.30 DA 554/HAT
426 ALL CATS. TEMP CRANE 263 MSL, 3450FT NW OF RWY 7L
(2025-AWP-3533-NRA).

31MAR26 19:35 - UFN KLAX A1973/26

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 24L, AMDT 2B...
RNP 0.15 ALL CATS VISIBILITY RVR 4000. RNP 0.30 ALL CATS
VISIBILITY
5000. CHANGE PBN REQUIREMENTS NOTE TO READ: RNP AR APCH ? GPS.
THIS IS RNAV (RNP) Z RWY 24L, AMDT 2C.

02MAR26 16:00 - 11OCT26 14:54 KLAX A1318/26

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
ILS OR LOC RWY 24L, AMDT 27D...
S-ILS 24L DA 469/HAT 346, RVR 3000 ALL CATS.
S-LOC 24L MDA 560/HAT 437 ALL CATS.
SIDESTEP 24R MDA 560/HAT 438 ALL CATS.

TEMP CRANES FROM 165 MSL TO 257 MSL, 954FT E OF RWY 24L
(2025-AWP-4383 THRU 4386-NRA).

02MAR26 16:00 - 11OCT26 14:54 KLAX A1317/26
E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 24L, AMDT 5C...
LPV DA 456/HAT 333, RVR 4000 ALL CATS.
TEMP CRANES FROM 165 MSL TO 257 MSL, 954FT E OF RWY 24L
(2025-AWP-4383 THRU 4386-NRA).

26FEB26 17:50 - 30JUN26 17:50 KLAX A1273/26
E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
ILS OR LOC RWY 7R, AMDT 8A...
S-LOC 7R MDA 500/HAT 372 ALL CATS, VIS CAT C/D RVR 3500. VDP AT
I-MKZ 0.84 DME? VDP TO THLD 1.00NM. TEMPORARY CRANES 351 MSL
BEGINNING 4683FT NE OF RWY 7R (2024-AWP-7607 THRU 7610-NRA).

02MAR26 08:00 - 22JUN26 02:00 KLAX A1152/26
E) LAX NAV ILS RWY 25R U/S

06FEB26 11:53 - 18SEP26 11:53 KLAX A0752/26
E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 25L, AMDT 2D...
RNP 0.15 DA 453/HAT 349, RVR 4000 ALL CATS.

22DEC25 16:37 - 03AUG26 16:37 KLAX A6479/25
E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 25R, ORIG-A...
RNP .11 DA 484/HAT 380 ALL CATS.

18NOV25 20:52 - 18NOV27 20:52 KLAX A5868/25
E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
ILS OR LOC RWY 7R, AMDT 8A...
AUTO-PILOT COUPLED APPROACH NA BELOW 800.

■ OBSTRUCTION

02MAR26 14:00 - 01APR27 23:00 KLAX A1295/26
E) LAX OBST CRANE (ASN 2025-AWP-4384-NRA) 335656N1182349W
(0.7NM NE
LAX) 227FT (120FT AGL) FLAGGED AND LGTD

02MAR26 14:00 - 01APR27 23:00 KLAX A1294/26
E) LAX OBST CRANE (ASN 2025-AWP-4383-NRA) 335653N1182349W
(0.6NM ENE
LAX) 257FT (150FT AGL) FLAGGED AND LGTD

02MAR26 14:00 - 01APR27 23:00 KLAX A1293/26
E) LAX OBST CRANE (ASN 2025-AWP-4089-NRA) 335651N1182352W
(0.6NM ENE
LAX) 259FT (150FT AGL) FLAGGED AND LGTD

■ GPS

05JUN26 16:00 - 08JUN26 16:00 KLAX J1222/26
E) GPS RAIM OUTAGES PREDICTED FOR RNP-0.3 AS FLW
NO GPS OUTAGES PREDICTED)

[ALTN]KONT/ ONT/ Ontario International Airport, Los Angeles, US

1. RUNWAY : 08L/26R : 12197FT X 150FT 08R/26L : 10200FT X 150FT

■ TAXIWAY

14APR26 21:25 - 13AUG26 23:59 KONT A0993/26

E) ONT TWY S5 CLSD

14APR26 21:19 - 13AUG26 23:59 KONT A0992/26

E) ONT TWY U BTN RWY 08R/26L AND TWY S CLSD

14APR26 20:44 - 13AUG26 23:59 KONT A0989/26

E) ONT TWY S BTN TWY W AND TWY S8 CLSD

16MAR26 15:00 - 13AUG26 23:59 KONT A0749/26

E) ONT TWY Q BTN RWY 08R/26L AND TWY S CLSD

16MAR26 15:00 - 13AUG26 23:59 KONT A0748/26

E) ONT TWY T CLSD

■ NAVAID

24FEB26 17:14 - 31JUL26 20:00 KONT A0541/26

E) /HDF/ NAV VOR U/S

■ DEPARTURE

07MAY26 15:21 - 08MAY28 15:21 KONT A1136/26

E) SID ONTARIO INTL, ONTARIO, CA. POMONA ONE DEPARTURE...

AVENAL

TRANSITION NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV

SYSTEM WITH

GPS. GMN VOR R-310 RESTRICTED.

21MAY25 17:22 - 21MAY27 17:22 KONT A1230/25

E) ONT ODP ONTARIO INTL, ONTARIO, CA.

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9A...

TAKEOFF MINIMUMS: RWY 8L STANDARD WITH MINIMUM CLIMB OF 470

FEET

PER NM TO 6400.

RWY 8R STANDARD WITH MINIMUM CLIMB OF 470 FEET PER NM TO 6400.

RWY 26L STANDARD WITH MINIMUM CLIMB OF 300 FEET PER NM TO 6400.

RWY 26R STANDARD WITH MINIMUM CLIMB OF 300 FEET PER NM TO 6400.

ALL OTHER DATA REMAINS AS PUBLISHED.

■ APPROACH

15APR26 22:29 - 15NOV27 21:11 KONT A1007/26

E) ONT NAV ILS RWY 26L IM U/S

30MAR26 13:20 - 01DEC27 13:18 KONT A0883/26

E) ONT IAP ONTARIO INTL, ONTARIO, CA.

ILS RWY 26L (CAT II-III), AMDT 9 ...

S-ILS 26L CAT II MINIMUMS NA EXCEPT FOR AIRCRAFT EQUIPPED WITH

RADIO ALTIMETER. I-TWO INNER MARKER OUT OF SERVICE.

27FEB26 20:52 - 28FEB28 20:52 KONT A0584/26

E) ONT IAP ONTARIO INTL, ONTARIO, CA.

RNAV (RNP) Z RWY 26L, AMDT 3...

RNP 0.30 DA 1380/HAT 454 ALL CATS. RVR 4500 ALL CATS.
CHANGE PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PDZ VORTAC
AIRWAY
RADIALS 012 CW 130.

27FEB26 20:49 - 28FEB28 20:49 KONT A0583/26

E) ONT IAP ONTARIO INTL, ONTARIO, CA.
RNAV (RNP) Z RWY 26R, AMDT 3...
RNP 0.30 DA 1382/HAT 450 ALL CATS. RVR 4500 ALL CATS. RNP
0.21 DA
1304/HAT 372 ALL CATS.
CHANGE PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON PDZ VORTAC
AIRWAY
RADIALS 012 CW 130.

24FEB26 17:26 - 14AUG26 23:55 KONT A0542/26

E) ONT IAP ONTARIO INTL, ONTARIO, CA.
ILS OR LOC RWY 26L, AMDT 9...
ILS OR LOC RWY 26R, AMDT 6...
ILS RWY 26L (CAT II-III), AMDT 9...
ILS RWY 26R (CAT II-III), AMDT 6...
RADAR REQUIRED FOR PROCEDURE ENTRY EXCEPT FOR ACFT EQUIPPED
WITH
SUITABLE RNAV SYSTEM WITH GPS,
HDF VOR OUT OF SERVICE.

27JAN26 18:57 - 24JUN26 23:59 KONT A0231/26

E) ONT NAV ILS RWY 26R CAT II/III NA

■ APPROACH LIGHT

27JAN26 18:54 - 24JUN26 23:59 KONT A0232/26

E) ONT RWY 26R ALS U/S

■ AIRPORT

20FEB26 15:55 - UFN KONT A0479/26

E) ONT SVC AUTOMATED WX BCST SYSTEM CHANGED TO 909-472-0788

■ GPS

05JUN26 16:00 - 08JUN26 16:00 KONT J1222/26

E) GPS RAIM OUTAGES PREDICTED FOR RNP-0.3 AS FLW
NO GPS OUTAGES PREDICTED)

■ OTHER

26MAY26 21:22 - 10JUN26 21:22 KONT A1250/26

E) OBST POWER LINE LGT (ASN 2020-AWP-4418-OE) 340318N1173143W
(3.6NM
E ONT) 1182FT (244FT AGL) U/S

04MAY26 12:00 - 03AUG26 04:00 KONT A1102/26

E) OBST TOWER LGT (ASR 1279071) 340451.30N1173607.30W (1.5NM N
ONT)
1103.7FT (70.9FT AGL) U/S

END OF PACKAGE 1 FOR OZ 202 ICN/LAX .

NOTAM PACKAGE 2

OZ 202 ICN/LAX

PRINTED AT 07JUN26 0016Z

ETP: RJCC PACD KSFO

3% ERA: KSFO

ERA: RKSI RKPC RJAA RJBB RJGG ROAH RORS RJAW
RJTT RJCC PMDY PKWA PWAK PHNL PADK PACD KSFO
KLAX

[ETP]RJCC/ CTS/ Sapporo New Chitose Airport, Sapporo, JP

1. RUNWAY : 01L/19R : 9843FT X 197FT 01R/19L : 9843FT X 197FT

2. COMPANY RADIO : 132.05 CHITOSE ANA OPERATION

■ COMPANY ADVISORY

1. 26JUN24 15:00 - UFN RJCC COAD01/24
- FREQUENCY : 132.05MHZ
- PLEASE SET 132.05MHZ DURING PREPARATION ON THE GROUND
-- BY NRTKKW--

2. 14JAN21 00:00 - UFN RJCC COAD01/21
** DE/ANTI-ICING CURRENT STATE OF FLUIDS **
FLUID : TYPE 1 (SAFEWING MP I ECO PLUS(80))
TYPE 4 (KILFROST ABC-S PLUS)
WORKING TYPE : 2 STEP
-- BY --

***** NO CURRENT NOTAMS FOUND *****

[ETP]PACD/ CDB/ Cold Bay, Cold Bay, US

1. RUNWAY : 15/33 : 10179FT X 150FT 08/26 : 4900FT X 150FT

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN PACD COAD01/21
CONTACT POINT
1)PACD TRANSPORTATION DEPARTMENT : TEL 907-532-5000
2)PACD TWR : TEL 1-800-992-7433
-- BY JFKKKW--

■ APPROACH

05JUN26 19:00 - 12JUN26 12:14 PACD A2529/26

E) ODP COLD BAY, COLD BAY, AK. TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES AMDT 9... DEPARTURE PROCEDURE RWY 8, 15,
26, 33:
ADF REQUIRED EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS, CDB VOR OUT OF SERVICE.

05JUN26 19:00 - 12JUN26 12:14

PACD A2527/26

E) IAP COLD BAY, COLD BAY, AK. ILS OR LOC RWY 15, AMDT 19...
ADF AND
DME REQUIRED EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS. MISSED APPROACH: CLIMB TO 1200 THEN CLIMBING LEFT TURN
TO 2200
DIRECT ELF NDB AND HOLD (ADF REQUIRED), CONTINUE CLIMB-IN-
HOLD TO
2200, CDB VOR OUT OF SERVICE.

05JUN26 19:00 - 12JUN26 12:14 PACD A2526/26

E) IAP COLD BAY, COLD BAY, AK. LOC BC RWY 33, AMDT 11...
PROCEDURE NA
EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,
CDB VOR
OUT OF SERVICE.

[ETP]KSFO/ SFO/ San Francisco Intl., San Francisco, US

1. RUNWAY : 10L/28R : 11870FT X 200FT 10R/28L : 11381FT X 200FT
01R/19L : 8650FT X 200FT 01L/19R : 7650FT X 200FT
2. COMPANY RADIO : 129.625 SAN FRANCISCO OPERATIONS

■ RUNWAY

01JUN26 19:37 - 08JUN26 13:00 KSFO A2901/26

E) RWY 10L/28R SAFETY AREA NOT STD N BTN RWY 01R AND RWY 01L

01JUN26 15:00 - 25AUG26 22:00 KSFO A2861/26

E) RWY 01L/19R CLSD EXC TAXI BTN TWY C AND TWY V
COMMENT) CODE F A/C USING RWY (B748)

21MAY26 13:30 - 30JUN26 13:00 KSFO A2705/26

E) RWY 01R/19L CLSD EXC TAXI BTN TWY F AND TWY M
COMMENT) CODE F A/C USING RWY

28APR26 18:58 - 01JUL26 13:00 KSFO A2287/26

E) RWY 01L/19R SAFETY AREA NOT STD BTN TWY M AND H

24APR26 20:34 - 02OCT26 23:59 KSFO A2194/26

E) RWY 01L/19R CLSD
COMMENT) CODE F A/C USING RWY

28MAR26 07:00 - 03OCT26 23:59 KSFO A1672/26

E) SFO RWY 01R/19L RWY STATUS LGT SYSTEM U/S

28MAR26 07:00 - 03OCT26 23:59 KSFO A1668/26

E) SFO RWY 01L/19R RWY STATUS LGT SYSTEM U/S

■ RUNWAY LIGHT

02JUN26 06:14 - 31JUL26 14:00 KSFO A2913/26

E) RWY 01L BTN TWY V , TWY C REDL U/S

26APR26 23:59 - 03OCT26 23:59 KSFO A2229/26

E) RWY 01R RWY END ID LGT U/S

28MAR26 07:00 - 03OCT26 23:59
E) SFO RWY 01L RWY END ID LGT U/S

KSFO A1669/26

■ APPROACH

04JUN26 13:40 - 14JAN27 13:35

KSFO A2982/26

E) ODP SAN FRANCISCO INTL, SAN FRANCISCO, CA. TAKEOFF
MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT 9... TAKEOFF OBSTACLE
NOTES: RWY
19L, CRANE 940FT FROM DER, 512FT LEFT OF CENTERLINE, 115
AGL/115 MSL
(2024-AWP-9860-OE). CRANE 3420FT FROM DER, 606FT LEFT OF
CENTERLINE,
135FT AGL/153FT MSL (2024-AWP-7293-OE), CRANE 3453FT FROM DER,
696FT
LEFT OF CENTERLINE, 135FT AGL/152FT MSL (2024-AWP-7294-OE).
RWY 19R,
CRANE 3670FT FROM DER, 1356FT LEFT OF CENTERLINE, 135FT
AGL/153FT MSL
(2024-AWP-7293-OE), CRANE 3702FT FROM DER, 1446FT LEFT OF
CENTERLINE,
135FT AGL/152FT MSL (2024-AWP-7294-OE),. ALL OTHER DATA
REMAINS AS
PUBLISHED.

04JUN26 21:00 - 11JUN26 01:41

KSFO A2968/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY
28R,
AMDT 15B... ILS RWY 28R (SA CAT I), AMDT 15B... ILS RWY 28R
(CAT
II-III), AMDT 15B... MISSED APPROACH: CLIMB TO 2600 ON
HEADING 284
THEN CLIMBING RIGHT TURN TO 4000 ON RADAR VECTORS TO SAU
VOR/DME AND
HOLD. ?MISSED APPROACH REQUIRES MINIMUM CLIMB OF 350 FEET PER
NM TO
1900? IF UNABLE TO MEET CLIMB GRADIENT, SEE ILS OR LOC RWY
28L, SFO
VOR/DME OUT OF SERVICE.

04JUN26 21:00 - 11JUN26 01:41

KSFO A2967/26

E) ODP SAN FRANCISCO INTL, SAN FRANCISCO, CA. TAKEOFF
MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT 9... DEPARTURE PROCEDURE
RWYS
10L, 10R, 19L, 19R NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV
SYSTEM WITH GPS, SFO VOR/DME OUT OF SERVICE.

04JUN26 21:00 - 11JUN26 01:41

KSFO A2966/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY
28L,
AMDT 27C... ILS RWY 28L (SA CAT II), AMDT 27C... MISSED
APPROACH:
CLIMB TO 2400 THEN CLIMBING LEFT TURN TO 5000 DIRECT SJC
VOR/DME AND
HOLD. ?MISSED APPROACH REQUIRES MINIMUM CLIMB OF 320 FEET PER

NM TO
2000, SFO VOR/DME OUT OF SERVICE.

20MAY26 15:55 - 30DEC26 15:55 KSFO A2666/26
E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. RNAV (GPS) RWY 10L,
AMDT 3... LNAV/VNAV DA 714/HAT 707 ALL CATS, VIS 2 ALL CATS, UNLESS
ADVISED BY ATC THE CRANE DOWN. TEMPORARY CRANE 1.2NM WEST OF RWY 10L,
327FT MSL (2025-AWP-7431-OE).

12MAY26 13:30 - 30JUN26 20:44 KSFO A2498/26
E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. RNAV (GPS) RWY 10L,
AMDT 3... LNAV/VNAV DA 530/HAT 523, VIS 1 1/2 ALL CATS, UNLESS ADVISED BY ATC THAT CRANES ARE DOWN. DAILY 0630-1730L. TEMP CRANES
STARTING 2730 FEET SW OF RWY 10L, UP TO 310 AGL/319 MSL (2025-AWP-4387-NRA).

12MAY26 13:30 - 30JUN26 20:44 KSFO A2497/26
E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. RNAV (RNP) Z RWY 10R,
AMDT 2A... RNP 0.20 DA 496/488, VIS 1 3/8 ALL CATS, UNLESS ADVISED BY
ATC THAT CRANES ARE DOWN. DAILY 0600-1900L. TEMP CRANES STARTING 2065
FEET SW OF RWY 10R, UP TO 310 AGL/319 MSL (2025-AWP-4387-NRA).

12MAY26 13:00 - 26OCT26 12:22 KSFO A2496/26
E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY 28R,
AMDT 15B... SIDESTEP 28L MDA 500/HAT 487 ALL CATS UNLESS ADVISED BY
ATC THE CRANE IS DOWN. TEMP CRANE 258 MSL, 5NM E OF RWY 28R (2026-AWP-2080-OE).

26APR26 23:59 - 03OCT26 23:59 KSFO A2228/26
E) RWY 19L PAPI U/S

26APR26 23:59 - 03OCT26 23:59 KSFO A2225/26
E) NAV ILS RWY 19L U/S

17APR26 12:43 - 17APR28 12:43 KSFO A2047/26
E) SFO IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA.
RNAV (RNP) Z RWY 10R, AMDT 2A... TDZE 8.
RNP 0.20 DA 446/ HAT 438 ALL CATS.
RNP 0.30 DA 1106/ HAT 1098 ALL CATS.

31MAR26 12:26 - 10NOV26 12:26 KSFO A1753/26
E) SFO IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA.
RNAV (GPS) Y RWY 10R, AMDT 2A... TDZE 8.

LNAV HAT 1192 ALL CATS.

28MAR26 07:00 - 030CT26 23:59 KSFO A1670/26
E) SFO RWY 19R PAPI U/S

15JAN26 18:44 - 15JAN28 18:44 KSFO A0223/26
E) SFO VFP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
TIPP TOE VISUAL RWY 28L/R, AMDT 2...
PROCEDURE NA FOR ARRIVALS TO RWY 28R.

■ APPROACH LIGHT

26APR26 23:59 - 030CT26 23:59 KSFO A2227/26
E) RWY 19L ALS U/S

[3% ERA]KSFO/ SFO/ San Francisco Intl., San Francisco, US

SEE THE SAME AIRPORT IN PACKAGE 2

[ERA]RKSI/ ICN/ Seoul Incheon International Airport, Seoul, KR

SEE THE SAME AIRPORT IN PACKAGE 1

[ERA]RKPC/ CJU/ Jeju Intl., Jeju, KR

1. **RUNWAY :** 07/25 : 10433FT X 148FT 13/31 : 6234FT X 148FT
2. **COMPANY RADIO :** 129.85 [AAR] ASIANA JEJU

■ COMPANY ADVISORY

1. **01MAR26 00:00 - UFN** RKPC COAD01/26
CERTIFIED A/C TYPE : A350
CERTIFIED APPROACHES : RNP Z RWY 07 (AR), RNP Z RWY 25 (AR)
-- BY SELOO--

2. **05FEB25 00:00 - 30DEC26 00:00** RKPC COAD01/25
AIP SUP 109/25
A H-BEAM STRUCTURE EXISTS UNDER LOC ANTENNA 305 METERS FROM END OF
RWY 07
-- BY SELOP--

3. **01AUG25 00:00 - UFN** RKPC COAD02/25
RWY 31 OPS : AVBL A321 ONLY
1)RWY 31 TKOF : WHEN DEP RWY25 AND 31 ON ATIS
2)RWY 13 TKOF : NOT AVBL
3)RWY 31 LDG : NOT AVBL
4)RWY 13 LDG : NOT AVBL
-- BY CJUKKW--

4. **01AUG25 00:00 - UFN** RKPC COAD03/25
CHANGES TO JEJU SUB-CENTER OPERATIONS (25.8.1~)
1)CONTACT DETAILS
- PHONE : +82-64-800-6676
- E-MAIL : AACJUOC@FLYASIANA.COM
2)KEY CHANGES
- STAFFING : 1 PERSONNEL
- OPERATING HOUS : MON-FRA(0800-1700KST, DAY SHIFT ONLY)
OPERATING HOURS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.
3)FLIGHT PLAN APPROVAL : HQ(OCC) : 0000-2359KST
4)COMPANY RADIO
"ASIANA JEJU" CONTINUES

HQ(OCC) SUPPORTS DURING NON-WORKING HOURS
5)SUPPORT FOR DOMESTIC AIRPORTS
HQ(OCC) SUPPORTS DURING NON-OPERATING HOURS OF THE JEJU SUB-CENTER.
-- BY --

5. 24DEC25 16:49 - UFN RKPC COAD04/25
CERTIFIED A/C TYPE : A321(HL8510, HL8534, HL8511, HL8533, HL8582)
CERTIFIED APPROACHES : RNP Z RWY 07 (AR), RNP Z RWY 25 (AR)
-- BY SEL00--

6. 01MAY20 00:00 - UFN RKPC COAD01/20
PUSH BACK PROC IN CASE OF APU SHUT DOWN : ONE ENG START WITH ASU -
PUSH BACK
- TWO ENG START - TAXI (ST51-57,60-62,64,65)
-- BY CJUKKW--

7. 07AUG18 00:00 - UFN RKPC COAD01/18
FLOCKS OF BIRDS VICINITY AIRPORT USE CAUTION WHEN LANDING AND DEP
-- BY SELOP--

■ RUNWAY

27MAY26 16:00 - UFN RKPC A0686/26
E) RWY 13/31(P, E1, E2) STOPBAR LIGHTS IN OPERATION
1. PILOTS NEED TO STOP WHEN STOPBAR RED LIGHTS ON
2. IF STOPBAR LIGHTS DIFFER FROM ATC INSTRUCTION PILOTS
SHOULD STOP
AND CONFIRM TO ATC

21FEB26 00:44 - 10JUN26 16:00 RKPC A0258/26
E) A320NEO FAMILY TYPE AND A220 ENG ICE SHEDDING:
1. PILOTS ARE REQUIRED TO REP TO ATC INCLUDING THE REMAINING
GND MOVABLE TIME WITH TAX REQ
2. IF PILOTS UNABLE TO REP BEFORE TAXI, ADVISE TO ATC ASAP
3. ICE SHEDDING SHALL BE PERFORMED ON THE DEP RWY WITH
THE APPROVAL OF ATC
4. ICE SHEDDING SHALL BE PERFORMING ON THE RWY 31 DISPLACED
THRESHOLD WITH THE APPROVAL OF ATC

■ APPROACH

30APR26 00:00 - UFN RKPC AIP AMDT 5/26
E) REF AMDT 5/26
IAP CHANGED

1. RNP Z RWY 07(AR)
• READ MISSED APCH : CLIMB TO 8000 FT ON TRACK OF 066° TO
PC404, THE
N RIGHT TURN ON TRACK OF 102° TO PETAA AND HOLD AT 8 000 FT.
• FAP TEWOO NAVIGATION SPECIFICATION IS RNP 0.5

2. RNP Z RWY 25(AR)
• READ MISSED APCH : CLIMB TO 6000 FT ON TRACK OF 246° TO
PC403, THE
N RIGHT TURN ON TRACK OF 263° TO LOTKA AND HOLD AT 6 000 FT.
• CIRCLING APPROACH DELETED
• FAP RENEK NAVIGATION SPECIFICATION IS RNP 0.5

3. RNP Y RWY 07

• FAS DATA BLOCK INFORMATION FOR LTP/FTP, FPAP AND TCH CHANGED

13MAY26 16:00 - UFN RKPC A0601/26
E) ILS DME RWY 25 RELOCATED DUE TO MODERNIZATION PROJECT.
NEW PSN : 333051.8N1262938.8E

13MAY26 16:00 - UFN RKPC A0600/26
E) ILS GP RWY 25 RELOCATED DUE TO MODERNIZATION PROJECT.
NEW PSN : 333051.7N1262938.9E

13MAY26 16:00 - 25JUN26 14:00 RKPC A0594/26
E) CHG OF OPR MINIMA OCA(OCH) AS FLW DUE TO TEMPO OBST(CRANE)
AT
333013N 1262923E, ELEV 467FT AMSL

ILS Z RWY 25(CAT I) INCREASED TO 316(240)FT
ILS Y RWY 25(CAT I) INCREASED TO 316(240)FT
LOC Z RWY 25 INCREASED TO 510(434)FT
LOC Y RWY 25 INCREASED TO 510(434)FT

REF AIRAC AIP AMDT 4/26 RKPC AD CHART 2-26, 2-27.
COMMENT) 1. ILS Z RWY 25(CAT I) & ILS Y RWY 25(CAT I) MINIMA
CHANGED:
- DA(H) 316'(240'), R800M / WHEN ALS OUT R1200M

2. LOC Z RWY 25 & LOC Y RWY 25 MINIMA CHANGED:
- DA/MDA(H) 510'(434'), R1600M / WHEN ALS OUT R2000M

07APR26 03:19 - 10JUN26 16:00 RKPC A0424/26
E) CHG OF OPR MINIMA OCA(OCH) AS FLW
RNP Y RWY 07(LPV) INCREASED FR 430(343)FT TO 550(473)FT
RNP Y RWY 25(LPV) INCREASED FR 470(394)FT TO 620(544)FT

07APR26 03:15 - 25JUN26 14:00 RKPC A0423/26
E) CHG OF OPR MINIMA OCA(OCH) AS FLW DUE TO TEMPO OBST(CRANE)
AT 333013N 1262923E, ELEV 467FT AMSL

ILS Z RWY 07(CAT II) INCREASED TO 217(130)FT
ILS Y RWY 07(CAT II) INCREASED TO 217(130)FT
ILS Z RWY 07(CAT I) INCREASED TO 347(260)FT
ILS Y RWY 07(CAT I) INCREASED TO 347(260)FT
COMMENT) 1. ILS Z RWY 07(CAT II) & ILS Y RWY 07(CAT II)
MINIMA CHANGED:
- DA(H) 217(130), R400M
2. ILS Z RWY 07(CAT I) & ILS Y RWY 07(CAT I) MINIMA CHANGED:
- DA(H) 347(260), R600M / WHEN ALS OUT R1300M

[ERA]RJAA/ NRT/ Tokyo Narita Intl, Tokyo, JP

1. RUNWAY : 16R/34L : 13123FT X 197FT 16L/34R : 8202FT X 197FT

2. COMPANY RADIO : 130.55 ANA OPERATON

■ COMPANY ADVISORY

1. 06MAY26 00:00 - UFN RJAA COAD01/26 PLZ PAY MORE ATTENTION TO ATC COMMUNICATION. CAUTION: SIMILAR CALL SIGNS (DURING APPROACH TO NRT) OZ102 (ICN-NRT) AND GK102 (CTS-NRT)

-- BY SELOB--

2. 19AUG25 00:00 - UFN

RJAA COAD01/25

CURFEW INFO

AD CURFEW : 1500-2100Z

A330(MMTOW APPLIED) : 1400-2100Z

-- BY NRTKKW--

3. 26NOV25 00:00 - 31DEC27 00:00

RJAA COAD02/25

RJAA AIP SUP 224/25

TEMPO APCH PROC IN USE DUE TO CRANE. (AIP SUP 184/25 SUPERSEDED.)

1) 13 FEB 2026 1500 UTC ~ 30 MAR 2026 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

2) 30 MAR 2026 1500 UTC ~ 5 AUG 2026 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

3) 5 AUG 2026 1500 UTC ~ 15 JUN 2027 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- VOR RWY 34L MDA(H) AND RVR CHANGED.
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.
- VOR RWY 16R MDA(H) AND RVR CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.

4) 15 JUN 2027 1500 UTC ~ 31 DEC 2027 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- ILS RWY 34L DA(H) AND RVR CHANGED.
- LOC RWY 34L MDA(H) AND RVR CHANGED.
- VOR RWY 34L MDA(H) AND RVR CHANGED.
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.
- VOR RWY 16R MDA(H) AND RVR CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.

COMMENT) REFER TO JPSN CHART.

REFER TO LATEST NOTAM FOR ANY CHANGE.

-- BY SELOC--

4. 09SEP24 00:00 - UFN

RJAA COAD02/24

FUEL ORDER PROCEDURE

- FUEL ORDER PROCEDURE AT NRT
- IF EXTRA FUEL IS NEEDED, PLEASE LET OCC KNOW IT VIA A-OPCS

-- BY NRTKKW--

5. 14JAN21 00:00 - UFN

RJAA COAD01/21

** DE/ANTI-ICING CURRENT STATE OF FLUIDS **

FLUID : TYPE 1(KILFROST DF PLUS), TYPE 4(KILFROST ABC-S PLUS)

WORKING TYPE : 2 STEP

-- BY --

6. 01MAY20 16:01 - UFN

RJAA COAD01/20

RWY USE INFO

2100-1400Z : USE RWY INSTRUCTED BY ATC

1400-1500Z : RWY 34L/16R ONLY AVAILABLE

-- BY NRTKKW--

■ RUNWAY

04JUN26 15:10 - 30JUN26 20:30 RJAA A0850/26
D) 1510/2030
E) RWY 16R/34L CLSD DUE TO MAINT
1.EXC ACFT IN AIC 051/19 ITEM 3
2.EXC EMERG ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

28MAY26 00:48 - 25JUN26 20:30 RJAA A0779/26
E) RWY 16R/34L RESTRICTED
AVBL RWY LENGTH FOR TKOF RWY 16R 3610M
RMK: REF AIP SUP 063/26 ITEM RWY:3

01JUN26 14:10 - 30JUN26 20:30 RJAA A0773/26
D) 1410/2030
E) RWY 16L/34R CLSD DUE TO MAINT
COMMENT) ALL RWY CLSD
CURFEW : 1400Z - 2100Z

■ RUNWAY LIGHT

27APR26 02:46 - 20JUL26 15:00 RJAA A0646/26
E) INTERMEDIATE-HLDG-PSN-LGT FOR TWY K(BTN E2 AND E3) U/S DUE TO CONST

15APR26 15:10 - 16JUN26 15:00 RJAA A0481/26
E) STOP-BAR-LGT FOR TWY B1 THRU B9 U/S
RMK: REF AIP SUP 063/26 ITEM TWY:5

18MAR26 15:00 - 16JUN26 15:00 RJAA A0447/26
E) FLW LGT-PARTLY U/S
PALS FOR RWY 16L
SEQUENCED-FLG-LGT FOR RWY 16L
RMK:(1)REF AIP SUP 063/26 ITEM RWY:1,2
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER NOTAM

■ APPROACH

26NOV25 15:00 - 31DEC27 15:00 RJAA AIP SUP 224/25
E) TEMPO APCH PROC IN USE DUE TO CRANE. (AIP SUP 184/25 SUPERSEDED.)

1) 26 NOV 2025 1500 UTC - 24 JAN 2026 1500 UTC
REF JPSN 21-0A.

- VOR RWY 34L MDA(H) CHANGED.
- RNP RWY 16L LNAV MDA(H) CHANGED.

2) 24 JAN 2026 1500 UTC - 13 FEB 2026 1500 UTC
REF JPSN 21-0A, 21-0B, 21-0C, 21-0D.

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- VOR RWY 34L MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

3) 13 FEB 2026 1500 UTC - 30 MAR 2026 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

4) 30 MAR 2026 1500 UTC - 5 AUG 2026 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

5) 5 AUG 2026 1500 UTC - 15 JUN 2027 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- VOR RWY 34L MDA(H) AND RVR CHANGED.
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.
- VOR RWY 16R MDA(H) AND RVR CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.

6) 15 JUN 2027 1500 UTC - 31 DEC 2027 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- ILS RWY 34L DA(H) AND RVR CHANGED.
- LOC RWY 34L MDA(H) AND RVR CHANGED.
- VOR RWY 34L MDA(H) AND RVR CHANGED.
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.
- VOR RWY 16R MDA(H) AND RVR CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.

COMMENT) REFER TO JPSN CHART.
REFER TO LATEST NOTAM FOR ANY CHANGE.

[ERA]RJBB/ KIX/ Osaka Kansai International Airport, Osaka, JP

1. RUNWAY : 06L/24R : 13123FT X 197FT 06R/24L : 11483FT X 197FT
2. COMPANY RADIO : 130.95 ALL NIPPON KANSAI OPS

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN	RJBB COAD01/21
** DE/ANTI-ICING CURRENT STATE OF FLUIDS **	
FLUID : TYPE 1(KILFROST DF PLUS)	
TYPE 4(KILFROST ABC-S PLUS)	
WORKING TYPE : 2 STEP	
-- BY --	

2. 01MAY20 16:01 - UFN	RJBB COAD01/20
CONTACT POINT	
TEL : 81-72-456-7537	
-- BY NRTKKW--	

3. 01MAY20 16:01 - UFN	RJBB COAD02/20
ILS Y RWY 24L APPROACH	
ILS Y RWY 24L (JPSN 21-6) IS FOR NON-RNAV AIRCRAFT ONLY.	
RNAV CAPABLE AIRCRAFT SHOULD USE ILS Z RWY 24L WHEN APPROACHING RWY 24L BY ILS.	
-- BY NRTKKW--	

■ RUNWAY

07JUN26 14:00 - 29JUN26 23:30	RJBB B1432/26
D) 07-08 11 13-15 18 20-22 25 27-29 1400/2330	
E) RWY 06L/24R CLSD DUE TO MAINT	

■ APPROACH

15APR26 15:00 - 08JUL26 15:00 RJBB B0361/26

E) TRIGGER NOTAM-AIRAC AIP SUP 020/26
WEL 16 APR 2026 TIL 8 JUL 2026
TEMPORARY CHANGE OF INSTRUMENT FLIGHT PROCEDURES
COMMENT) [PROCEDURE]
- ILS Z OR LOC Z RWY 06L
- ILS Y OR LOC Y RWY 06L
[CHANGE]
DA(H) RAISED TO 232(223), RVR RAISED TO 600M.
(PREVIOUS DA(H) 209(200), RVR 550M.)

15APR26 15:00 - 29SEP27 15:00 RJBB B0360/26

E) TRIGGER NOTAM-AIRAC AIP SUP 019/26
WEL 16 APR 2026 TIL 29 SEP 2027
UNSERVICEABILITY OF KANSAI ILS 24R(LOC,GP,DME) AND KANSAI IM 24R
COMMENT) ILS 24R(LOC,DME) AND KANSAI IM 24R U/S
(2026.04.15 1500 ~2026.11.25 1500)
ILS 24R GP U/S (2026.04.15 1500~2027.09.29 1500)

■ APPROACH LIGHT

25MAY26 10:56 - 24AUG26 14:59 RJBB B1273/26

E) REF AIP SUP 038/26 ITEM RWY:1
LIGHTING SYSTEM CAT-2 FOR RWY 06L DOWNGRADED TO CAT-1
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER NOTAM

[ERA]RJGG/ NGO/ Nagoya Chubu Centrair International Airport,
Nagoya, JP

1. RUNWAY : 36/18 : 11483FT X 197FT
2. COMPANY RADIO : 132.05 CENTRAIR OPERATION

■ COMPANY ADVISORY

1. **14JAN21 00:00 - UFN** RJGG COAD01/21
** DE/ANTI-ICING CURRENT STATE OF FLUIDS **
FLUID : TYPE 1(KILFROST DF PLUS)
TYPE 4(KILFROST ABC-S PLUS)
WORKING TYPE : 2 STEP
-- BY --

■ RUNWAY

06JUN26 14:50 - 22JUN26 20:50 RJGG G1293/26

D) 06-07 1450/2045 08 1750/2010 13-14 1450/2045 15
1750/2050 20-21 1450/2045 22 1750/2050
E) RWY 18/36 CLSD DUE TO CONST

■ RUNWAY LIGHT

04JUN26 00:00 - 19JUN26 07:00 RJGG G1334/26

E) APN-FLOOD-LGT FOR SPOT 403,400F U/S DUE TO CONST

13MAY26 15:00 - 05AUG26 15:00 RJGG G1156/26

E) STOP-BAR-LGT FOR A1,A2,A3,A3S,A4,A5,A6,A7,A8,A8N,A9,A10 U/S
RMK:(1)REF AIP SUP 109/26 ITEM TWY:3
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER

NOTAM

[ERA]ROAH/ OKA/ Okinawa Naha Airport, Okinawa, JP

1. RUNWAY : 18L/36R : 9843FT X 148FT 18R/36L : 8858FT X 197FT

2. COMPANY RADIO : 132.05 ZENNIKU OKINAWA

■ COMPANY ADVISORY

1. 27AUG25 00:00 - UFN

ROAH COAD01/25

CONTACT POINT

CO.RADIO : 132.05MHZ, CALLSIGN :ZENNIKU OKINAWA

-- BY --

■ RUNWAY

06JUN26 14:00 - 28JUN26 21:30

ROAH H1963/26

D) 06-07 13-14 20-21 27-28 1400/2130

E) RWY 18R/36L CLSD DUE TO MAINT

EXC ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

01JUN26 14:00 - 30JUN26 21:30

ROAH H1962/26

D) 01-05 08-12 15-19 30 1400/2130

E) RWY 18L/36R CLSD DUE TO MAINT

1) AVBL CROSS RWY 18L/36R VIA OTHER THAN CLSD TWY

2) EXC ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

■ APPROACH

06JUN26 21:14 - 08JUN26 22:00

ROAH H2090/26

E) ILS-LOC,GP FOR RWY 36R U/S DUE TO TROUBLE

01JUN26 14:00 - 30JUN26 21:00

ROAH H1879/26

D) 01-03 05 08-11 15-17 22-26 29-30 1400/2100

E) ILS-LOC,GP,DME FOR RWY 36R U/S DUE TO CONST

07JUN26 14:00 - 07JUN26 21:00

ROAH H1852/26

E) PAPI FOR RWY 36L U/S DUE TO MAINT

EXC ACFT WITH PRIOR NOTICE AT LEAST 1HR BFR

[ERA]RORS/ SHI/ Shimojishima, Shimojishima, JP

1. RUNWAY : 17/35 : 9843FT X 197FT

■ RUNWAY LIGHT

25MAY26 23:00 - 21AUG26 10:30

RORS M0792/26

E) RCLL FOR RWY 17/35 U/S DUE TO CONST

[ERA]RJAW/ IWO/ Iwoto (Iwo Jima), Iwoto (Iwo Jima), JP

1. RUNWAY : 07/25 : 8694FT X 197FT

■ RUNWAY

31MAY26 23:00 - 14JUN26 23:59

RJAW M0764/26

D) MAY 31 JUN 14 2300/2359

E) RWY 07/25 CLSD

DUE TO SWEEPING

RMK: EXC MISSION AND EMERG ACFT

COMMENT) EXC EMERG ACFT

[ERA]RJTT/ HND/ Tokyo Haneda Intl, Tokyo, JP

1. RUNWAY : 34R/16L : 11024FT X 197FT 34L/16R : 9843FT X 197FT
05/23 : 8202FT X 197FT 22/04 : 8202FT X 197FT
2. COMPANY RADIO : 132.075 HND OPERATION

■ COMPANY ADVISORY

1. 03APR26 00:00 - UFN RJTT COAD01/26
RNP (AR) APPROACH INFORMATION
CERTIFIED A/C TYPE : A321(HL8510, HL8534, HL8511, HL8533, HL8582)
CERTIFIED APPROACHES : RNP RWY 23 (AR)
-- BY SEL00--

2. 14JAN21 00:00 - UFN RJTT COAD01/21
** DE/ANTI-ICING CURRENT STATE OF FLUIDS **
FLUID : TYPE 1(KILFROST DF PLUS)
TYPE 4(KILFROST ABC-S PLUS)
WORKING TYPE : 2 STEP
-- BY --

■ RUNWAY

03JUN26 14:30 - 27JUN26 21:00 RJTT J1153/26
D) 03 06 10 13 17 20 24 27 1430/2100
E) RWY 05/23 CLSD DUE TO MAINT
RMK: SEE AIP RJTT AD2.23
COMMENT) CODE F A/C USING RWY

02JUN26 15:30 - 30JUN26 21:30 RJTT J1151/26
D) 02 04-05 09 11-12 16 18-19 23 25-26 30 1530/2130
E) RWY 16L/34R CLSD DUE TO MAINT
RMK: SEE AIP RJTT AD2.23

01JUN26 14:30 - 30JUN26 21:00 RJTT J1150/26
D) 01-02 04-05 07-09 11-12 14-16 18-19 21-23 25-26
28-30 1430/2100
E) RWY 04/22 CLSD DUE TO MAINT
RMK: (1)AVBL CROSS RWY 04/22 VIA TWY OTHER THAN CLSD TWY
(2)SEE AIP RJTT AD2.23
COMMENT) CODE F A/C USING RWY

01JUN26 14:30 - 29JUN26 21:00 RJTT J1149/26
D) 01 03 06-08 10 13-15 17 20-22 24 27-29 1430/2100
E) RWY 16R/34L CLSD DUE TO MAINT
RMK: (1)AVBL CROSS RWY 16R/34L VIA TWY OTHER THAN CLSD TWY
(2)SEE AIP RJTT AD2.23
COMMENT) CODE F A/C USING RWY

13MAY26 15:00 - 10JUN26 15:00 RJTT J1022/26
E) GROOVING FOR RWY 16L/34R PARTLY,GRADUALLY ERASED OR
INSTALLED
RMK: (1)REF AIP SUP 114/26 ITEM RWY:53
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

21APR26 15:30 - 10JUN26 15:00

RJTT J0922/26

E) GROOVING FOR RWY 16L/34R PARTLY ERASED DUE TO MAINT
1.LEN: 24.0M (BTN 573M AND 597M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
2.LEN: 14.5M (BTN 603M AND 617.5M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
3.LEN: 18.6M (BTN 663M AND 681.6M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
4.LEN: 24.0M (BTN 753M AND 777M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
5.LEN: 24.0M (BTN 783M AND 807M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
6.LEN: 7.0M (BTN 813M AND 820M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)

15APR26 15:00 - 28OCT26 15:00

RJTT J0406/26

E) TRIGGER NOTAM-AIRAC AIP SUP 021/26
WET 16 APR 2026 TIL 28 OCT 2026
UNSERVICEABILITY AND ALTERNATE MEASURES OF TOKYO LDA-
LOC/DME22(IKL)
COMMENT) RJTT RWY 22 LDA-LOC/DME (IKL) Alternate Operation
* Status: Permanent IKL LOC/DME is U/S due to construction,
but Temporary Portable LOC/DME is in operation.
* FREQ (110.1MHz) and ID (IKL) REMAIN UNCHANGED.
All flight procedures using IKL are FULLY AVAILABLE.
existing charts and FMS database AVAILABLE.

■ RUNWAY LIGHT

13MAY26 15:00 - 10JUN26 15:00

RJTT J1021/26

E) ACFT-STAND-ID-SIGN FOR SPOT 47 U/S
VISUAL-DOCKING-GUIDANCE-SYSTEM FOR SPOT 47 U/S
APN-FLOOD-LGT FOR SPOT 401 PARTLY U/S
APN-FLOOD-LGT FOR SPOT 909 PARTLY U/S
RMK: (1)REF AIP SUP 114/26 ITEM APRON:3,8,9,11
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

13MAY26 15:00 - 10JUN26 15:00

RJTT J1019/26

E) TAXIING-GUIDANCE-SIGN FOR T12,T14,Q,Q1,Q2 U/S
RAPID-EXIT-TWY-INDICATOR-LGT FOR C10 U/S
RMK: (1)REF AIP SUP 114/26 ITEM TWY:13,43
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

13MAY26 15:00 - 10JUN26 15:00

RJTT J1017/26

E) RCLL FOR RWY 16L/34R U/S
RMK: (1)REF AIP SUP 114/26 ITEM RWY:51
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

13MAY26 15:00 - 10JUN26 15:00

RJTT J1016/26

E) RWY-THR-ID-LGT FOR RWY 16L U/S
SEQUENCED-FLG-LGT FOR RWY 34L U/S
REDL FOR RWY 16L/34R PARTLY U/S
APCH-GUIDANCE-LGT FOR RWY 16R/16L(NR.4) U/S
APCH-GUIDANCE-LGT FOR RWY 16R/16L(NR.6,NR.8) PARTLY U/S
LIGHTING SYSTEM CAT-2,3 FOR RWY 34R DOWNGRADED TO CAT-1
RMK: (1)REF AIP SUP 114/26 ITEM RWY:30,49,52,54,55,56
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

■ APPROACH

02JUN26 15:30 - 26JUN26 21:30

RJTT J1147/26

D) 02 04-05 09 11-12 16 18-19 23 25-26 1530/2130
E) ILS-LOC,GP,DME FOR RWY 16L U/S DUE TO CONST

01JUN26 14:30 - 30JUN26 21:00

RJTT J1145/26

D) 01-02 04-05 07-09 11-12 14-16 18-19 21-23 25-26
28-30 1430/2100
E) ILS-LOC,GP,DME FOR RWY 22 U/S DUE TO CONST

03JUN26 14:30 - 27JUN26 21:00

RJTT J1144/26

D) 03 06 10 13 17 20 24 27 1430/2100
E) ILS-LOC,GP,DME FOR RWY 23 U/S DUE TO CONST

01JUN26 14:30 - 29JUN26 21:00

RJTT J1143/26

D) 01 03 06-08 10 13-15 17 20-22 24 27-29 1430/2100
E) ILS-LOC,GP,DME FOR RWY 34L U/S DUE TO CONST

02JUN26 15:30 - 26JUN26 21:30

RJTT J1142/26

D) 02 04-05 09 11-12 16 18-19 23 25-26 1530/2130
E) ILS-LOC,GP,DME,IM FOR RWY 34R U/S DUE TO CONST

01JUN26 14:30 - 29JUN26 21:00

RJTT J1141/26

D) 01 03 06-08 10 13-15 17 20-22 24 27-29 1430/2100
E) ILS-LOC,GP,DME FOR RWY 16R U/S DUE TO CONST

[ERA]RJCC/ CTS/ Sapporo New Chitose Airport, Sapporo, JP

SEE THE SAME AIRPORT IN PACKAGE 2

[ERA]PMDY/ MDY/ Henderson Field, Sand Island, UM

1. RUNWAY : 06/24 : 7800FT X 150FT
2. COMPANY RADIO : 126.2MHZ null

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN

PMDY COAD01/07

CONTACT POINT
AIRFIELD OPS TEL : 1-808-674-1237
-- BY --

***** NO CURRENT NOTAMS FOUND *****

[ERA]PKWA/ KWA/ Bucholz AAF, Kwajalein Island, MH

1. RUNWAY : 06/24 : 6668FT X 198FT

***** NO CURRENT NOTAMS FOUND *****

[ERA]PWAK/ AWK/ Wake Island, Wake Island, UM

1. RUNWAY : 10/28 : 9800FT X 150FT

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN	PWAK COAD01/21
CONTACT POINT	
AWK APO TEL : 1-808-424-2101	
-- BY JFKKKW--	

■ RUNWAY

27APR26 20:10 - 27JUN26 05:00 PWAK M0055/26

E) AERODROME PUBLISHED COMMERCIAL LANDLINES OTS. DURING
AIRFIELD
HOURS CONTAT BASE OPS AT 786-995-3730, 786-995-3731, OR VIA
EMAIL:
WAKE-BASEOPERATIONS?ASRCFEDERAL.COM. FOR AFTER HOURS
IFE/DIVERT
CONTACT KZAK, AND WAKE ISLAND FIRE DEPARTMENT AT 786-995-3734
OR VIA
SAT PHONE: 808-794-1272

[ERA]PHNL/ HNL/ Daniel K. Inouye Intl, Honolulu, US

1. RUNWAY : 08L/26R : 12360FT X 150FT 08R/26L : 12000FT X 200FT
04R/22L : 9002FT X 150FT 04L/22R : 6955FT X 150FT

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN	PHNL COAD01/21
SFO ARINC VHF COVERAGE AT HNL	
IF THERE ARE PROBLEMS IN 131.95 MHZ,	
PLZ CTC SFO COMM CENTER : 800-799-7847	
-- BY --	

■ RUNWAY

07JUN26 09:00 - 07JUN26 13:00 PHNL A2267/26

E) RWY 04R/22L WIP FRICTION TESTING

07JUN26 09:00 - 07JUN26 13:00 PHNL A2266/26

E) RWY 08L/26R WIP FRICTION TESTING

07JUN26 02:00 - 07JUN26 14:00 PHNL A2215/26

E) RWY 08R/26L CLSD
COMMENT) CODE F A/C USING RWY

02JUN26 14:00 - 08JUN26 02:00 PHNL A2119/26

D) DLY 1400-0200
E) RWY 08R CLSD TO LDG
COMMENT) CODE F A/C USING RWY

02JUN26 14:00 - 08JUN26 02:00 PHNL A2118/26

D) DLY 1400-0200

E) RWY 08R/26L W 500FT CLSD. DECLARED DIST:
RWY 08R TORA 11500FT TODA 11500FT ASDA 11500FT LDA 0FT.
RWY 26L TORA 10885FT TODA 10885FT ASDA 10885FT LDA 10885FT.
COMMENT) RWY 08R INTX R2 TAKEOFF AVBL

21MAR26 18:26 - 31DEC26 18:00 PHNL A1244/26
E) HNL RWY 08R LOCATOR LGT FOR BAK-12/14 ARST SYSTEM U/S

21MAR26 18:23 - 31DEC26 18:00 PHNL A1243/26
E) HNL AD AP CLSD TO V-22 VTOL

■ **RUNWAY LIGHT**

07JUN26 02:00 - 07JUN26 14:00 PHNL A2263/26
E) RWY 08R RWY END ID LGT U/S

04JUN26 01:25 - 08JUN26 02:00 PHNL A2190/26
E) RWY 08R RWY END ID LGT U/S

15APR26 23:30 - 30JUN26 02:00 PHNL A1546/26
E) HNL RWY 22R RWY END ID LGT U/S

■ **NAVAID**

27FEB26 18:48 - 27AUG26 21:11 PHNL A0752/26
E) /HNL/ NAV VOR 210-220 BEYOND 11NM UNUSABLE

27FEB26 18:47 - 27AUG26 21:11 PHNL A0751/26
E) HNL NAV VOR 210-220 SFC-2900FT UNUSABLE
F) SFC
G) 2900FT

09FEB26 21:04 - 31DEC26 23:59 PHNL A0552/26
E) /HNL/ NAV TACAN AZM U/S

■ **APPROACH**

07JUN26 02:00 - 07JUN26 14:00 PHNL A2265/26
E) RWY 08R PAPI U/S

07JUN26 02:00 - 07JUN26 14:00 PHNL A2264/26
E) RWY 26L PAPI U/S

07JUN26 02:00 - 07JUN26 14:00 PHNL A2261/26
E) NAV LOC TYPE DIRECTIONAL AID RWY 26L U/S

04JUN26 01:23 - 08JUN26 02:00 PHNL A2189/26
E) RWY 08R PAPI U/S

01JUN26 16:03 - 01SEP26 16:03 PHNL A2157/26
E) ODP DANIEL K INOUE INTL, HONOLULU, HI. DIVERSE VECTOR
AREA (RADAR
VECTORS), AMDT 2 ... RWYS 4L/R, NA-OBSTACLE. ADD TAKEOFF
OBSTACLE
NOTES: RWY 4L, TEMPORARY CRANE 754FT FROM DER, 733FT LEFT OF
CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-4620-NRA),
TEMPORARY CRANE
1992FT FROM DER, 160FT RIGHT OF CENTERLINE, 200FT AGL/211FT

MSL
(2021-AWP-4619-NRA), TEMPORARY CRANE 2222FT FROM DER, 319FT
RIGHT OF
CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-21121-OE). RWY 4R,
TEMPORARY CRANE 1697FT FROM DER, 340FT LEFT OF CENTERLINE,
200FT
AGL/211FT MSL (2021-AWP-4619-NRA), TEMPORARY CRANE 2176FT
FROM DER,
181FT LEFT OF CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-21121-
OE).
ALL OTHER DATA REMAINS AS PUBLISHED.

01JUN26 16:03 - 01SEP26 16:03 PHNL A2156/26

E) ODP DANIEL K INOUE INTL, HONOLULU, HI. HONOLULU TWO
DEPARTURE ...
TAKEOFF MINIMUMS: RWYS 4L/R, 300-1. ADD TAKEOFF OBSTACLE
NOTES: RWY
4L, TEMPORARY CRANE 754FT FROM DER, 733FT LEFT OF CENTERLINE,
200FT
AGL/211FT MSL (2021-AWP-4620-NRA), TEMPORARY CRANE 1992FT
FROM DER,
160FT RIGHT OF CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-4619-
NRA),
TEMPORARY CRANE 2222FT FROM DER, 319FT RIGHT OF CENTERLINE,
200FT
AGL/211FT MSL (2021-AWP-21121-OE). RWY 4R, TEMPORARY CRANE
1697FT
FROM DER, 340FT LEFT OF CENTERLINE, 200FT AGL/211FT MSL
(2021-AWP-4619-NRA), TEMPORARY CRANE 2176FT FROM DER, 181FT
LEFT OF
CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-21121-OE). ALL
OTHER DATA
REMAINS AS PUBLISHED.

01JUN26 16:03 - 01SEP26 16:03 PHNL A2153/26

E) ODP DANIEL K INOUE INTL, HONOLULU, HI. TAKEOFF MINIMUMS
AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT 8B... ADD TAKEOFF
OBSTACLE
NOTES: RWY 4L, TEMPORARY CRANE 754FT FROM DER, 733FT LEFT OF
CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-4620-NRA),
TEMPORARY CRANE
1992FT FROM DER, 160FT RIGHT OF CENTERLINE, 200FT AGL/211FT
MSL
(2021-AWP-4619-NRA), TEMPORARY CRANE 2222FT FROM DER, 319FT
RIGHT OF
CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-21121-OE). RWY 4R,
TEMPORARY CRANE 1697FT FROM DER, 340FT LEFT OF CENTERLINE,
200FT
AGL/211FT MSL (2021-AWP-4619-NRA), TEMPORARY CRANE 2176FT
FROM DER,
181FT LEFT OF CENTERLINE, 200FT AGL/211FT MSL (2021-AWP-21121-
OE).
ALL OTHER DATA REMAINS AS PUBLISHED..

01APR26 17:47 - 01APR27 17:47 PHNL A1341/26

E) HNL IAP DANIEL K INOUE INTL,

HONOLULU, HI.
ILS RWY 8L, AMDT 25A...
TERMINAL ROUTE FROM BOOKE LIH 58 DME/RADAR (IAF) TO SELIC I-
HNL
17.6 DME/RADAR (IF) NA.

29MAR26 06:05 - 31DEC26 09:59 PHNL A1295/26
E) DANIEL K. INOUE INTL AIRPORT, HONOLULU HI.
KLANI FOUR ARRIVAL...NOT AUTHORIZED.

27FEB26 19:31 - 09OCT26 19:31 PHNL A0753/26
E) HNL IAP DANIEL K INOUE INTL,
HONOLULU, HI.
VOR OR TACAN-B, AMDT 2D...
PROCEDURE NA.

02FEB26 13:57 - 05MAR27 21:11 PHNL A0430/26
E) HNL NAV ILS RWY 08L OM U/S

15JAN26 14:22 - 27AUG26 23:55 PHNL A0219/26
E) HNL IAP DANIEL K INOUE INTL,
HONOLULU, HI.
RNAV (RNP) Z RWY 4R, AMDT 2...
RNP 0.30 CAT A DA 293/HAT 284, CAT B DA 351/HAT 352. TEMPORARY
CRANE 235 MSL 2667FT NW OF HNL AIRPORT (2024-AWP-5290-NRA).

15JAN26 14:21 - 27AUG26 23:55 PHNL A0218/26
E) HNL IAP DANIEL K INOUE INTL,
HONOLULU, HI.
RNAV (RNP) RWY 26L, ORIG-E...
RNP 0.15 DA 310/HAT 300 ALL CATS. TEMPORARY CRANE 235 MSL
2667FT NW
OF HNL AIRPORT (2024-AWP-5290-NRA).

15JAN26 14:19 - 27AUG26 23:55 PHNL A0216/26
E) HNL IAP DANIEL K INOUE INTL,
HONOLULU, HI.
RNAV (GPS) RWY 4L, ORIG-C...
LNAV MDA 540/HAT 532 ALL CATS. TEMPORARY CRANE 235 MSL 2667FT
NW OF
HNL AIRPORT (2024-AWP-5290-NRA).

15JAN26 14:17 - 27AUG26 23:55 PHNL A0212/26
E) HNL IAP DANIEL K INOUE INTL,
HONOLULU, HI.
RNAV (GPS) Y RWY 4R, AMDT 3A...
LNAV MDA 540/HAT 532 ALL CATS, VIS CAT C/D 1. VDP NA.
TEMPORARY
CRANE 235 MSL 2667FT NW OF HNL AIRPORT (2024-AWP-5290-NRA).

31DEC25 22:56 - 31DEC26 23:59 PHNL A6474/25
E) HNL STAR DANIEL K INOUE INTL AIRPORT, HONOLULU HI.
SYMIN ONE ARRIVAL NOT AUTHORIZED

31DEC25 22:51 - 31DEC26 23:59 PHNL A6473/25
E) HNL STAR DANIEL K INOUE INTL AIRPORT, HONOLULU HI.
INOYI ONE ARRIVAL NOT AUTHORIZED

31DEC25 22:51 - 31DEC26 23:59 PHNL A6472/25

E) HNL STAR DANIEL K INOUE INTL AIRPORT, HONOLULU HI.
MAKAH ONE ARRIVAL NOT AUTHORIZED

31DEC25 22:51 - 31DEC26 23:59 PHNL A6471/25

E) HNL STAR DANIEL K INOUE INTL AIRPORT, HONOLULU HI.
SHLAE ONE ARRIVAL NOT AUTHORIZED

19AUG24 19:13 - 19AUG26 19:13 PHNL A2833/24

E) HNL IAP DANIEL K INOUE INTL,
HONOLULU, HI.
RNAV (GPS) Y RWY 4R, AMDT 3A...
VDP NA.

■ APPROACH LIGHT

07JUN26 02:00 - 07JUN26 14:00 PHNL A2262/26

E) RWY 26L ALS U/S

[ERA]PADK/ ADK/ Adak Island, Adak Island, US

■ RUNWAY

01MAY26 16:00 - 11JUN26 04:00 PADK A0163/26

D) DLY 1600-0400
E) AD AP ALL SFC WIP

■ NAVAID

21APR26 16:06 - 26JUL26 15:00 PADK A0129/26

E) NAV DME NOT MNT

■ APPROACH

08MAY26 21:56 - 27JUN26 15:00 PADK A0175/26

E) NAV ILS RWY 23 LOC/GP U/S

20MAR26 14:13 - 08JUL26 14:13 PADK A0080/26

E) ADK IAP ADAK, ADAK ISLAND, AK.
ILS Y OR LOC Y RWY 23, ORIG...
ILS Z OR LOC Z RWY 23, ORIG...
NDB/DME RWY 23, ORIG-C...
ALTERNATE MINIMUMS NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV
SYSTEM WITH GPS,
ADK NDB UNMONITORED.

02SEP25 20:14 - 02SEP27 20:14 PADK A0194/25

E) ADK IAP ADAK, ADAK ISLAND, AK.
TACAN RWY 23, ORIG...
S-23? CAT A/B MDA 800/HAT 783 RVR 5500.

11MAR25 13:00 - 11MAR27 13:00 PADK A0084/25

E) ADK IAP ADAK, ADAK ISLAND, AK.
RNAV (GPS) RWY 23, ORIG-C...
RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW RVR 5000 NOT
AUTHORIZED.
CHANGE ALTERNATE MINIMUMS TO READ: CATEGORIES A, B, C, D

1300-3.

11MAR25 13:00 - 11MAR27 12:59

PADK A0083/25

E) ADK IAP ADAK, ADAK ISLAND, AK.

NDB/DME RWY 23, ORIG-C...

S-23 VIS CAT A 1 1/4.

RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW RVR 5000 NOT
AUTHORIZED.

CHANGE ALTERNATE MINIMUMS TO READ: CATEGORIES A, B 1600-2,
CATEGORY

C 1600-3, CATEGORY D 2600-3.

[ERA]PACD/ CDB/ Cold Bay, Cold Bay, US

SEE THE SAME AIRPORT IN PACKAGE 2

[ERA]KSFO/ SFO/ San Francisco Intl., San Francisco, US

SEE THE SAME AIRPORT IN PACKAGE 2

[ERA]KLAX/ LAX/ Los Angeles International Airport, Los Angeles,
US

SEE THE SAME AIRPORT IN PACKAGE 1

END OF NOTAM PACKAGE 2 FOR OZ 202 ICN/ LAX

NOTAM PACKAGE 3

OZ 202 ICN/LAX

PRINTED AT 07JUN26 0016Z

FIR: RKRR RJJJ KZAK KZOA KZLA

[FIR] RKRR/ Incheon, KR

■ COMPANY ADVISORY

1. 01MAY20 16:01 - UFN

RKRR COAD01/20

*** RKRR GPS UNRELIABLE ADVISORY INFO *** ADVISORY INFORMATION FOR
AIRCRAFT OPERATING IN INCHEON FIR : THERE S POSSIBLE TO GPS SIGNALS
UNRELIABLE DUE TO MIL EXCERCISE IF A/C HAD GPS SIGNAL INTERRUPTED
PLEASE DO REPORT TO ATC VIA RADIO OR WIRE 032-880-0247/8

-- BY SELOP--

■ COMMUNICATION

24MAR23 16:00 - UFN

RKRR CHINA SUP 16/21

E) [NEW ATS ARRANGEMENT FOR AKARA-FUKUE CORRIDOR]

// TRANSFER OF CONTROL //

- ATS FOR WB TRAFFIC WILL BE TRANSFERRED FROM
INCHEON ACC TO SHANGHAI ACC AT FIX SADLI ON FREQUENCY
120.95MHZ (PRIMARY) OR 134.00MHZ (SECONDARY)
- ATS FOR EB TRAFFIC TO THE DIRECTIONS OF CJU
AND BEYOND WILL BE TRANSFERRED FROM SHANGHAI ACC TO
INCHEON

ACC AT 125E LONGITUDE ON FREQUENCY 124.525MHZ (PRIMARY)
OR 132.200MHZ (SECONDARY)

- ATS FOR EB TRAFFIC TO THE OTHER DIRECTIONS WILL
BE TRANSFERRED FROM SHANGHAI ACC TO INCHEON ACC AT FIX
SADLI OR 125E LONGITUDE ON FREQUENCY 123.725MHZ

// COMMUNICATIONS//

- TRAFFIC OPERATING IN THE CORRIDOR AIRSPACE SHALL MAINTAIN

A

CONSTANT WATCH ON THE APPROPRIATE FREQUENCY OF SHANGHAI

ACC

IN THE WEST OF 125E LONGITUDE AND INCHEON ACC IN THE EAST
OF

125E LONGITUDE UNLESS OTHERWISE INSTRUCTED BY ATC
(DO NOT CONFUSE WITH FUKUOKA ACC)

■ GPS

29MAY26 02:03 - 30JUN26 15:00

RKRR Z0380/26

E) CAUTIONARY INFORMATION FOR AIRCRAFT OPERATING IN INCHEON
FIR :

PILOTS HAVE REPORTED THAT GPS SIGNALS ARE UNRELIABLE OR LOST
INTERMITTENTLY IN INCHEON FIR. EXERCISE EXTREME CAUTION WHEN
USING
GPS.

■ AIRWAY

06JUN26 21:00 - 07JUN26 21:00				RKRR Z0400/26
E) CONDITIONAL ROUTE(CDR2) AVBL AS FLW, NEW				
NR ROUTE	TIME FM	TIME TO	LOWER LVL	UPPER
LVL				
1 MASTA-UPGOS	06062100	06072030	6,000FT AMSL	FL600
2 RUGMA-ANROD	06062100	06072100	11,000FT AMSL	FL600
3 BOPTA-PONIK	06062100	06070300	FL150	FL600
06070700	06072100			
4 KARBU-LANAT	06062100	06072100	FL150	FL600

■ AIRSPACE

01JUN26 02:00 - 30JUN26 04:00 **RKRR E2599/26**

D) 0200-0400

E) TEMPO RESTRICTED AREA ACT AS FLW

A CIRCLE RADIUS 3NM CENTERED ON 372631N1275757E

F)SFC G)10000FT AMSL

COMMENT) INCLUDE WJU

01JUN26 02:00 - 30JUN26 04:00 **RKRR E2598/26**

D) 0200-0400

E) TEMPO RESTRICTED AREA ACT AS FLW

A CIRCLE RADIUS 7NM CENTERED ON 372631N1275757E

F)SFC G)7000FT AMSL

COMMENT) INCLUDE WJU

■ OTHER

10MAR26 19:30 - 09JUN26 22:00 **RKRR Z0143/26**

D) 1930-2200

E) FLOW CTL AS FLW

1. RTE : A593 VIA SADLI

2. ACFT : LANDING RKRR

3. PROC : FL330 AT OR BELOW AVBL, 5 MIN SEPARATION AT SAME ALTITUDE

10MAR26 19:30 - 09JUN26 22:00 **RKRR Z0142/26**

D) 1930-2200

E) FLOW CTL AS FLW

1. RTE : Y722/B576 VIA ATOTI

2. ACFT : ENTERING RKRR

3. PROC : FL390 NOT AVBL

■ AIP

11JUN25 16:00 - 08JUL26 16:00 **RKRR Z0475/25**

E) TRIGGER NOTAM - AIRAC AIP SUP 43/25

WEF 1600 UTC 11 JUN 2025 TIL 1600 UTC 8 JUL 2026

- THE SONGTAN VORTAC(SOT) WILL BE UNSERVICEABLE DUE TO REPLACEMENT.

.
COMMENT)

* EN-ROUTE / FLIGHT PLANNING

- USE 37°05'40"N 127°01'54"E INSTEAD OF SOT.

- CAN NOT USE DME/DME NAVIGATION ON AIRWAY USING SOT

- NON-RNAV ACFT REQUEST RADAR VECTOR TO DAGUE / INCHEON ACC
BEFORE FLYING ON THE AIRWAYS WITHIN THE SOT COVERAGE.

* FLT PROCEDURES LISTED BELOW ARE NOT AVBL

- RKSI: SID RWY 15L/R SOT 1S
SID RWY 33L/R SOT 1A
STAR RWY 15L GUKDO 1A, KARBU 1A

- RKSS: SID RWY 14L/R SOT 1E
SID RWY 32L/R SOT 1W

* ACFT SHALL ADVISE ATC (SEOUL APP/INCHEON TWR/SEOUL
DEP/GIMPO TWR)
FOR ALTERNATIVES.

* RADAR SERVICE WILL BE PROVIDED BY SEOUL APP.

* ANY CHANGE TO THE CONTENTS OF THESE PAGES WILL BE NOTIFIED
BY NOTAM

[FIR] RJJJ/ Fukuoka, JP

■ COMMUNICATION

07JUN26 13:00 - 07JUN26 20:00

RJJJ Q1319/26

E) RADAR SER RESTRICTED FOR AROUND HIDEK
DUE TO AMAMI AIR-RTE-SURVEILLANCE RADAR MAINT
RMK: SECTOR F16

■ AIRWAY

07JUN26 07:00 - 07JUN26 21:00

RJJJ Q1335/26

E) EASTBOUND PACOTS TRACKS BETWEEN SOUTHEAST ASIA AND NORTH
AMERICA,
TRACK 14.
FLEX ROUTE : LEPKI 37N160E 38N170E 40N180E 42N170W 45N160W
45N150W 43N140W 39N130W CEPAS
RCTP/VHHH ROUTE : MOLKA M750 MUKEP Y891 OVSUN Y893 IGMIS Y57
POROT
OTR11 LEPKI
NAR ROUTE : ACFT LDG KSFO--CEPAS PIRAT OSI KSFO
ACFT LDG KLAX--CEPAS PIRAT BURGL IRNMN KLAX
RMK : TRK 15 NOT AVAILABLE
ATM CENTER TEL:81-92-608-8870

07JUN26 10:00 - 07JUN26 21:00

RJJJ Q1334/26

E) EASTBOUND PACOTS TRACKS BETWEEN JAPAN AND HAWAII,
TRACK 11.
FLEX ROUTE : SEALS 35N150E 34N160E 32N170E 30N180E 26N170W
DOGIF
CANON
JAPAN ROUTE : LAPIL OTR13 SEALS
PHNL ROUTE : CANON BOOKE PHNL
RMK : TRK 12 NOT AVAILABLE
ATM CENTER TEL:81-92-608-8870

07JUN26 05:00 - 07JUN26 21:00

RJJJ Q1333/26

E) EASTBOUND PACOTS TRACKS BETWEEN JAPAN AND NORTH AMERICA,
TRACK 1.
FLEX ROUTE : KALNA 40N160E 41N170E 43N180E 46N170W 48N160W
48N150W
48N140W ROUKE
JAPAN ROUTE : ADNAP OTR5 KALNA
NAR ROUTE : ACFT LDG KSEA/KPDX--ROUKE DOLFF TOU KSEA/KPDX

RMK : ACFT LDG CYVR--48N150W 49N140W PRETY GOVAD CYVR
 ACFT LDG OTHER DEST--ROUKE DOLFF TOU UPR TO DEST
 TRACK 2.
 FLEX ROUTE : EMRON 39N160E 40N170E 42N180E 45N170W 47N160W
 47N150W
 45N140W 42N130W VESPA
 JAPAN ROUTE : ADNAP OTR7 EMRON
 NAR ROUTE : ACFT LDG KSFO--VESPA AMAKR BGGLO KSFO
 ACFT LDG KLAX--VESPA ENI OAK BURGL IRNMN KLAX
 TRACK 3.
 FLEX ROUTE : LEPKI 38N160E 39N170E 41N180E 44N170W 46N160W
 46N150W
 44N140W 41N130W FATMO
 JAPAN ROUTE : AVBET OTR11 LEPKI
 NAR ROUTE : ACFT LDG KLAX--FATMO PAINT PIRAT BURGL IRNMN KLAX
 ACFT LDG KSFO--FATMO PAINT PIRAT OSI KSFO
 RMK : ATM CENTER TEL:81-92-608-8870

06JUN26 22:00 - 07JUN26 22:00 RJJJ Q1332/26

E) CDR ARE ESTABLISHED AS FLW,

RTE	PERIOD	MNM APPLICABLE ALT
1) L512	2606071200/2606072200	MEA
2) Z13	2606071200/2606072200	MEA
3) Z14	2606071200/2606072200	MEA
4) Z25	2606062200/2606072200	MEA
5) Z26	2606062200/2606072200	MEA
6) Z27	2606062200/2606072200	MEA
7) Z40	2606062200/2606072200	MEA
8) Z41	2606062200/2606072200	MEA
9) Z262	2606062200/2606072200	MEA

RMK: REF AIP ENR3.3

06JUN26 21:00 - 07JUN26 21:00 RJJJ Q1331/26

E) CDR ARE ESTABLISHED AS FLW,

RTE	PERIOD	MNM APPLICABLE ALT
1) Z16	2606071300/2606072100	MEA
2) Z17	2606062100/2606062200	MEA
Z17	2606071200/2606072100	MEA
3) Z18	2606062100/2606062200	MEA
Z18	2606071200/2606072100	MEA
4) Z21	2606062100/2606062200	MEA
Z21	2606071200/2606072100	MEA
5) Z101	2606071300/2606072100	MEA
6) Z102	2606071300/2606072100	MEA
7) Z162	2606062100/2606062200	MEA
Z162	2606071200/2606072100	MEA
8) Z171	2606062100/2606062200	MEA
Z171	2606071200/2606072100	MEA
9) Z182	2606062100/2606062200	MEA
Z182	2606071200/2606072100	MEA

RMK: REF AIP ENR3.3

06JUN26 21:00 - 07JUN26 21:00 RJJJ Q1330/26

E) CDR ARE ESTABLISHED AS FLW,

RTE	PERIOD	MNM APPLICABLE ALT
1) Z29	2606071500/2606072100	MEA
2) Z31	2606071500/2606072100	MEA

■ AIRSPACE

19MAY26 07:09 - 30JUN26 15:00

RJJJ P2338/26

D) 19 0709/1500 MAY 19-JUN 29 2100/1500
E) WARNING AREA W-173(HOTEL HOTEL)
HOURS OF OPERATION TEMPO CHANGE
2100/1500UTC

INSTEAD OF
2100/1100 UTC

RMK: REF AIP PAGE ENR5.1-9
F)SFC G)UNL
COMMENT) AFFECTED RTE AS FLW :
*DCT(AVLAS-ONC) : GUM/ICN(P06)

18MAY26 08:35 - 17AUG26 15:00

RJJJ P2331/26

E) ALL ACFT INTENDING TO FLY WI FUKUOKA FIR ARE ADVISED TO PAY
SPECIAL ATTENTION TO THE FOLLOWING INFORMATION.
IN ACCORDANCE WITH ARTICLE 82-3 OF JAPAN SELF DEFENSE FORCE
LAW,
ANTIBALLISTIC MISSILES MAY BE LAUNCHED FOR THE DESTRUCTION OF
THE
ROCKET EXPECTED TO BE LAUNCHED FROM NORTH KOREA.

THE ANTIBALLISTIC MISSILES ARE DEPLOYED AT POSITIONS BLW,
(1)NAHA-SHI : 261219N1273929E
(2)MIYAKOJIMA : 244602N1251930E
(3)ISHIGAKIJIMA : 242404N1241121E
(4)YONAGUNIJIMA : 242638N1225716E
F)SFC G)UNL

06JUN26 22:28 - 07JUN26 04:23

RJJJ R0643/26

E) VOLCANIC ACTIVITY INFO
SAKURAJIMA(AIRA CALDERA)(KAGOSHIMA-SHI)
PSN/313533N1303924E(REF AIP ENR5.3)
VA CLD OBS AT 2152
FL070 MOV W
F)SFC G)FL070

■ OTHER

30APR26 06:56 - 30JUN26 15:00

RJJJ P2070/26

E) REF AIP SUP 073/26 (CHANGE TO READ)
3. UNUSABLE FLIGHT PROCEDURES ETC.
3-1. UNUSABLE FLIGHT PROCEDURES ETC.

CHANGE TO READ

(2) FROM 10 MINUTES PRIOR TO THE ROCKET LAUNCH UNTIL THE
PASSAGE OF
THE ROCKET FROM THE AREA OF 2.(2) IS IDENTIFIED:

DELETE TEXT

7) AWY
A339(BTN SABGU AND KEITH)
R584(BTN SALVA AND KEITH)
R595(BTN SALVA AND KEITH)

ADD IN TEXT

(3) FROM 10 MINUTES PRIOR TO THE LAUNCH UNTIL THE IMPACT OF
THE 1ST

STAGE MAIN ENGINE:

CANCELLATION OF THE UNUSABLE AWY AND RNAV5 ROUTE WILL BE
NOTIFIED BY

FURTHER NOTAM RJJJ.

(FOR RNP10 AIRCRAFT AND NON-RNP10 AIRCRAFT)

A339(BTN SABGU AND KEITH)

R584(BTN SALVA AND KEITH)

R595(BTN SALVA AND KEITH)

COMMENT) AFFECTED RTE AS FLW :

*A339(SABGU-KEITH)

(Out-Bound)

ICN/AKL(P09) ICN/BNE(P13,P01) ICN/CNS(P03) ICN/GUM(P04)

ICN/MEL(P03,P05) ICN/ROR(P01) ICN/SYD(P09,P01)

ICN/DPS(V01,T02E,T03E)

(In-Bound)

AKL/ICN(P05) BNE/ICN(P07,P13,P01) CNS/ICN(P02) GUM/ICN(P04)

GUM/PUS(P04) MEL/ICN(P01) ROR/ICN(P01)

SYD/ICN(P06,P01,N01,U029) DPS/CJU(V01,V01Q)

DPS/ICN(V01,V03,T02E,T03E) DPS/PUS(V01)

*R584(SALVA-KEITH)

(Out-Bound)

ICN/GUM(P03) ICN/SYD(P13)

(In-Bound)

AKL/ICN(P09,V01) BNE/ICN(P05) GUM/ICN(P06) SYD/ICN(P05)

11MAY26 02:32 - UFN

RJJJ Q1113/26

E) REF AIP PAGE ENR 3.1-57,3.3-35,3.3-39,3.3-92 (CHANGE TO
READ)

MEA FOR AWY V57

CRITICAL DME,DME GAP FOR RNAV RTE Y142 Y151 Y381

(1)AWY V57(BTN OKVAB AND TENRU)

CHANGE TO READ

MEA:FL140

(2)RNAV RTE Y142(BTN BEGSA AND NESKO)

CHANGE TO READ

(ASTERISK 1)CRITICAL DME: MBE(63.5NM TO NESKO/58.5NM TO NESKO)

KMC(30.7NM TO NESKO/22.3NM TO NESKO)

NTE(45.0NM TO NESKO/14.0NM TO NESKO)

(ASTERISK 3)DME GAP : BEGSA/63.5NM TO NESKO,INS OR GNSS OR
VOR/DME REQUIRED.

58.5NM TO NESKO/45.0NM TO NESKO,INS

OR GNSS OR VOR/DME REQUIRED.

10.0NM TO NESKO/NESKO, INS OR GNSS OR

VOR/DME REQUIRED.

(3)RNAV RTE Y151(BTN AMIDA AND CHAUS)
DELETE TEXT
CRITICAL DME: MBE(CHAUS/AMIDA)

(4)RNAV RTE Y381(BTN GOLDO AND HIMMY)
CHANGE TO READ
(ASTERISK 1)CRITICAL DME: GTC(66.0NM TO HIMMY/60.0NM TO HIMMY)
MBE(66.0NM TO HIMMY/60.0NM TO HIMMY)
(ASTERISK 2)DME GAP : GOLDO/66.0NM TO HIMMY,60.0NM TO
HIMMY/HIMMY,INS OR IRS OR GNSS OR
VOR/DME REQUIRED.

15APR26 15:00 - UFN

RJJJ Q0852/26

E) REF AIP PAGE ENR 3.5-7,3.5-9,3.5-16 (CHANGE TO READ)
DIRECT ROUTES

(1)1.26 NIIGATA VORTAC(GTC VORTAC)/NIIGATA TACAN(GTC TACAN)
BTN GTC AND MBE
1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND GTC

DELETE TEXT
(NAV GAP:3NM FM MBE VOR/DME AND 26NM FM MBE VOR/DME)

(2)1.34 KOMATSU VORTAC(KMC VORTAC)
BTN KMC AND MBE
1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND KMC

DELETE TEXT
(NAV GAP:3NM FM MBE VOR/DME AND 19NM FM MBE VOR/DME,
15NM FM KMC VORTAC AND 22NM FM KMC VORTAC)

(3)1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND CBE

CHANGE TO READ
MBE VOR/DME 224DEG 33NM/FL140 MAPLE 10NM/9000 MAMLA 13NM/9000
SWING 39NM/5000 042DEG CBE VOR/DME
(COP: MBE 20DME/CBE 75DME)
(NAV GAP:3NM FM MBE VOR/DME AND 7NM FM MBE VOR/DME)

(4)1.62 CHUBU VOR/DME(CBE VOR/DME)
BTN CBE AND MBE

CHANGE TO READ
CBE VOR/DME 042DEG 39NM/5000 SWING 13NM/9000 MAMLA 10NM/9000
MAPLE 33NM/FL140 224DEG MBE VOR/DME
(COP:CBE 75DME/MBE 20DME)
(NAV GAP:3NM FM MBE VOR/DME AND 7NM FM MBE VOR/DME)

(5)1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND TOE
1.38 TOYAMA VOR/DME(TOE VOR/DME)
BTN TOE AND MBE

DELETE TEXT
(NAV GAP:3NM FM MBE VOR/DME AND 20NM FM MBE VOR/DME)

(5)1.37 CHAUS/TENRU

CHANGE TO READ

CHAUS 360DEG 14NM/FL190 180DEG TENRU(360DEG 29NM 180DEG MBE
VOR/DME)

08APR26 08:12 - UFN

RJJJ Q0844/26

E) REF AIP PAGE ENR 3.1-36 (CHANGE TO READ)
AWY V15 REMARKS

CHANGE TO READ

NAV GAP

BTN 48 DME AND

52 DME FM SYE

ON SYE-GTC

INSTEAD OF

NAV GAP

BTN 49 DME AND

52 DME FM SYE

ON SYE-GTC

06JUN26 23:52 - 07JUN26 04:30

RJJJ X3275/26

E) FLOW CTL AS FLWS,

AREA: SECTOR F15

PROC: EXP DEP CLR TIME WILL BE ISSUED TO ACFT FOR SECTOR F15

RMK: REF AIP ENR1.9-1

06JUN26 08:36 - 07JUN26 16:00

RJJJ Y0552/26

E) FLOW CTL AS FLWS,

AREA: ATS RTE A1/G581/Y26/Y52

PROC: EXP DEP CLR TIME WILL BE ISSUED TO ACFT VIA KABAM N892

RMK: REF AIP ENR1.9-1

06JUN26 08:34 - 07JUN26 16:00

RJJJ Z0781/26

E) FLOW CTL AT FIR BDRY AS FLWS,

RTE: B576/Y742

ACFT: SB FOR MANILA FIR VIA KABAM DEP FM KOREA

PROC: (1)13MIN INTERVAL REGARDLESS OF ALT WILL BE APPLIED AT
ATOTI,MUGUS

(2)AVBL ONLY ATOTI OR MUGUS, FOR THE ACFT VIA KABAM N892 FM
KOREA

RMK: REF AIP ENR1.9-1

18MAR26 19:10 - 09JUN26 22:00

RJJJ Z0293/26

D) 1910/2200

E) FLOW CTL AT FIR BDRY AS FLWS,

RTE: B576/Y741/Y743

ACFT : NB ENTERING INCHEON FIR

PROC : FL390 NOT AVBL AT SALMI AND LIPLO

RMK/REF AIP ENR1.9-1

[FIR] KZAK/ Oakland Oceanic, US

■ **AIRWAY**

07JUN26 05:00 - 07JUN26 21:00

KZAK A2708/26

E) TDM TRK J 260607050001 2606070500 2606072100 BOXER FULMR
FASEL
53N140W 56N150W 57N160W OGGOE NULUK NANDY NATES NIKLL NYMPH
NUZAN
NIPPI RTS/KSFO GNNRR STINS AMAKR BOXER KLAX MCKEY LIBBO BRINY
BOARS
BOXER NIPPI R220 NANAC RMK/0

06JUN26 19:00 - 07JUN26 08:00 KZAK A2702/26

E) TDM TRK F 260606190001 2606061900 2606070800 LINUZ MITOH
EDWIL
49N140W 53N150W 53N160W 50N170W 49N180E 47N170E 44N160E EMRON
RTS/KSFO GNNRR STINS AMAKR LINUZ KLAX MCKEY LIBBO BRINY BOARS
AMAKR
LINUZ EMRON OTR9 AVBET RMK/0

06JUN26 15:00 - 07JUN26 08:00 KZAK A2701/26

E) TDM TRK C 260606190001 2606061900 2606070800 KATCH HMPTN
GRIZZ
CJAYY 58N160W CHUUK OBOYD NATES NIKLL NYMPH NUZAN NRKEY NIPPI
RTS/CYVR UQQ KATCH KSEA TOU FINGS KATCH KPDX TOU FINGS KATCH
KSFO TOU
FINGS KATCH KLAX TOU FINGS KATCH NIPPI R220 NANAC RMK/0

06JUN26 19:00 - 07JUN26 08:00 KZAK A2700/26

E) TDM TRK A 260606190001 2606061900 2606070800 LILIA DOGIF
25N170W
28N180E 31N170E 34N160E 35N150E SEALS RTS/PHNL KEOLA LILIA
SEALS
OTR13 LAPIL RMK/TRK B NOT AVAILABLE

06JUN26 19:00 - 07JUN26 08:00 KZAK A2699/26

E) TDM TRK H 260606190001 2606061900 2606070800 ALCOA BUTEN
BOSKE
36N140W 33N150W 31N160W 30N170W 28N180E 26N170E 24N160E
23N150E
23N140E TUNTO RTS/KSFO GNNRR ALCOA KLAX MCKEY LIBBO BRINY
ALCOA TUNTO
R595 SEDKU RCTP TUNTO IGURU VHHH RMK/TRK H ONLY AVAILABLE TO
ACFT
LANDING RCTP OR SOUTH

06JUN26 19:00 - 07JUN26 08:00 KZAK A2698/26

E) TDM TRK E 260606190001 2606061900 2606070800 LINUZ NATTE
ZANNG
51N140W 54N150W 55N160W CURVS EYETI 50N170E AKISU AGEDI ADGOR
RTS/KSFO GNNRR STINS AMAKR LINUZ KLAX MCKEY LIBBO BRINY BOARS
AMAKR
LINUZ ADGOR R591 ADNAP RMK/0

■ AIRSPACE

06MAY26 16:21 - 02JUL26 23:59 KZAK A2175/26

E) AIRSPACE HIGH INTENSITY RADIATED FIELDS (HIRF) / RADAR
HAZARD AREA
ACTIVE. OVERFLIGHT AIRCRAFT ARE ADVISED TO AVOID THIS AREA
DUE TO
POTENTIAL ELECTROMAGNETIC INTERFERENCE (EMI) WITH AIRCRAFT

SYSTEMS.
HAZARD AREA IS DEFINED AS A 3NM RADIUS CENTERED ON
084325N1674307E
(KWAJALEIN ATOLL). ALL ARRIVALS AND DEPARTURES AT PKWA MUST
CHECK
NOTAMS M0082/26, M0088/26, M0090/26 AND COMPLY WITH
REQUIREMENTS.
F) FL055
G) FL310
COMMENT) INCLUDE KWA APO

24MAR25 16:26 - UFN KZAK A1476/25
E) ATTENTION ACFT OPR AND DISPATCHERS OPERATING WITHIN KZAK
FIR
BE ADVISED OAKLAND SAT VOICE NUMBER HAS CHANGED TO
1-510-745-3498.
F) SFC G) UNL

■ OTHER

21JAN26 14:55 - 21JAN28 14:55 KZAK A0290/26
E) ZAK AK..ROUTE ZAK.
V481 BIG DELTA (BIG) VORTAC, AK R-341 TO FORT YUKON (FYU)
VORTAC, AK R-164 NA
EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM
WITH GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

21JAN26 14:55 - 21JAN28 14:55 KZAK A0289/26
E) ZAK AK..ROUTE ZAK.
V438 FAIRBANKS (FAI) VORTAC, AK R-010 TO DEADHORSE (SCC)
VOR/DME,
AK R-144 NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

21JAN26 14:55 - 21JAN28 14:55 KZAK A0288/26
E) ZAK AK..ROUTE ZAK.
V302 FAIRBANKS (FAI) VORTAC, AK R-025 TO FORT YUKON (FYU)
VORTAC,
AK R-179 NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

21JAN26 14:55 - 21JAN28 14:55 KZAK A0287/26
E) ZAK AK..ROUTE ZAK.
V301 FAIRBANKS (FAI) VORTAC, AK R-355 TO FORT YUKON (FYU)
VORTAC,
AK R-209 NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

21JAN26 14:51 - 21JAN28 14:51 KZAK A0286/26
E) ZAK AK..ROUTE ZAK.
J507 NORTHWAY (ORT) VORTAC, AK R-323 TO DEADHORSE (SCC)

VOR/DME, AK
R-144 NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM
WITH
GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

21JAN26 14:51 - 21JAN28 14:51 **KZAK A0285/26**

E) ZAK AK..ROUTE ZAK.
J167 BIG DELTA (BIG) VORTAC, AK R-341 TO U.S. BORDER NA
EXCEPT FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

21JAN26 14:51 - 21JAN28 14:51 **KZAK A0284/26**

E) ZAK AK..ROUTE ZAK.
J160 FAIRBANKS (FAI) VORTAC, AK R-355 TO ADREW, AK NA EXCEPT
FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

21JAN26 14:51 - 21JAN28 14:51 **KZAK A0283/26**

E) ZAK AK..ROUTE ZAK.
J120 FAIRBANKS (FAI) VORTAC, AK R-010 TO FORT YUKON (FYU)
VORTAC,
AK R-194 NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS.
FYU VOR UNUSABLE BEYOND 15 NM.

25NOV09 00:01 - PERM **KZAK K0001/09**

E) * TDM : TRACK DEFINITION MESSAGE

[FIR] KZOA/ Oakland (En route), US

■ COMMUNICATION

02APR26 05:00 - 29JUN26 22:00 **KZOA A0239/26**

E) ZOA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER
BCST (FIS-B) SER MAY NOT BE AVBL WI AN AREA DEFINED AS 121NM
RADIUS
OF 352024N1190648W. AP AIRSPACE AFFECTED MAY INCLUDE BFL, BIH,
DLO,
MHV, OXR, PRB, SBA, VIS.
F) SFC
G) 15000FT

06DEC25 03:30 - 28DEC26 22:00 **KZOA A1398/25**

E) ZOA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R) SERVICES MAY NOT BE AVBL WI AN AREA
DEFINED AS
35NM RADIUS OF 374524N1223653W. AP AIRSPACE AFFECTED MAY
INCLUDE
PRB, SNS, CVH, SJC, MRY, NUQ.
F) SFC
G) 3999FT

■ GPS

06JUN26 06:01 - 09JUN26 12:29

KZOA A0880/26

D) DLY 0601-1229

E) ZOA NAV GPS (29PALM GPS 26-01) (INCLUDING WAAS, GBAS, AND ADS-B)

MAY NOT BE AVBL WI A 304 NM RADIUS CENTERED AT 344350N1161241W (HEC093013) FL400-UNL, 255 NM RADIUS AT FL250 193 NM RADIUS AT 10000FT 172 NM RADIUS AT 4000FT AGL 136 NM RADIUS AT 50FT AGL DLY

0601-1229 2606060601-2606091229

F) SEE TEXT

G) SEE TEXT

■ **OTHER**

06JUN26 03:03 - 12JUN26 23:59

KZOA A0892/26

E) NAV VOR/DME NOT MNT

06DEC25 03:30 - 28DEC26 22:00

KZOA A1397/25

E) ZOA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE

REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER BCST

(FIS-B) SER MAY NOT BE AVBL WI AN AREA DEFINED AS 62NM RADIUS OF

362312N1214430W. AP AIRSPACE AFFECTED MAY INCLUDE E16, OAR, RHV,

SJC, SNS, WVI.

F) SFC

G) 7999FT

06AUG25 19:03 - 08AUG27 19:03

KZOA A0880/25

E) ZOA CA..ROUTE ZOA ZLA.

J126, J88 CEANO INT, CA DISREGARD PMD R-276.

PMD VORTAC UNUSABLE R-276 UNUSABLE.

24OCT24 14:12 - 24OCT26 14:12

KZOA A1308/24

E) ZOA ROUTE ZOA ZLC.

J56 MINA (MVA) VORTAC, NV TO WASATCH (TCH) VORTAC, UT NA. MVA VOR

R-045 UNUSABLE BEYOND 40 NM.

[FIR] KZLA/ Los Angeles, US

■ **COMMUNICATION**

02APR26 05:00 - 29JUN26 22:00

KZLA A0860/26

E) ZLA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE

REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER BCST (FIS-B) SER MAY NOT BE AVBL WI AN AREA DEFINED AS 121NM

RADIUS

OF 352024N1190648W. AP AIRSPACE AFFECTED MAY INCLUDE BFL, BIH, DLO,

MHV, OXR, PRB, SBA, VIS.

F) SFC

G) 15000FT

■ **GPS**

06JUN26 06:01 - 09JUN26 12:29

KZLA A2732/26

D) DLY 0601-1229

E) ZLA NAV GPS (29PALM GPS 26-01) (INCLUDING WAAS, GBAS, AND ADS-B)
MAY NOT BE AVBL WI A 304 NM RADIUS CENTERED AT 344350N1161241W (HEC093013) FL400-UNL, 255 NM RADIUS AT FL250 193 NM RADIUS AT 10000FT 172 NM RADIUS AT 4000FT AGL 136 NM RADIUS AT 50FT AGL 2606050601-2606091229
F) SEE TEXT
G) SEE TEXT

■ AIRWAY

07MAY26 15:21 - 08MAY28 15:21 KZLA A1774/26

E) CA..ROUTE ZLA. V165, V459 AMONT INT, CA TO LOPES INT, CA DISREGARD
RADIALS FROM GMN VOR. DME REQUIRED EXCEPT FOR ACFT EQUIPPED WITH
SUITABLE RNAV SYSTEM WITH GPS. GMN VOR UNUSABLE R300-R015 BEYOND 5NM.

07MAY26 15:21 - 08MAY28 15:21 KZLA A1771/26

E) CA..ROUTE ZLA. V165, V197 SHAFTER (EHF) VORTAC, CA R-123 TO KELEN
INT, CA DISREGARD ALL RADIALS FROM GMN VOR. DME REQUIRED EXCEPT FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. GMN VOR UNUSABLE
R300-R015 BEYOND 5NM.

■ OTHER

10MAR26 12:16 - 10MAR28 12:16 KZLA A0663/26

E) ZLA CA..ROUTE ZLA.
J18, J2 MISSION BAY (MZB) VORTAC, CA TO IMPERIAL (IPL) VORTAC, CA
NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MZB VORTAC UNUSABLE BEYOND 40NM.

06AUG25 19:03 - 08AUG27 19:03 KZLA A2565/25

E) ZLA CA..ROUTE ZLA ZOA.
J126, J88 CEANO INT, CA DISREGARD PMD R-276.
PMD VORTAC UNUSABLE R-276 UNUSABLE.

23MAY25 17:30 - 23MAY27 17:30 KZLA A1768/25

E) ZLA CA..ROUTE ZLA.
V460, V64 THERMAL (TRM) VORTAC, CA TO BLYTHE (BLH) VORTAC, CA CHART
COP AT 30NM FROM TRM AND 40NM FROM BLH.

20MAY25 15:42 - 20MAY27 15:42 KZLA A1725/25

E) ZLA CA..ROUTE ZLA.
V459 DARTS, CA TO SAUGS, CA MEA 7100.

20MAY25 15:42 - 20MAY27 15:42 KZLA A1724/25

E) ZLA CA..ROUTE ZLA.
V459, V597 SEAL BEACH (SLI) VORTAC, CA TO DARTS, CA MEA 4100 SOUTHEASTBOUND.

20MAY25 15:42 - 20MAY27 15:42

KZLA A1723/25

E) ZLA CA..ROUTE ZLA.
V459 DARTS, CA MCA 6100 NORTHWESTBOUND.

24APR25 20:34 - 01MAY27 20:34

KZLA A1390/25

E) ZLA UT..ROUTE ZLA ZLC.
V8 MATZO INT, UT TO JEZOB INT, UT MEA 12000 WESTBOUND EXCEPT
FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
V8 JEZOB INT, UT TO JITKA INT, UT MEA 12000 WESTBOUND EXCEPT
FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MMM VOR MRA AT JITKA 12000.

18FEB25 19:14 - 30SEP27 19:14

KZLA A0650/25

E) ZLA ROUTE ZLA ZDV.
V210 GRAND CANYON (GCN) VOR/DME, AZ TO TUBA CITY (TBC) VORTAC,
AZ
MOCA 9700.

04FEB25 19:09 - 04FEB27 19:09

KZLA A0426/25

E) ZLA ROUTE ZLA.
V235, V8 JITKA, UT TO MATZO, UT MEA 12000. MMM VOR R-043
UNUSABLE
BEYOND 40 NM BELOW 12000.

12DEC24 17:21 - 12DEC26 17:21

KZLA A3865/24

E) ZLA ROUTE ZLA.
J10, J104, J4 LOS ANGELES (LAX) VORTAC, CA TO TWENTYNINE PALMS
(TNP) VORTAC, CA MEA GAP AT COP. LAX VOR R-068 UNUSABLE
BEYOND 65
NM.

26NOV24 19:18 - 26NOV26 19:18

KZLA A3677/24

E) ZLA ROUTE ZLA.
J50 YCDIL, CA TO BLYTHE (BLH) VORTAC, CA MEA 32000. MEA GAP
AT COP.
J50 YCDIL, CA MCA 32000 EASTBOUND. BLH R-268 UNUSABLE BEYOND
40 NM.

25OCT24 16:35 - 25OCT26 16:35

KZLA A3324/24

E) ZLA ROUTE ZLA.
J50 SHAFTER (EHF) VORTAC, CA TO PARADISE (PDZ) VORTAC, CA COP
LANDO, CA. EHF VOR R-126 UNUSABLE BEYOND 40 NM.

END OF NOTAM PACKAGE 3 FOR OZ 202 ICN/LAX

OFP 주요 변경사항 ('26. 06. 01. 부)

Operational Flight Plan Revision & Policy Guidelines



1. OFP 번호 부여 체계

번호는 **0000-9999**까지 시스템에 의해 자동 부여됩니다. EDTO 및 REFUEL 계획 적용에 따른 별도의 번호 구분은 존재하지 않습니다.



2. STD/STA 및 ETD/ETA 표기 기준

OFP 상 STD/STA는 미표기됩니다. ETD/ETA는 **1페이지 우측 하단**에 표기되며, 이때 **ETA는 TAXI TIME을 제외한** 비행 기반 시간입니다.



3. DISC Fuel 명칭 변경 및 안내

기존 EXTRA Fuel을 대체하며(REFUEL 시 PAD Fuel 포함), 사유는 시스템 자동 반영 대신 **Dispatcher Note**에 운항관리사가 직접 작성하여 안내합니다.



4. TCAP 적용에 따른 AGTOW 산정

Ramp Fuel을 항공기 Tank Capacity까지 탑재할 경우, **PLD를 포함한 항공기 무게**를 고려하여 AGTOW 항목 중 하나로 산정됩니다.



5. EDTO 시나리오 구성의 유연화

고정 순서(EEP-ETP-EXP) 외에 **Adequate Airport** 범위에 따라 순환 구성되거나 구간이 1개 이상으로 분할(EEP1, ETP1, EXP1...)되어 구성될 수 있습니다.



6. SID/STAR 반영 및 산정 기준

특정 SID/STAR 항로가 직접 반영되지 않는 대신, 공항별 입출항포인트에서 **최장거리 SID/STAR** 기준의 연료와 비행시간이 반영됩니다. (특수 절차 제외)



7. CONT Fuel 최소값 변경 및 효율 강화

CONT Fuel 최소값이 기존 10분에서 **5분**으로 변경됩니다. 이에 따라 운항 효율을 고려하여 중단거리 구간에서도 **CONT 3%** 적용 예정입니다.

CFP PLAN 4001
ATTN CAPT.

7634

FLIGHT RELEASE AAR202 R KSI/KLAX ON 07/JUN/26.NONSTOP COMPUTED 0013Z

A/C REG.MK ENGINE SELCAL ROUTE PRF WX PROGS AVG WIND/TEMP UNIT
388 HL7634 TRENT970 HL-AB TR07 F BRK 0618UK P089/M55 100LBS

SPEED SKD CLB-320/.85 CRZ- 65 DSC-.85/290/ APMS/P 02.5 PCNT. IFR

	FUEL	TIME	DIST	NAM	PLAN	AGTOW	11195
TRIP	2686	10.08	5611	4791	SOW 06586	RWY	12544
RESERVE	0299	01.15					
ALTN/KONT	0113	00.22	0105	0105	PLD 00875	ACL	01482
FINAL RES	0105	00.30	T/O	Z	ZFW 07461	MZFW	08068
3 PCT CONT	0081	00.23	F/T 10.08		TOF 03127	TOF	03127
REFILE RES	0000	00.00	ETA	Z			11195
ETP RES	0000	00.00					
RQD TAKEOFF	2985	11.22	HRS UTC-0700		TOW 10588	MTOW	12544
DISC	0142	00.40	ETA	L	TIF 02686	TCAP	12544
TANKERING	0000	00.00	RSN/	/	LDW 07902	MLDW	08620
PLN TAKEOFF	3127	12.02	ACTL		PAX	TIF	02686
					CGO		11306
TAXI	0019						
RAMP OUT	3146	12.02	ACTL				
FOD	0441	01.55	ACTL		ETD R KSI 0340Z	ETA KLAX	1348Z

2ND-\$ 370 2697 10.13

R KSI..E GOBA Y697 LANAT Y51 SAMON Y142 GTC Y512 ADNAP OTR7 EMRON..
N40E160..N41E170..N43E180..N45W170..N47W160..N47W150..N45W140..
N41W130..FATMO..PAINT..PIRAT..BURGL IRNMN2 KLAX

DIST	LATITUDE	MC	FL	ETO/MSA	R/F	OT	WIND/COMP	SR	TAS	ZT	B/O
TO	LONGITUDE	MH	ACT	ATO/DF	ACTL			MW	GS	ACTM	ACBO/
		TC									
0065	N37 29.2	097	CLB	---/062	2986	17		..	...	011	141
E GOBA	E127 22.8	100		/				..	...	00.11	0141/

		088							EGOBA			
0014	N37 32.0	087	CLB	---/062	2972	20			002	014		
KARBU	E127 39.9	088		/					00.13	0155/		
		078						KARBU				
0023	N37 36.4	088	CLB	---/075	2948	29			002	024		
TORUS	E128 08.1	090		/					00.15	0179/		
		079						TORUS				
0022	N37 40.5	088	CLB	---/075	2924	33			003	024		
BIKSI	E128 35.1	090		/					00.18	0203/		
		079						BIKSI				
0008	N37 42.0	089	CLB	---/075	2916	38			001	008		
KAE	E128 45.2	089		/					00.19	0211/		
		079						GANGWON				
0030	N37 26.5	130	CLB	---/075	2885	45			004	031		
PILIT	E129 17.5	138		/					00.23	0242/		
		121						PILIT				
0031	N37 10.2	130	390	---/068	2873	54			002	012		
ESNEG	E129 50.9	139		/					00.25	0254/		
		121						ESNEG				
0047	N36 45.4	131	390	---/068	2848	54	25084P047	03 490	005	025		
AGSUS	E130 40.7	139		/				40 537	00.30	0279/		
		122						AGSUS				
0043	N36 22.4	131	390	---/015	2825	53	24074P035	05 492	005	023		
LANAT	E131 25.7	138		/				41 527	00.35	0302/		
/ RJJJ FIR		122	FUKUOKA					LANAT				
0113	N36 16.9	101	390	---/033	2764	52	23073P053	04 493	013	061		
DISSH	E133 45.7	107		/				43 546	00.48	0363/		
		092						DISSH				
0016	N36 15.9	102	390	---/033	2755	52	23085P053	01 493	001	009		
OVSOS	E134 05.3	110		/				40 546	00.49	0372/		
		094						OVSOS				
0020	N36 14.6	102	390	---/010	2744	52	23088P053	01 493	003	011		
SAMON	E134 30.2	111		/				40 546	00.52	0383/		
		094						SAMON				
0119	N37 06.0	072	390	---/112	2684	52	23103P099	05 492	012	060		
NESKO	E136 43.2	076		/				39 591	01.04	0443/		
		064						NESKO				
0088	N37 42.6	074	390	---/059	2640	53	24108P107	06 491	008	044		
BEGSA	E138 24.2	075		/				40 598	01.12	0487/		
		065						BEGSA				
0037	N37 57.5	075	390	---/094	2622	53	25114P114	04 490	004	018		
GTC	E139 06.9	075		/				40 604	01.16	0505/		
		066						NIIGATA				
0031	N38 01.6	090	390	---/094	2607	54	25114P110	05 489	003	015		
ELDAK	E139 45.7	094		/				40 599	01.19	0520/		
		082						ELDAK				
0055	N38 08.3	091	390	---/088	2580	54	25114P112	06 489	006	027		
SDE	E140 55.3	094		/				40 601	01.25	0547/		
		083						SENDAI				
0055	N38 00.4	106	390	---/088	2553	54	26114P106	06 489	005	027		
BEKEN	E142 03.7	111		/				40 595	01.30	0574/		
		098						BEKEN				

0056	N37 51.4	107	390	---/010	2526	54	26115P110	06 488	006	027
SOVMO	E143 14.0	110		/				40 598	01.36	0601/
		099						SOVMO		
0015	N37 49.0	107	390	---/010	2518	54	27116P113	06 488	001	008
OATIS	E143 32.4	110		/				40 601	01.37	0609/
		099						OATIS		
0108	N37 11.8	117	390	---/010	2466	55	27117P110	06 487	011	052
ADNAP	E145 40.0	121		/				40 597	01.48	0661/
		109						ADNAP		
0214	N38 06.4	081	390	---/010	2365	54	28136P113	04 487	022	101
EMRON	E150 00.0	073		/				40 600	02.10	0762/
		074						EMRON		
0481	N40 00.0	080	390	---/010	2125	55	30110P072	02 485	051	240
40E60	E160 00.0	070		/				38 557	03.01	1002/
		073						40N160E		
0232	N40 36.7	083	390	---/010	2006	50	29048P041	01 490	027	119
FIR	E165 00.0	080		/				31 531	03.28	1121/
/ KZAK	FIR	079						FIR		
0229	N41 00.0	083	390	---/010	1888	50	29048P041	01 490	026	118
41E70	E170 00.0	080		/				31 531	03.54	1239/
		079						41N170E		
0079	N41 24.6	072	390	---/010	1850	47	23066P062	01 493	009	038
ETP1	E171 39.0	074		/				31 555	04.03	1277/
		072						ETP1		
0384	N43 00.0	072	390	---/010	1664	47	23066P062	01 493	041	186
43E80	E180 00.0	074		/				31 555	04.44	1463/
		072						43N180E		
0449	N45 00.0	068	390	---/010	1471	52	24112P110	04 484	045	193
45N70	W170 00.0	070		/				37 594	05.29	1656/
		071						45N170W		
0435	N47 00.0	064	390	---/010	1293	55	26129P128	07 479	043	178
47N60	W160 00.0	062		/				37 607	06.12	1834/
		070						47N160W		
0410	N47 00.0	076	390	---/010	1130	58	27130P129	05 474	041	163
47N50	W150 00.0	075		/				38 603	06.53	1997/
		086						47N150W		
0271	N45 51.0	089	390	---/010	1023	58	30129P123	08 472	027	107
ETP2	W143 39.6	085		/				38 595	07.20	2104/
		102						ETP2		
0164	N45 00.0	089	390	---/010	0959	58	30129P123	08 472	017	064
45N40	W140 00.0	085		/				38 595	07.37	2168/
		102						45N140W		
0442	N41 30.4	100	390	---/010	0779	61	32103P092	06 467	047	180
FIR	W131 05.5	095		/				37 559	08.24	2348/
/ ADIZ	FIR	115		-----				FIR		
0059	N41 00.0	100	390	---/010	0755	61	32103P092	06 467	006	024
41N30	W130 00.0	095		/				37 559	08.30	2372/
		115						41N130W		
0181	N39 03.8	115	390	---/010	0678	61	32059P058	04 469	021	077
FATMO	W127 00.0	114		/				36 527	08.51	2449/
/ KZOA	FIR	129						FATMO		
0095	N38 00.0	118	390	---/010	0636	60	31044P044	02 472	011	042

PAINT	W125	30.0	118		/				33	516	09.02	2491/
			132									PAINT
0133	N37	15.5	095	390	---	/061	0577	58	30033P032	03	474	016 059
PIRAT	W122	51.8	095		/					34	506	09.18 2550/
			109									PIRAT
0158	N35	43.5	112	390	---	/082	0507	56	27040P031	02	476	018 070
FIR	W120	12.3	115		/					34	507	09.36 2620/
/ KZLA FIR			125				LOS ANGELES					FIR
0006	N35	40.0	112	390	---	/082	0504	56	27040P031	02	476	001 003
BURGL	W120	06.5	115		/					34	507	09.37 2623/
			125									BURGL
0027	N35	17.3	136	390	---	/075	0492	56	26050P013	00	476	003 012
DOUIT	W119	49.5	142		/					38	489	09.40 2635/
			148									DOUIT
0020	N35	01.2	131	390	---	/111	0483	56	26054P018	03	476	002 009
TOD	W119	34.8	136		/					38	494	09.42 2644/
			142									TOD
0008	N34	54.9	131	DSC	---	/111	0480	54	26050P019	..	...	001 003
CROWY	W119	28.6	136		/					..	...	09.43 2647/
			142									CROWY
0012	N34	45.0	132	DSC	---	/111	0479	45	26046P016	..	...	002 001
MUPTT	W119	19.7	136		/					..	...	09.45 2648/
			143									MUPTT
0007	N34	39.1	133	DSC	---	/111	0479	42	26046P015	..	...	001 000
MDOTS	W119	14.6	137		/					..	...	09.46 2648/
			144									MDOTS
0006	N34	33.8	133	DSC	---	/111	0478	37	26046P014	..	...	000 001
GRIPR	W119	10.0	137		/					..	...	09.46 2649/
			144									GRIPR
0009	N34	26.6	132	DSC	---	/111	0477	31	25045P012	..	...	001 001
BIKNG	W119	03.6	138		/					..	...	09.47 2650/
			144									BIKNG
0007	N34	20.6	133	DSC	---	/111	0476	26	25044P010	..	...	002 001
RUNNN	W118	58.4	138		/					..	...	09.49 2651/
			144									RUNNN
0007	N34	15.3	131	DSC	---	/104	0476	21	25043P010	..	...	001 000
IRNMN	W118	53.6	137		/					..	...	09.50 2651/
			143									IRNMN
0007	N34	09.9	131	DSC	---	/104	0475	16	25040P008	..	...	001 001
SYMON	W118	48.6	136		/					..	...	09.51 2652/
			142									SYMON
0011	N34	01.8	126	DSC	---	/104	0474	09	25035P009	..	...	001 001
BAYST	W118	39.8	132		/					..	...	09.52 2653/
			138									BAYST
0006	N34	01.2	085	DSC	---	/104	0473	03	25033P026	..	...	001 001
JUUSE	W118	33.2	087		/					..	...	09.53 2654/
			096									JUUSE
0005	N34	00.6	086	DSC	---	/104	0472	01	25029P026	..	...	001 001
CLIFY	W118	27.4	088		/					..	...	09.54 2655/
			097									CLIFY
0005	N34	01.6	067	DSC	---	/104	0471	01	25028P026	..	...	001 001
DAHJR	W118	21.5	067		/					..	...	09.55 2656/

078 DASHJ
0003 N34 02.0 071 DSC ---/104 0470 03 26026P024 000 001
GADDO W118 17.9 071 / 09.55 2657/
082 GADDO
0053 N33 56.5 214 DSC ----- 0441 16 28008M006 013 029
KLAX W118 24.5 203 / 10.08 2686/
225 LOS ANGELES INTL

ROUTE TO ALTN : KLAX..LAX J96 PDZ..KONT

			MSA	TTK	DIST	FL	W/C	TIME	FUEL
ALTERNATE	- 1	KONT	129	080	0105	100	P006	00.22	11300

3% CONTINGENCY ERA VALIDATION

ERA	COC	CUMD	MSA	TTK	DIST	TIME	ETA
KSFO	N4542.8	4209	61	117	1044	2.12	1315
	W14301.5						

LOLV EQUAL TIME POINT DATA

RJCC-PACD				PACD-KSFO			
DIST	2231	DIST	1306	DIST	4180	DIST	1071
TIME	04.03	TIME	03.45	TIME	07.20	TIME	02.46
TRIP	1277	TRIP	1109	TRIP	2104	TRIP	0802
LAT/LONG	N41246	E171390		LAT/LONG	N45510	W143396	
AVG W/C	RJCC	M005	TO PACD M013	AVG W/C	PACD	M030	TO KSFO P027

I HEREBY RELEASE THIS FLIGHT IN FULL COMPLIANCE WITH CIVIL AVIATION
LAW AND/OR COMPANY OPERATIONS MANUAL.

- DISPATCHER: HONGJUN_KIM

I HEREBY PREPARE AND ARRANGE THIS FLIGHT RELEASE ACCORDING TO THE
INSTRUCTION AND DATA PROVIDED BY

- AGENT: SIGN

I HEREBY ACCEPT THIS FLIGHT RELEASE WITH FULL ACKNOWLEDGEMENT.

- PILOT IN COMMAND: SIGN

(FPL-AAR202-IS

-A388/J-SDE1E2E3FGHIJ1J2J3J4J5M1P2RWXYZ/LB1D1

-RKSI0340

-N0490F390 DCT EGOBA Y697 LANAT Y51 SAMON Y142 GTC Y512 ADNAP OTR7
EMRON/M084F390 DCT 40N160E 41N170E 43N180E 45N170W 47N160W
47N150W 45N140W 41N130W/N0469F390 DCT FATMO DCT PAINT DCT PIRAT
DCT BURGL IRNMN2

-KLAX1008 KONT

-PBN/A1B1C1D1L101S2 DAT/1FANSP SUR/RSP180 260B CANMANDATE

DOF/260607
 REG/HL7634
 EET/RJJJ0035 EMRON0210 160E0301 KZAK0328 170E0354 180E0444
 170W0529 160W0612 150W0653 140W0737 ADIZ0824 130W0830 KZOA0851
 KZLA0936
 SEL/HLAB CODE/71BE34 PER/C RALT/RJCC PACD KSFO RMK/TCAS II
 EQUIPPED
 -E/1202 P/TBN R/VE S/M J/L D/14 898 C SILVERGRAY
 A/WHITE)

PLAN VALID FOR DEPARTURE UNTIL 0940Z 07/JUN/26

START OF WIND AND TEMPERATURE SUMMARY ICN TO LAX						
FL	ISA	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP
400	-56	25087+053-55	25090+053-54	25079+039-55	24074+057-54	
390	-56	25087+051-53	25084+047-54	24074+035-53	23073+053-52	
370	-56	26093+060-49	25076+042-49	24071+034-49	23069+053-48	
350	-54	25083+050-45	25071+039-45	25067+034-44	24065+052-43	
330	-50	25078+044-40	25070+038-40	25067+034-39	24063+053-38	
		ESNEG	AGSUS	LANAT	DISSH	
400	-56	23084+056-54	23087+056-54	23101+099-54	24114+114-55	
390	-56	23085+053-52	23088+053-52	23103+099-52	24108+107-53	
370	-56	23085+054-47	23088+058-47	23091+089-48	24099+099-48	
350	-54	23077+056-43	23080+059-42	24083+082-43	25091+091-43	
330	-50	24069+055-38	24072+057-38	24076+076-38	25081+080-38	
		OVSOS	SAMON	NESKO	BEGSA	
400	-56	25120+120-55	25123+120-55	25127+125-56	26129+120-57	
390	-56	25114+114-53	25114+110-54	25114+112-54	26114+106-54	
370	-56	25101+101-48	25101+100-49	26100+099-49	26101+096-49	
350	-54	25090+089-43	26089+089-44	26088+088-44	27088+086-44	
330	-50	26081+079-39	26080+080-39	27079+079-39	27079+078-40	
		GTC	ELDAK	SDE	BEKEN	
400	-56	26131+125-57	27131+127-57	27130+124-57	29137+111-55	
390	-56	26115+110-54	27116+113-54	27117+110-55	28136+113-54	
370	-56	27101+099-49	27102+101-49	28102+099-50	29113+090-50	
350	-54	27090+089-44	28091+091-45	28089+088-45	29094+068-46	
330	-50	28080+080-40	28081+081-40	29079+079-40	30078+054-42	
		SOVMO	OATIS	ADNAP	EMRON	
400	-56	30105+069-56	29046+040-50	23064+060-47	24106+104-53	
390	-56	30110+072-55	29048+041-50	23066+062-47	24112+110-52	
370	-56	30110+072-54	29049+040-52	23067+063-47	24117+115-49	
350	-54	30096+062-51	30050+040-52	23069+065-47	24114+111-46	
330	-50	30085+056-47	30053+041-49	23074+069-46	24102+099-43	
		40E60	41E70	43E80	45N70	
400	-56	26122+121-57	27121+120-60	30119+115-61	32096+088-61	
390	-56	26129+128-55	27130+129-58	30129+123-58	32103+092-61	

370	-56	25133+133-51	27131+131-53	30134+129-53	32107+096-58
350	-54	25121+121-47	26120+120-48	29125+123-48	31095+090-51
330	-50	25111+111-42	26112+112-43	29119+119-43	31084+082-45
		47N60	47N50	45N40	41N30
400	-56	31055+055-62	30042+042-59	30034+034-57	27045+034-56
390	-56	32059+058-61	31044+044-60	30033+032-58	27040+031-56
370	-56	32062+061-56	31047+047-59	31037+035-56	28039+034-54
350	-54	31057+057-52	31050+050-53	32041+036-52	28040+037-50
330	-50	31051+051-46	32053+053-47	32043+036-47	29039+037-46
		FATMO	PAINT	PIRAT	BURGL
400	-56	26050+013-56			
390	-56	26050+013-56			
370	-56	26051+016-54			
350	-54	26047+018-49			
330	-50	27044+019-45			
		DOUIT			

DRIFTDOWN SUMMARY DATA

CRZ	TO	BURN	FL	MSA	TO	BURN	FL	MSA	FOB	LAT	LON	W
LRC	RJCC	110505	100	092	PACD	110865	100	119	184978	N41246	E171390	M
	*PACD	080203	100	094	KSFO	079052	100	062	102347	N45510	W143396	
1LE	RJCC	085845	330	092	PACD	085268	340	119	192759	N40540	E168192	
	*PACD	056391	360	094	KSFO	055282	360	062	105649	N46150	W145360	
2LE	RJCC	103425	170	092	PACD	102462	170	119	187397	N41090	E170354	
	*PACD	067333	210	094	KSFO	066345	210	062	104194	N46048	W144450	

WARNING FLAGS: M-MSA, D-FUEL DUMP REQ., F-DIVERT FUEL REQ.,
S-SPIRAL DESCENT

END OF JEPPESEN DATAPLAN
REQUEST NO. 4001

(TDM TRK 11 260606173801
2606071000 2606072100
SEALS 35N150E 34N160E 32N170E 30N180E 26N170W DOGIF CANON
RTS/ LAPIL OTR13 SEALS
CANON BOOKE PHNL
RMK/ TRK 12 NOT AVAILABLE
ATM CENTER TEL:81-92-608-8870)

(TDM TRK 2 260606173701
2606070700 2606072100
EMRON 39N160E 40N170E 42N180E 45N170W 47N160W 47N150W 45N140W
42N130W VESPA
RTS/ ADNAP OTR7 EMRON
VESPA AMAKR BGGLO KSFO
VESPA ENI OAK BURGL IRNMN KLAX
RMK/0)

(TDM TRK 1 260606173701
2606070700 2606072100
KALNA 40N160E 41N170E 43N180E 46N170W 48N160W 48N150W 48N140W ROUKE
RTS/ ADNAP OTR5 KALNA
ROUKE DOLFF TOU KSEA
ROUKE DOLFF TOU KPDX
RMK/ ACFT LDG CYVR--48N150W 49N140W PRETY GOVAD CYVR
ACFT LDG OTHER DEST--ROUKE DOLFF TOU UPR TO DEST)

(TDM TRK J 260607050001
2606070500 2606072100
BOXER FULMR FASEL 53N140W 56N150W 57N160W OGGOE NULUK NANDY
NATES NIKLL NYMPH NUZAN NIPPI
RTS/KSFO GNNRR STINS AMAKR BOXER
KLAX MCKEY LIBBO BRINY BOARS BOXER
NIPPI R220 NANAC
RMK/0)

(TDM TRK H 260606190001
2606061900 2606070800
ALCOA BUTEN BOSKE 36N140W 33N150W 31N160W 30N170W 28N180E 26N170E
24N160E 23N150E 23N140E TUNTO
RTS/KSFO GNNRR ALCOA
KLAX MCKEY LIBBO BRINY ALCOA
TUNTO R595 SEDKU RCTP
TUNTO IGURU VHHH
RMK/TRK H ONLY AVAILABLE TO ACFT LANDING RCTP OR SOUTH
)

(TDM TRK F 260606190001
2606061900 2606070800
LINUZ MITOH EDWIL 49N140W 53N150W 53N160W 50N170W 49N180E 47N170E
44N160E EMRON
RTS/KSFO GNNRR STINS AMAKR LINUZ
KLAX MCKEY LIBBO BRINY BOARS AMAKR LINUZ
EMRON OTR9 AVBET
RMK/0)

(TDM TRK E 260606190001
2606061900 2606070800
LINUZ NATTE ZANNG 51N140W 54N150W 55N160W CURVS EYETI 50N170E
AKISU AGEDI ADGOR
RTS/KSFO GNNRR STINS AMAKR LINUZ
KLAX MCKEY LIBBO BRINY BOARS AMAKR LINUZ
ADGOR R591 ADNAP
RMK/0)

(TDM TRK C 260606190001
2606061900 2606070800
KATCH HMPTN GRIZZ CJAYY 58N160W CHUUK OBOYD NATES NIKLL NYMPH
NUZAN NRKEY NIPPI
RTS/CYVR UQQ KATCH
KSEA TOU FINGS KATCH
KPDX TOU FINGS KATCH
KSFO TOU FINGS KATCH
KLAX TOU FINGS KATCH
NIPPI R220 NANAC
RMK/0)

(TDM TRK A 260606190001
2606061900 2606070800
LILIA DOGIF 25N170W 28N180E 31N170E 34N160E 35N150E SEALS
RTS/PHNL KEOLA LILIA
SEALS OTR13 LAPIL
RMK/TRK B NOT AVAILABLE
)

(TDM TRK 14 260606173901
2606070700 2606072100
LEPKI 37N160E 38N170E 40N180E 42N170W 45N160W 45N150W 43N140W
39N130W CEPAS
RTS/ MOLKA M750 MUKEP Y891 OVSUN Y893 IGMIS Y57 POROT OTR11 LEPKI
CEPAS PIRAT OSI KSFO

CEPAS PIRAT BURGL IRNMN KLAX
RMK/ TRK 15 NOT AVAILABLE
ATM CENTER TEL:81-92-608-8870)

(TDM TRK 3 260606173701
2606070700 2606072100
LEPKI 38N160E 39N170E 41N180E 44N170W 46N160W 46N150W 44N140W
41N130W FATMO
RTS/ AVBET OTR11 LEPKI
FATMO PAINT PIRAT BURGL IRNMN KLAX
FATMO PAINT PIRAT OSI KSFO
RMK/ ATM CENTER TEL:81-92-608-8870)