

Important files

AAR201 KLAX/RKSI 08 Jun 2026

Created Date Time: 08 Jun 2026 14:24 UTC

Generated Date Time: 08 Jun 2026 14:31 UTC

CFP PLAN 7500
ATTN CAPT.

7640

FLIGHT RELEASE AAR201 KLAX/RKSI ON 08/JUN/26.NONSTOP COMPUTED 1350Z

A/C REG.MK ENGINE SELCAL ROUTE PRF WX PROGS AVG WIND/TEMP UNIT
388 HL7640 TRENT970 HS-EJ NP08B F BRK 0806UK M031/M49 100LBS

SPEED SKD CLB-320/.85 CRZ- 65 DSC-.85/290/ APMS/P 02.3 PCNT. IFR

	FUEL	TIME	DIST	NAM	PLAN	AGTOW	12356
TRIP	3824	13.02	5779	6262	SOW 06589	RWY	12544
RESERVE	0317	01.18					
ALTN/RKSS	0092	00.17	0072	0073	PLD 01262	ACL	01479
FINAL RES	0110	00.30	T/O	Z	ZFW 07851	MZFW	08068
3 PCT CONT	0115	00.31	F/T 13.02		TOF 04288	TOF	04288
REFILE RES	0000	00.00	ETA	Z			12356
ETP RES	0000	00.00					
RQD TAKEOFF	4141	14.20	HRS UTC+0900		TOW 12139	MTOW	12544
DISC	0147	00.40	ETA	L	TIF 03824	TCAP	12544
TANKERING	0000	00.00	RSN/	/	LDW 08315	MLDW	08620
PLN TAKEOFF	4288	15.00	ACTL		PAX	TIF	03824
					CGO		12444
TAXI	0018						
RAMP OUT	4306	15.00	ACTL				
FOD	0464	01.58	ACTL		ETD KLAX 1710Z	ETA RKSI	0612Z

2ND-\$ 280 4031 13.13

KLAX SUMMR2 SCTRR..SNS..OAK J3 RBL..UBG..ARRIE..GOVAD..KATCH B757
CJAYY..N58W160..N57W170..N55E180..OPAKE A342 NUZAN R220 NODAN R217
ASTER Y514 SDE Y512 GTC Y142 SAMON Y14 SUGNO Y16 SAPRA Y685 GUKDO..
RKSI

DIST	LATITUDE	MC	FL	ETO/MSA	R/F	OT	WIND/COMP	SR	TAS	ZT	B/O
TO	LONGITUDE	MH	ACT	ATO/DF	ACTL			MW	GS	ACTM	ACB0/
0003	N33 56.6	264	CLB	---/045	4274	15		..	...	001	014
DLREY	W118 27.9	265		/				..	...	00.01	0014/
		276						DLREY			
0002	N33 56.5	256	CLB	---/045	4264	15		..	...	000	010
ENNEY	W118 30.3	257		/				..	...	00.01	0024/
		267						ENNEY			
0007	N33 55.9	254	CLB	---/045	4238	14		..	...	002	026
NAANC	W118 38.6	255		/				..	...	00.03	0050/
		265						NAANC			

0009	N33 55.0	253	CLB	---/045	4214	12		..	...	001	024
DARRK	W118 50.0	254		/				..	...	00.04	0074/
		265									
0009	N33 55.3	260	CLB	---/045	4194	09		..	...	002	020
SUMMR	W119 01.0	261		/				..	...	00.06	0094/
		272									
0010	N34 00.6	291	CLB	---/111	4177	06		..	...	002	017
OLOFF	W119 11.2	290		/				..	...	00.08	0111/
		302									
0030	N34 24.7	313	CLB	---/111	4127	12		..	...	005	050
RIZIN	W119 32.0	311		/				..	...	00.13	0161/
		324									
0058	N35 10.3	310	CLB	---/111	4052	36		..	...	008	075
TESEA	W120 15.4	309		/				..	...	00.21	0236/
		322									
0001	N35 11.4	311	300	---/075	4051	36		..	...	000	001
TOC	W120 16.2	309		/				..	...	00.21	0237/
		323									
0026	N35 31.6	311	300	---/075	4031	36	30033M030	02 497	003	020	
SCTRR	W120 34.9	309		/				38 467	00.24	0257/	
		323									
0005	N35 35.7	312	300	---/082	4027	35	29037M032	04 498	001	004	
FIR	W120 38.6	310		/				38 466	00.25	0261/	
/ KZOA	FIR	324	OAKLAND								
0079	N36 39.8	312	300	---/082	3968	35	29037M032	04 498	010	059	
SNS	W121 36.2	310		/				38 466	00.35	0320/	
		324									
0070	N37 43.6	318	300	---/082	3915	35	29040M030	05 497	009	053	
OAK	W122 13.4	320		/				38 467	00.44	0373/	
		335									
0142	N40 05.9	343	300	---/112	3815	36	27040M004	04 494	017	100	
RBL	W122 14.2	342		/				38 490	01.01	0473/	
		360									
0074	N41 19.7	336	340	---/163	3762	50	26043 000	05 490	009	053	
FIR	W122 23.9	336		/				36 490	01.10	0526/	
/ KZSE	FIR	354	SEATTLE								
0243	N45 21.2	336	340	---/163	3590	50	26043 000	05 490	030	172	
UBG	W122 58.7	336		/				36 490	01.40	0698/	
		354									
0153	N47 52.8	331	340	---/103	3494	51	23045P025	02 488	018	096	
ARRIE	W123 28.6	334		/				33 513	01.58	0794/	
		352									
0055	N48 27.3	294	340	---/103	3457	50	23038M007	07 489	007	037	
FIR	W124 33.0	290		/				32 482	02.05	0831/	
/ CZVR	FIR	309	VANCOUVER								
0058	N49 02.8	294	340	---/103	3418	50	23038M007	07 489	007	039	
GOVAD	W125 42.3	290		/				32 482	02.12	0870/	
		309									
0398	N53 10.8	296	340	---/098	3151	45	27021M015	02 494	050	267	
ETP1	W133 58.8	294		/				30 479	03.02	1137/	
		312									
0088	N54 00.0	296	340	---/098	3092	45	27021M015	02 494	011	059	
KATCH	W136 00.0	294		/				30 479	03.13	1196/	
/ PAZA	FIR	312	ANCHORAGE	OCEANIC							
0305	N56 11.7	282	340	---/010	2893	40	24017M009	02 498	037	199	
HMPTN	W144 00.1	280		/				28 489	03.50	1395/	
		299									
0082	N56 41.5	277	340	---/010	2842	47	02022M003	05 490	010	051	
FIR	W146 18.4	279		/				28 487	04.00	1446/	
/ ADIZ	FIR	292	-----								

0077	N57 06.9	277	340	---/010	2794	47	02022M003	05 490	010	048
GRIZZ	W148 30.1	279		/				28 487	04.10	1494/
		292						GRIZZ		
0069	N57 27.8	274	340	---/010	2751	54	03020P004	05 481	009	043
CJAYY	W150 31.9	276		/				30 485	04.19	1537/
		288						CJAYY		
0306	N58 00.0	266	340	---/093	2564	53	20008M001	02 482	038	187
58N60	W160 00.0	265		/				30 481	04.57	1724/
		280						58N160W		
0329	N57 00.0	254	340	---/038	2374	54	04028P019	06 479	039	190
57N70	W170 00.0	256		/				30 498	05.36	1914/
		264						57N170W		
0357	N55 00.0	249	340	---/024	2176	56	04038P032	01 474	043	198
55E80	E180 00.0	251		/				35 506	06.19	2112/
		255						55N180E		
0370	N52 56.3	253	360	---/052	1958	60	17012M002	02 477	046	218
OPAKE	E170 09.3	252		/				34 475	07.05	2330/
		254						OPAKE		
0005	N52 54.7	257	380	---/010	1955	51	25009M009	01 489	001	003
FIR	E170 00.0	257		/				28 480	07.06	2333/
/ PAZA	FIR	254			ANCHORAGE	OCEANIC		FIR		
0246	N51 36.4	257	380	---/010	1808	51	25009M009	01 489	031	147
NUZAN	E163 42.1	257		/				28 480	07.37	2480/
		254						NUZAN		
0152	N50 11.7	242	390	---/010	1716	52	30032M017	02 492	019	092
NRKEY	E160 23.4	245		/				34 475	07.56	2572/
		237						NRKEY		
0022	N49 59.4	241	390	---/010	1703	54	29044M026	04 490	003	013
ETP2	E159 55.2	245		/				35 464	07.59	2585/
		235						ETP2		
0028	N49 42.6	241	390	---/010	1686	54	29044M026	04 490	004	017
NIPPI	E159 20.8	245		/				35 464	08.03	2602/
/ RJJJ	FIR	235			FUKUOKA			NIPPI		
0331	N46 13.0	239	390	---/034	1478	56	27074M060	04 488	046	208
NOGAL	E153 00.2	244		/				36 428	08.49	2810/
		233						NOGAL		
0331	N42 23.5	236	400	---/034	1250	58	25105M100	04 487	051	228
NUBDA	E147 28.5	240		/				37 387	09.40	3038/
		228						NUBDA		
0040	N41 55.0	232	400	---/010	1222	55	25117M109	04 490	007	028
NANNO	E146 51.6	238		/				38 381	09.47	3066/
		224						NANNO		
0123	N40 25.2	232	400	---/010	1137	54	25126M115	05 492	019	085
NODAN	E144 59.8	239		/				39 377	10.06	3151/
		224						NODAN		
0134	N39 13.9	247	400	---/030	1042	53	25130M127	04 493	022	095
ASTER	E142 32.0	251		/				40 366	10.28	3246/
		239						ASTER		
0100	N38 08.3	238	400	---/088	0973	53	25128M120	08 493	016	069
SDE	E140 55.3	245		/				40 373	10.44	3315/
		230						SENDAI		
0055	N38 01.6	271	400	---/088	0935	53	25124M123	08 493	009	038
ELDAK	E139 45.7	270		/				40 370	10.53	3353/
		263						ELDAK		
0031	N37 57.5	271	400	---/094	0914	53	25126M125	08 493	005	021
GTC	E139 06.9	269		/				40 368	10.58	3374/
		263						NIIGATA		
0037	N37 42.6	255	400	---/094	0888	53	25125M124	04 493	006	026
BEGSA	E138 24.2	257		/				41 369	11.04	3400/
		246						BEGSA		

0088	N37 06.0	255	400	---/059	0828	52	25124M123	08 494	015	060
NESKO	E136 43.2	257		/				43 371	11.19	3460/
		246						NESKO		
0119	N36 14.6	254	400	---/112	0749	52	25118M117	08 493	019	079
SAMON	E134 30.2	256		/				43 376	11.38	3539/
		245						SAMON		
0032	N35 57.7	247	380	---/080	0730	48	25117M116	02 493	005	019
SUGNO	E133 56.4	250		/				43 377	11.43	3558/
		239						SUGNO		
0157	N35 49.4	277	380	---/080	0627	47	25115M110	02 494	024	103
SAPRA	E130 43.4	272		/				43 384	12.07	3661/
/ RKRR FIR		268						SAPRA		
0044	N35 56.1	288	380	---/054	0599	47	25114M102	02 493	007	028
BULGA	E129 49.4	281		/				41 391	12.14	3689/
		279						BULGA		
0017	N35 58.6	287	380	---/054	0588	47	25114M103	02 493	003	011
KPO	E129 28.5	281		/				41 390	12.17	3700/
		278						POHANG		
0037	N36 20.2	313	380	---/061	0566	46	25115M075	01 492	005	022
ELAPI	E128 50.8	303		/				43 417	12.22	3722/
		305						ELAPI		
0031	N36 37.9	314	380	---/061	0548	46	25118M079	02 492	005	018
CUN	E128 19.5	303		/				43 413	12.27	3740/
		305						YECHEON		
0010	N36 43.4	314	380	---/061	0542	46	25118M079	02 492	001	006
BIGOB	E128 09.9	303		/				43 413	12.28	3746/
		305						BIGOB		
0012	N36 50.6	314	380	---/061	0535	46	25119M079	02 492	002	007
BASEM	E127 57.2	303		/				41 413	12.30	3753/
		305						BASEM		
0009	N36 55.9	314	380	---/054	0529	46	25119M079	01 492	001	006
ENSAL	E127 47.8	303		/				41 413	12.31	3759/
		305						ENSAL		
0009	N37 01.2	314	380	---/062	0524	46	25120M080	01 492	001	005
GUKDO	E127 38.4	303		/				40 412	12.32	3764/
		305						GUKDO		
0025	N37 05.4	304	380	---/062	0508	45	25120M095	01 494	004	016
TOD	E127 27.6	294		/				40 399	12.36	3780/
		295						TOD		
0139	N37 27.8	304	DSC	-----	0464	12	32013M012		026	044
RKSI	E126 26.4	294		/					13.02	3824/
		295						INCHEON INTL		

ROUTE TO ALTN : RKSI..SEL..RKSS

ALTERNATE	- 1	RKSS	MSA	TTK	DIST	FL	W/C	TIME	FUEL
			041	071	0072	070	M001	00.17	9200

3% CONTINGENCY ERA VALIDATION

ERA	COC	CUMD	MSA	TTK	DIST	TIME	ETA
RJBB	N4440.7	4335	128	230	940	2.00	0420
	E15038.7						

LOLV EQUAL TIME POINT DATA

KSFO-PACD		PACD-RJAA	
DIST 1432	DIST 1013	DIST 3840	DIST 1205

TIME 03.02	TIME 02.48	TIME 07.59	TIME 03.45
TRIP 1137	TRIP 0924	TRIP 2585	TRIP 1126
LAT/LONG N53108 W133588		LAT/LONG N49594	E159552
AVG W/C KSFO P014 TO PACD P000		AVG W/C PACD P009 TO RJAA M039	

I HEREBY RELEASE THIS FLIGHT IN FULL COMPLIANCE WITH CIVIL AVIATION LAW AND/OR COMPANY OPERATIONS MANUAL.

- DISPATCHER: SEONGHYUNG_LEE

I HEREBY PREPARE AND ARRANGE THIS FLIGHT RELEASE ACCORDING TO THE INSTRUCTION AND DATA PROVIDED BY

- AGENT: SIGN

I HEREBY ACCEPT THIS FLIGHT RELEASE WITH FULL ACKNOWLEDGEMENT.

- PILOT IN COMMAND: SIGN

(FPL-AAR201-IS

-A388/J-SDE1E2E3FGHIJ1J2J3J4J5M1P2RWXYZ/LB1D1

-KLAX1710

-N0497F300 SUMMR2 SCTRR DCT SNS DCT OAK J3 RBL/N0490F340 DCT UBG

DCT ARRIE DCT GOVAD DCT KATCH/M084F340 B757 CJAYY/M083F340 DCT

58N160W 57N170W 55N180E/N0477F360 DCT OPAKE/M084F380 A342

NUZAN/M085F390 R220 NOGAL/M085F400 R220 NODAN/N0493F400 R217

ASTER Y514 SDE Y512 GTC Y142 SAMON/N0493F380 Y14 SUGNO Y16 SAPRA

Y685 GUKDO DCT

-RKSI1302 RKSS

-PBN/A1B1C1D1L101S2 DAT/1FANSP SUR/RSP180 260B CANMANDATE

DOF/260608

REG/HL7640

EET/KZ0A0025 KZSE0110 CZVR0205 PAZA0313 ADIZ0400 PAZA0706 RJJJ0803

RKRR1207

SEL/HSEJ CODE/71BE40 PER/C RALT/KSFO PACD RJAA RMK/TCAS II

EQUIPPED

-E/1500 P/TBN R/VE S/M J/L D/14 898 C SILVERGRAY

A/WHITE)

PLAN VALID FOR DEPARTURE UNTIL 2310Z 08/JUN/26

START OF WIND AND TEMPERATURE SUMMARY LAX TO ICN													
FL	ISA	WIND	CMP	TMP	WIND	CMP	TMP	WIND	CMP	TMP	WIND	CMP	TMP
340	-52	31039	-038	-46	32049	-049	-46	32063	-061	-45	31070	-047	-46
320	-48	31036	-034	-41	31043	-041	-40	31051	-045	-40	29055	-022	-41
300	-44	30033	-030	-36	29037	-032	-35	29040	-030	-35	27040	-004	-36
280	-40	30032	-029	-31	29035	-030	-30	29039	-029	-31	28041	-006	-32
260	-37	30031	-028	-26	29034	-029	-26	29038	-028	-26	28041	-007	-27
		SCTRR			SNS			OAK			RBL		
380	-56	29059	-026	-53	26038	+003	-49	26030	-018	-47	27025	-018	-44
360	-56	28052	-013	-52	24041	+014	-50	24034	-014	-49	27023	-017	-45
340	-52	26043	+000	-50	23045	+025	-51	23038	-007	-50	27021	-015	-45
320	-48	26043	+003	-45	23044	+023	-48	21051	+006	-49	26018	-012	-48
300	-44	25043	+007	-40	22041	+025	-43	21045	+006	-45	26016	-009	-47
		UBG			ARRIE			GOVAD			KATCH		
380	-56	25020	-014	-41	32018	-016	-45	32022	-019	-48	25015	-014	-49
360	-56	24024	-012	-41	35020	-011	-46	36028	-011	-52	23011	-007	-51
340	-52	24017	-009	-40	02022	-003	-47	03020	+004	-54	20008	-001	-53

320	-48	23018-007-42	03030+003-49	04022+006-51	18011+002-53
300	-44	22019-004-43	05039+014-47	04025+009-48	16014+007-49
		HMPTN	GRIZZ	CJAYY	58N60
380	-56	32009-005-50	03022+015-56		
360	-56	36019+002-52	04033+025-59		
340	-52	04028+019-54	04038+032-56		
320	-48	04037+027-52	04035+029-52		
300	-44	04039+029-49	04033+028-48		
		57N70	55E80		
400	-56	21008-005-55	26010-010-50		
380	-56	18009-003-58	25009-009-51		
360	-56	17012-002-60	24010-010-54		
340	-52	16014+000-56	23011-010-55		
320	-48	17012-001-52	22013-010-52		
		OPAKE	NUZAN		
400	-56	30031-017-52	29042-025-54	27069-056-55	25105-100-58
390	-56	30032-017-52	29044-026-54	27074-060-56	25110-105-56
380	-56	30033-016-52	29048-027-55	27078-065-56	25113-108-54
370	-56	30035-016-53	30052-028-56	27082-068-57	25115-110-51
360	-56	30036-015-54	30056-030-56	27086-072-56	25115-110-49
		NRKEY	NIPPI	NOGAL	NUBDA
400	-56	25117-109-55	25126-115-54		
390	-56	25122-113-54	25131-120-53		
380	-56	25124-115-51	25134-123-51		
370	-56	25126-117-49	25137-126-48		
360	-56	25128-119-46	25139-129-46		
		NANNO	NODAN		
400	-56	25130-127-53	25128-120-53	25124-123-53	25126-125-53
380	-56	25137-134-50	25134-127-50	25130-128-50	25132-130-49
360	-56	25140-138-45	25135-130-44	25133-130-44	25135-132-44
340	-52	25135-134-40	25130-126-39	24125-120-39	24127-122-39
320	-48	25128-127-35	25125-121-34	25121-117-34	25123-119-34
		ASTER	SDE	ELDAK	GTC
400	-56	25125-124-53	25124-123-52	25118-117-52	25112-109-52
380	-56	25132-132-49	25131-131-49	25123-122-48	25117-116-48
360	-56	25135-135-44	25136-136-44	25127-127-43	25119-118-43
340	-52	24128-128-39	24130-130-39	24124-124-38	24123-123-38
320	-48	25124-124-34	25125-125-34	25120-120-34	25119-118-33
		BEGSA	NESKO	SAMON	SUGNO
400	-56	25111-107-52	25110-100-51	25110-101-51	25112-077-50
380	-56	25115-110-47	25114-102-47	25114-103-47	25115-075-46
360	-56	25117-110-43	25116-101-42	25116-103-42	25117-072-42
340	-52	24119-110-38	24119-102-38	24118-102-38	25119-070-38
320	-48	25118-111-34	25117-101-34	25115-101-35	25113-071-35
		SAPRA	BULGA	KPO	ELAPI
400	-56	25114-080-50	25115-081-49	25115-081-49	25116-081-49
380	-56	25118-079-46	25118-079-46	25119-079-46	25119-079-46
360	-56	25120-077-43	25121-078-43	25121-078-43	25120-079-43
340	-52	25115-069-39	25114-071-39	25113-071-40	25112-071-40
320	-48	25110-070-36	25109-071-36	25108-070-37	25108-071-37
		CUN	BIGOB	BASEM	ENSAL

400 -56 25116-081-49
380 -56 25120-080-46
360 -56 25119-078-43
340 -52 25111-072-40
320 -48 25107-071-37
GUKDO

DRIFTDOWN SUMMARY DATA





CRZ	TO	BURN	FL	MSA	TO	BURN	FL	MSA	FOB	LAT	LON	W
LRC	KSFO	092400	100	113	PACD	091996	100	108	315103	N53108	W133588	M
	*PACD	111350	100	094	RJAA	112603	100	048	170280	N49594	E159552	
1LE	KSFO	072449	290	113	PACD	072502	290	108	310273	N53516	W135384	
	*PACD	089210	330	094	RJAA	090564	330	048	165647	N49144	E158234	
2LE	KSFO	092343	110	113	PACD	093282	110	108	312554	N53330	W134510	M
	*PACD	110108	170	094	RJAA	114192	160	048	167280	N49300	E158552	

WARNING FLAGS: M-MSA, D-FUEL DUMP REQ., F-DIVERT FUEL REQ.,
S-SPIRAL DESCENT

END OF JEPPESEN DATAPLAN
REQUEST NO. 7500

(FPL-AAR201-IS
-A388/J-SDE1E2E3FGHIJ1J2J3J4J5M1P2RWXYZ/LB1D1
-KLAX1710
-N0497F300 SUMMR2 SCTRR DCT SNS DCT OAK J3 RBL/N0490F340 DCT UBG
DCT ARRIE DCT GOVAD DCT KATCH/M084F340 B757 CJAYY/M083F340 DCT
58N160W 57N170W 55N180E/N0477F360 DCT OPAKE/M084F380 A342
NUZAN/M085F390 R220 NOGAL/M085F400 R220 NODAN/N0493F400 R217
ASTER Y514 SDE Y512 GTC Y142 SAMON/N0493F380 Y14 SUGNO Y16 SAPRA
Y685 GUKDO DCT
-RKSI1302 RKSS
-PBN/A1B1C1D1L101S2 DAT/1FANSP SUR/RSP180 260B CANMANDATE
DOF/260608 REG/HL7640 EET/KZOA0025 KZSE0110 CZVR0205 PAZA0313
ADIZ0400 PAZA0706 RJJJ0803
RKRR1207 SEL/HSEJ CODE/71BE40 PER/C RALT/KSFO PACD RJAA RMK/TCAS
II EQUIPPED
-E/1500 P/TBN R/VE S/M J/L D/14 898 C SILVERGRAY
A/WHITE)

* COPY OF ATS FPL, SUBMITTED AT 1356Z 08JUN *



VA ADVISORY
 DTG: 20260608/1200Z
 VAAC: TOKYO
 VOLCANO: SHEVELUCH 300270
 AREA: RUSSIA
 SOURCE ELEV: 3283M AMSL
 ADVISORY NR: 2026/189
 INFO SOURCE: HIMAWARI-9

ERUPTION DETAILS: VA CONTINUOUSLY OBS IN
 SATELLITE IMAGERY
 RMK: NIL
 NXT ADVISORY: 20260608/1500Z

DISPATCH RELEASE INFORMATION : FLIGHT AAR0201 / 08JUN

I HEREBY RELEASE THE FLIGHT AAR0201/08JUN, LAX/ICN, HL7640, ETD 1710Z
AS PLAN # 7500 UNDER THE FOLLOWING CONDITION.

FOR MORE INFO PLZ CONTACT AT 02-6101-5503 OR ocws@flyasiana.com
(GOOGLE HANGOUT CHAT IS ALSO AVAILABLE)

1. PAX/CARGO RESERVATION

PASSENGERS: FIRST 0/0 BUSINESS 73/78 ECONOMY 412/417
PAX:109585LBS, CARGO: 16535 LBS, OTHERS : 0 LBS

2. FLIGHT SPECIAL NOTICE

- RECORD ALTIMETERS FOR RVSM
CAPT _____ STBY _____ FO _____
- Following items(Type of flight, equipment, SID/STAR or other information)
of the ATS FPL in OFP and the submitted ATS FPL may differ.
In this case, please comply with the 'COPY OF ATS FPL SUBMITTED'.

3. MEL / CDL ITEMS

- CDL 27-22 : R/H OUTER FLAP-OUTER END SEAL PARTIALLY
- MEL 33-20-10A : LU43 (UL2) SIDE CEILING LIGHT OUT
- MEL 50-10-05A : FWD CGO ANTI ROLL OUT LATCH DAMAGED(5085

4. FUEL BURN ADJUSTMENT

- TRIP FUEL INCREASE FOR 2000LBS ADDITIONAL TAKE OFF WEIGHT : 912 LBS

5. DISPATCH NOTES

- CCF : 800 LBS INCLUDED IN DISC
- TANK : 0 LBS
- DISC FUEL DISC FUEL DUE TO DW (ENROUTE CB/TS, TURB)
 - * SHEVELUCH VOLCANIC ASH NOT AFFECTED SO FAR, BUT EXTRA FUEL FOR
MOV CHG
- TURB/CB
 - * PLZ USE CAUTION UNEXPECTED ENROUTE CB N TURB
 - * PLZ USE CAUTION EXPECTED SIG WX (REFER TO SIG AND TURB CHART)
 - * BE AWARE OF TURBULENCE AREA IN VERTICAL CHART
 - * SR 08 BTN SDE - GTC
 - * SR 08 BTN NESKO - SAMON
(MAX SR 08 AT SDE ELDAK GTC NESKO SAMON)
- CHECKED ABOVE MEL, CDL ITEM (NO RESTRICTION)

*** ATTENTION ***

PLEASE UTILIZE PRE-FLIGHT INFORMATION SYSTEM OR
WEATHER REQUEST BY ACARS FOR LATEST TEXT WX INFORMATION

WEATHER BRIEFING

DEPARTURE WEATHER

TAF KLAX 081142Z 0812/0918 VRB03KT P6SM OVC025
FM081700 25008KT P6SM FEW015 BKN025
FM082000 25015KT P6SM FEW015 SCT250
FM090400 26008KT P6SM BKN025
FM090800 VRB03KT P6SM BKN015

ARRIVAL WEATHER

TAF RKSI 081100Z 0812/0918 29015G25KT CAVOK TN16/0821Z TX25/0906Z
BECMG 0813/0815 32006KT 6000 NSC
BECMG 0900/0902 24008KT CAVOK
BECMG 0913/0915 34006KT
BECMG 0916/0918 15006KT

ALTERNATE WEATHER

TAF RKSS 081100Z 0812/0918 30005KT CAVOK TN14/0820Z TX28/0906Z
BECMG 0815/0817 06005KT
BECMG 0901/0903 26007KT
BECMG 0913/0915 20005KT 6000 SCT040

TAF KSFO 081120Z 0812/0918 27011KT P6SM FEW015 SCT200
FM081700 28015KT P6SM SCT050
FM082000 27020G30KT P6SM SCT050
FM090300 27015KT P6SM BKN015 OVC050
FM091700 28007KT P6SM BKN050

TAF PACD 081132Z 0812/0912 30011KT P6SM OVC005
FM082000 30010KT P6SM SCT005

FM090600 32007KT P6SM BKN005

TAF RJAA 081105Z 0812/0918 14004KT 6000 -SHRA FEW003 BKN012

TEMPO 0812/0814 FEW003 BKN005

TEMPO 0814/0823 2000 -SHRA BR FEW001 BKN003

BECMG 0818/0820 36006KT

TEMPO 0823/0903 FEW003 BKN005

BECMG 0903/0906 13008KT

BECMG 0909/0912 04006KT

TAF RJBB 081105Z 0812/0918 36010KT 6000 -SHRA FEW005 SCT010 BKN015

TEMPO 0812/0816 3000 SHRA BR FEW002 SCT004 BKN008

ENROUTE WEATHER

TAF KLAX 081142Z 0812/0918 VRB03KT P6SM OVC025

FM081700 25008KT P6SM FEW015 BKN025

FM082000 25015KT P6SM FEW015 SCT250

FM090400 26008KT P6SM BKN025

FM090800 VRB03KT P6SM BKN015

TAF KSFO 081120Z 0812/0918 27011KT P6SM FEW015 SCT200

FM081700 28015KT P6SM SCT050

FM082000 27020G30KT P6SM SCT050

FM090300 27015KT P6SM BKN015 OVC050

FM091700 28007KT P6SM BKN050

TAF KSEA 081140Z 0812/0918 15004KT P6SM BKN100 OVC130

FM082100 26008KT P6SM VCSH BKN050 OVC100

FM082300 35007KT 6SM -RA BR OVC035

FM090200 11010KT 6SM -RA BR OVC025

FM090500 18010KT 5SM -RA BR OVC015

FM090900 20012G22KT 5SM -RA BR OVC015

TAF CYVR 081144Z 0812/0918 08008KT P6SM SCT060 OVC100

TEMPO 0812/0821 P6SM -SHRA BKN040 OVC080

BECMG 0812/0814 11008KT

FM082100 14008KT P6SM -RA SCT030 OVC050

TEMPO 0821/0905 3SM RA BR BKN020

BECMG 0900/0902 VRB03KT

FM090500 VRB03KT P6SM -RA SCT006 OVC025

TEMPO 0905/0915 2SM RA BR SCT005 OVC015

BECMG 0907/0909 30008KT

FM091500 26010KT P6SM SCT020 BKN040

TEMPO 0915/0918 5SM -SHRA BR BKN020

BECMG 0916/0918 19008KT RMK NXT FCST BY 081500Z

TAF AMD PASY 080830Z 0808/0912 36009KT 8000 BR OVC004 QNH3003INS

BECMG 0815/0816 VRB06KT 9999 NSW OVC010 QNH3004INS

BECMG 0905/0906 27010G15KT 8000 BR BKN015 QNH3011INS TX09/0817Z TN04/0812Z LIMITED
METWATCH 0808 TIL 0810

TAF PACD 081132Z 0812/0912 30011KT P6SM OVC005
FM082000 30010KT P6SM SCT005
FM090600 32007KT P6SM BKN005

TAF PAKN 081132Z 0812/0912 29007KT 1SM BR BKN004 BKN050
TEMPO 0812/0816 1/2SM FG OVC002
FM081600 19004KT 3SM BR OVC004
FM081800 20005KT P6SM SCT004 OVC010
FM082100 23009KT P6SM FEW010 SCT035 BKN080

TAF PAFA 081120Z 0812/0918 21005KT P6SM VCSH FEW050 BKN070 WS020/24030KT
TEMPO 0812/0816 -RA FEW035
FM081700 25012G22KT 6SM -RA BR SCT025 OVC050
FM090300 25010G18KT 6SM -RA BR OVC025
FM090900 25005KT P6SM VCSH FEW050
FM091200 25003KT P6SM FEW150

TAF RJAA 081105Z 0812/0918 14004KT 6000 -SHRA FEW003 BKN012
TEMPO 0812/0814 FEW003 BKN005
TEMPO 0814/0823 2000 -SHRA BR FEW001 BKN003
BECMG 0818/0820 36006KT
TEMPO 0823/0903 FEW003 BKN005
BECMG 0903/0906 13008KT
BECMG 0909/0912 04006KT

TAF RJBB 081105Z 0812/0918 36010KT 6000 -SHRA FEW005 SCT010 BKN015
TEMPO 0812/0816 3000 SHRA BR FEW002 SCT004 BKN008

TAF RJGG 081105Z 0812/0918 31014KT 9000 -SHRA FEW015 BKN030

TAF ROAH 081105Z 0812/0918 19020KT 8000 FEW005 BKN010
TEMPO 0812/0821 FEW003 BKN005
TEMPO 0821/0900 FEW005 BKN008
TEMPO 0912/0915 FEW005 BKN008
TEMPO 0915/0918 3000 +TSRA BR FEW003 BKN005 SCT015CB

TAF RORS 081105Z 0812/0918 19014KT 9999 FEW008 BKN012
TEMPO 0812/0821 FEW005 BKN008
TEMPO 0912/0918 3000 +TSRA BR FEW005 BKN008 SCT015CB


TAF RJTT 081105Z 0812/0918 12006KT 9999 FEW015 BKN030
BECMG 0812/0814 19012KT
TEMPO 0815/0818 FEW005 BKN008
BECMG 0817/0819 30006KT


TEMPO 0818/0822 3000 -SHRA BR FEW005 BKN008
BECMG 0900/0903 09006KT
BECMG 0903/0906 17012KT
BECMG 0912/0915 30006KT
BECMG 0915/0918 36012KT


TAF RJCC 081105Z 0812/0918 33006KT 8000 -SHRA FEW005 BKN012
TEMPO 0812/0815 1500 SHRA BR FEW001 BKN003
TEMPO 0815/0818 3000 SHRA BR FEW003 BKN005
TEMPO 0818/0900 4000 -SHRA BR FEW003 BKN005
BECMG 0821/0823 17010KT
BECMG 0900/0903 33016KT
TEMPO 0912/0918 33018G30KT


TAF RKSI 081100Z 0812/0918 29015G25KT CAVOK TN16/0821Z TX25/0906Z
BECMG 0813/0815 32006KT 6000 NSC
BECMG 0900/0902 24008KT CAVOK
BECMG 0913/0915 34006KT
BECMG 0916/0918 15006KT


TAF RKPC 081100Z 0812/0918 27005KT 9999 FEW015 BKN170 TN16/0820Z TX25/0905Z
BECMG 0813/0815 18005KT CAVOK
BECMG 0823/0901 06009KT
BECMG 0910/0912 21005KT

















NOTAM PACKAGE 1

OZ201 / LAX / ICN

PRINTED AT08JUN26 1351Z

DEP: KLAX DEST: RKSI ALTN: RKSS

[DEP]KLAX/ LAX/ Los Angeles International Airport, Los Angeles, US

1. RUNWAY : 07L/25R : 12923FT X 150FT 07R/25L : 11095FT X 200FT
06R/24L : 10885FT X 150FT 06L/24R : 8926FT X 150FT

■ DEPARTURE AIRPORT TECHNICAL INFORMATION

TAKEOFF PERFORMANCE INFORMATION

1. NOTAM A1176/26, A1272/26, A3221/26
07L TAKEOFF
- EFB: USE AS IS
25R TAKEOFF (IF FULL LENGTH TAKEOFF NOT AVBL)
- EFB: INPUT 25R-F INTX TAKEOFF
2. NOTAM A1317-1318/26, A1811-1812/26
06L TAKEOFF
- EFB: ADD 1 OBST (HT: 104 FT, DIST: 5488 FT / FROM LIFTOFF END)
06R TAKEOFF
- EFB: ADD 1 OBST (HT: 144 FT, DIST: 1499 FT / FROM LIFTOFF END)
24R TAKEOFF
- EFB: ADD 1 OBST (HT: 21 FT, DIST: 1495 FT / FROM LIFTOFF END)

CHECK RWY ID FOR TODC REQUEST (FOR A220 ONLY)

06L, 06L-Y, 06R, 06R-E16, 06R-Y, 06R-Z, 07L, 07L-B8, 07L-J, 07L-L, 07L-Q, 07R, 07R-A8-H8, 07R-L, 24L, 24L-E10, 24L-E7, 24L-E8, 24L-R, 24L-T, 24R, 24R-T, 25L, 25L-G, 25L-H4, 25R, 25R-B2, 25R-B5, 25R-F, 25R-G

■ COMPANY ADVISORY

1. 20OCT21 00:00 - UFN KLAX COAD02/21
D-10 / C-10 TAXILANE TAXI PROCEDURES INFO
CONTACT RAMP CONTROL PROPERLY
1) D-10 TAXILANE NORTH SIDE GATE : 131.850MHZ (DELTA RAMP CONTROL, 24/7)
2) C-10 TAXILNE SOUTH SIDE GATE : 129.325MHZ (AMERICAN RAMP CONTROL, 0530-2315L)
RMK : #151 ONLY AVBL BY TOW IN/OUT PROCEDURE
-- BY JFKKKW--

2. 20OCT21 00:00 - UFN KLAX COAD03/21
CITY RAMP CONTROL(EAST SIDE) OPERATIONAL PROCEDURES
CITY RAMP TOWER, FREQUENCY: 131.075, HOURS: 24/7
1) ARR, INBD ACFT SHOULD CONTACT RAMP CONTROL.AIRCRAFT WILL BE DIRECTED TO THE INT OF TAXIWAY C AND TAXILANE L TO "SPOT 43" AND INSTRUCTED TO CTC "CITY RAMP".
2) IN EAST FLOW OR OVER-OCEAN OPERATIONS, ARRIVING ACFT WILL BE DIRECTED TO THE INT OF TAXIWAY D AND TAXILANE K TO "SPOT 42" AND INSTRUCTED TO CTC "CITY RAMP".
3) DEP ACFT WILL BE ISSUED PUSHBACK APPROVAL BY RAMP CONTROL, AND THEN GIVEN INSTRUCTIONS TO HOLD SHORT OF TWY D ON EITHER TAXILANE K OR L AND THEN INSTRUCTED TO CONTACTED FAA GROUND CONTROL.
-- BY JFKKKW--

■ RUNWAY

02JUN26 20:20 - 23JUN26 13:30

KLAX A3221/26

E) RWY 07L/25R DECLARED DIST:

RWY 07L TORA 12091FT TODA 12091FT ASDA 12091FT LDA 11134FT.

RWY 25R TORA 11134FT TODA 11134FT ASDA 11134FT LDA 11134FT.

08JUN26 07:30 - 11JUN26 13:30 KLAX A3204/26
D) DLY 0730-1330
E) RWY 06L/24R CLSD
COMMENT) CODE F A/C USING RWY (B748)

08JUN26 07:30 - 11JUN26 13:30 KLAX A3203/26
D) DLY 0730-1330
E) RWY 06R/24L CLSD
COMMENT) CODE F A/C USING RWY

27MAY26 18:26 - 28MAY27 16:00 KLAX A3108/26
E) AD AP CLSD TO NON SKED TRANSIENT GA ACFT EXC 24HR PPR CTC
ATLANTIC
AVIATION 310-258-9884 OR SIGNATURE AVIATION 310-410-9605

■ TAXIWAY

28MAY26 13:10 - 30JUL26 22:00 KLAX A3129/26
E) TWY B TWY DIRECTION SIGN NORTHWEST SIDE FOR TWY C8 LGT U/S

28MAY26 13:06 - 30JUL26 22:00 KLAX A3128/26
E) TWY B LOCATION SIGN BTN TWY C8 AND TWY C9 LGT U/S

01MAY26 12:30 - 08JUL26 12:30 KLAX A2540/26
E) TWY C8 BTN TWY B AND TWY C CLSD TO ACFT WINGSPAN MORE THAN
118FT

01MAY26 12:30 - 08JUL26 12:30 KLAX A2522/26
E) TWY C BTN TWY C8 AND TWY C9 CLSD

01APR26 16:44 - 10JUN26 22:00 KLAX A2010/26
E) LAX TWY P BTN TWY C AND TWY N2 IRREGULAR SFC STEEL PLATES

02MAR26 08:30 - 23JUN26 02:00 KLAX A1272/26
E) LAX TWY B1 BTN APCH END RWY 25R AND TWY B CLSD

02MAR26 14:30 - 23JUN26 02:00 KLAX A1176/26
E) LAX TWY B BTN TWY F AND TWY B1 CLSD

■ RAMP

02APR26 13:00 - 11NOV26 14:00 KLAX A1974/26
E) LAX APRON TXL C9 NORTH OF GATE 46B CLSD

02MAR26 08:30 - 22JUN26 23:59 KLAX A1267/26
E) LAX APRON B1 RAMP CLSD

06JAN26 17:29 - 07JUL26 23:00 KLAX A0155/26
E) LAX APRON TXL C7, C8, D9, D10 IRREGULAR SFC NUMEROUS RUTS

06JAN26 14:17 - 07JUL26 23:00 KLAX A0151/26
E) LAX APRON TXL C6 IRREGULAR SFC STEEL PLATES

■ NAVAID

08JUN26 16:00 - 08JUN26 19:00

KLAX A3293/26

E) NAV TACAN U/S

■ DEPARTURE

08JUN26 15:30 - 15JUN26 01:22

KLAX A3299/26

E) SID LOS ANGELES INTL, LOS ANGELES, CA. VENTURA EIGHT
DEPARTURE...

DEPARTURE PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV

SYSTEM WITH GPS, VTU VOR/DME OUT OF SERVICE.

07MAY26 15:21 - 08MAY28 15:21

KLAX A2703/26

E) SID LOS ANGELES INTL, LOS ANGELES, CA. GORMAN SEVEN
DEPARTURE...

AVENAL TRANSITION NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV

SYSTEM WITH GPS. GMN VOR R-310 RESTRICTED.

25MAR26 13:16 - 04NOV26 13:16

KLAX A1865/26

E) LAX SID LOS ANGELES INTL, LOS ANGELES, CA.
GORMAN SEVEN DEPARTURE...

TAKEOFF RWY 06L, 06R NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV

SYSTEM WITH GPS,
LAX TACAN OUT OF SERVICE.

23MAR26 12:16 - 26JUN26 12:15

KLAX A1812/26

E) LAX SID LOS ANGELES INTL, LOS ANGELES, CA.
CATALINA EIGHT DEPARTURE...

CHATY FIVE DEPARTURE...

GORMAN SEVEN DEPARTURE...

LAXX ONE DEPARTURE...

PERCH THREE DEPARTURE...

SEAL BEACH EIGHT DEPARTURE...

VENTURA EIGHT DEPARTURE...

TAKEOFF MINIMUMS:

RWY 6L, TEMPORARY CRANE (2025-AWP-4386-NRA) BEGINNING 1697FT
FROM

DER, 912FT RIGHT OF CENTERLINE, UP TO 60 AGL/165 MSL

RWY 6R, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 311FT
PER NM

TO 500. ADD TAKEOFF OBSTACLE NOTES: RWY 6R,

TEMPORARY CRANES (2025-AWP-4384 THRU 4386-NRA) BEGINNING 854FT
FROM

DER, 212FT RIGHT OF CENTERLINE, UP TO 150 AGL/257 MSL

RW24L: TEMP CRANE (2021-AWP-2060-NRA). 337FT FROM DER, 445FT
RIGHT

OF CENTERLINE, UP TO 25 AGL/134 MSL.

ALL OTHER DATA REMAINS AS PUBLISHED.

23MAR26 12:15 - 26JUN26 12:15

KLAX A1811/26

E) LAX ODP LOS ANGELES INTL, LOS ANGELES, CA.

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 14...

TAKEOFF MINIMUMS:

RWY 6L, TEMPORARY CRANE (2025-AWP-4386-NRA) BEGINNING 1697FT
FROM

DER, 912FT RIGHT OF CENTERLINE, UP TO 60 AGL/165 MSL

RWY 6R, 300-1 1/2 OR STANDARD WITH A MINIMUM CLIMB OF 311FT PER NM
TO 500. ADD TAKEOFF OBSTACLE NOTES: RWY 6R,
TEMPORARY CRANES (2025-AWP-4384 THRU 4386-NRA) BEGINNING 854FT FROM
DER, 212FT RIGHT OF CENTERLINE, UP TO 150 AGL/257 MSL
RW24L: TEMP CRANE (2021-AWP-2060-NRA). 337FT FROM DER, 445FT RIGHT
OF CENTERLINE, UP TO 25 AGL/134 MSL.
ALL OTHER DATA REMAINS AS PUBLISHED.

■ **APPROACH**

15MAY26 18:58 - 15MAY28 18:58 KLAX A2928/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 25L, AMDT
15B... ILS RWY 25L (CAT II-III), AMDT 15B... S-ILS 25L CAT II RVR
1200. CAT II NOTE: RVR 1000 AUTHORIZED WITH SPECIFIC OPSPEC, MSPEC,
OR LOA APPROVAL AND USE OF AUTOLAND OR HUD TO TOUCHDOWN.

15MAY26 18:47 - 15MAY28 18:47 KLAX A2927/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA. ILS OR LOC RWY 24R, AMDT
26C... ILS RWY 24R (CAT II-III), AMDT 26C... S-ILS 24R CAT II RVR
1200. CAT II NOTE: RVR 1000 AUTHORIZED WITH SPECIFIC OPSPEC, MSPEC,
OR LOA APPROVAL AND USE OF AUTOLAND OR HUD TO TOUCHDOWN.

28APR26 11:25 - 28AUG26 11:25 KLAX A2499/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 6L, AMDT 2...
LNAV/VNAV DA 474/HAT 355, RVR 3000 ALL
CATS. LNAV MDA 580/HAT
461 ALL CATS, CATS C/D RVR 5000. TEMP CRANE 263 MSL, 3038FT S
OF RWY
6L (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2498/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 7R, AMDT 1 ...
RNP 0.30 DA 594/HAT 466, RVR 5000 ALL
CATS. TEMP CRANE 263 MSL,
4678FT NW OF RWY 7R (2025-AWP-3533-NRA)

28APR26 11:25 - 28AUG26 11:25 KLAX A2497/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 7R, AMDT 3A...
LNAV/VNAV 474/HAT 346 ALL CATS. LNAV
MDA 580/HAT 452 ALL CATS,
CATS C/D RVR 4500. TEMP CRANE 263 MSL, 4678FT NW OF RWY 7R
(2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2496/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 6R, AMDT 2A...

LNAV/VNAV DA 474/HAT 358, RVR 3000 ALL CATS LNAV MDA 580/HAT 464 ALL CATS, CATS C/D RVR 5000. TEMP CRANE 263 MSL, 2430FT S OF RWY 6R (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2495/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 7L, AMDT 3A...
LNAV/VNAV DA 474/HAT 346 ALL CATS. LN
AV MDA 580/HAT 452 ALL
CATS, CATS C/D RVR 4500. TEMP CRANE 263 MSL, 3450FT NW OF RWY 7L
(2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2494/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 6R, AMDT 1...
RNP 0.30 DA 501/HAT 385 ALL CATS. TEMP
CRANE 263 MSL, 2430FT S
OF RWY 6R (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2492/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 6L, AMDT 1...
RNP 0.30 DA 494/HAT 375 ALL CATS.
TEMP CRANE 263 MSL, 3038FT S OF RWY 6L (2025-AWP-3533-NRA).

28APR26 11:25 - 28AUG26 11:25 KLAX A2484/26

E) IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 7L, AMDT 1...
RNP 0.11 DA 526/HAT 398, RVR 3500 ALL
CATS. RNP 0.30 DA 554/HAT
426 ALL CATS. TEMP CRANE 263 MSL, 3450FT NW OF RWY 7L
(2025-AWP-3533-NRA).

31MAR26 19:35 - UFN KLAX A1973/26

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 24L, AMDT 2B...
RNP 0.15 ALL CATS VISIBILITY RVR 4000. RNP 0.30 ALL CATS
VISIBILITY
5000. CHANGE PBN REQUIREMENTS NOTE TO READ: RNP AR APCH ? GPS.
THIS IS RNAV (RNP) Z RWY 24L, AMDT 2C.

02MAR26 16:00 - 11OCT26 14:54 KLAX A1318/26

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
ILS OR LOC RWY 24L, AMDT 27D...
S-ILS 24L DA 469/HAT 346, RVR 3000 ALL CATS.
S-LOC 24L MDA 560/HAT 437 ALL CATS.
SIDESTEP 24R MDA 560/HAT 438 ALL CATS.
TEMP CRANES FROM 165 MSL TO 257 MSL, 954FT E OF RWY 24L
(2025-AWP-4383 THRU 4386-NRA).

02MAR26 16:00 - 11OCT26 14:54 KLAX A1317/26

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (GPS) Y RWY 24L, AMDT 5C...
LPV DA 456/HAT 333, RVR 4000 ALL CATS.
TEMP CRANES FROM 165 MSL TO 257 MSL, 954FT E OF RWY 24L

(2025-AWP-4383 THRU 4386-NRA).

26FEB26 17:50 - 30JUN26 17:50 KLAX A1273/26

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
ILS OR LOC RWY 7R, AMDT 8A...
S-LOC 7R MDA 500/HAT 372 ALL CATS, VIS CAT C/D RVR 3500. VDP AT
I-MKZ 0.84 DME? VDP TO THLD 1.00NM. TEMPORARY CRANES 351 MSL
BEGINNING 4683FT NE OF RWY 7R (2024-AWP-7607 THRU 7610-NRA).

02MAR26 08:00 - 22JUN26 02:00 KLAX A1152/26

E) LAX NAV ILS RWY 25R U/S

06FEB26 11:53 - 18SEP26 11:53 KLAX A0752/26

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 25L, AMDT 2D...
RNP 0.15 DA 453/HAT 349, RVR 4000 ALL CATS.

22DEC25 16:37 - 03AUG26 16:37 KLAX A6479/25

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
RNAV (RNP) Z RWY 25R, ORIG-A...
RNP .11 DA 484/HAT 380 ALL CATS.

18NOV25 20:52 - 18NOV27 20:52 KLAX A5868/25

E) LAX IAP LOS ANGELES INTL, LOS ANGELES, CA.
ILS OR LOC RWY 7R, AMDT 8A...
AUTO-PILOT COUPLED APPROACH NA BELOW 800.

■ OBSTRUCTION

02MAR26 14:00 - 01APR27 23:00 KLAX A1295/26

E) LAX OBST CRANE (ASN 2025-AWP-4384-NRA) 335656N1182349W
(0.7NM NE
LAX) 227FT (120FT AGL) FLAGGED AND LGTD

02MAR26 14:00 - 01APR27 23:00 KLAX A1294/26

E) LAX OBST CRANE (ASN 2025-AWP-4383-NRA) 335653N1182349W
(0.6NM ENE
LAX) 257FT (150FT AGL) FLAGGED AND LGTD

02MAR26 14:00 - 01APR27 23:00 KLAX A1293/26

E) LAX OBST CRANE (ASN 2025-AWP-4089-NRA) 335651N1182352W
(0.6NM ENE
LAX) 259FT (150FT AGL) FLAGGED AND LGTD

■ GPS

07JUN26 16:00 - 10JUN26 16:00 KLAX J1224/26

E) GPS RAIM OUTAGES PREDICTED FOR RNP-0.3 AS FLW
NO GPS OUTAGES PREDICTED)

[DEST]RKSI/ ICN/ Seoul Incheon International Airport, Seoul, KR

1. RUNWAY : 16L/34R : 13123FT X 197FT 15L/33R : 12303FT X 197FT
15R/33L : 12303FT X 197FT 16R/34L : 12303FT X 197FT

2. COMPANY RADIO : 129.35 ASIANA INCHEON/MAINTENANCE/DISPATCH

■ COMPANY ADVISORY

1. 01APR26 00:00 - 31OCT26 14:59 RKSI COAD03/26
[SIMILAR CALL SIGNS]
PLZ PAY MORE ATTENTION TO ATC COMMUNICATION
- OZ335 AND OZ3355 IN SEOUL APPROACH, BY SELOV
- OZ601 (ICN-SYD) AND KE601 (ICN CEB) DURING ICN APRON & EN-ROUTE,
BY SELOB
- OZ756 (DAD-ICN) AND OZ356 (CAN-ICN) DURING APPROACH, BY SELOV
- OZ349 (ICN-NKG) AND OZ339 (ICN-HRB) DURING DEPARTURE, BY SELOB
-- BY SELOP--

2. 11MAY26 00:00 - UFN RKSI COAD04/26
PLEASE REQUEST RUGMA DIRECT OLMEN INSTEAD OF RUGMA Z85 BILUM MELES
GUKDO TO THE ATC.
IT HAS BEEN COORDINATED WITH ICN ACC FOR USE DEPENDING ON TRAFFIC
CONDITIONS.
-- BY SELOP--

3. 01JUN26 00:00 - UFN RKSI COAD05/26
// RKSI SID UPDATE DUE TO NDB CHANGES //
- BACKGROUND : AFTER FEB NDB UPDATE, CERTAIN FMS ROUTES NOW DIRECT
THE A/C STRAIGHT TO THE FIRST RNAV WAYPOINT.
- A321F, A330, A350, A380, B777
THE FD MAY COMMAND A TURN BELOW 400FT AGL DURING DEPARTURE.
DO NOT COMMENCE ANY TURN BELOW 400FT AGL.
(EXCEPTION : REFER TO FOM 6.4.4)
-- BY SELOC--

■ RUNWAY

16APR26 08:13 - 10JUN26 15:00 RKSI A0478/26
E) THE TRIAL OPS FOR SIMULTANEOUS INDEPENDENT PARALLEL APCH IN
FORCE
BETWEEN RWY 33R AND 34L, BETWEEN RWY 15L AND 16R

■ TAXIWAY

09JUN26 00:00 - 09JUN26 09:00 RKSI A0780/26
E) FTGS(FOLLOW THE GREENS) PROCEDURES U/S DUE TO WIP

31MAY26 23:00 - 10JUN26 07:00 RKSI A0707/26
E) TXL R10 BEHIND ACFT STAND NR 312 CLSD DUE TO WIP

■ RAMP

31MAY26 23:00 - 10JUN26 07:00 RKSI A0708/26
E) ACFT STAND NR 312 CLSD DUE TO WIP

19MAR25 16:00 - 10JUN26 16:00 RKSI Z1295/25
E) TRIGGER NOTAM - AIRAC AIP SUP 103/25
WEF 1600 UTC 19 MAR 2025 TO 1600 UTC 30 JUN 2026
- AIRCRAFT STAND NR 711 OPERATIONAL RESTRICTION
AIRCRAFT STAND NR 711 CLSD.
COMMENT) REFER TO LATEST NOTAM FOR ANY CHANGE.

24DEC25 16:00 - 12JAN27 15:00 RKSI Z1294/25
E) TRIGGER NOTAM - AIRAC AIP SUP 102/25
WEF 1600 UTC 24 DEC 2025 TO 1500 UTC 12 JAN 2027
- OPERATIONAL RESTRICTION
- AIRCRAFT STAND NR 505 CLSD DUE TO OPERATIONAL USE.
COMMENT) REFER TO LATEST NOTAM FOR ANY CHANGE.

■ NAVAID

04APR26 00:00 - UFN

RKSI A0407/26

E) REF AIP RKSI AD 2-13, 2-14.

VOR/DME SCHEDULED INSPECTION TIME CHG AS FLW:

NCN VOR/DME: EVERY 5TH, 9TH, 15TH, 21ST, 27TH DAY (1500-1900 UTC) OF THE MONTH

WNG VOR/DME: EVERY 4TH, 8TH, 14TH, 20TH, 26TH DAY (1500-1900 UTC) OF THE MONTH

■ GPS

08JUN26 11:08 - 10JUN26 11:03

RKSI G2564/26

D) 08 1108-1111 1231-1253, 09 1104-1107 1226-1249, 10 1100-1103

E) GPS RAIM OUTAGES PREDICTED FOR NPA

30MAY24 01:15 - UFN

RKSI Z0511/24

E) CAUTIONARY INFO FOR ACFT OPERATING IN INCHEON FIR :
PILOTS HAVE REPORTED THAT GPS SIGNALS ARE UNRELIABLE OR LOST
INTERMITTENTLY IN INCHEON FIR(AROUND INCHEON AND SEOUL AREA).
EXERCISE EXTREME CAUTION WHEN USING GPS.

COMMENT) WITHIN ICN/GMP AREA, NUISANCE GPWS
TERRAIN WARNINGS ARE OCCURRED BY GPS INTERFERENCE.
REVIEW RELATED PROCEDURE - OPERATION SAFETY ASSURANCE TEAM.

[ALTN]RKSS/ GMP/ Seoul Gimpo International Airport, Seoul, KR

1. RUNWAY : 14L/32R : 11811FT X 148FT 14R/32L : 10499FT X 197FT

2. COMPANY RADIO : 129.75 ASIANA GIMPO/MAINTENANCE/DISPATCH

■ COMPANY ADVISORY

1. 01APR26 00:00 - 31OCT26 14:59

RKSS COAD03/26

PLZ PAY MORE ATTENTION TO ATC COMMUNICATION.

CAUTION: SIMILAR CALL SIGNS (SEOUL APPROACH) - 0Z335 AND 0Z3355

-- BY SELOV--

2. 14JAN21 00:00 - UFN

RKSS COAD01/21

CURFEW INFO

APO CURFEW : 1400-2100Z

-- BY SELOP--

3. 14JAN21 00:00 - UFN

RKSS COAD02/21

FUEL DUMPING AREA

- AREA : A CIRCLE WITH A RADIUS OF 5NM CENTERED ON R 264 NCN/D22,
R 278 SEL/D45

- ALTITUDE : AT OR ABOVE 6,000FT

- AREA/ALTITUDE MAY BE CHANGED BY PILOT REQUEST, TRAFFIC CONDITION
OR ANY OTHER SAFETY REASON

ACCORDING TO AIP RKSS AD 2-14 ITEM 2.22.1.3

-- BY SELOP--

■ RUNWAY

01JUN26 14:00 - 19JUN26 20:00

RKSS A0696/26

D) 1400-2000

E) RWY 14L/32R CLSD DUE TO WIP

■ TAXIWAY

05JUN26 14:00 - 31JUL26 20:00

RKSS A0740/26

D) 1400-2000

E) TWY R BTN ACFT STAND 10 AND 17 CLSD DUE WIP

26MAY26 14:00 - 24JUL26 20:00

RKSS A0657/26

D) 1400-2000

E) TWY F1 AND F2 CLSD DUE TO WIP

24DEC25 16:00 - 30SEP26 16:00

RKSS Z1296/25

E) TRIGGER NOTAM - AIRAC AIP SUP 104/25

WEF 1600 UTC 24 DEC 2025 TO 1600 UTC 30 SEP 2026

- OPERATIONAL RESTRICTIONS

COMMENT) REF TO JPSN 10-8C, 8C1, 8C2, 8C3, 8C4.

- SOME PART OF P4, APRONS (ACFT STANDS NR. 38 AND 39)

WILL BE CLOSED DUE TO PAVEMENT CONSTRUCTION.

- LOW VISIBILITY PROCEDURE(LVP) CHG DURING THE PERIOD.

- RWY 14R/L ARRIVAL TAXI ROUTE

- RWY 14R/L DEPARTURE TAXI ROUTE

- RWY 32R/L DEPARTURE TAXI ROUTE

■ TAXIWAY LIGHT

26MAY26 14:00 - 24JUL26 20:00

RKSS A0658/26

E) TWY CL LGT FOR TWY F1 AND F2 U/S DUE TO WIP

■ RAMP

15APR26 16:00 - 30SEP26 16:00

RKSS Z0126/26

E) TRIGGER NOTAM - AIRAC AIP SUP 22/26

WEF 1600 UTC 15 APR 2026 TIL 1600 UTC 30 SEP 2026

- SOME PART OF P4, APRONS(ACFT STANDS NR. 38 AND 39) AT GIMPO INTL

AIRPORT WILL BE CLOSED AS FOLLOWS DUE TO PAVEMENT CONSTRUCTION

■ APPROACH

01JUN26 14:00 - 26AUG26 20:00

RKSS Z0193/26

E) TRIGGER NOTAM - AIRAC AIP SUP 33/26

WEF 1600 UTC 13 MAY 2026 TIL 2000 UTC 28 AUG 2026

- OPERATIONAL RESTRICTIONS DUE TO REPAVEMENT WORKS ON TWY P AND REPLACEMENT OF TAXIWAY CENTER LINE LIGHTS(TCLL) AND INTERMEDIATE

HOLDING POSITION LIGHTS(IHPL).

WORK PERIOD : 2026.06.01 1400UTC- 2026.08.26 2000 UTC

COMMENT) OPERATIONAL RESTRICTION

1) TAKE-OFF MINIMA FOR RWY 14R CHANGED TO RVR 400M DURING PERIOD

2) THE CONSTRUCTION AREA ON TWY P CLSD DLY 1400-2000

3) TCLL AND IHPL ON TWY P WITHIN THE WORKING AREA U/S DURING PERIOD

■ GPS

08JUN26 11:08 - 10JUN26 11:03

RKSS G2554/26

D) 08 1108-1112 1229-1252, 09 1104-1108 1225-1248, 10 1100-1103

E) GPS RAIM OUTAGES PREDICTED FOR NPA

30MAY24 01:15 - UFN

RKSS Z0511/24

E) CAUTIONARY INFO FOR ACFT OPERATING IN INCHEON FIR :
PILOTS HAVE REPORTED THAT GPS SIGNALS ARE UNRELIABLE OR LOST
INTERMITTENTLY IN INCHEON FIR(AROUND INCHEON AND SEOUL AREA).
EXERCISE EXTREME CAUTION WHEN USING GPS.
COMMENT) WITHIN ICN/GMP AREA, NUISANCE GPWS
TERRAIN WARNINGS ARE OCCURRED BY GPS INTERFERENCE.
REVIEW RELATED PROCEDURE - OPERATION SAFETY ASSURANCE TEAM.

END OF PACKAGE 1 FOR OZ 201 LAX/ICN .

NOTAM PACKAGE 2

OZ 201 LAX/ICN

PRINTED AT 08JUN26 1351Z

ETP: KSFO PACD RJAA

3% ERA: RJBB

ERA: KLAX KSFO KSEA CYVR PASY PADK PACD PAKN
PAFA RJAA RJBB RJGG ROAH RORS RJAW RJTT RJCC
RKSI RKPC

[ETP]KSFO/ SF0/ San Francisco Intl., San Francisco, US

1. RUNWAY : 10L/28R : 11870FT X 200FT 10R/28L : 11381FT X 200FT
01R/19L : 8650FT X 200FT 01L/19R : 7650FT X 200FT

2. COMPANY RADIO : 129.625 SAN FRANCISCO OPERATIONS

■ RUNWAY

08JUN26 16:00 - 05JUL26 05:00 KSFO A2899/26

E) AD AP FIXED BASE OPR CLSD TO TRANSIENT GA ACFT PRKG EXC PPR
128.35/650-877-6800

01JUN26 15:00 - 25AUG26 22:00 KSFO A2861/26

E) RWY 01L/19R CLSD EXC TAXI BTN TWY C AND TWY V
COMMENT) CODE F A/C USING RWY (B748)

21MAY26 13:30 - 30JUN26 13:00 KSFO A2705/26

E) RWY 01R/19L CLSD EXC TAXI BTN TWY F AND TWY M
COMMENT) CODE F A/C USING RWY

28APR26 18:58 - 01JUL26 13:00 KSFO A2287/26

E) RWY 01L/19R SAFETY AREA NOT STD BTN TWY M AND H

24APR26 20:34 - 02OCT26 23:59 KSFO A2194/26

E) RWY 01L/19R CLSD
COMMENT) CODE F A/C USING RWY

28MAR26 07:00 - 03OCT26 23:59 KSFO A1672/26

E) SFO RWY 01R/19L RWY STATUS LGT SYSTEM U/S

28MAR26 07:00 - 03OCT26 23:59 KSFO A1668/26

E) SFO RWY 01L/19R RWY STATUS LGT SYSTEM U/S

■ RUNWAY LIGHT

02JUN26 06:14 - 31JUL26 14:00 KSFO A2913/26

E) RWY 01L BTN TWY V , TWY C REDL U/S

26APR26 23:59 - 03OCT26 23:59 KSFO A2229/26

E) RWY 01R RWY END ID LGT U/S

28MAR26 07:00 - 03OCT26 23:59 KSFO A1669/26

E) SFO RWY 01L RWY END ID LGT U/S

■ **APPROACH**

08JUN26 16:00 - 08JUN26 21:00 KSFO A3064/26

E) NAV ILS RWY 28L CAT II NA

08JUN26 16:00 - 08JUN26 21:00 KSFO A3063/26

E) NAV ILS RWY 28R CAT II/III NA

08JUN26 04:01 - 08JUL26 04:01 KSFO A3045/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY 28R,
AMDT 15B... ILS RWY 28R (SA CAT I), AMDT 15B... ILS RWY 28R (CAT II-III), AMDT 15B.. ILS OR LOC RWY 19L, AMDT 23.... DME REQUIRED
EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, SAU VOR
OUT OF SERVICE.

04JUN26 13:40 - 14JAN27 13:35 KSFO A2982/26

E) ODP SAN FRANCISCO INTL, SAN FRANCISCO, CA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 9... TAKEOFF OBSTACLE NOTES: RWY 19L, CRANE 940FT FROM DER, 512FT LEFT OF CENTERLINE, 115 AGL/115 MSL (2024-AWP-9860-OE). CRANE 3420FT FROM DER, 606FT LEFT OF CENTERLINE, 135FT AGL/153FT MSL (2024-AWP-7293-OE), CRANE 3453FT FROM DER, 696FT LEFT OF CENTERLINE, 135FT AGL/152FT MSL (2024-AWP-7294-OE). RWY 19R, CRANE 3670FT FROM DER, 1356FT LEFT OF CENTERLINE, 135FT AGL/153FT MSL (2024-AWP-7293-OE), CRANE 3702FT FROM DER, 1446FT LEFT OF CENTERLINE, 135FT AGL/152FT MSL (2024-AWP-7294-OE),. ALL OTHER DATA REMAINS AS PUBLISHED.

04JUN26 21:00 - 11JUN26 01:41 KSFO A2968/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY 28R,
AMDT 15B... ILS RWY 28R (SA CAT I), AMDT 15B... ILS RWY 28R (CAT II-III), AMDT 15B... MISSED APPROACH: CLIMB TO 2600 ON HEADING 284
THEN CLIMBING RIGHT TURN TO 4000 ON RADAR VECTORS TO SAU VOR/DME AND
HOLD. ?MISSED APPROACH REQUIRES MINIMUM CLIMB OF 350 FEET PER NM TO
1900? IF UNABLE TO MEET CLIMB GRADIENT, SEE ILS OR LOC RWY 28L, SFO
VOR/DME OUT OF SERVICE.

04JUN26 21:00 - 11JUN26 01:41 KSFO A2967/26

E) ODP SAN FRANCISCO INTL, SAN FRANCISCO, CA. TAKEOFF
MINIMUMS AND
(OBSTACLE) DEPARTURE PROCEDURES AMDT 9... DEPARTURE PROCEDURE
RWYS
10L, 10R, 19L, 19R NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV
SYSTEM WITH GPS, SFO VOR/DME OUT OF SERVICE.

04JUN26 21:00 - 11JUN26 01:41 KSFO A2966/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY
28L,
AMDT 27C... ILS RWY 28L (SA CAT II), AMDT 27C... MISSED
APPROACH:
CLIMB TO 2400 THEN CLIMBING LEFT TURN TO 5000 DIRECT SJC
VOR/DME AND
HOLD. ?MISSED APPROACH REQUIRES MINIMUM CLIMB OF 320 FEET PER
NM TO
2000, SFO VOR/DME OUT OF SERVICE.

20MAY26 15:55 - 30DEC26 15:55 KSFO A2666/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. RNAV (GPS) RWY
10L,
AMDT 3... LNAV/VNAV DA 714/HAT 707 ALL CATS, VIS 2 ALL CATS,
UNLESS
ADVISED BY ATC THE CRANE DOWN. TEMPORARY CRANE 1.2NM WEST OF
RWY 10L,
327FT MSL (2025-AWP-7431-OE).

12MAY26 13:30 - 30JUN26 20:44 KSFO A2498/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. RNAV (GPS) RWY
10L,
AMDT 3... LNAV/VNAV DA 530/HAT 523, VIS 1 1/2 ALL CATS, UNLESS
ADVISED BY ATC THAT CRANES ARE DOWN. DAILY 0630-1730L. TEMP
CRANES
STARTING 2730 FEET SW OF RWY 10L, UP TO 310 AGL/319 MSL
(2025-AWP-4387-NRA).

12MAY26 13:30 - 30JUN26 20:44 KSFO A2497/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. RNAV (RNP) Z
RWY 10R,
AMDT 2A... RNP 0.20 DA 496/488, VIS 1 3/8 ALL CATS, UNLESS
ADVISED BY
ATC THAT CRANES ARE DOWN. DAILY 0600-1900L. TEMP CRANES
STARTING 2065
FEET SW OF RWY 10R, UP TO 310 AGL/319 MSL (2025-AWP-4387-NRA).

12MAY26 13:00 - 26OCT26 12:22 KSFO A2496/26

E) IAP SAN FRANCISCO INTL, SAN FRANCISCO, CA. ILS OR LOC RWY
28R,
AMDT 15B... SIDESTEP 28L MDA 500/HAT 487 ALL CATS UNLESS
ADVISED BY
ATC THE CRANE IS DOWN. TEMP CRANE 258 MSL, 5NM E OF RWY 28R
(2026-AWP-2080-OE).

26APR26 23:59 - 03OCT26 23:59 KSFO A2228/26

E) RWY 19L PAPI U/S

26APR26 23:59 - 03OCT26 23:59 KSFO A2225/26
E) NAV ILS RWY 19L U/S

17APR26 12:43 - 17APR28 12:43 KSFO A2047/26
E) SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
RNAV (RNP) Z RWY 10R, AMDT 2A...
TDZE 8.
RNP 0.20 DA 446/ HAT 438 ALL CATS.
RNP 0.30 DA 1106/ HAT 1098 ALL CATS.

31MAR26 12:26 - 10NOV26 12:26 KSFO A1753/26
E) SFO IAP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
RNAV (GPS) Y RWY 10R, AMDT 2A...
TDZE 8.
LNAV HAT 1192 ALL CATS.

28MAR26 07:00 - 03OCT26 23:59 KSFO A1670/26
E) SFO RWY 19R PAPI U/S

15JAN26 18:44 - 15JAN28 18:44 KSFO A0223/26
E) SFO VFP SAN FRANCISCO INTL,
SAN FRANCISCO, CA.
TIPP TOE VISUAL RWY 28L/R, AMDT 2...
PROCEDURE NA FOR ARRIVALS TO RWY 28R.

■ APPROACH LIGHT

26APR26 23:59 - 03OCT26 23:59 KSFO A2227/26
E) RWY 19L ALS U/S

[ETP]PACD/ CDB/ Cold Bay, Cold Bay, US

1. RUNWAY : 15/33 : 10179FT X 150FT 08/26 : 4900FT X 150FT

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN	PACD COAD01/21
CONTACT POINT	
1)PACD TRANSPORTATION DEPARTMENT : TEL 907-532-5000	
2)PACD TWR : TEL 1-800-992-7433	
-- BY JFKKKW--	

■ APPROACH

05JUN26 19:00 - 12JUN26 12:14 PACD A2529/26
E) ODP COLD BAY, COLD BAY, AK. TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES AMDT 9... DEPARTURE PROCEDURE RWY 8, 15,
26, 33:
ADF REQUIRED EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS, CDB VOR OUT OF SERVICE.

05JUN26 19:00 - 12JUN26 12:14 PACD A2527/26
E) IAP COLD BAY, COLD BAY, AK. ILS OR LOC RWY 15, AMDT 19...
ADF AND
DME REQUIRED EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV
SYSTEM WITH
GPS. MISSED APPROACH: CLIMB TO 1200 THEN CLIMBING LEFT TURN

TO 2200
DIRECT ELF NDB AND HOLD (ADF REQUIRED), CONTINUE CLIMB-IN-
HOLD TO
2200, CDB VOR OUT OF SERVICE.

05JUN26 19:00 - 12JUN26 12:14 PACD A2526/26

E) IAP COLD BAY, COLD BAY, AK. LOC BC RWY 33, AMDT 11...
PROCEDURE NA
EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS,
CDB VOR
OUT OF SERVICE.

[ETP]RJAA/ NRT/ Tokyo Narita Intl, Tokyo, JP

1. RUNWAY : 16R/34L : 13123FT X 197FT 16L/34R : 8202FT X 197FT
2. COMPANY RADIO : 130.55 ANA OPERATON

■ COMPANY ADVISORY

1. 06MAY26 00:00 - UFN	RJAA COAD01/26
PLZ PAY MORE ATTENTION TO ATC COMMUNICATION.	
CAUTION: SIMILAR CALL SIGNS (DURING APPROACH TO NRT)	
OZ102 (ICN-NRT) AND GK102 (CTS-NRT)	
-- BY SELOB--	

2. 19AUG25 00:00 - UFN	RJAA COAD01/25
CURFEW INFO	
AD CURFEW : 1500-2100Z	
A330(MMTOW APPLIED) : 1400-2100Z	
-- BY NRTKKW--	

3. 26NOV25 00:00 - 31DEC27 00:00	RJAA COAD02/25
RJAA AIP SUP 224/25	
TEMPO APCH PROC IN USE DUE TO CRANE. (AIP SUP 184/25 SUPERSEDED.)	
1) 13 FEB 2026 1500 UTC ~ 30 MAR 2026 1500 UTC	
- SOME CIRCLING PROCEDURES MDA(H) CHANGED.	
- RNP RWY 34R LNAV MDA(H) CHANGED.	
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.	
2) 30 MAR 2026 1500 UTC ~ 5 AUG 2026 1500 UTC	
- SOME CIRCLING PROCEDURES MDA(H) CHANGED.	
- RNP RWY 34R LNAV MDA(H) CHANGED.	
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.	
3) 5 AUG 2026 1500 UTC ~ 15 JUN 2027 1500 UTC	
- SOME CIRCLING PROCEDURES MDA(H) CHANGED.	
- VOR RWY 34L MDA(H) AND RVR CHANGED.	
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.	
- VOR RWY 16R MDA(H) AND RVR CHANGED.	
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.	
4) 15 JUN 2027 1500 UTC ~ 31 DEC 2027 1500 UTC	
-SOME CIRCLING PROCEDURES MDA(H) CHANGED.	
- ILS RWY 34L DA(H) AND RVR CHANGED.	
- LOC RWY 34L MDA(H) AND RVR CHANGED.	
- VOR RWY 34L MDA(H) AND RVR CHANGED.	
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.	
- VOR RWY 16R MDA(H) AND RVR CHANGED.	
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.	

COMMENT) REFER TO JPSN CHART.

REFER TO LATEST NOTAM FOR ANY CHANGE.

-- BY SELOC--

4. 09SEP24 00:00 - UFN

RJAA COAD02/24

FUEL ORDER PROCEDURE

- FUEL ORDER PROCEDURE AT NRT

- IF EXTRA FUEL IS NEEDED, PLEASE LET OCC KNOW IT VIA A-OPCS

-- BY NRTKKW--

5. 14JAN21 00:00 - UFN

RJAA COAD01/21

** DE/ANTI-ICING CURRENT STATE OF FLUIDS **

FLUID : TYPE 1(KILFROST DF PLUS), TYPE 4(KILFROST ABC-S PLUS)

WORKING TYPE : 2 STEP

-- BY --

6. 01MAY20 16:01 - UFN

RJAA COAD01/20

RWY USE INFO

2100-1400Z : USE RWY INSTRUCTED BY ATC

1400-1500Z : RWY 34L/16R ONLY AVAILABLE

-- BY NRTKKW--

■ **RUNWAY**

04JUN26 15:10 - 30JUN26 20:30

RJAA A0850/26

D) 1510/2030

E) RWY 16R/34L CLSD DUE TO MAINT

1.EXC ACFT IN AIC 051/19 ITEM 3

2.EXC EMERG ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

28MAY26 00:48 - 25JUN26 20:30

RJAA A0779/26

E) RWY 16R/34L RESTRICTED

AVBL RWY LENGTH FOR TKOF RWY 16R 3610M

RMK: REF AIP SUP 063/26 ITEM RWY:3

01JUN26 14:10 - 30JUN26 20:30

RJAA A0773/26

D) 1410/2030

E) RWY 16L/34R CLSD DUE TO MAINT

COMMENT) ALL RWY CLSD

CURFEW : 1400Z - 2100Z

■ **RUNWAY LIGHT**

27APR26 02:46 - 20JUL26 15:00

RJAA A0646/26

E) INTERMEDIATE-HLDG-PSN-LGT FOR TWY K(BTN E2 AND E3) U/S DUE TO CONST

15APR26 15:10 - 16JUN26 15:00

RJAA A0481/26

E) STOP-BAR-LGT FOR TWY B1 THRU B9 U/S

RMK: REF AIP SUP 063/26 ITEM TWY:5

18MAR26 15:00 - 16JUN26 15:00

RJAA A0447/26

E) FLW LGT-PARTLY U/S

PALS FOR RWY 16L

SEQUENCED-FLG-LGT FOR RWY 16L

RMK:(1)REF AIP SUP 063/26 ITEM RWY:1,2

(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER NOTAM

■ APPROACH

26NOV25 15:00 - 31DEC27 15:00

RJAA AIP SUP 224/25

E) TEMPO APCH PROC IN USE DUE TO CRANE. (AIP SUP 184/25 SUPERSEDED.)

1) 26 NOV 2025 1500 UTC - 24 JAN 2026 1500 UTC
REF JPSN 21-0A.

- VOR RWY 34L MDA(H) CHANGED.
- RNP RWY 16L LNAV MDA(H) CHANGED.

2) 24 JAN 2026 1500 UTC - 13 FEB 2026 1500 UTC
REF JPSN 21-0A, 21-0B, 21-0C, 21-0D.

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- VOR RWY 34L MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

3) 13 FEB 2026 1500 UTC - 30 MAR 2026 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

4) 30 MAR 2026 1500 UTC - 5 AUG 2026 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- RNP RWY 34R LNAV MDA(H) CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H) AND LNAV MDA(H) CHANGED.

5) 5 AUG 2026 1500 UTC - 15 JUN 2027 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- VOR RWY 34L MDA(H) AND RVR CHANGED.
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.
- VOR RWY 16R MDA(H) AND RVR CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.

6) 15 JUN 2027 1500 UTC - 31 DEC 2027 1500 UTC

- SOME CIRCLING PROCEDURES MDA(H) CHANGED.
- ILS RWY 34L DA(H) AND RVR CHANGED.
- LOC RWY 34L MDA(H) AND RVR CHANGED.
- VOR RWY 34L MDA(H) AND RVR CHANGED.
- RNP RWY 34R LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.
- VOR RWY 16R MDA(H) AND RVR CHANGED.
- RNP RWY 16L LNAV/VNAV DA(H), RVR AND LNAV MDA(H), RVR CHANGED.

COMMENT) REFER TO JPSN CHART.

REFER TO LATEST NOTAM FOR ANY CHANGE.

[3% ERA]RJBB/ KIX/ Osaka Kansai International Airport, Osaka, JP

1. RUNWAY : 06L/24R : 13123FT X 197FT 06R/24L : 11483FT X 197FT

2. COMPANY RADIO : 130.95 ALL NIPPON KANSAI OPS

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN

RJBB COAD01/21

** DE/ANTI-ICING CURRENT STATE OF FLUIDS **
FLUID : TYPE 1(KILFROST DF PLUS)
TYPE 4(KILFROST ABC-S PLUS)
WORKING TYPE : 2 STEP
-- BY --

2. 01MAY20 16:01 - UFN

RJBB COAD01/20

CONTACT POINT
TEL : 81-72-456-7537
-- BY NRTKKW--

3. 01MAY20 16:01 - UFN

RJBB COAD02/20

ILS Y RWY 24L APPROACH
ILS Y RWY 24L (JPSN 21-6) IS FOR NON-RNAV AIRCRAFT ONLY.
RNAV CAPABLE AIRCRAFT SHOULD USE ILS Z RWY 24L WHEN APPROACHING
RWY 24L BY ILS.
-- BY NRTKKW--

■ **RUNWAY**

08JUN26 14:00 - 29JUN26 23:30

RJBB B1437/26

D) 08 11 13-15 18 20-22 25 27-29 1400/2330
E) RWY 06L/24R CLSD DUE TO MAINT

■ **APPROACH**

15APR26 15:00 - 08JUL26 15:00

RJBB B0361/26

E) TRIGGER NOTAM-AIRAC AIP SUP 020/26
WEF 16 APR 2026 TIL 8 JUL 2026
TEMPORARY CHANGE OF INSTRUMENT FLIGHT PROCEDURES
COMMENT) [PROCEDURE]
- ILS Z OR LOC Z RWY 06L
- ILS Y OR LOC Y RWY 06L
[CHANGE]
DA(H) RAISED TO 232(223), RVR RAISED TO 600M.
(PREVIOUS DA(H) 209(200), RVR 550M.)

15APR26 15:00 - 29SEP27 15:00

RJBB B0360/26

E) TRIGGER NOTAM-AIRAC AIP SUP 019/26
WEF 16 APR 2026 TIL 29 SEP 2027
UNSERVICEABILITY OF KANSAI ILS 24R(LOC,GP,DME) AND KANSAI IM
24R
COMMENT) ILS 24R(LOC,DME) AND KANSAI IM 24R U/S
(2026.04.15 1500 ~2026.11.25 1500)
ILS 24R GP U/S (2026.04.15 1500~2027.09.29 1500)

■ **APPROACH LIGHT**

25MAY26 10:56 - 24AUG26 14:59

RJBB B1273/26

E) REF AIP SUP 038/26 ITEM RWY:1
LIGHTING SYSTEM CAT-2 FOR RWY 06L DOWNGRADED TO CAT-1
RMK/THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

[ERA]KLAX/ LAX/ Los Angeles International Airport, Los Angeles,
US

SEE THE SAME AIRPORT IN PACKAGE 1

[ERA]KSFO/ SF0/ San Francisco Intl., San Francisco, US

SEE THE SAME AIRPORT IN PACKAGE 2

[ERA]KSEA/ SEA/ Seattle-Tacoma International Airport, Seattle, US

1. RUNWAY : 16L/34R : 11901FT X 150FT 16C/34C : 9426FT X 150FT
16R/34L : 8500FT X 150FT

2. COMPANY RADIO : 130.45 SWISSPORT ASIANA

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN	KSEA COAD01/21
** DE/ANTI-ICING CURRENT STATE OF FLUIDS **	
FLUID : TYPE 1 (KILFROST DF PLUS), TYPE 4 (KILFROST ABC-S PLUS)	
WORKING TYPE : 2 STEP	
-- BY --	

■ RUNWAY

03JUN26 21:11 - 18JUN26 23:59 KSEA A1343/26

E) AD AP WILDLIFE HAZARD COYOTE NEAR MOVEMENT AREAS

09JUN26 06:30 - 09JUN26 12:00 KSEA A1329/26

E) RWY 16R/34L CLSD

COMMENT) CODE F A/C USING RWY

■ APPROACH

08JUN26 13:00 - 15JUN26 12:27 KSEA A1367/26

E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 16C, AMDT

17... ILS RWY 16C (SA CAT I), AMDT 17... ILS RWY 16C (CAT II AND

III), AMDT 17... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE

RNAV SYSTEM WITH GPS, SEA VORTAC OUT OF SERVICE.

08JUN26 13:00 - 15JUN26 12:27 KSEA A1366/26

E) ODP SEATTLE-TACOMA INTL, SEATTLE, WA. TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES AMDT 4B... DEPARTURE PROCEDURE NA

EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, SEA

VORTAC OUT OF SERVICE.

08JUN26 13:00 - 15JUN26 12:27 KSEA A1365/26

E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 34L, AMDT

1F... ILS RWY 34 (SA CAT I AND II), AMDT 1F... PROCEDURE NA EXCEPT

FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, SEA VORTAC OUT OF SERVICE.

08JUN26 13:00 - 15JUN26 12:27 KSEA A1364/26

E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 34R, AMDT

3... ILS RWY 34R (SA CAT I AND II), AMDT 3... PROCEDURE NA EXCEPT FOR

ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, SEA VORTAC

OUT OF
SERVICE.

08JUN26 13:00 - 15JUN26 12:27 KSEA A1363/26
E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 34C,
AMDT
3E... ILS RWY 34C (SA CAT I AND II), AMDT 3E... PROCEDURE NA
EXCEPT
FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS, SEA
VORTAC OUT
OF SERVICE.

08JUN26 13:00 - 15JUN26 12:27 KSEA A1362/26
E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 16L,
AMDT
8A... ILS RWY 16L (SA CAT I), AMDT 8A... ILS RWY 16L (CAT II
AND
III), AMDT 8A... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH
SUITABLE
RNAV SYSTEM WITH GPS, SEA VORTAC OUT OF SERVICE.

08JUN26 13:00 - 15JUN26 12:27 KSEA A1361/26
E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 16R,
AMDT
5... ILS RWY 16R (SA CAT I), AMDT 5... ILS RWY 16R (CAT II
AND III),
AMDT 5... PROCEDURE NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV
SYSTEM WITH GPS, SEA VORTAC OUT OF SERVICE.

29APR26 13:47 - 15JUL26 13:47 KSEA A0975/26
E) SID SEATTLE-TACOMA INTL, SEATTLE, WA. ELMAA FIVE
DEPARTURE...
HOQUIAM TRANSITION NA EXCEPT FOR AIRCRAFT EQUIPPED WITH
SUITABLE RNAV
SYSTEM WITH GPS, HQM VORTAC OUT OF SERVICE.

29APR26 13:47 - 15JUL26 13:47 KSEA A0972/26
E) SID SEATTLE-TACOMA INTL, SEATTLE, WA. BANGR NINE DEPARTURE
(RNAV)... TAKEOFF RWY 16L, 16C, 16R: GPS REQUIRED, HQM VORTAC
OUT OF
SERVICE.

22APR26 18:28 - 05SEP26 17:50 KSEA A0913/26
E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (GPS) Y RWY 34L,
AMDT
1C... LNAV MDA 920/HAT 541 ALL CATS. TEMP CRANE 619 MSL,
4070FT NE OF
RWY 34L (2026-ANM-25-NRA).

22APR26 18:28 - 05SEP26 17:50 KSEA A0912/26
E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (GPS) Y RWY 34C,
AMDT
2D... LPV DA 641/HAT 254 ALL CATS. TEMP CRANE 619 MSL, 3463FT
NE OF
RWY 34L (2026-ANM-25-NRA).

22APR26 18:27 - 05SEP26 17:50 KSEA A0909/26

E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 34C, AMDT 3E... S-ILS 34C DA 638/HAT 251, RVR 4000 ALL CATS. TEMP CRANE 619 MSL, 3463FT NE OF RWY 34C (2026-ANM-25-NRA).

22APR26 18:26 - 05SEP26 17:50 KSEA A0908/26

E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS RWY 34R (SA CAT I AND II), AMDT 3 ... PROCEDURE NA. TEMP CRANE 619 MSL, 5468FT N OF RWY 34R (2026-ANM-25-NRA).

22APR26 18:24 - 05SEP26 17:50 KSEA A0905/26

E) IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS RWY 16L (SA CAT I), AMDT 8A... ILS RWY 16L (CAT II AND III), AMDT 8A ... PROCEDURE NA. TEMP CRANE 619 MSL, 1.14NM S OF RWY 16L (2026-ANM-25-NRA).

08OCT25 14:07 - 08OCT27 14:07 KSEA A2575/25

E) SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (RNP) Z RWY 34L, AMDT 2A... RNP 0.15 DA/RVR/HAT ALL CATS 713/2600/334. CHANGE NOTE TO READ: FOR INOPERATIVE ALS, INCREASE RNP 0.15 ALL CATS VISIBILITY TO RVR 5000 AND RNP 0.30 ALL CATS VISIBILITY TO RVR 6000.

25FEB25 20:29 - 25FEB27 20:29 KSEA A0624/25

E) SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (RNP) Z RWY 34R, AMDT 1B... RNP 0.28 DA 889/HAT 517 ALL CATS, VISIBILITY ALL CATS RVR 5500. RNP 0.30 DA 894/HAT 522 ALL CATS, VISIBILITY ALL CATS 1-1/2.

20FEB25 14:59 - 20FEB27 14:59 KSEA A0585/25

E) SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (GPS) Y RWY 34C, AMDT 2D... LNAV VIS CATS A/B RVR 4000. VDP 1.39 NM TO RWY 34C. RWY 34C HELICOPTER VISIBILITY REDUCTION BELOW RVR 4000 NOT AUTHORIZED. FOR INOP ALS, INCREASE LNAV CAT A/B RVR 5500, CAT C/D VIS 1 3/8 SM.

20FEB25 14:58 - 20FEB27 14:58 KSEA A0584/25

E) SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. RNAV (RNP) Z RWY 16C, AMDT 1A... RNP 0.30 DA 853/HAT 424 ALL CATS.

31JUL24 14:36 - 31JUL26 14:36 KSEA A2033/24

E) SEA IAP SEATTLE-TACOMA INTL, SEATTLE, WA. ILS OR LOC RWY 34C, AMDT 3E... CHANGE EQUIPMENT NOTE TO READ: DME REQUIRED. DISREGARD RADAR DESCRIPTION FOR RYBKA STEPDOWN AND UFMOP MISSED APPROACH FIX.

[ERA]CYVR/ YVR/ Vancouver International Airport, Vancouver, CA

1. RUNWAY : 08R/26L : 12188FT X 200FT 08L/26R : 9941FT X 200FT
13/31 : 7300FT X 200FT

■ RUNWAY

09JUN26 07:00 - 09JUN26 13:30 CYVR C2174/26

E) RWY 08R/26L CLSD.

COMMENT) MAIN RWY CLSD

CODE F A/C USING RWY (B748)

06JUN26 12:18 - 03AUG26 06:15 CYVR C2164/26

E) RWY 13/31 CLSD AVBL AS TWY. THR 31 AUTH HEL TKOF/LDG

08JUN26 11:19 - 08JUN26 19:19 CYVR S5814/26

E) RSC 08L 6/6/6 DRY, DRY, DRY. VALID JUN 08 1052 - JUN 08 1852.

RSC 26R 6/6/6 DRY, DRY, DRY. VALID JUN 08 1052 - JUN 08 1852.

RSC 08R 6/6/6 DRY, DRY, DRY. VALID JUN 08 1118 - JUN 08 1918.

RSC 26L 6/6/6 DRY, DRY, DRY. VALID JUN 08 1118 - JUN 08 1918.

ADDN NON-GRF/TALPA INFO:

■ APPROACH

03JUN26 13:45 - 02SEP26 18:00 CYVR C2076/26

E) RWY 13/31:

ALL INSTR APCH PROC, DEP PROC AND DEP RTE: NOT AUTH

11MAY26 13:00 - 30JUL26 15:00 CYVR C1601/26

E) RNAV (RNP) X RWY 08R AND RNAV (RNP) X RWY 26L: NOT AUTH

27MAR26 18:38 - 26JUN26 23:59 CYVR C0829/26

E) ILS RWY 13 U/S

27MAR26 18:38 - 26JUN26 23:59 CYVR C0828/26

E) VANCOUVER DME IMK 111.1MHZ/CH48X U/S

05FEB26 19:55 - UFN CYVR C0280/26

E) AMEND PUBLICATIONS:

RNAV (RNP) Y RWY 08L APCH: MIN ALT AT IMITU TO READ: 2200

[ERA]PASY/ SYA/ Eareckson Air Station, Shemya, US

1. RUNWAY : 10/28 : 10004FT X 150FT

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN

PASY COAD01/21

CONTACT POINT

PASY TWR : TEL 1-907-392-3505/3606

-- BY --

■ NAVAID

24APR26 18:27 - 20JUL26 23:00

PASY M0275/26

E)
NAVAID SYA TACAN AZIMUTH UNUSABLE

[ERA]PADK/ ADK/ Adak Island, Adak Island, US

■ **RUNWAY**

01MAY26 16:00 - 11JUN26 04:00 PADK A0163/26

D) DLY 1600-0400

E) AD AP ALL SFC WIP

■ **NAVAID**

21APR26 16:06 - 26JUL26 15:00 PADK A0129/26

E) NAV DME NOT MNT

■ **APPROACH**

08MAY26 21:56 - 27JUN26 15:00 PADK A0175/26

E) NAV ILS RWY 23 LOC/GP U/S

20MAR26 14:13 - 08JUL26 14:13 PADK A0080/26

E) ADK IAP ADAK, ADAK ISLAND, AK.

ILS Y OR LOC Y RWY 23, ORIG...

ILS Z OR LOC Z RWY 23, ORIG...

NDB/DME RWY 23, ORIG-C...

ALTERNATE MINIMUMS NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE
RNAV

SYSTEM WITH GPS,

ADK NDB UNMONITORED.

02SEP25 20:14 - 02SEP27 20:14 PADK A0194/25

E) ADK IAP ADAK, ADAK ISLAND, AK.

TACAN RWY 23, ORIG...

S-23? CAT A/B MDA 800/HAT 783 RVR 5500.

11MAR25 13:00 - 11MAR27 13:00 PADK A0084/25

E) ADK IAP ADAK, ADAK ISLAND, AK.

RNAV (GPS) RWY 23, ORIG-C...

RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW RVR 5000 NOT
AUTHORIZED.

CHANGE ALTERNATE MINIMUMS TO READ: CATEGORIES A, B, C, D
1300-3.

11MAR25 13:00 - 11MAR27 12:59 PADK A0083/25

E) ADK IAP ADAK, ADAK ISLAND, AK.

NDB/DME RWY 23, ORIG-C...

S-23 VIS CAT A 1 1/4.

RWY 23 HELICOPTER VISIBILITY REDUCTION BELOW RVR 5000 NOT
AUTHORIZED.

CHANGE ALTERNATE MINIMUMS TO READ: CATEGORIES A, B 1600-2,
CATEGORY

C 1600-3, CATEGORY D 2600-3.

[ERA]PACD/ CDB/ Cold Bay, Cold Bay, US

SEE THE SAME AIRPORT IN PACKAGE 2

[ERA]PAKN/ AKN/ King Salmon, King Salmon, US

1. RUNWAY : 12/30 : 8901FT X 150FT

■ RUNWAY

13MAY26 14:17 - 13AUG26 00:01 PAKN A1509/26

E) RWY 12 1000FT DIST REMAINING SIGN LEFT SIDE LGT U/S

13MAY26 14:16 - 13AUG26 00:01 PAKN A1508/26

E) RWY 12 3000FT DIST REMAINING SIGN LEFT SIDE LGT U/S

13MAY26 14:15 - 13AUG26 00:01 PAKN A1507/26

E) RWY 30 5000FT DIST REMAINING SIGN RIGHT SIDE LGT U/S

13MAY26 14:14 - 13AUG26 00:01 PAKN A1506/26

E) RWY 30 7000FT DIST REMAINING SIGN RIGHT SIDE LGT U/S

08MAR26 01:00 - 27AUG26 15:00 PAKN A0766/26

D) DLY 0100-1500

E) AKN AD AP COND NOT REP

[ERA]PAFA/ FAI/ Fairbanks International Airport, Fairbanks, US

1. RUNWAY : 02L/20R : 11800FT X 150FT 02R/20L : 4510FT X 75FT

2. COMPANY RADIO : 131.75MHZ OMNI OPERATIONS

■ RUNWAY

08JUN26 09:02 - 09JUN26 09:02 PAFA A2496/26

E) RWY 20R FICON 5/5/5 100 PCT WET OBS AT 2606080902.

08JUN26 09:02 - 09JUN26 09:02 PAFA A2495/26

E) RWY 20L FICON 5/5/5 100 PCT WET OBS AT 2606080902.

20APR26 17:07 - 30SEP26 07:30 PAFA A1530/26

E) AD AP WILDLIFE HAZARD MIGRATORY BIRDS

01AUG25 22:06 - UFN PAFA A3289/25

E) FAI RWY 02L/20R COMMISSIONED 11800FT X 150FT ASPH-GROOVED LGTD.

DECLARED DIST: RWY 02L TORA 11800FT TODA 12800FT ASDA 11680FT LDA

10930FT. RWY 20R TORA 11800FT TODA 12800FT ASDA 11035FT LDA 10285FT.

■ APPROACH

02FEB26 06:16 - 30SEP26 21:11 PAFA A3792/26

E) FAI NAV ILS RWY 02L IM U/S

15MAY26 16:02 - 25DEC26 16:02 PAFA A2152/26

E) IAP FAIRBANKS INTL, FAIRBANKS, AK. ILS RWY 2L (CAT II-III), AMDT

11 ... S-ILS 2L CAT II NA EXCEPT FOR AIRCRAFT EQUIPPED WITH RADIO

ALTIMETER. I-CNA INNER MARKER OUT OF SERVICE

28APR26 11:48 - 08DEC26 11:48 PAFA A1891/26

E) IAP FAIRBANKS INTL, FAIRBANKS, AK.

RNAV (GPS) RWY 20L, AMDT 2 ...

LNAV/VNAV DA 755/HAT 321 ALL CATS, VIS ALL CATS 1. TEMPORARY
CRANES
545 MSL BEGINNING 5542FT NE OF RWY 20L (2023-AAL-186/190/193-
NRA).

15JAN26 15:06 - 27AUG26 23:55 PAFA A1830/26

E) FAI IAP FAIRBANKS INTL, FAIRBANKS, AK.
ILS OR LOC RWY 2L, AMDT 11...
ILS Z OR LOC Z RWY 20R, AMDT 25C...
RNAV (GPS) Y RWY 20R, AMDT 1E...
RNAV (GPS) Y RWY 2L, AMDT 1C...
RNAV (GPS) RWY 20L, AMDT 2...
RNAV (GPS) RWY 2R, AMDT 1B...
CIRCLING TO GRAVEL RWY 2 NA AT NIGHT. TEMPORARY RIG 453 MSL
244FT S
OF GRAVEL RWY 2 (2022-AAL-254-NRA).

31OCT25 21:00 - 30OCT26 21:00 PAFA A5447/25

E) FAI STAR FAIRBANKS INTL, FAIRBANKS, AK.
LIBER FIVE ARRIVAL...
CROSS GLOWS AT OR ABOVE 5000.

07NOV24 20:03 - 06NOV26 20:00 PAFA A4418/24

E) FAI IAP FAIRBANKS INTL, FAIRBANKS, AK.
ILS OR LOC RWY 2L, AMDT 11...
RNAV (RNP) Z RWY 2L, AMDT 2...
ILS RWY 2L (SA CAT I), AMDT 11...
ILS RWY 2L (CAT II-III), AMDT 11...
CROSS GLOWS AT OR ABOVE 5000.

[ERA]RJAA/ NRT/ Tokyo Narita Intl, Tokyo, JP

SEE THE SAME AIRPORT IN PACKAGE 2

[ERA]RJBB/ KIX/ Osaka Kansai International Airport, Osaka, JP

SEE THE SAME AIRPORT IN PACKAGE 2

**[ERA]RJGG/ NGO/ Nagoya Chubu Centrair International Airport,
Nagoya, JP**

1. RUNWAY : 36/18 : 11483FT X 197FT

2. COMPANY RADIO : 132.05 CENTRAIR OPERATION

■ COMPANY ADVISORY

1. 14JAN21 00:00 - UFN	RJGG COAD01/21
** DE/ANTI-ICING CURRENT STATE OF FLUIDS **	
FLUID : TYPE 1(KILFROST DF PLUS)	
TYPE 4(KILFROST ABC-S PLUS)	
WORKING TYPE : 2 STEP	
-- BY --	

■ RUNWAY

08JUN26 17:50 - 08JUN26 20:10 RJGG G1410/26

E) RWY 18/36 CLSD DUE TO MAINT
EXC ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

■ RUNWAY LIGHT

04JUN26 00:00 - 19JUN26 07:00 RJGG G1334/26

E) APN-FLOOD-LGT FOR SPOT 403,400F U/S DUE TO CONST

13MAY26 15:00 - 05AUG26 15:00 RJGG G1156/26

E) STOP-BAR-LGT FOR A1,A2,A3,A3S,A4,A5,A6,A7,A8,A8N,A9,A10 U/S
RMK:(1)REF AIP SUP 109/26 ITEM TWY:3
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

[ERA]ROAH/ OKA/ Okinawa Naha Airport, Okinawa, JP

1. RUNWAY : 18L/36R : 9843FT X 148FT 18R/36L : 8858FT X 197FT

2. COMPANY RADIO : 132.05 ZENNIKU OKINAWA

■ COMPANY ADVISORY

1. 27AUG25 00:00 - UFN ROAH COAD01/25

CONTACT POINT

CO.RADIO : 132.05MHZ, CALLSIGN :ZENNIKU OKINAWA

-- BY --

■ RUNWAY

06JUN26 14:00 - 28JUN26 21:30 ROAH H1963/26

D) 06-07 13-14 20-21 27-28 1400/2130

E) RWY 18R/36L CLSD DUE TO MAINT

EXC ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

01JUN26 14:00 - 30JUN26 21:30 ROAH H1962/26

D) 01-05 08-12 15-19 30 1400/2130

E) RWY 18L/36R CLSD DUE TO MAINT

1) AVBL CROSS RWY 18L/36R VIA OTHER THAN CLSD TWY

2) EXC ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

■ APPROACH

06JUN26 21:14 - 08JUN26 22:00 ROAH H2090/26

E) ILS-LOC,GP FOR RWY 36R U/S DUE TO TROUBLE

[ERA]RORS/ SHI/ Shimojishima, Shimojishima, JP

1. RUNWAY : 17/35 : 9843FT X 197FT

■ RUNWAY LIGHT

25MAY26 23:00 - 21AUG26 10:30 RORS M0792/26

E) RCLL FOR RWY 17/35 U/S DUE TO CONST

[ERA]RJAW/ IWO/ Iwoto (Iwo Jima), Iwoto (Iwo Jima), JP

1. RUNWAY : 07/25 : 8694FT X 197FT

■ RUNWAY

31MAY26 23:00 - 14JUN26 23:59 RJAW M0764/26

D) MAY 31 JUN 14 2300/2359

E) RWY 07/25 CLSD

DUE TO SWEEPING

RMK: EXC MISSION AND EMERG ACFT

COMMENT) EXC EMERG ACFT

[ERA]RJTT/ HND/ Tokyo Haneda Intl, Tokyo, JP

1. RUNWAY : 34R/16L : 11024FT X 197FT 34L/16R : 9843FT X 197FT
05/23 : 8202FT X 197FT 22/04 : 8202FT X 197FT

2. COMPANY RADIO : 132.075 HND OPERATION

■ COMPANY ADVISORY

1. 03APR26 00:00 - UFN RJTT COAD01/26
RNP (AR) APPROACH INFORMATION
CERTIFIED A/C TYPE : A321(HL8510, HL8534, HL8511, HL8533, HL8582)
CERTIFIED APPROACHES : RNP RWY 23 (AR)
-- BY SEL00--

2. 14JAN21 00:00 - UFN RJTT COAD01/21
** DE/ANTI-ICING CURRENT STATE OF FLUIDS **
FLUID : TYPE 1(KILFROST DF PLUS)
TYPE 4(KILFROST ABC-S PLUS)
WORKING TYPE : 2 STEP
-- BY --

■ RUNWAY

03JUN26 14:30 - 27JUN26 21:00 RJTT J1153/26
D) 03 06 10 13 17 20 24 27 1430/2100
E) RWY 05/23 CLSD DUE TO MAINT
RMK: SEE AIP RJTT AD2.23
COMMENT) CODE F A/C USING RWY

02JUN26 15:30 - 30JUN26 21:30 RJTT J1151/26
D) 02 04-05 09 11-12 16 18-19 23 25-26 30 1530/2130
E) RWY 16L/34R CLSD DUE TO MAINT
RMK: SEE AIP RJTT AD2.23

01JUN26 14:30 - 30JUN26 21:00 RJTT J1150/26
D) 01-02 04-05 07-09 11-12 14-16 18-19 21-23 25-26
28-30 1430/2100
E) RWY 04/22 CLSD DUE TO MAINT
RMK: (1)AVBL CROSS RWY 04/22 VIA TWY OTHER THAN CLSD TWY
(2)SEE AIP RJTT AD2.23
COMMENT) CODE F A/C USING RWY

01JUN26 14:30 - 29JUN26 21:00 RJTT J1149/26
D) 01 03 06-08 10 13-15 17 20-22 24 27-29 1430/2100
E) RWY 16R/34L CLSD DUE TO MAINT
RMK: (1)AVBL CROSS RWY 16R/34L VIA TWY OTHER THAN CLSD TWY
(2)SEE AIP RJTT AD2.23
COMMENT) CODE F A/C USING RWY

13MAY26 15:00 - 10JUN26 15:00 RJTT J1022/26
E) GROOVING FOR RWY 16L/34R PARTLY,GRADUALLY ERASED OR
INSTALLED
RMK: (1)REF AIP SUP 114/26 ITEM RWY:53
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

21APR26 15:30 - 10JUN26 15:00 RJTT J0922/26
E) GROOVING FOR RWY 16L/34R PARTLY ERASED DUE TO MAINT

1.LEN: 24.0M (BTN 573M AND 597M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
2.LEN: 14.5M (BTN 603M AND 617.5M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
3.LEN: 18.6M (BTN 663M AND 681.6M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
4.LEN: 24.0M (BTN 753M AND 777M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
5.LEN: 24.0M (BTN 783M AND 807M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)
6.LEN: 7.0M (BTN 813M AND 820M FM RWY 34R THR)
WID: 30.0M (BTN 2M AND 17M ON THE EAST SIDE OF RCL AND
BTN 2M AND 17M ON THE WEST SIDE OF RCL)

15APR26 15:00 - 28OCT26 15:00 RJTT J0406/26

E) TRIGGER NOTAM-AIRAC AIP SUP 021/26
WEF 16 APR 2026 TIL 28 OCT 2026
UNSERVICEABILITY AND ALTERNATE MEASURES OF TOKYO LDA-
LOC/DME22(IKL)
COMMENT) RJTT RWY 22 LDA-LOC/DME (IKL) Alternate Operation
* Status: Permanent IKL LOC/DME is U/S due to construction,
but Temporary Portable LOC/DME is in operation.
* FREQ (110.1MHz) and ID (IKL) REMAIN UNCHANGED.
All flight procedures using IKL are FULLY AVAILABLE.
existing charts and FMS database AVAILABLE.

■ RUNWAY LIGHT

08JUN26 15:00 - 08JUN26 20:00 RJTT J1233/26

E) ALL VARIABLE MESSAGE SIGNS(VMS) U/S DUE TO MAINT

13MAY26 15:00 - 10JUN26 15:00 RJTT J1021/26

E) ACFT-STAND-ID-SIGN FOR SPOT 47 U/S
VISUAL-DOCKING-GUIDANCE-SYSTEM FOR SPOT 47 U/S
APN-FLOOD-LGT FOR SPOT 401 PARTLY U/S
APN-FLOOD-LGT FOR SPOT 909 PARTLY U/S
RMK: (1)REF AIP SUP 114/26 ITEM APRON:3,8,9,11
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

13MAY26 15:00 - 10JUN26 15:00 RJTT J1019/26

E) TAXIING-GUIDANCE-SIGN FOR T12,T14,Q,Q1,Q2 U/S
RAPID-EXIT-TWY-INDICATOR-LGT FOR C10 U/S
RMK: (1)REF AIP SUP 114/26 ITEM TWY:13,43
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

13MAY26 15:00 - 10JUN26 15:00 RJTT J1017/26

E) RCLL FOR RWY 16L/34R U/S
RMK: (1)REF AIP SUP 114/26 ITEM RWY:51
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

13MAY26 15:00 - 10JUN26 15:00

RJTT J1016/26

E) RWY-THR-ID-LGT FOR RWY 16L U/S
SEQUENCED-FLG-LGT FOR RWY 34L U/S
REDL FOR RWY 16L/34R PARTLY U/S
APCH-GUIDANCE-LGT FOR RWY 16R/16L(NR.4) U/S
APCH-GUIDANCE-LGT FOR RWY 16R/16L(NR.6,NR.8) PARTLY U/S
LIGHTING SYSTEM CAT-2,3 FOR RWY 34R DOWNGRADED TO CAT-1
RMK: (1)REF AIP SUP 114/26 ITEM RWY:30,49,52,54,55,56
(2)THE EXACT TIME OF NEXT PERIOD WILL BE NOTIFIED BY FURTHER
NOTAM

■ APPROACH

02JUN26 15:30 - 26JUN26 21:30

RJTT J1147/26

D) 02 04-05 09 11-12 16 18-19 23 25-26 1530/2130
E) ILS-LOC,GP,DME FOR RWY 16L U/S DUE TO CONST

01JUN26 14:30 - 30JUN26 21:00

RJTT J1145/26

D) 01-02 04-05 07-09 11-12 14-16 18-19 21-23 25-26
28-30 1430/2100
E) ILS-LOC,GP,DME FOR RWY 22 U/S DUE TO CONST

03JUN26 14:30 - 27JUN26 21:00

RJTT J1144/26

D) 03 06 10 13 17 20 24 27 1430/2100
E) ILS-LOC,GP,DME FOR RWY 23 U/S DUE TO CONST

01JUN26 14:30 - 29JUN26 21:00

RJTT J1143/26

D) 01 03 06-08 10 13-15 17 20-22 24 27-29 1430/2100
E) ILS-LOC,GP,DME FOR RWY 34L U/S DUE TO CONST

02JUN26 15:30 - 26JUN26 21:30

RJTT J1142/26

D) 02 04-05 09 11-12 16 18-19 23 25-26 1530/2130
E) ILS-LOC,GP,DME,IM FOR RWY 34R U/S DUE TO CONST

01JUN26 14:30 - 29JUN26 21:00

RJTT J1141/26

D) 01 03 06-08 10 13-15 17 20-22 24 27-29 1430/2100
E) ILS-LOC,GP,DME FOR RWY 16R U/S DUE TO CONST

[ERA]RJCC/ CTS/ Sapporo New Chitose Airport, Sapporo, JP

1. RUNWAY : 01L/19R : 9843FT X 197FT 01R/19L : 9843FT X 197FT
2. COMPANY RADIO : 132.05 CHITOSE ANA OPERATION

■ COMPANY ADVISORY

1. 26JUN24 15:00 - UFN

RJCC COAD01/24

- FREQUENCY : 132.05MHZ
- PLEASE SET 132.05MHZ DURING PREPARATION ON THE GROUND
-- BY NRTKKW--

2. 14JAN21 00:00 - UFN

RJCC COAD01/21

** DE/ANTI-ICING CURRENT STATE OF FLUIDS **
FLUID : TYPE 1 (SAFEWING MP I ECO PLUS(80))
TYPE 4 (KILFROST ABC-S PLUS)
WORKING TYPE : 2 STEP
-- BY --

■ RUNWAY

08JUN26 14:05 - 08JUN26 22:00 RJCC C1571/26
E) RWY 01L/19R CLSD DUE TO CONST
AVBL TAX BTN TWY A2 AND B2,BTN A12 AND B12
COMMENT) CATEGORY F A/C USING RWY

08JUN26 16:35 - 08JUN26 21:00 RJCC C1560/26
E) RWY 01R/19L CLSD DUE TO CONST
EXC ACFT WITH PRIOR PERMISSION AT LEAST 1HR BFR

■ APPROACH

08JUN26 16:35 - 08JUN26 20:30 RJCC C1565/26
E) ILS-LOC,GP FOR RWY 19L U/S DUE TO CONST
EXC ACFT WITH PRIOR NOTICE AT LEAST 75MIN BFR
RMK:CTC NEW CHITOSE AIRPORT OFFICE FOR FURTHER INFO
TEL: 0123-46-3621

08JUN26 16:35 - 08JUN26 20:30 RJCC C1564/26
E) ILS-LOC,GP FOR RWY 01R U/S DUE TO CONST
EXC ACFT WITH PRIOR NOTICE AT LEAST 75MIN BFR
RMK:CTC NEW CHITOSE AIRPORT OFFICE FOR FURTHER INFO
TEL: 0123-46-3621

08JUN26 14:05 - 08JUN26 21:00 RJCC C1563/26
E) ILS-LOC,GP,IM FOR RWY 19R U/S DUE TO CONST
EXC ACFT WITH PRIOR NOTICE AT LEAST 75MIN BFR
RMK:CTC NEW CHITOSE AIRPORT OFFICE FOR FURTHER INFO
TEL: 0123-46-3621

08JUN26 14:05 - 08JUN26 21:00 RJCC C1562/26
E) ILS-LOC,GP FOR RWY 01L U/S DUE TO CONST
EXC ACFT WITH PRIOR NOTICE AT LEAST 75MIN BFR
RMK:CTC NEW CHITOSE AIRPORT OFFICE FOR FURTHER INFO
TEL: 0123-46-3621

[ERA]RKSI/ ICN/ Seoul Incheon International Airport, Seoul, KR

SEE THE SAME AIRPORT IN PACKAGE 1

[ERA]RKPC/ CJU/ Jeju Intl., Jeju, KR

1. RUNWAY : 07/25 : 10433FT X 148FT 13/31 : 6234FT X 148FT

2. COMPANY RADIO : 129.85 [AAR] ASIANA JEJU

■ COMPANY ADVISORY

1. **01MAR26 00:00 - UFN** RKPC COAD01/26
CERTIFIED A/C TYPE : A350
CERTIFIED APPROACHES : RNP Z RWY 07 (AR), RNP Z RWY 25 (AR)
-- BY SEL00--

2. **05FEB25 00:00 - 30DEC26 00:00** RKPC COAD01/25
AIP SUP 109/25
A H-BEAM STRUCTURE EXISTS UNDER LOC ANTENNA 305 METERS FROM END OF
RWY 07
-- BY SELOP--

3. **01AUG25 00:00 - UFN** RKPC COAD02/25

RWY 31 OPS : AVBL A321 ONLY
1)RWY 31 TKOF : WHEN DEP RWY25 AND 31 ON ATIS
2)RWY 13 TKOF : NOT AVBL
3)RWY 31 LDG : NOT AVBL
4)RWY 13 LDG : NOT AVBL
-- BY CJUKKW--

4. 01AUG25 00:00 - UFN

RKPC COAD03/25

CHANGES TO JEJU SUB-CENTER OPERATIONS (25.8.1~)
1)CONTACT DETAILS
- PHONE : +82-64-800-6676
- E-MAIL : AACJUOC@FLYASIANA.COM
2)KEY CHANGES
- STAFFING : 1 PERSONNEL
- OPERATING HOURS : MON-FRA(0800-1700KST, DAY SHIFT ONLY)
OPERATING HOURS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.
3)FLIGHT PLAN APPROVAL : HQ(OCC) : 0000-2359KST
4)COMPANY RADIO
"ASIANA JEJU" CONTINUES
HQ(OCC) SUPPORTS DURING NON-WORKING HOURS
5)SUPPORT FOR DOMESTIC AIRPORTS
HQ(OCC) SUPPORTS DURING NON-OPERATING HOURS OF THE JEJU SUB-CENTER.
-- BY --

5. 24DEC25 16:49 - UFN

RKPC COAD04/25

CERTIFIED A/C TYPE : A321(HL8510, HL8534, HL8511, HL8533, HL8582)
CERTIFIED APPROACHES : RNP Z RWY 07 (AR), RNP Z RWY 25 (AR)
-- BY SEL00--

6. 01MAY20 00:00 - UFN

RKPC COAD01/20

PUSH BACK PROC IN CASE OF APU SHUT DOWN : ONE ENG START WITH ASU -
PUSH BACK
- TWO ENG START - TAXI (ST51-57,60-62,64,65)
-- BY CJUKKW--

7. 07AUG18 00:00 - UFN

RKPC COAD01/18

FLOCKS OF BIRDS VICINITY AIRPORT USE CAUTION WHEN LANDING AND DEP
-- BY SELOP--

■ **RUNWAY**

27MAY26 16:00 - UFN

RKPC A0686/26

E) RWY 13/31(P, E1, E2) STOPBAR LIGHTS IN OPERATION
1. PILOTS NEED TO STOP WHEN STOPBAR RED LIGHTS ON
2. IF STOPBAR LIGHTS DIFFER FROM ATC INSTRUCTION PILOTS
SHOULD STOP
AND CONFIRM TO ATC

21FEB26 00:44 - 10JUN26 16:00

RKPC A0258/26

E) A320NEO FAMILY TYPE AND A220 ENG ICE SHEDDING:
1. PILOTS ARE REQUIRED TO REP TO ATC INCLUDING THE REMAINING
GND MOVABLE TIME WITH TAX REQ
2. IF PILOTS UNABLE TO REP BEFORE TAXI, ADVISE TO ATC ASAP
3. ICE SHEDDING SHALL BE PERFORMED ON THE DEP RWY WITH
THE APPROVAL OF ATC
4. ICE SHEDDING SHALL BE PERFORMING ON THE RWY 31 DISPLACED
THRESHOLD WITH THE APPROVAL OF ATC

■ **APPROACH**

30APR26 00:00 - UFN

RKPC AIP AMDT 5/26

E) REF AMDT 5/26
IAP CHANGED

1. RNP Z RWY 07(AR)

- READ MISSED APCH : CLIMB TO 8000 FT ON TRACK OF 066° TO PC404, THE
N RIGHT TURN ON TRACK OF 102° TO PETAA AND HOLD AT 8 000 FT.
- FAP TEWOO NAVIGATION SPECIFICATION IS RNP 0.5

2. RNP Z RWY 25(AR)

- READ MISSED APCH : CLIMB TO 6000 FT ON TRACK OF 246° TO PC403, THE
N RIGHT TURN ON TRACK OF 263° TO LOTKA AND HOLD AT 6 000 FT.
- CIRCLING APPROACH DELETED
- FAP RENEK NAVIGATION SPECIFICATION IS RNP 0.5

3. RNP Y RWY 07

- FAS DATA BLOCK INFORMATION FOR LTP/FTP, FPAP AND TCH CHANGED

13MAY26 16:00 - UFN

RKPC A0601/26

E) ILS DME RWY 25 RELOCATED DUE TO MODERNIZATION PROJECT.
NEW PSN : 333051.8N1262938.8E

13MAY26 16:00 - UFN

RKPC A0600/26

E) ILS GP RWY 25 RELOCATED DUE TO MODERNIZATION PROJECT.
NEW PSN : 333051.7N1262938.9E

13MAY26 16:00 - 25JUN26 14:00

RKPC A0594/26

E) CHG OF OPR MINIMA OCA(OCH) AS FLW DUE TO TEMPO OBST(CRANE)
AT
333013N 1262923E, ELEV 467FT AMSL

ILS Z RWY 25(CAT I) INCREASED TO 316(240)FT
ILS Y RWY 25(CAT I) INCREASED TO 316(240)FT
LOC Z RWY 25 INCREASED TO 510(434)FT
LOC Y RWY 25 INCREASED TO 510(434)FT

REF AIRAC AIP AMDT 4/26 RKPC AD CHART 2-26, 2-27.

COMMENT) 1. ILS Z RWY 25(CAT I) & ILS Y RWY 25(CAT I) MINIMA
CHANGED:

- DA(H) 316'(240'), R800M / WHEN ALS OUT R1200M

2. LOC Z RWY 25 & LOC Y RWY 25 MINIMA CHANGED:

- DA/MDA(H) 510'(434'), R1600M / WHEN ALS OUT R2000M

07APR26 03:19 - 10JUN26 16:00

RKPC A0424/26

E) CHG OF OPR MINIMA OCA(OCH) AS FLW
RNP Y RWY 07(LPV) INCREASED FR 430(343)FT TO 550(473)FT
RNP Y RWY 25(LPV) INCREASED FR 470(394)FT TO 620(544)FT

07APR26 03:15 - 25JUN26 14:00

RKPC A0423/26

E) CHG OF OPR MINIMA OCA(OCH) AS FLW DUE TO TEMPO OBST(CRANE)
AT 333013N 1262923E, ELEV 467FT AMSL

ILS Z RWY 07(CAT II) INCREASED TO 217(130)FT
ILS Y RWY 07(CAT II) INCREASED TO 217(130)FT

ILS Z RWY 07(CAT I) INCREASED TO 347(260)FT
ILS Y RWY 07(CAT I) INCREASED TO 347(260)FT
COMMENT) 1. ILS Z RWY 07(CAT II) & ILS Y RWY 07(CAT II)
MINIMA CHANGED:
- DA(H) 217(130), R400M
2. ILS Z RWY 07(CAT I) & ILS Y RWY 07(CAT I) MINIMA CHANGED:
- DA(H) 347(260), R600M / WHEN ALS OUT R1300M

END OF NOTAM PACKAGE 2 FOR OZ 201 LAX/ ICN

NOTAM PACKAGE 3

OZ 201 LAX/ICN

PRINTED AT 08JUN26 1351Z

FIR: KZLA KZOA KZSE CZVR PAZA RJJJ RKRR

[FIR] KZLA/ Los Angeles, US

■ COMMUNICATION

02APR26 05:00 - 29JUN26 22:00

KZLA A0860/26

E) ZLA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER
BCST (FIS-B) SER MAY NOT BE AVBL WI AN AREA DEFINED AS 121NM
RADIUS
OF 352024N1190648W. AP AIRSPACE AFFECTED MAY INCLUDE BFL, BIH,
DLO,
MHV, OXR, PRB, SBA, VIS.
F) SFC
G) 15000FT

■ GPS

08JUN26 16:00 - 09JUN26 16:59

KZLA A2771/26

D) DLY 1600-1659
E) ZLA NAV NAV GPS (UTTR GPS 26-04) (INCLUDING WAAS, GBAS, AND
ADS-B)
MAY NOT BE AVBL WI A 328NM RADIUS CENTERED AT 401435N1131224W
(BVL127038) FL400-UNL, 282NM RADIUS AT FL250, 176NM RADIUS AT
10000FT, 164NM RADIUS AT 4000FT AGL, 146NM RADIUS AT 50FT AGL.
F) SEE TEXT
G) SEE TEXT

08JUN26 17:00 - 09JUN26 18:29

KZLA A2764/26

D) DLY 1700-1829
E) ZLA NAV GPS (FTIRCA GPS 26-26) (INCLUDING WAAS, GBAS, AND
ADS-B)
MAY NOT BE AVBL WI A 299NM RADIUS CENTERED AT 352146N1163221W
(DAG350024) FL400-UNL, 253NM RADIUS AT FL250, 178NM RADIUS AT
10000FT, 149NM RADIUS AT 4000FT AGL, 133NM RADIUS AT 50FT AGL.
F) SEE TEXT
G) SEE TEXT

06JUN26 06:01 - 09JUN26 12:29

KZLA A2732/26

D) DLY 0601-1229
E) ZLA NAV GPS (29PALM GPS 26-01) (INCLUDING WAAS, GBAS, AND
ADS-B)
MAY NOT BE AVBL WI A 304 NM RADIUS CENTERED AT 344350N1161241W
(HEC093013) FL400-UNL, 255 NM RADIUS AT FL250 193 NM RADIUS AT
10000FT 172 NM RADIUS AT 4000FT AGL 136 NM RADIUS AT 50FT AGL
2606050601-2606091229
F) SEE TEXT
G) SEE TEXT

■ AIRWAY

07MAY26 15:21 - 08MAY28 15:21 KZLA A1774/26

E) CA..ROUTE ZLA. V165, V459 AMONT INT, CA TO LOPES INT, CA
DISREGARD
RADIALS FROM GMN VOR. DME REQUIRED EXCEPT FOR ACFT EQUIPPED WITH
SUITABLE RNAV SYSTEM WITH GPS. GMN VOR UNUSABLE R300-R015
BEYOND 5NM.

07MAY26 15:21 - 08MAY28 15:21 KZLA A1771/26

E) CA..ROUTE ZLA. V165, V197 SHAFTER (EHF) VORTAC, CA R-123 TO
KELEN
INT, CA DISREGARD ALL RADIALS FROM GMN VOR. DME REQUIRED EXCEPT
FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS. GMN VOR
UNUSABLE
R300-R015 BEYOND 5NM.

■ AIRSPACE

08JUN26 18:00 - 09JUN26 01:00 KZLA A2823/26

E) AIRSPACE W532S ACT
F) SFC
G) UNL

08JUN26 18:00 - 09JUN26 01:00 KZLA A2822/26

E) AIRSPACE W532E ACT
F) SFC
G) UNL

08JUN26 18:00 - 09JUN26 01:00 KZLA A2821/26

E) AIRSPACE W537 ACT
F) SFC
G) UNL

08JUN26 18:00 - 09JUN26 01:30 KZLA A2813/26

E) ZLA AIRSPACE DCC ARGON 26-1 STNR ALT RESERVATION WI AN AREA
DEFINED AS 341000N1234500W TO 342500N1230300W TO
334700N1223800W TO
334500N1224500W TO 331300N1222400W TO 325200N1231600W TO POINT
OF
ORIGIN SFC-UNL
F) SFC
G) UNL

■ OTHER

10MAR26 12:16 - 10MAR28 12:16 KZLA A0663/26

E) ZLA CA..ROUTE ZLA.
J18, J2 MISSION BAY (MZB) VORTAC, CA TO IMPERIAL (IPL) VORTAC,
CA
NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MZB VORTAC UNUSABLE BEYOND 40NM.

06AUG25 19:03 - 08AUG27 19:03 KZLA A2565/25

E) ZLA CA..ROUTE ZLA ZOA.
J126, J88 CEANO INT, CA DISREGARD PMD R-276.
PMD VORTAC UNUSABLE R-276 UNUSABLE.

23MAY25 17:30 - 23MAY27 17:30 KZLA A1768/25
E) ZLA CA..ROUTE ZLA.
V460, V64 THERMAL (TRM) VORTAC, CA TO BLYTHE (BLH) VORTAC, CA
CHART
COP AT 30NM FROM TRM AND 40NM FROM BLH.

20MAY25 15:42 - 20MAY27 15:42 KZLA A1725/25
E) ZLA CA..ROUTE ZLA.
V459 DARTS, CA TO SAUGS, CA MEA 7100.

20MAY25 15:42 - 20MAY27 15:42 KZLA A1724/25
E) ZLA CA..ROUTE ZLA.
V459, V597 SEAL BEACH (SLI) VORTAC, CA TO DARTS, CA MEA 4100
SOUTHEASTBOUND.

20MAY25 15:42 - 20MAY27 15:42 KZLA A1723/25
E) ZLA CA..ROUTE ZLA.
V459 DARTS, CA MCA 6100 NORTHWESTBOUND.

24APR25 20:34 - 01MAY27 20:34 KZLA A1390/25
E) ZLA UT..ROUTE ZLA ZLC.
V8 MATZO INT, UT TO JEZOB INT, UT MEA 12000 WESTBOUND EXCEPT FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
V8 JEZOB INT, UT TO JITKA INT, UT MEA 12000 WESTBOUND EXCEPT FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MMM VOR MRA AT JITKA 12000.

18FEB25 19:14 - 30SEP27 19:14 KZLA A0650/25
E) ZLA ROUTE ZLA ZDV.
V210 GRAND CANYON (GCN) VOR/DME, AZ TO TUBA CITY (TBC) VORTAC,
AZ
MOCA 9700.

04FEB25 19:09 - 04FEB27 19:09 KZLA A0426/25
E) ZLA ROUTE ZLA.
V235, V8 JITKA, UT TO MATZO, UT MEA 12000. MMM VOR R-043
UNUSABLE
BEYOND 40 NM BELOW 12000.

12DEC24 17:21 - 12DEC26 17:21 KZLA A3865/24
E) ZLA ROUTE ZLA.
J10, J104, J4 LOS ANGELES (LAX) VORTAC, CA TO TWENTYNINE PALMS
(TNP) VORTAC, CA MEA GAP AT COP. LAX VOR R-068 UNUSABLE BEYOND
65
NM.

26NOV24 19:18 - 26NOV26 19:18 KZLA A3677/24
E) ZLA ROUTE ZLA.
J50 YCDIL, CA TO BLYTHE (BLH) VORTAC, CA MEA 32000. MEA GAP AT
COP.
J50 YCDIL, CA MCA 32000 EASTBOUND. BLH R-268 UNUSABLE BEYOND 40
NM.

25OCT24 16:35 - 25OCT26 16:35 KZLA A3324/24
E) ZLA ROUTE ZLA.
J50 SHAFTER (EHF) VORTAC, CA TO PARADISE (PDZ) VORTAC, CA COP

LANDO, CA. EHF VOR R-126 UNUSABLE BEYOND 40 NM.

[FIR] KZOA/ Oakland (En route), US

■ **NAVAID**

08JUN26 03:41 - 12JUN26 20:00

KZOA A0903/26

E) SAU NAV VOR U/S

■ **COMMUNICATION**

02APR26 05:00 - 29JUN26 22:00

KZOA A0239/26

E) ZOA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER
BCST (FIS-B) SER MAY NOT BE AVBL WI AN AREA DEFINED AS 121NM
RADIUS
OF 352024N1190648W. AP AIRSPACE AFFECTED MAY INCLUDE BFL, BIH,
DLO,
MHV, OXR, PRB, SBA, VIS.

F) SFC

G) 15000FT

06DEC25 03:30 - 28DEC26 22:00

KZOA A1398/25

E) ZOA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R) SERVICES MAY NOT BE AVBL WI AN AREA DEFINED
AS
35NM RADIUS OF 374524N1223653W. AP AIRSPACE AFFECTED MAY INCLUDE
PRB, SNS, CVH, SJC, MRY, NUQ.

F) SFC

G) 3999FT

■ **GPS**

08JUN26 16:00 - 09JUN26 16:59

KZOA A0885/26

D) DLY 1600-1659

E) ZOA NAV GPS (UTTR GPS 26-04) (INCLUDING WAAS, GBAS, AND ADS-B)
MAY

NOT BE AVBL WI A 328NM RADIUS CENTERED AT 401435N1131224W
(BVL127038)

FL400-UNL, 282NM RADIUS AT FL250, 176NM RADIUS AT 10000FT, 164NM
RADIUS AT 4000FT AGL, 146NM RADIUS AT 50FT AGL.

F) SEE TEXT

G) SEE TEXT

08JUN26 17:00 - 09JUN26 18:29

KZOA A0884/26

D) DLY 1700-1829

E) ZOA NAV GPS (FTIRCA GPS 26-26) (INCLUDING WAAS, GBAS, AND
ADS-B)

MAY NOT BE AVBL WI A 299NM RADIUS CENTERED AT 352146N1163221W
(DAG350024) FL400-UNL, 253NM RADIUS AT FL250, 178NM RADIUS AT
10000FT, 149NM RADIUS AT 4000FT AGL, 133NM RADIUS AT 50FT AGL.

F) SEE TEXT

G) SEE TEXT

06JUN26 06:01 - 09JUN26 12:29

KZOA A0880/26

D) DLY 0601-1229

E) ZOA NAV GPS (29PALM GPS 26-01) (INCLUDING WAAS, GBAS, AND
ADS-B)

MAY NOT BE AVBL WI A 304 NM RADIUS CENTERED AT 344350N1161241W

(HEC093013) FL400-UNL, 255 NM RADIUS AT FL250 193 NM RADIUS AT 10000FT 172 NM RADIUS AT 4000FT AGL 136 NM RADIUS AT 50FT AGL
DLY
0601-1229 2606060601-2606091229
F) SEE TEXT
G) SEE TEXT

■ OTHER

06JUN26 03:03 - 12JUN26 23:59 KZOA A0892/26

E) NAV VOR/DME NOT MNT

06DEC25 03:30 - 28DEC26 22:00 KZOA A1397/25

E) ZOA AIRSPACE ADS-B, AUTO DEPENDENT SURVEILLANCE
REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER
BCST
(FIS-B) SER MAY NOT BE AVBL WI AN AREA DEFINED AS 62NM RADIUS OF
362312N1214430W. AP AIRSPACE AFFECTED MAY INCLUDE E16, OAR, RHV,
SJC, SNS, WVI.
F) SFC
G) 7999FT

06AUG25 19:03 - 08AUG27 19:03 KZOA A0880/25

E) ZOA CA..ROUTE ZOA ZLA.
J126, J88 CEANO INT, CA DISREGARD PMD R-276.
PMD VORTAC UNUSABLE R-276 UNUSABLE.

24OCT24 14:12 - 24OCT26 14:12 KZOA A1308/24

E) ZOA ROUTE ZOA ZLC.
J56 MINA (MVA) VORTAC, NV TO WASATCH (TCH) VORTAC, UT NA. MVA
VOR
R-045 UNUSABLE BEYOND 40 NM.

[FIR] KZSE/ Seattle, US

■ GPS

08JUN26 16:00 - 09JUN26 16:59 KZSE A3153/26

D) DLY 1600-1659
E) ZSE NAV GPS (UTTR GPS 26-04) (INCLUDING WAAS, GBAS, AND ADS-B)
MAY
NOT BE AVBL WI A 328NM RADIUS CENTERED AT 401435N1131224W
(BVL127038)
FL400-UNL, 282NM RADIUS AT FL250, 176NM RADIUS AT 10000FT, 164NM
RADIUS AT 4000FT AGL, 146NM RADIUS AT 50FT AGL.
F) SEE TEXT
G) SEE TEXT

■ OTHER

13FEB26 21:23 - 25SEP26 21:23 KZSE A0456/26

E) ZSE WA..ROUTE ZSE.
V2 SPOKANE (GEG) VORTAC, WA R-080 TO COP NA EASTBOUND EXCEPT FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
GEG VOR 001 CW 090 UNUSABLE.

13FEB26 21:23 - 25SEP26 21:23 KZSE A0455/26

E) ZSE WA..ROUTE ZSE.
V120, V448 SPOKANE (GEG) VORTAC, WA R-059 TO COP NA

NORTHEASTBOUND
EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
GEG VOR 001 CW 090 UNUSABLE.

13FEB26 21:23 - 25SEP26 21:23 KZSE A0454/26

E) ZSE WA..ROUTE ZSE.
V112 SPOKANE (GEG) VORTAC, WA R-013 TO COP NA NORTHEASTBOUND
EXCEPT
FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
GEG VOR 001 CW 090 UNUSABLE.

13FEB26 21:23 - 25SEP26 21:23 KZSE A0453/26

E) ZSE WA..ROUTE ZSE.
J136 SPOKANE (GEG) VORTAC, WA R-080 TO COP NA EASTBOUND EXCEPT
FOR
ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
GEG VOR 001 CW 090 UNUSABLE.

13FEB26 21:23 - 25SEP26 21:23 KZSE A0452/26

E) ZSE WA..ROUTE ZSE.
J517 SPOKANE (GEG) VORTAC, WA R-013 TO COP NA NORTHEASTBOUND
EXCEPT
FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
GEG VOR 001 CW 090 UNUSABLE.

07APR25 15:35 - 07APR27 15:32 KZSE A1090/25

E) ZSE ROUTE ZSE.
V444 SPOKANE (GEG) VORTAC, WA TO DATES, WA MEA GAP AT COP. ALW
VOR
R-003 UNUSABLE BEYOND 40 NM.

03MAR25 22:06 - 18FEB27 09:01 KZSE A0737/25

E) ZSE WA..ROUTE ZSE.
V23 EGRET, WA TO ACORD, WA MEA 4500.

03DEC24 14:29 - 03DEC26 14:29 KZSE A4073/24

E) ZSE WA..ROUTE ZSE.
V23 MALAY, WA TO MCKEN, WA MEA 5400 NORTHBOUND.

19NOV24 18:00 - 19NOV26 18:00 KZSE A3925/24

E) ZSE OR..ROUTE ZSE.
V495 PAPLE, OR MCA 10000 SOUTHEASTBOUND EXCEPT FOR ACFT EQUIPPED
WITH SUITABLE RNAV SYSTEM WITH GPS.

[FIR] CZVR/ Vancouver, CA

■ **NAVAID**

05JUN26 21:02 - 17JUL26 23:59 CZVR F2599/26

E) ABBOTSFORD DME YAI 116.1MHZ/CH108X U/S

■ **AIRWAY**

14MAY26 09:01 - UFN CZVR F2153/26

E) AMEND PUBLICATIONS: AMEND MANDATORY IFR ROUTES:
DELETE: CYPK H AND L ARR FR SW RNAV KEPVI PENIN VIXOR
ADD: CYPK H AND L DEP TO SW RNAV KEPVI PENIN VIXOR

■ OTHER

12MAY26 17:41 - 10AUG26 18:00

CZVR F2139/26

E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN MALI. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL EQUAL TO OR ABOVE FL320 IN THE PORTIONS OF FIR DAKAR (G000) AND FIR NIAMEY (DRRR) LOCATED IN THE TERRITORY OF MALI DUE TO THE POTENTIAL RISK FROM MILITANT ACTIVITY AND ANTI-AIRCRAFT WEAPONRY.

12MAY26 17:35 - 10AUG26 18:00

CZVR F2138/26

E) AIRSPACE SECURITY WARNING ISSUED BY THE DEPARTMENT OF TRANSPORT
IN RESPONSE TO THE SECURITY SITUATION IN MYANMAR. CANADIAN AIR OPERATORS AND OWNERS OF AIRCRAFT REGISTERED IN CANADA ARE RECOMMENDED TO MAINTAIN A FLIGHT LEVEL AT OR ABOVE FL260 IN FIR YANGON (VYYF) DUE TO THE RISK FROM ANTI-AIRCRAFT WEAPONRY.

28APR26 15:27 - 27JUL26 18:00

CZVR F1875/26

E) ALL ACFT, REGARDLESS OF THE STATE OF REGISTRY, DIRECTLY OR INDIRECTLY OWNED, CHARTERED, LEASED, OPERATED OR OTHERWISE CONTROLLED BY A PERSON CONNECTED WITH EITHER THE RUSSIAN FEDERATION OR OF BELARUS OR BY A CORPORATION OR ENTITY THAT IS INCORPORATED OR FORMED UNDER THE LAWS OF THE RUSSIAN FEDERATION OR BELARUS, AND ALL OPERATORS HOLDING AN AIR OPERATOR CERTIFICATE (AOC) ISSUED BY RUSSIAN FEDERATION AND/OR BELARUSIAN AUTHORITIES ARE PROHIBITED TO ENTER, EXIT OR OVERFLY CANADA'S TERRITORIAL AIRSPACE (INCLUDING FLT WITHIN 12NM OF CANADA'S COASTS). EXCEPTIONS PERMITTED FOR ACFT EXPERIENCING INFLIGHT EMERG.

ALL AUTH OBTAINED PRIOR TO 27 FEB 2022 FOR ACFT AND OPS SUBJECT TO THIS NOTAM ARE REVOKED.

HUMANITARIAN, SAR, MEDEVAC AND ANY OTHER FLT SEEKING AN EXCEPTION
TO THIS RESTRICTION MUST RECEIVE AUTH GRANTED AFTER 27 FEB 2022 FM THE MINISTER OF TRANSPORT TO OPERATE IN CANADA'S TERRITORIAL AIRSPACE. AFFECTED ACFT WISHING TO OBTAIN SUCH AN AUTH OR CLR INTO CANADA'S TERRITORIAL AIRSPACE MAY APPLY TO THE MINISTER OF TRANSPORT AT 1-877-992-6853 OR 1-613-992-6853 OR BY EMAIL AT OPERATIONS.AVIATION(AT)TC.GC.CA.

[FIR] PAZA/ Anchorage Continental, US

■ COMMUNICATION

27MAY26 18:24 - 30AUG26 15:00

PAZA A1915/26

E) COM CAPE ROMANZOF REMOTE COM A/G 132.5, 266.8 U/S

21MAY26 21:11 - 30JUN26 23:59

PAZA A1840/26

E) COM CAPE NEWENHAM REMOTE COM A/G 127.6, 273.6 U/S

14MAR26 04:20 - 22JUN26 22:00

PAZA A0179/26

E) ADS-B, AUTO DEPENDENT SURVEILLANCE

REBROADCAST (ADS-R), TFC INFO SER BCST (TIS-B), FLT INFO SER BCST (FIS-B) SER MAY NOT BE AVBL WI AN AREA DEFINED AS 183NM RADIUS OF 542248N1310919W. AP AIRSPACE AFFECTED INCLUDES AFE, AKW, KTN, PSG, WRG.
F) SFC
G) UNL

13JAN24 23:00 - PERM

PAZA A0044/24

E) REFERENCE CPDLC:

ANCHORAGE ARTCC IS EQUIPPED FOR CONTROLLER/PILOT DATA LINK COMMUNICATIONS (CPDLC). ANCHORAGE ARTCC AUTOMATION USES TWO DIFFERENT CPDLC LOGON ADDRESSES. WHEN PERFORMING MANUAL LOGONS, SELECT THE CORRECT LOGON ADDRESS BASED UPON CURRENT ACFT LOCATION

AS FOLLOWS:

USE LOGON ADDRESS PAZN WHEN OPERATING IN THE ANCHORAGE OCEANIC FLIGHT INFORMATION REGION (FIR) AND WHEN IN THAT PORTION OF THE ANCHORAGE ARCTIC FIR ABV 73N LATITUDE (OVER OR N OF WAYPOINTS BIITE AND BARIP) AND IN THAT PORTION OF THE ANCHORAGE CONTINENTAL

FIR W OF A LINE FM 57N152W TO 58N167W TO 63N174W.

USE LOGON ADDRESS PAZA WHEN OPERATING IN THE ANCHORAGE ARCTIC FIR

S OF 73N LATITUDE (OVER OR SOUTH OF WAYPOINTS PILUN AND TAYTA) AND

IN THE ANCHORAGE CONTINENTAL FIR E OF A LINE FM 57N152W TO 58N167W

TO 63N174W.

ACFT DEP ALASKAN AP ARE REQUESTED TO LOGON AFTER DEP BUT BEFORE CLIMBING ABV FL180. USE OF CPDLC DOES NOT RELEASE FLT CREWS FM HF OR VHF MONITORING/COMMUNICATION REQUIREMENTS. ACFT WI VHF COVERAGE MAY MAKE POSITION REPORTS VIA CPDLC COMMUNICATIONS. REQUESTS TO ATC SHOULD BE MADE OVER VHF IF WI VHF COVERAGE. AFTER

LOGON, ARTCC AUTOMATION WILL PROVIDE AUTOMATIC FANS ADDRESS FORWARDING BTN PAZA/PAZN AND TO RJJJ, GDXB, CZVR, CZEG, AND KZAK.

REFER QUESTIONS TO ANCHORAGE ARTCC INTL PROCEDURES TEL 907-269-1108.

F) SFC

G) FL600)

■ AIRWAY

08JUN26 18:30 - 12JUN26 03:00

PAZA A2097/26

D) THU 0030-0030 1830-2100, FRI 0030-0030, MON 1830-2100, TUE 0030-0300 1830-2100, WED 0030-0300 1830-2100

E) DUE TO ACTIVATION OF DELTA 1-5 MOAS, PAXON LOW MOA AND TANACROSS

STNR ALT RESERVATION FOR RED FLAG MIL EXER, THE FOLLOWING RESTRICTIONS ARE RQRD:

1. THE FOLLOWING RTE SEGMENTS TRANSITING

BIG/GKN/FAI ARE NOT AVBL:

(A) J502/J515/Q902 BTN FAI AND ORT

(B) V444, V481 AND V515
(C) T232 AND T226
(D) DCT RTES IN THE VCY OF BIG AND GKN
2. IFR ARR/DEP TO/FM ALLEN AAF ARE NOT AVBL
3. IFR ARR/DEP TO/FM FAI WILL BE RERTE AROUND AIRSPACE VIA DTOUR
4. SEE CARF/STNR ALT RESERVATION NOTAM FOR TANACROSS
DESCRIPTION.
FOR QUESTIONS, CTC ANCHORAGE TFC MANAGEMENT TEL 907-269-1108
F) SFC
G) FL600

08JUN26 18:00 - 12JUN26 04:00 PAZA A2096/26

D) FRI 0000-0400, MON 1800-2200, TUE 0000-0400 1800-2200, WED
0000-0400 1800-2200, THU 0000-0400 1800-2200
E) DUE TO RED FLAG MIL EXER, THE FOLLOWING RESTRICTIONS ARE
RQRD:
1. ALL WB FLTS ENTERING ANCHORAGE FIR N OF 620000N1410000W MUST
BE
ESTABLISHED ON ONE OF THE FOLLOWING RTES:
(A) ON OR N OF 680000N1383000W DCT POTAT DCT BTT
(B) ON OR S OF TIBOY DCT GKN DCT DTOUR
2. ALL EB FLTS TRANSITING ANCHORAGE FIR N OF 620000N1410000W
MUST BE ESTABLISHED ON ONE OF THE FOLLOWING RTES:
(A) ON OR N OF BTT DCT POTAT DCT 680000N1383000W
(B) ON OR S OF DTOUR DCT GKN DCT TIBOY
3. THE FOLLOWING RTES/FIXES ARE NOT AVBL:
(A) FIORD/CHAPO/FANES/GOATS
(B) J167 BTN GKN AND POTAT
(C) J502/J515/Q902 BTN FAI AND ORT
(D) J507 BTN ORT AND FYU
(E) V481/T226 BTN BIG AND FYU
4. THE FOLLOWING RTE SEGMENTS THAT TRANSIT FYU ARE NOT AVBL:
(A) J120 /J160/J167/J507
(B) DCT RTES OVR OR IN THE VCY OF FYU ABV FL180
5. ACFT FILED BTN FAI AND ORT WILL BE RESTRICTED AT OR BLW
17000FT
FROM FAI TO 65NM W ORT WHILE DELTA MOAS INACTIVE. SEE
DELTA/PAXON
LOW MOA NOTAM FOR ACT TIMES AND FURTHER RESTRICTIONS
6. ACFT FILED BTN BIG AND GKN WILL BE
RESTRICTED AT OR BLW 13000FT WHILE PAXON LOW MOA INACTIVE
7. SEE CARF/STNR ALT RESERVATION NOTAMS FOR AIRSPACE
DESCRIPTIONS.
FOR QUESTIONS, CTC ANCHORAGE TFC MANAGEMENT TEL 907-269-1108
F) SFC
G) FL600

02JUN26 16:16 - 02JUN28 16:13 PAZA A2092/26

E) AK..ROUTE ZAN. V453 VUSUY, AK TO WAPRO, AK NA. UNK VOR R-175
RESTRICTED.

29MAY26 13:45 - 01JUN28 13:45 PAZA A2016/26

E) AK..ROUTE ZAN. V462 NONDA, AK TO BLUGA, AK NA EXCEPT FOR ACFT
EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

14MAY26 09:00 - UFN PAZA A1470/26

E) THE FOLLOWING NCA TRACKS HAVE BEEN DEACTIVATED: NCA10, NCA11,

NCA12, NCA13, NCA14, NCA15, NCA17, NCA19, NCA20, NCA 22, NCA24, NCA28, NCA30, NCA31, NCA32, NCA80. FLIGHT PLANNERS MAY FILE WAYPOINT-TO-WAYPOINT ROUTING.

29SEP25 16:22 - 30SEP27 16:22 PAZA A1166/25

E) ZAN AK..ROUTE ZAN.
V508 SEWAR, AK TO COP UNUSABLE EXCEPT FOR GNSS EQUIPPED AIRCRAFT.
ENA VOR/DME RESTRICTED.

29SEP25 16:22 - 30SEP27 16:22 PAZA A1165/25

E) ZAN AK..ROUTE ZAN.
V320 RUNTL, AK TO FRIDA, AK UNUSABLE EXCEPT FOR GNSS EQUIPPED AIRCRAFT.
ENA VOR/DME RESTRICTED.

■ **AIRSPACE**

08JUN26 05:39 - 07JUN27 05:45 PAZA A2171/26

E) VOLCANIC ACTIVITY ADVISORY FOR SHEVELUCH VOLCANO / 563800N 1611900E / KAMCHATKAN PENINSULA, RUSSIA. SHEVELUCH VOLCANO HAS BEEN IN AN ACTIVE STATE. HAZARDOUS EMISSIONS OF VOLCANIC ASH HAVE INTERMITTENTLY COMPLICATED AIR TRAVEL IN THE AREA. ANY IMPACT ON AIRCRAFT OPERATIONS IS DESCRIBED IN CURRENT SIGNIFICANT METEOROLOGICAL INFORMATION (SIGMET), CENTER WEATHER ADVISORY (CWA), OR PILOT REPORT (PIREP) INFORMATION. AIRCRAFT SHOULD REMAIN ALERT FOR POSSIBLE ASH CLOUDS AND REPORT ANY SIGHTINGS TO ATC. AIRCRAFT OPERATORS SHOULD CONTINUALLY EVALUATE OPERATIONS IN THE SIGMET AREA. AVIATION COLOR CODE RED IS IN EFFECT. FLIGHT INTO VOLCANIC ASH MAY CAUSE ENGINE DAMAGE/FAILURE AND ABRASION DAMAGE TO AIRFRAME AND WINDSHIELD SURFACES. ANY AIR CARRIERS THAT OBSERVE OR EXPERIENCE ANY DIFFICULTIES RESULTING FROM AN ENCOUNTER WITH VOLCANIC ASH, PLEASE NOTIFY ATC IMMEDIATELY IN ACCORDANCE WITH FAR 121.561 AND ICAO, ANNEX 3, PARAGRAPH 5.5 (SPECIAL AIRCRAFT OPERATIONS), AND ANNEX 6 PARAGRAPH 4.4.3 (HAZARDOUS FLIGHT CONDITIONS). CONTACT ANCHORAGE ARTCC, 907-269-1103, FOR ADDITIONAL INFORMATION.
F) SFC
G) FL330

08JUN26 19:00 - 08JUN26 20:30 PAZA A2170/26

E) AIRSPACE W612 ACT
F) SFC
G) FL290

09JUN26 00:00 - 09JUN26 04:00 PAZA A2147/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 (WEEK 2) RUDOLPH STNR ALT RESERVATION WI AN AREA DEFINED AS 664000N1410000W TO 664000N1390000W TO 674600N1390000W TO 674600N1410000W TO POINT OF ORIGIN. AREA

OUTSIDE US CONTROLLED AIRSPACE IS FOR INFO ONLY
F) FL270
G) FL350

09JUN26 00:00 - 09JUN26 04:00 PAZA A2141/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 (WEEK 2) GRASSHOPPER STNR ALT
RESERVATION WI AN AREA DEFINED AS 640000N1410000W TO
640000N1400000W
TO 664000N1400000W TO 664000N1410000W TO POINT OF ORIGIN. AREA
OUTSIDE US CONTROLLED AIRSPACE IS FOR INFO ONLY
F) FL210
G) FL600

08JUN26 18:30 - 08JUN26 21:00 PAZA A2140/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 TANACROSS STNR ALT
RESERVATION
WI AN AREA DEFINED AS 633100N1441700W TO 633700N1441300W TO
640000N1430000W TO 640000N1410500W TO 631300N1410500W TO
630800N1420500W TO 625900N1423800W TO POINT OF ORIGIN FL180-
FL600
F) FL180
G) FL600

08JUN26 18:00 - 08JUN26 22:00 PAZA A2139/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 YUKON 6 STNR ALT
RESERVATION WI
AN AREA DEFINED AS 664000N1410500W TO 664000N1443000W TO
673600N1432000W TO 674600N1410500W TO POINT OF ORIGIN FL310-
FL600
F) FL310
G) FL600

09JUN26 00:30 - 09JUN26 03:00 PAZA A2134/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 TANACROSS STNR ALT
RESERVATION
WI AN AREA DEFINED AS 633100N1441700W TO 633700N1441300W TO
640000N1430000W TO 640000N1410500W TO 631300N1410500W TO
630800N1420500W TO 625900N1423800W TO POINT OF ORIGIN FL180-
FL600
F) FL180
G) FL600

08JUN26 23:59 - 09JUN26 04:00 PAZA A2133/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 YUKON 6 STNR ALT
RESERVATION WI
AN AREA DEFINED AS 664000N1410500W TO 664000N1443000W TO
673600N1432000W TO 674600N1410500W TO POINT OF ORIGIN FL310-
FL600
F) FL310
G) FL600

08JUN26 23:59 - 09JUN26 04:00 PAZA A2131/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 AXSEM STNR ALT RESERVATION
WI AN
AREA DEFINED AS 671700N1464400W TO 673600N1432000W TO
664000N1443000W

TO 661000N1450500W TO 652300N1460000W TO 650000N1464400W TO
POINT OF
ORIGIN FL180-FL600
F) FL180
G) FL600

08JUN26 18:00 - 08JUN26 22:00 PAZA A2130/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 AXSEM STNR ALT RESERVATION
WI AN
AREA DEFINED AS 671700N1464400W TO 673600N1432000W TO
664000N1443000W
TO 661000N1450500W TO 652300N1460000W TO 650000N1464400W TO
POINT OF
ORIGIN FL180-FL600
F) FL180
G) FL600

08JUN26 18:00 - 08JUN26 22:00 PAZA A2125/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 (WEEK 2) GRASSHOPPER STNR
ALT
RESERVATION WI AN AREA DEFINED AS 640000N1410000W TO
640000N1400000W
TO 664000N1400000W TO 664000N1410000W TO POINT OF ORIGIN AREA
OUTSIDE
US CONTROLLED AIRSPACE IS FOR INFO ONLY
F) FL210
G) FL600

08JUN26 18:00 - 08JUN26 22:00 PAZA A2124/26

E) ZAN AIRSPACE DCC RED FLAG AK 26-2 (WEEK 2) RUDOLPH STNR ALT
RESERVATION WI AN AREA DEFINED AS 664000N1410000W TO
664000N1390000W
TO 674600N1390000W TO 674600N1410000W TO POINT OF ORIGIN AREA
OUTSIDE
US CONTROLLED AIRSPACE IS FOR INFO ONLY
F) FL270
G) FL350

■ OTHER

05JUN26 06:57 - 01AUG26 15:00 PAZA A2123/26

E) COM CAPE NEWENHAM REMOTE COM A/G 124.2 U/S

14MAY26 22:21 - 14JUN26 15:00 PAZA A1566/26

E) COM ILIAMNA REMOTE COM A/G 118.8 U/S

16APR26 19:28 - 31DEC26 23:59 PAZA A0271/26

E) UPR FLIGHT PLANNING GUIDELINES
1. UPR ACFT WILL HAVE THE SAME
PRIORITY FOR ALT ASSIGNMENT AS ACFT ON AN OPTIONAL PACOTS OR
NOPAC
TRACK. (EXCEPTION: OPRS WHICH FLT PLAN A UPR THAT IS NOT
LATERALLY
SEPARATED FM AN OPPOSITE DIRECTION PACOTS/NOPAC/UPR TFC FLOW
WILL
LIKELY BE RESTRICTED VERTICALLY WHILE IN CONFLICT WITH THE
MAJOR TFC
FLOW)

2. UPR ENTERY/EXIT BTN CZEG, CZVR OR KZAK FIR:
A. CZEG FIR: BTN TAYTA AND DEEJA (LAT 72N TO 58N) MUST FLT PLAN OVER ONE OF THE FOLLOWING FIXES: TAYTA, VOLOB, ADREW, POTAT, GOATS, FIORD, CHAPO, FANES, TIBOY, EMSOW, BIBEM, AYZOL, GAHAM, TOVAD, OMSUN, JAGIT, COHIL OR DEEJA.
B. CZVR FIR: ANYWHERE OVER OR NE OF KATCH C. KZAK FIR: ANYWHERE OVER OR BTN ZENNA AND SAYNT OR BTN 5626N15217W AND 4746N17000E (MUST NOT FLT PLAN THROUGH THE AIRSPACE DEFINED AS 5626N15217W TO 5638N15059W TO 5705N15110W TO 5658N15230W)

3. WB UPR
TO RJJJ FIR: A. JOIN R220 OVER OR E OF WAYPOINT NIKLL B. JOIN M523 OVER OR E OF WAYPOINT HUMSA C. REMAIN 50NM SOUTH OF A590 AND CROSS THE PAZA/RJJJ FIR BOUNDARY OVER OR SOUTH OF WAYPOINT AKISU, PROVIDED ENTRY INTO PAZA FIR EAST OF 166E.

4. EB UPR FM RJJJ FIR ENTER PAZA FIR OVR:
A. OMOTO: FILE R580 TO OPHET THENCE UPR SOUTH OF R580 OR FILE R580 TO OBOYD THENCE UPR NORTH OF R580
B. PASRO: FILE A590 TO POWAL THENCE UPR NORTH OR SOUTH OF A590
C. AKISU OR SOUTH: REMAIN 50NM SOUTH OF ATS ROUTE A590
5. EB ACFT OVER KUNAD, LUMES AND KOKES MUST BE FLT PLANNED VIA: A. ROUTE: KOKES DIRECT ONEIL THENCE VIA UPR REMAINING S OF ATS ROUTE R580 OR, LUMES DIRECT PINSO THENCE VIA UPR REMAINING S OF ATS ROUTE A590 OR, KUNAD DIRECT PLADO THENCE VIA UPR REMAINING S OF ATS ROUTE A590. B. ALT: ACFT MUST FLT PLAN TO CROSS KUNAD, LUMES OR KOKES AT OR BLW FL310, OR AT OR ABV FL390. C. TIME: ACFT MUST FLT PLAN SO AS TO CROSS KUNAD, LUMES OR KOKES BTN 0500 UTC AND 2300 UTC. REFER QUESTIONS TO ANCHORAGE ARTCC INTL PROC AT TEL 907-269-1360 OR TO ANCHORAGE ARTCC TFC MANAGEMENT AT TEL 907-269-1108.
F) FL180
G) FL600)

26MAR26 17:59 - 26MAR28 17:59 PAZA A0198/26
E) ZAN AK..ROUTE ZAN.
V445 FAIRBANKS (FAI) VORTAC, AK TO WILTS INT, AK MEA 5200.
V445 WILTS INT, AK TO TOLLO INT, AK MOCA 4400.

26MAR26 17:59 - 26MAR28 17:59 PAZA A0197/26
E) ZAN AK..ROUTE ZAN.
T234 FAIRBANKS (FAI) VORTAC, AK TO TOLLO INT, AK MEA 5200.

19MAR26 13:09 - 19MAR28 13:09 PAZA A0186/26

E) ZAN ROUTE ZAN.

J120 MC GRATH (MCG) VORTAC, AK R-217 TO COP NA FROM 6 NM TO COP EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

MCG VOR R-217 UNUSABLE BEYOND 6 NM.

19MAR26 15:00 - 31OCT26 06:00

PAZA A0176/26

D) MON-FRI 1500-0600

E) YUKON 1-5, DELTA AND FOX ATC ASSIGNED AIRSPACE WILL NORMALLY BE

ACT MON-FRI BTN THE HOURS OF 1500-0600. WHEN AIRSPACE IS ACT THE FOLLOWING RESTRICTIONS ARE RQRD:

1. FLTS ENTERING ANCHORAGE FIR N OF 620000N1410000W MUST BE ESTABLISHED EITHER:

(A) ON OR N OF GOATS DCT BTT

(B) ON OR S OF ORT J124 GKN DTOUR

2. THE FOLLOWING RTES/FIXES ARE NOT AVBL:

(A) FIORD, CHAPO, FANES, GOATS DCT FYU

(B) J502/J515/Q902 BTN FAI AND ORT

(C) J507 BTN ORT AND FYU

3. ACFT FILED BTN FAI AND ORT WILL BE RESTRICTED AT OR BLW 17000FT

FROM FAI TO 65NM W ORT

FOR CURRENT ACT AIRSPACE SEE SUA.FAA.GOV. FOR QUESTIONS, CTC ANCHORAGE /ZAN/ ARTCC TM AT TEL 907-269-1108

F) FL180

G) FL600

13MAR26 21:33 - 31DEC26 23:59

PAZA A0173/26

E) IT IS NO LONGER REQUIRED TO SEND A CPDLC POSITION REPORT TO CONFIRM CPDLC CDA WHEN ENTERING THE ANCHORAGE ARTCC PAZA FIR. CPDLC CDA IS CONFIRMED BY THE SET MAX UPLINK DELAY VALUE TO 300 SEC

UPLINK AND ROGER DOWNLINK MESSAGE EXCHANGE.

F) SFC

G) UNL

17DEC25 14:23 - 17DEC27 14:23

PAZA A1340/25

E) ZAN AK..ROUTE ZAN.

T228 ZIKNI, AK TO KUCYE, AK MEA 4100.

12SEP25 18:00 - 11SEP26 23:59

PAZA A1136/25

E) ATTENTION ALL FLIGHT OPERATORS. FLIGHTS THAT EXPERIENCE OR SUSPECT GNSS INTERFERENCE ENROUTE TO THE ANCHORAGE OCEANIC ENTRY POINT MUST NOTIFY ANCHORAGE ATC. NOTIFICATION SHOULD BE VIA CPDLC,

SFO RADIO, OR SATCOM, CONFIRMING DEGRADATION OF NAVIGATION STATUS

AND DETAILS OF ONGOING LOSS/IMPACTS TO THE AIRCRAFT SYSTEMS AND CAPABILITIES.

EXAMPLES OF NOTIFICATION:

GNSS INTERFERENCE RNP10 ONLY

NO DATA LINK

DEGRADED NAVIGATION NO GNSS

IN ADDITION, AIRLINE DISPATCHERS CAN DIRECTLY INFORM THE ANCHORAGE

OCEANIC SUPERVISOR TO MAKE THEM AWARE WHEN ONE OF THEIR FLIGHTS HAS BEEN IMPACTED BY GNSS INTERFERENCE BY CONTACTING 907-269-1930.
F) SFC
G) UNL

18APR25 18:42 - 18APR27 18:42 PAZA A0378/25

E) ZAN AK..ROUTE ZAN.
V440 MIDDLETON ISLAND (MDO) VOR/DME, AK TO YAKUTAT (YAK)
VOR/DME,
AK MEA 10000 EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.

03DEC24 14:29 - 03DEC26 14:29 PAZA A1116/24

E) ZAN AK..ROUTE ZAN.
G10, G8 ELFEE (ELF) NDB, AK TO DAYVU, AK NA EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
ELF NDB UNUSABLE AT DAYVU AT 5000.

27AUG24 17:41 - 27AUG26 17:41 PAZA A0940/24

E) ZAN ROUTE ZAN.
J111 MC GRATH (MCG) VORTAC, AK R-102 TO COP NA FROM 20 NM TO COP EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MCG VOR R-102 UNUSABLE BEYOND 20 NM.

27AUG24 17:41 - 27AUG26 17:41 PAZA A0939/24

E) ZAN ROUTE ZAN.
J117 MC GRATH (MCG) VORTAC, AK R-325 TO COP NA FROM 20 NM TO COP EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MCG VOR R-325 UNUSABLE BEYOND 20 NM.

27AUG24 17:41 - 27AUG26 17:41 PAZA A0938/24

E) ZAN ROUTE ZAN.
J111 MC GRATH (MCG) VORTAC, AK R-276 TO COP NA FROM 20 NM TO COP EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MCG VOR R-276 UNUSABLE BEYOND 20 NM.

27AUG24 17:41 - 27AUG26 17:41 PAZA A0936/24

E) ZAN ROUTE ZAN.
J120 MC GRATH (MCG) VORTAC, AK R-039 TO COP NA FROM 20 NM TO COP EXCEPT FOR ACFT EQUIPPED WITH SUITABLE RNAV SYSTEM WITH GPS.
MCG VOR R-039 UNUSABLE BEYOND 20 NM.

13JAN24 23:00 - UFN PAZA A0042/24

E) ARCTIC CTA/FIR IS SUBJECT TO THE FOLLOWING MANDATORY REQUIREMENTS: A. COMMUNICATIONS. 1. ALL FLTS, WITH THE EXCEPTION OF THOSE ENTERING THE FIR EB OVER PILUN OR LISKI, MUST MAKE MANDATORY POSITION REPORTS UPON ENTERING THE CTA/FIR VIA CPDLC OR GANDER HF VOICE. PILUN AND LISKI TFC REPORT VIA VHF AS DIRECTED OR VIA CPDLC.
2. ALL FLTS MUST MAINTAIN A LISTENING WATCH ON THE CURRENT GANDER HF RADIO FREQUENCY WHILE TRANSITING THE CTA/FIR UNLESS A SATISFACTORY

SELCAL CHECK HAS BEEN COMPLETED WITH GANDER RADIO. B. ROUTING.
 1.
 FLTS ENTERING OR EXITING ANCHORAGE ARTCC FIR N OF 73N MUST FILE
 OVER
 A NAMED FIR BOUNDARY POINT 2. PILUN. W OR EB FLTS FILE A POINT
 OVER
 OR S OF 7230N14100W AND EB FLTS MUST ALSO FILE OVER OR N OF
 7200N15700W. 3. LISKI. W OR EB FLTS MUST FILE OVER OR S OF
 TAYTA AND
 EB FLTS MUST ALSO FILE OVER OR S OF 7100N15700W. QUESTIONS
 CONCERNING THESE REQUIREMENTS MAY BE REFERRED TO ZAN TFC
 MANAGEMENT
 AT 907-269-1108.
 F) FL180
 G) FL600)

13JAN24 23:00 - UFN

PAZA A0039/24

E) REFERENCE ADS-B ITP. ANCHORAGE ARTCC OCEANIC AUTOMATION
 SUPPORTS
 THE ICAO RECOGNIZED AUTOMATIC DEPENDENT SURVEILLANCE BROADCAST
 IN-TRAIL SEPARATION PROCEDURES (ADS-B ITP) FOR PILOT REQUESTED
 LEVEL
 CHANGES. FLIGHT CREWS OF APPROPRIATELY EQUIPPED AIRCRAFT MAY
 MAKE
 ADS-B ITP LEVEL CHANGE REQUESTS WITHIN THE ANCHORAGE OCEANIC
 FIR AND
 THAT PORTION OF THE ANCHORAGE CONTINENTAL FIR WEST OF 165W AND
 SOUTH
 OF 63N. REFER QUESTIONS TO ANCHORAGE INTERNATIONAL PROCEDURES AT
 907-269-1108.
 F) FL180
 G) FL600

23MAR22 22:01 - PERM

PAZA A0217/22

E) NOPAC ATS ROUTE R338:
 ATS ROUTE R338 MAY BE FLIGHT PLANNED FOR WESTBOUND OR EASTBOUND
 ROUTE OF FLIGHT. FOR QUESTIONS PLEASE CONTACT ANCHORAGE ARTCC
 TMU
 (907) 269-1108.
 F) SFC G) FL600)

30OCT09 00:01 - UFN

PAZA KAL9999/09

E) QUESTIONS TO ANCHORAGE ARTCC INTL PROCEDURES AT
 907-269-1801.
 * TRSA: TERMINAL RADAR SERVICE AREA)

[FIR] RJJJ/ Fukuoka, JP

■ AIRWAY

08JUN26 22:00 - 09JUN26 22:00

RJJJ Q1346/26

E) CDR ARE ESTABLISHED AS FLW,
 RTE PERIOD MNM APPLICABLE ALT

1) L512	2606091200/2606092200	MEA
2) Z13	2606091200/2606092200	MEA
3) Z14	2606091200/2606092200	MEA
4) Z25	2606091330/2606092200	MEA
5) Z26	2606091330/2606092200	MEA

6) Z27 2606091330/2606092200 MEA
 7) Z40 2606082200/2606082300 MEA
 Z40 2606091400/2606092200 MEA
 8) Z41 2606082200/2606082300 MEA
 Z41 2606091400/2606092200 MEA
 9) Z262 2606091330/2606092200 MEA
 RMK: REF AIP ENR3.3

08JUN26 21:00 - 09JUN26 21:00

RJJJ Q1345/26

E) CDR ARE ESTABLISHED AS FLW,
 RTE PERIOD MNM APPLICABLE ALT
 1) Z16 2606091300/2606092100 MEA
 2) Z17 2606082100/2606082200 MEA
 Z17 2606091300/2606092100 MEA
 3) Z18 2606082100/2606082200 MEA
 Z18 2606091300/2606092100 MEA
 4) Z21 2606082100/2606082200 MEA
 Z21 2606091200/2606092100 MEA
 5) Z101 2606091300/2606092100 MEA
 6) Z102 2606091300/2606092100 MEA
 7) Z162 2606082100/2606082200 MEA
 Z162 2606091300/2606092100 MEA
 8) Z171 2606082100/2606082200 MEA
 Z171 2606091200/2606092100 MEA
 9) Z182 2606082100/2606082200 MEA
 Z182 2606091200/2606092100 MEA
 RMK: REF AIP ENR3.3

08JUN26 21:00 - 09JUN26 21:00

RJJJ Q1343/26

E) CDR ARE ESTABLISHED AS FLW,
 RTE PERIOD MNM APPLICABLE ALT
 1) Z29 2606091500/2606092100 MEA
 2) Z31 2606091500/2606092100 MEA
 3) Z32 2606091500/2606092100 MEA
 4) Z34 2606091500/2606092100 MEA
 RMK: REF AIP ENR3.3

■ AIRSPACE

07JUN26 23:00 - 12JUN26 13:00

RJJJ P2617/26

D) 2300/1300
 E) TEMPO TRAINING AREA ACT AS FLW,
 NAME/ID ALT
 EAGLE-CENTER SFC/FL600
 EAGLE-EAST SFC/FL600
 EDIX-TIGER FL200/FL250
 TIGER-CENTER SFC/FL500
 TIGER-EAST SFC/FL500
 TIGER-WEST SFC/FL500
 RMK: REF AIP SUP 005/26
 COMMENT) AFFECTED RTE)
 * EAGLE-CENTER: - Y78(AVLAS-AZAMA):
 AKL/ICN(P09) BNE/ICN(P05) SYD/ICN(P05) ICN/GUM(P03)
 ICN/SYD(P13)
 - DCT(AVLAS..ONC) : GUM/ICN(P06)
 * EAGLE-EAST: DCT(AVLAS..ONC) : GUM/ICN(P06)
 * TIGER-CENTER / W173,W173A,W185
 :DCT(AVLAS..ONC) : GUM/ICN(P06)

* CONEY : DCT(TUNTO .. 24E34) : ICN/LAX(T01) ICN/ANC(T10,T11)

07JUN26 23:00 - 13JUN26 15:00

RJJJ P2562/26

D) 2300/1500

E) MULTIPLE U.S. MIL ACT WILL BE CONDUCTED WI FUKUOKA FIR AS
FLW,

AREA: BOUNDED BY FLW POINTS

262209N1283442E - 264724N1290402E - 273846N1303351E -
273835N1305554E

- 273741N1320215E - 272637N1315941E - 261056N1305036E -
262209N1283442E

ATC WILL NOT CLEAR NON-PARTICIPATING IFR FLT THRU THIS AREA.

RMK: MISSION NAME : TIGER-CENTER

F)SFC G)FL600

COMMENT) W173,W173A,W185

:DCT(AVLAS..ONC) : GUM/ICN(P06)

07JUN26 23:00 - 13JUN26 15:00

RJJJ P2554/26

D) 2300/1500

E) MULTIPLE U.S. MIL ACT WILL BE CONDUCTED WI FUKUOKA FIR AS
FLW,

AREA: BOUNDED BY FLW POINTS

254423N1303001E - 254239N1305528E - 250914N1302929E -
245628N1301753E

- 243950N1293955E - 254423N1303001E

ATC WILL NOT CLEAR NON-PARTICIPATING IFR FLT THRU THIS AREA.

RMK: MISSION NAME EAGLE-EAST

F)SFC G)FL600

COMMENT) AFFECTED RTE :DCT(AVLAS..ONC) : GUM/ICN(P06)

07JUN26 23:00 - 13JUN26 15:00

RJJJ P2552/26

D) 2300/1500

E) MULTIPLE U.S. MIL ACT WILL BE CONDUCTED WI FUKUOKA FIR AS
FLW,

AREA: BOUNDED BY FLW POINTS

255335N1283000E - 254837N1290219E - 254415N1292552E -
254445N1302413E

- 254423N1303001E - 243950N1293955E - 242328N1292737E -

253107N1280953E - 255335N1283000E,

THE LINE CONNECTING 253107N1280953E TO 255335N1283000E IS THE
MINOR

ARC WITH A RADIUS OF 50NM FM 261230N1273834E.

ATC WILL NOT CLEAR NON-PARTICIPATING IFR FLT THRU THIS AREA.

RMK: MISSION NAME EAGLE-CENTER

F)SFC G)FL600

COMMENT) AFFECTED RTE AS FLWS

- Y78(AVLAS-AZAMA):

AKL/ICN(P09) BNE/ICN(P05) SYD/ICN(P05) ICN/GUM(P03)

ICN/SYD(P13)

19MAY26 07:09 - 30JUN26 15:00

RJJJ P2338/26

D) 19 0709/1500 MAY 19-JUN 29 2100/1500

E) WARNING AREA W-173(HOTEL HOTEL)

HOURS OF OPERATION TEMPO CHANGE

2100/1500UTC

INSTEAD OF
2100/1100 UTC

RMK: REF AIP PAGE ENR5.1-9
F)SFC G)UNL
COMMENT) AFFECTED RTE AS FLW :
*DCT(AVLAS-ONC) : GUM/ICN(P06)

18MAY26 08:35 - 17AUG26 15:00 RJJJ P2331/26

E) ALL ACFT INTENDING TO FLY WI FUKUOKA FIR ARE ADVISED TO PAY SPECIAL ATTENTION TO THE FOLLOWING INFORMATION.
IN ACCORDANCE WITH ARTICLE 82-3 OF JAPAN SELF DEFENSE FORCE LAW, ANTIBALLISTIC MISSILES MAY BE LAUNCHED FOR THE DESTRUCTION OF THE
ROCKET EXPECTED TO BE LAUNCHED FROM NORTH KOREA.

THE ANTIBALLISTIC MISSILES ARE DEPLOYED AT POSITIONS BLW,
(1)NAHA-SHI : 261219N1273929E
(2)MIYAKOJIMA : 244602N1251930E
(3)ISHIGAKIJIMA : 242404N1241121E
(4)YONAGUNIJIMA : 242638N1225716E
F)SFC G)UNL

■ OTHER

30APR26 06:56 - 30JUN26 15:00 RJJJ P2070/26

E) REF AIP SUP 073/26 (CHANGE TO READ)
3. UNUSABLE FLIGHT PROCEDURES ETC.
3-1. UNUSABLE FLIGHT PROCEDURES ETC.

CHANGE TO READ

(2) FROM 10 MINUTES PRIOR TO THE ROCKET LAUNCH UNTIL THE
PASSAGE OF
THE ROCKET FROM THE AREA OF 2.(2) IS IDENTIFIED:

DELETE TEXT

7) AWY
A339(BTN SABGU AND KEITH)
R584(BTN SALVA AND KEITH)
R595(BTN SALVA AND KEITH)

ADD IN TEXT

(3) FROM 10 MINUTES PRIOR TO THE LAUNCH UNTIL THE IMPACT OF THE
1ST
STAGE MAIN ENGINE:
CANCELLATION OF THE UNUSABLE AWY AND RNAV5 ROUTE WILL BE
NOTIFIED BY
FURTHER NOTAM RJJJ.
(FOR RNP10 AIRCRAFT AND NON-RNP10 AIRCRAFT)
A339(BTN SABGU AND KEITH)
R584(BTN SALVA AND KEITH)
R595(BTN SALVA AND KEITH)
COMMENT) AFFECTED RTE AS FLW :

*A339(SABGU-KEITH)
(Out-Bound)
ICN/AKL(P09) ICN/BNE(P13,P01) ICN/CNS(P03) ICN/GUM(P04)
ICN/MEL(P03,P05) ICN/ROR(P01) ICN/SYD(P09,P01)
ICN/DPS(V01,T02E,T03E)
(In-Bound)
AKL/ICN(P05) BNE/ICN(P07,P13,P01) CNS/ICN(P02) GUM/ICN(P04)
GUM/PUS(P04) MEL/ICN(P01) ROR/ICN(P01)
SYD/ICN(P06,P01,N01,U029) DPS/CJU(V01,V01Q)
DPS/ICN(V01,V03,T02E,T03E) DPS/PUS(V01)

*R584(SALVA-KEITH)
(Out-Bound)
ICN/GUM(P03) ICN/SYD(P13)
(In-Bound)
AKL/ICN(P09,V01) BNE/ICN(P05) GUM/ICN(P06) SYD/ICN(P05)

11MAY26 02:32 - UFN RJJJ Q1113/26

E) REF AIP PAGE ENR 3.1-57,3.3-35,3.3-39,3.3-92 (CHANGE TO READ)
MEA FOR AWY V57
CRITICAL DME,DME GAP FOR RNAV RTE Y142 Y151 Y381

(1)AWY V57(BTN OKVAB AND TENRU)
CHANGE TO READ
MEA:FL140

(2)RNAV RTE Y142(BTN BEGSA AND NESKO)
CHANGE TO READ
(ASTERISK 1)CRITICAL DME: MBE(63.5NM TO NESKO/58.5NM TO NESKO)
KMC(30.7NM TO NESKO/22.3NM TO NESKO)
NTE(45.0NM TO NESKO/14.0NM TO NESKO)
(ASTERISK 3)DME GAP : BEGSA/63.5NM TO NESKO,INS OR GNSS OR
VOR/DME REQUIRED.
58.5NM TO NESKO/45.0NM TO NESKO,INS
OR GNSS OR VOR/DME REQUIRED.
10.0NM TO NESKO/NESKO, INS OR GNSS OR
VOR/DME REQUIRED.

(3)RNAV RTE Y151(BTN AMIDA AND CHAUS)
DELETE TEXT
CRITICAL DME: MBE(CHAUS/AMIDA)

(4)RNAV RTE Y381(BTN GOLDO AND HIMMY)
CHANGE TO READ
(ASTERISK 1)CRITICAL DME: GTC(66.0NM TO HIMMY/60.0NM TO HIMMY)
MBE(66.0NM TO HIMMY/60.0NM TO HIMMY)
(ASTERISK 2)DME GAP : GOLDO/66.0NM TO HIMMY,60.0NM TO
HIMMY/HIMMY,INS OR IRS OR GNSS OR
VOR/DME REQUIRED.

15APR26 15:00 - UFN RJJJ Q0852/26

E) REF AIP PAGE ENR 3.5-7,3.5-9,3.5-16 (CHANGE TO READ)
DIRECT ROUTES

(1)1.26 NIIGATA VORTAC(GTC VORTAC)/NIIGATA TACAN(GTC TACAN)
BTN GTC AND MBE
1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND GTC

DELETE TEXT
(NAV GAP:3NM FM MBE VOR/DME AND 26NM FM MBE VOR/DME)

(2)1.34 KOMATSU VORTAC(KMC VORTAC)
BTN KMC AND MBE
1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND KMC

DELETE TEXT
(NAV GAP:3NM FM MBE VOR/DME AND 19NM FM MBE VOR/DME,
15NM FM KMC VORTAC AND 22NM FM KMC VORTAC)

(3)1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND CBE

CHANGE TO READ
MBE VOR/DME 224DEG 33NM/FL140 MAPLE 10NM/9000 MAMLA 13NM/9000
SWING 39NM/5000 042DEG CBE VOR/DME
(COP: MBE 20DME/CBE 75DME)
(NAV GAP:3NM FM MBE VOR/DME AND 7NM FM MBE VOR/DME)

(4)1.62 CHUBU VOR/DME(CBE VOR/DME)
BTN CBE AND MBE

CHANGE TO READ
CBE VOR/DME 042DEG 39NM/5000 SWING 13NM/9000 MAMLA 10NM/9000
MAPLE 33NM/FL140 224DEG MBE VOR/DME
(COP:CBE 75DME/MBE 20DME)
(NAV GAP:3NM FM MBE VOR/DME AND 7NM FM MBE VOR/DME)

(5)1.36 MATSUMOTO VOR/DME(MBE VOR/DME)
BTN MBE AND TOE
1.38 TOYAMA VOR/DME(TOE VOR/DME)
BTN TOE AND MBE

DELETE TEXT
(NAV GAP:3NM FM MBE VOR/DME AND 20NM FM MBE VOR/DME)

(5)1.37 CHAUS/TENRU

CHANGE TO READ
CHAUS 360DEG 14NM/FL190 180DEG TENRU(360DEG 29NM 180DEG MBE
VOR/DME)

08APR26 08:12 - UFN

RJJJ Q0844/26

E) REF AIP PAGE ENR 3.1-36 (CHANGE TO READ)
AWY V15 REMARKS

CHANGE TO READ
NAV GAP
BTN 48 DME AND
52 DME FM SYE
ON SYE-GTC

INSTEAD OF
NAV GAP
BTN 49 DME AND

52 DME FM SYE
ON SYE-GTC

08JUN26 10:19 - 09JUN26 16:00

RJJJ Y0561/26

E) FLOW CTL AS FLWS,
AREA: ATS RTE A1/G581/Y26/Y52
PROC: EXP DEP CLR TIME WILL BE ISSUED TO ACFT VIA KABAM N892
RMK: REF AIP ENR1.9-1

08JUN26 10:17 - 09JUN26 16:00

RJJJ Z0795/26

E) FLOW CTL AT FIR BDRY AS FLWS,
RTE: B576/Y742
ACFT: SB FOR MANILA FIR VIA KABAM DEP FM KOREA
PROC: (1)13MIN INTERVAL REGARDLESS OF ALT WILL BE APPLIED AT
ATOTI,MUGUS
(2)AVBL ONLY ATOTI OR MUGUS, FOR THE ACFT VIA KABAM N892 FM KOREA
RMK: REF AIP ENR1.9-1

18MAR26 19:10 - 09JUN26 22:00

RJJJ Z0293/26

D) 1910/2200
E) FLOW CTL AT FIR BDRY AS FLWS,
RTE: B576/Y741/Y743
ACFT : NB ENTERING INCHEON FIR
PROC : FL390 NOT AVBL AT SALMI AND LIPLO
RMK/REF AIP ENR1.9-1

[FIR] RKRR/ Incheon, KR

■ COMPANY ADVISORY

1. 01MAY20 16:01 - UFN

RKRR COAD01/20

*** RKRR GPS UNRELIABLE ADVISORY INFO *** ADVISORY INFORMATION FOR
AIRCRAFT OPERATING IN INCHEON FIR : THERE S POSSIBLE TO GPS SIGNALS
UNRELIABLE DUE TO MIL EXERCISE IF A/C HAD GPS SIGNAL INTERRUPTED
PLEASE DO REPORT TO ATC VIA RADIO OR WIRE 032-880-0247/8
-- BY SELOP--

■ NAVAID

08JUN26 13:00 - 10JUN26 21:00

RKRR Z0405/26

D) 1300-2100
E) VOR PART OF VORTAC KPO 112.500MHZ/CH72X U/S DUE TO MAINT

■ COMMUNICATION

24MAR23 16:00 - UFN

RKRR CHINA SUP 16/21

E) [NEW ATS ARRANGEMENT FOR AKARA-FUKUE CORRIDOR]
// TRANSFER OF CONTROL //
- ATS FOR WB TRAFFIC WILL BE TRANSFERRED FROM
INCHEON ACC TO SHANGHAI ACC AT FIX SADLI ON FREQUENCY
120.95MHZ (PRIMARY) OR 134.00MHZ (SECONDARY)
- ATS FOR EB TRAFFIC TO THE DIRECTIONS OF CJU
AND BEYOND WILL BE TRANSFERRED FROM SHANGHAI ACC TO INCHEON
ACC AT 125E LONGITUDE ON FREQUENCY 124.525MHZ (PRIMARY)
OR 132.200MHZ (SECONDARY)
- ATS FOR EB TRAFFIC TO THE OTHER DIRECTIONS WILL
BE TRANSFERRED FROM SHANGHAI ACC TO INCHEON ACC AT FIX
SADLI OR 125E LONGITUDE ON FREQUENCY 123.725MHZ
// COMMUNICATIONS//

- TRAFFIC OPERATING IN THE CORRIDOR AIRSPACE SHALL MAINTAIN A
CONSTANT WATCH ON THE APPROPRIATE FREQUENCY OF SHANGHAI
ACC
IN THE WEST OF 125E LONGITUDE AND INCHEON ACC IN THE EAST OF
125E LONGITUDE UNLESS OTHERWISE INSTRUCTED BY ATC
(DO NOT CONFUSE WITH FUKUOKA ACC)

■ GPS

29MAY26 02:03 - 30JUN26 15:00 RKRR Z0380/26

E) CAUTIONARY INFORMATION FOR AIRCRAFT OPERATING IN INCHEON FIR
:
PILOTS HAVE REPORTED THAT GPS SIGNALS ARE UNRELIABLE OR LOST
INTERMITTENTLY IN INCHEON FIR. EXERCISE EXTREME CAUTION WHEN
USING
GPS.

■ AIRSPACE

09JUN26 00:00 - 09JUN26 09:00 RKRR D1466/26

E) CATA 2 ACT
RMK 1. EXC ACFT OPS ON ATS ROUTE AND ACFT INBOUND TO/OUTBOUND
FM RKPC
2. AIRCRAFT INFORMATION
CS : KE200M/HL8745
ALT : FL170 - FL420
DEP-DEST : RKSS-RKSS
TYPE : GJ8
F)6000FT AMSL G)FL420

09JUN26 00:00 - 09JUN26 09:00 RKRR D1465/26

E) TEMPO DANGER AREA ACT AS FLW AREA BOUNDED BY THE FOLLOWING
340011N1245953E-340011N1254953E-331512N1254953E-331512N1245953E
-340011N1245953E
F)FL420 G)FL450
COMMENT) THIS NOTAM IS ISSUED FOR KE200M TEST FLIGHT.
NO EFFECT ON REGULAR FLIGHTS.

08JUN26 00:00 - 13JUN26 23:00 RKRR E2722/26

D) 08 0000-0030, 10 12 2130-2200, 13 2230-2300
E) TEMPO RESTRICTED AREA ACT AS FLW
AREA BOUNDED BY THE FOLLOWING
353810N1272850E-353940N1282410E-353745N1282550E-351515N1282350E-
351400N1272400E-353810N1272850E
RMK : 1. EXC SKED CIV ACFT INBOUND TO/OUTBOUND FM RKJY AND RKPS
2. EXCLUDING THE AREA THAT OVERLAP WITH ATS RTE V547/Y657
F)FL200 G)FL430

08JUN26 00:00 - 13JUN26 23:00 RKRR E2721/26

D) 08 0000-0030, 10 12 2130-2200, 13 2230-2300
E) TEMPO RESTRICTED AREA ACT AS FLW
AREA BOUNDED BY THE FOLLOWING
350000N1271814E-350000N1282230E-344930N1282130E-340847N1271813E-
350000N1271814E
RMK : EXC SKED CIV ACFT INBOUND TO/OUTBOUND FM RKJY AND RKPS
F)FL200 G)FL430

07JUN26 23:20 - 13JUN26 22:30 RKRR E2719/26

D) 07 2320-2359, 09 0130-0300, 10 2050-2130, 11 0800-0930, 12 2050-2130, 13 0800-0930 2150-2230
E) TEMPO RESTRICTED AREA ACT AS FLW
AREA BOUNDED BY THE FOLLOWING
350000N1271814E-350000N1282230E-344930N1282130E-340847N1271813E-350000N1271814E
RMK : EXC SKED CIV ACFT INBOUND TO/OUTBOUND FM RKJY AND RKPS
F)7000FT AMSL G)FL430

01JUN26 02:00 - 30JUN26 04:00 RKRR E2599/26

D) 0200-0400
E) TEMPO RESTRICTED AREA ACT AS FLW
A CIRCLE RADIUS 3NM CENTERED ON 372631N1275757E
F)SFC G)10000FT AMSL
COMMENT) INCLUDE WJU

01JUN26 02:00 - 30JUN26 04:00 RKRR E2598/26

D) 0200-0400
E) TEMPO RESTRICTED AREA ACT AS FLW
A CIRCLE RADIUS 7NM CENTERED ON 372631N1275757E
F)SFC G)7000FT AMSL
COMMENT) INCLUDE WJU

■ **OTHER**

10MAR26 19:30 - 09JUN26 22:00 RKRR Z0143/26

D) 1930-2200
E) FLOW CTL AS FLW
1. RTE : A593 VIA SADLI
2. ACFT : LANDING RKRR
3. PROC : FL330 AT OR BELOW AVBL, 5 MIN SEPARATION AT SAME ALTITUDE

10MAR26 19:30 - 09JUN26 22:00 RKRR Z0142/26

D) 1930-2200
E) FLOW CTL AS FLW
1. RTE : Y722/B576 VIA ATOTI
2. ACFT : ENTERING RKRR
3. PROC : FL390 NOT AVBL

■ **AIP**

11JUN25 16:00 - 08JUL26 16:00 RKRR Z0475/25

E) TRIGGER NOTAM - AIRAC AIP SUP 43/25
WEF 1600 UTC 11 JUN 2025 TIL 1600 UTC 8 JUL 2026
- THE SONGTAN VORTAC(SOT) WILL BE UNSERVICEABLE DUE TO REPLACEMENT.

.
COMMENT)

* EN-ROUTE / FLIGHT PLANNING

- USE 37°05'40"N 127°01'54"E INSTEAD OF SOT.
- CAN NOT USE DME/DME NAVIGATION ON AIRWAY USING SOT
- NON-RNAV ACFT REQUEST RADAR VECTOR TO DAGUE / INCHEON ACC BEFORE FLYING ON THE AIRWAYS WITHIN THE SOT COVERAGE.

* FLT PROCEDURES LISTED BELOW ARE NOT AVBL

- RKSI: SID RWY 15L/R SOT 1S
SID RWY 33L/R SOT 1A

STAR RWY 15L GUKDO 1A, KARBU 1A
- RKSS: SID RWY 14L/R SOT 1E
SID RWY 32L/R SOT 1W
* ACFT SHALL ADVISE ATC (SEOUL APP/INCHEON TWR/SEOUL DEP/GIMPO
TWR)
FOR ALTERNATIVES.
* RADAR SERVICE WILL BE PROVIDED BY SEOUL APP.
* ANY CHANGE TO THE CONTENTS OF THESE PAGES WILL BE NOTIFIED BY
NOTAM

END OF NOTAM PACKAGE 3 FOR OZ 201 LAX/ICN

OFP 주요 변경사항 ('26. 06. 01. 부)

Operational Flight Plan Revision & Policy Guidelines



1. OFP 번호 부여 체계

번호는 **0000-9999**까지 시스템에 의해 자동 부여됩니다. EDTO 및 REFUEL 계획 적용에 따른 별도의 번호 구분은 존재하지 않습니다.



2. STD/STA 및 ETD/ETA 표기 기준

OFP 상 STD/STA는 미표기됩니다. ETD/ETA는 **1페이지 우측 하단**에 표기되며, 이때 **ETA는 TAXI TIME을 제외한** 비행 기반 시간입니다.



3. DISC Fuel 명칭 변경 및 안내

기존 EXTRA Fuel을 대체하며(REFUEL 시 PAD Fuel 포함), 사유는 시스템 자동 반영 대신 **Dispatcher Note**에 운항관리사가 직접 작성하여 안내합니다.



4. TCAP 적용에 따른 AGTOW 산정

Ramp Fuel을 항공기 Tank Capacity까지 탑재할 경우, **PLD를 포함한 항공기 무게**를 고려하여 AGTOW 항목 중 하나로 산정됩니다.



5. EDTO 시나리오 구성의 유연화

고정 순서(EEP-ETP-EXP) 외에 **Adequate Airport** 범위에 따라 순환 구성되거나 구간이 1개 이상으로 분할(EEP1, ETP1, EXP1...)되어 구성될 수 있습니다.



6. SID/STAR 반영 및 산정 기준

특정 SID/STAR 항로가 직접 반영되지 않는 대신, 공항별 입출항포인트에서 **최장거리 SID/STAR** 기준의 연료와 비행시간이 반영됩니다. (특수 절차 제외)



7. CONT Fuel 최소값 변경 및 효율 강화

CONT Fuel 최소값이 기존 10분에서 **5분**으로 변경됩니다. 이에 따라 운항 효율을 고려하여 중단거리 구간에서도 **CONT 3%** 적용 예정입니다.

CFP PLAN 7500
ATTN CAPT.

7640

FLIGHT RELEASE AAR201 KLAX/RKSI ON 08/JUN/26.NONSTOP COMPUTED 1350Z

A/C REG.MK ENGINE SELCAL ROUTE PRF WX PROGS AVG WIND/TEMP UNIT
388 HL7640 TRENT970 HS-EJ NP08B F BRK 0806UK M031/M49 100LBS

SPEED SKD CLB-320/.85 CRZ- 65 DSC-.85/290/ APMS/P 02.3 PCNT. IFR

	FUEL	TIME	DIST	NAM	PLAN	AGTOW	12356
TRIP	3824	13.02	5779	6262	SOW 06589	RWY	12544
RESERVE	0317	01.18					
ALTN/RKSS	0092	00.17	0072	0073	PLD 01262	ACL	01479
FINAL RES	0110	00.30	T/O	Z	ZFW 07851	MZFW	08068
3 PCT CONT	0115	00.31	F/T 13.02		TOF 04288	TOF	04288
REFILE RES	0000	00.00	ETA	Z			12356
ETP RES	0000	00.00					
RQD TAKEOFF	4141	14.20	HRS UTC+0900		TOW 12139	MTOW	12544
DISC	0147	00.40	ETA	L	TIF 03824	TCAP	12544
TANKERING	0000	00.00	RSN/	/	LDW 08315	MLDW	08620
PLN TAKEOFF	4288	15.00	ACTL		PAX	TIF	03824
					CGO		12444
TAXI	0018						
RAMP OUT	4306	15.00	ACTL				
FOD	0464	01.58	ACTL		ETD KLAX 1710Z	ETA RKSI	0612Z

2ND-\$ 280 4031 13.13

KLAX SUMMR2 SCTRR..SNS..OAK J3 RBL..UBG..ARRIE..GOVAD..KATCH B757
CJAYY..N58W160..N57W170..N55E180..OPAKE A342 NUZAN R220 NODAN R217
ASTER Y514 SDE Y512 GTC Y142 SAMON Y14 SUGNO Y16 SAPRA Y685 GUKDO..
RKSI

DIST	LATITUDE	MC	FL	ETO/MSA	R/F	OT	WIND/COMP	SR	TAS	ZT	B/O
TO	LONGITUDE	MH	ACT	ATO/DF	ACTL			MW	GS	ACTM	ACBO/
		TC									
0003	N33 56.6	264	CLB	---/045	4274	15		..	...	001	014

DLREY	W118	27.9	265	/					..	..	00.01	0014/
			276						DLREY			
0002	N33	56.5	256	CLB	---	/045	4264	15	..	..	000	010
ENNEY	W118	30.3	257	/					..	..	00.01	0024/
			267						ENNEY			
0007	N33	55.9	254	CLB	---	/045	4238	14	..	..	002	026
NAANC	W118	38.6	255	/					..	..	00.03	0050/
			265						NAANC			
0009	N33	55.0	253	CLB	---	/045	4214	12	..	..	001	024
DARRK	W118	50.0	254	/					..	..	00.04	0074/
			265						DARRK			
0009	N33	55.3	260	CLB	---	/045	4194	09	..	..	002	020
SUMMR	W119	01.0	261	/					..	..	00.06	0094/
			272						SUMMR			
0010	N34	00.6	291	CLB	---	/111	4177	06	..	..	002	017
OLOFF	W119	11.2	290	/					..	..	00.08	0111/
			302						OLOFF			
0030	N34	24.7	313	CLB	---	/111	4127	12	..	..	005	050
RIZIN	W119	32.0	311	/					..	..	00.13	0161/
			324						RIZIN			
0058	N35	10.3	310	CLB	---	/111	4052	36	..	..	008	075
TESEA	W120	15.4	309	/					..	..	00.21	0236/
			322						TESEA			
0001	N35	11.4	311	300	---	/075	4051	36	..	..	000	001
TOC	W120	16.2	309	/					..	..	00.21	0237/
			323						TOC			
0026	N35	31.6	311	300	---	/075	4031	36	02	497	003	020
SCTRR	W120	34.9	309	/					38	467	00.24	0257/
			323						SCTRR			
0005	N35	35.7	312	300	---	/082	4027	35	04	498	001	004
FIR	W120	38.6	310	/					38	466	00.25	0261/
/ KZOA	FIR		324	OAKLAND					FIR			
0079	N36	39.8	312	300	---	/082	3968	35	04	498	010	059
SNS	W121	36.2	310	/					38	466	00.35	0320/
			324						SALINAS			
0070	N37	43.6	318	300	---	/082	3915	35	05	497	009	053
OAK	W122	13.4	320	/					38	467	00.44	0373/
			335						OAKLAND			
0142	N40	05.9	343	300	---	/112	3815	36	04	494	017	100
RBL	W122	14.2	342	/					38	490	01.01	0473/
			360						RED BLUFF			
0074	N41	19.7	336	340	---	/163	3762	50	05	490	009	053
FIR	W122	23.9	336	/					36	490	01.10	0526/
/ KZSE	FIR		354	SEATTLE					FIR			
0243	N45	21.2	336	340	---	/163	3590	50	05	490	030	172
UBG	W122	58.7	336	/					36	490	01.40	0698/
			354						NEWBERG			
0153	N47	52.8	331	340	---	/103	3494	51	02	488	018	096
ARRIE	W123	28.6	334	/					33	513	01.58	0794/
			352						ARRIE			
0055	N48	27.3	294	340	---	/103	3457	50	07	489	007	037
FIR	W124	33.0	290	/					32	482	02.05	0831/

/ CZVR FIR	309	VANCOUVER					FIR				
0058 N49 02.8	294	340 ---/103	3418	50	23038M007	07 489	007	039			
GOVAD W125 42.3	290	/				32 482	02.12	0870/			
	309					GOVAD					
0398 N53 10.8	296	340 ---/098	3151	45	27021M015	02 494	050	267			
ETP1 W133 58.8	294	/				30 479	03.02	1137/			
	312					ETP1					
0088 N54 00.0	296	340 ---/098	3092	45	27021M015	02 494	011	059			
KATCH W136 00.0	294	/				30 479	03.13	1196/			
/ PAZA FIR	312	ANCHORAGE OCEANIC				KATCH					
0305 N56 11.7	282	340 ---/010	2893	40	24017M009	02 498	037	199			
HMPTN W144 00.1	280	/				28 489	03.50	1395/			
	299					HMPTN					
0082 N56 41.5	277	340 ---/010	2842	47	02022M003	05 490	010	051			
FIR W146 18.4	279	/				28 487	04.00	1446/			
/ ADIZ FIR	292	-----				FIR					
0077 N57 06.9	277	340 ---/010	2794	47	02022M003	05 490	010	048			
GRIZZ W148 30.1	279	/				28 487	04.10	1494/			
	292					GRIZZ					
0069 N57 27.8	274	340 ---/010	2751	54	03020P004	05 481	009	043			
CJAYY W150 31.9	276	/				30 485	04.19	1537/			
	288					CJAYY					
0306 N58 00.0	266	340 ---/093	2564	53	20008M001	02 482	038	187			
58N60 W160 00.0	265	/				30 481	04.57	1724/			
	280					58N160W					
0329 N57 00.0	254	340 ---/038	2374	54	04028P019	06 479	039	190			
57N70 W170 00.0	256	/				30 498	05.36	1914/			
	264					57N170W					
0357 N55 00.0	249	340 ---/024	2176	56	04038P032	01 474	043	198			
55E80 E180 00.0	251	/				35 506	06.19	2112/			
	255					55N180E					
0370 N52 56.3	253	360 ---/052	1958	60	17012M002	02 477	046	218			
OPAKE E170 09.3	252	/				34 475	07.05	2330/			
	254					OPAKE					
0005 N52 54.7	257	380 ---/010	1955	51	25009M009	01 489	001	003			
FIR E170 00.0	257	/				28 480	07.06	2333/			
/ PAZA FIR	254	ANCHORAGE OCEANIC				FIR					
0246 N51 36.4	257	380 ---/010	1808	51	25009M009	01 489	031	147			
NUZAN E163 42.1	257	/				28 480	07.37	2480/			
	254					NUZAN					
0152 N50 11.7	242	390 ---/010	1716	52	30032M017	02 492	019	092			
NRKEY E160 23.4	245	/				34 475	07.56	2572/			
	237					NRKEY					
0022 N49 59.4	241	390 ---/010	1703	54	29044M026	04 490	003	013			
ETP2 E159 55.2	245	/				35 464	07.59	2585/			
	235					ETP2					
0028 N49 42.6	241	390 ---/010	1686	54	29044M026	04 490	004	017			
NIPPI E159 20.8	245	/				35 464	08.03	2602/			
/ RJJJ FIR	235	FUKUOKA				NIPPI					
0331 N46 13.0	239	390 ---/034	1478	56	27074M060	04 488	046	208			
NOGAL E153 00.2	244	/				36 428	08.49	2810/			
	233					NOGAL					

0331	N42 23.5	236	400	---/034	1250	58	25105M100	04 487	051	228
NUBDA	E147 28.5	240		/				37 387	09.40	3038/
		228						NUBDA		
0040	N41 55.0	232	400	---/010	1222	55	25117M109	04 490	007	028
NANNO	E146 51.6	238		/				38 381	09.47	3066/
		224						NANNO		
0123	N40 25.2	232	400	---/010	1137	54	25126M115	05 492	019	085
NODAN	E144 59.8	239		/				39 377	10.06	3151/
		224						NODAN		
0134	N39 13.9	247	400	---/030	1042	53	25130M127	04 493	022	095
ASTER	E142 32.0	251		/				40 366	10.28	3246/
		239						ASTER		
0100	N38 08.3	238	400	---/088	0973	53	25128M120	08 493	016	069
SDE	E140 55.3	245		/				40 373	10.44	3315/
		230						SENDAI		
0055	N38 01.6	271	400	---/088	0935	53	25124M123	08 493	009	038
ELDAK	E139 45.7	270		/				40 370	10.53	3353/
		263						ELDAK		
0031	N37 57.5	271	400	---/094	0914	53	25126M125	08 493	005	021
GTC	E139 06.9	269		/				40 368	10.58	3374/
		263						NIIGATA		
0037	N37 42.6	255	400	---/094	0888	53	25125M124	04 493	006	026
BEGSA	E138 24.2	257		/				41 369	11.04	3400/
		246						BEGSA		
0088	N37 06.0	255	400	---/059	0828	52	25124M123	08 494	015	060
NESKO	E136 43.2	257		/				43 371	11.19	3460/
		246						NESKO		
0119	N36 14.6	254	400	---/112	0749	52	25118M117	08 493	019	079
SAMON	E134 30.2	256		/				43 376	11.38	3539/
		245						SAMON		
0032	N35 57.7	247	380	---/080	0730	48	25117M116	02 493	005	019
SUGNO	E133 56.4	250		/				43 377	11.43	3558/
		239						SUGNO		
0157	N35 49.4	277	380	---/080	0627	47	25115M110	02 494	024	103
SAPRA	E130 43.4	272		/				43 384	12.07	3661/
/ RKRR FIR		268						SAPRA		
0044	N35 56.1	288	380	---/054	0599	47	25114M102	02 493	007	028
BULGA	E129 49.4	281		/				41 391	12.14	3689/
		279						BULGA		
0017	N35 58.6	287	380	---/054	0588	47	25114M103	02 493	003	011
KPO	E129 28.5	281		/				41 390	12.17	3700/
		278						POHANG		
0037	N36 20.2	313	380	---/061	0566	46	25115M075	01 492	005	022
ELAPI	E128 50.8	303		/				43 417	12.22	3722/
		305						ELAPI		
0031	N36 37.9	314	380	---/061	0548	46	25118M079	02 492	005	018
CUN	E128 19.5	303		/				43 413	12.27	3740/
		305						YECHEON		
0010	N36 43.4	314	380	---/061	0542	46	25118M079	02 492	001	006
BIGOB	E128 09.9	303		/				43 413	12.28	3746/
		305						BIGOB		
0012	N36 50.6	314	380	---/061	0535	46	25119M079	02 492	002	007

BASEM E127 57.2 303 / 41 413 12.30 3753/
305 BASEM
0009 N36 55.9 314 380 ---/054 0529 46 25119M079 01 492 001 006
ENSAL E127 47.8 303 / 41 413 12.31 3759/
305 ENSAL
0009 N37 01.2 314 380 ---/062 0524 46 25120M080 01 492 001 005
GUKDO E127 38.4 303 / 40 412 12.32 3764/
305 GUKDO
0025 N37 05.4 304 380 ---/062 0508 45 25120M095 01 494 004 016
TOD E127 27.6 294 / 40 399 12.36 3780/
295 TOD
0139 N37 27.8 304 DSC ----- 0464 12 32013M012 026 044
RKSI E126 26.4 294 / 13.02 3824/
295 INCHEON INTL

ROUTE TO ALTN : RKSI..SEL..RKSS

			MSA	TTK	DIST	FL	W/C	TIME	FUEL
ALTERNATE	- 1	RKSS	041	071	0072	070	M001	00.17	9200

3% CONTINGENCY ERA VALIDATION

ERA	COC	CUMD	MSA	TTK	DIST	TIME	ETA
RJBB	N4440.7	4335	128	230	940	2.00	0420
	E15038.7						

LOLV EQUAL TIME POINT DATA

KSFO-PACD				PACD-RJAA			
DIST	1432	DIST	1013	DIST	3840	DIST	1205
TIME	03.02	TIME	02.48	TIME	07.59	TIME	03.45
TRIP	1137	TRIP	0924	TRIP	2585	TRIP	1126
LAT/LONG N53108 W133588				LAT/LONG N49594 E159552			
AVG W/C KSFO P014 TO PACD P000				AVG W/C PACD P009 TO RJAA M039			

I HEREBY RELEASE THIS FLIGHT IN FULL COMPLIANCE WITH CIVIL AVIATION
LAW AND/OR COMPANY OPERATIONS MANUAL.
- DISPATCHER: SEONGHYUNG_LEE

I HEREBY PREPARE AND ARRANGE THIS FLIGHT RELEASE ACCORDING TO THE
INSTRUCTION AND DATA PROVIDED BY
- AGENT: SIGN

I HEREBY ACCEPT THIS FLIGHT RELEASE WITH FULL ACKNOWLEDGEMENT.
- PILOT IN COMMAND: SIGN

-KLAX1710
 -N0497F300 SUMMR2 SCTRR DCT SNS DCT OAK J3 RBL/N0490F340 DCT UBG
 DCT ARRIE DCT GOVAD DCT KATCH/M084F340 B757 CJAYY/M083F340 DCT
 58N160W 57N170W 55N180E/N0477F360 DCT OPAKE/M084F380 A342
 NUZAN/M085F390 R220 NOGAL/M085F400 R220 NODAN/N0493F400 R217
 ASTER Y514 SDE Y512 GTC Y142 SAMON/N0493F380 Y14 SUGNO Y16 SAPRA
 Y685 GUKDO DCT
 -RKSI1302 RKSS
 -PBN/A1B1C1D1L101S2 DAT/1FANSP SUR/RSP180 260B CANMANDATE
 DOF/260608
 REG/HL7640
 EET/KZOA0025 KZSE0110 CZVR0205 PAZA0313 ADIZ0400 PAZA0706 RJJJ0803
 RKRR1207
 SEL/HSEJ CODE/71BE40 PER/C RALT/KSFO PACD RJAA RMK/TCAS II
 EQUIPPED
 -E/1500 P/TBN R/VE S/M J/L D/14 898 C SILVERGRAY
 A/WHITE)

PLAN VALID FOR DEPARTURE UNTIL 2310Z 08/JUN/26

START OF WIND AND TEMPERATURE SUMMARY LAX TO ICN						
FL	ISA	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP	WIND CMP TMP	
340	-52	31039-038-46	32049-049-46	32063-061-45	31070-047-46	
320	-48	31036-034-41	31043-041-40	31051-045-40	29055-022-41	
300	-44	30033-030-36	29037-032-35	29040-030-35	27040-004-36	
280	-40	30032-029-31	29035-030-30	29039-029-31	28041-006-32	
260	-37	30031-028-26	29034-029-26	29038-028-26	28041-007-27	
		SCTRR	SNS	OAK	RBL	
380	-56	29059-026-53	26038+003-49	26030-018-47	27025-018-44	
360	-56	28052-013-52	24041+014-50	24034-014-49	27023-017-45	
340	-52	26043+000-50	23045+025-51	23038-007-50	27021-015-45	
320	-48	26043+003-45	23044+023-48	21051+006-49	26018-012-48	
300	-44	25043+007-40	22041+025-43	21045+006-45	26016-009-47	
		UBG	ARRIE	GOVAD	KATCH	
380	-56	25020-014-41	32018-016-45	32022-019-48	25015-014-49	
360	-56	24024-012-41	35020-011-46	36028-011-52	23011-007-51	
340	-52	24017-009-40	02022-003-47	03020+004-54	20008-001-53	
320	-48	23018-007-42	03030+003-49	04022+006-51	18011+002-53	
300	-44	22019-004-43	05039+014-47	04025+009-48	16014+007-49	
		HMPTN	GRIZZ	CJAYY	58N60	
380	-56	32009-005-50	03022+015-56			
360	-56	36019+002-52	04033+025-59			
340	-52	04028+019-54	04038+032-56			
320	-48	04037+027-52	04035+029-52			
300	-44	04039+029-49	04033+028-48			
		57N70	55E80			
400	-56	21008-005-55	26010-010-50			

380	-56	18009-003-58	25009-009-51		
360	-56	17012-002-60	24010-010-54		
340	-52	16014+000-56	23011-010-55		
320	-48	17012-001-52	22013-010-52		
		OPAKE	NUZAN		
400	-56	30031-017-52	29042-025-54	27069-056-55	25105-100-58
390	-56	30032-017-52	29044-026-54	27074-060-56	25110-105-56
380	-56	30033-016-52	29048-027-55	27078-065-56	25113-108-54
370	-56	30035-016-53	30052-028-56	27082-068-57	25115-110-51
360	-56	30036-015-54	30056-030-56	27086-072-56	25115-110-49
		NRKEY	NIPPI	NOGAL	NUBDA
400	-56	25117-109-55	25126-115-54		
390	-56	25122-113-54	25131-120-53		
380	-56	25124-115-51	25134-123-51		
370	-56	25126-117-49	25137-126-48		
360	-56	25128-119-46	25139-129-46		
		NANNO	NODAN		
400	-56	25130-127-53	25128-120-53	25124-123-53	25126-125-53
380	-56	25137-134-50	25134-127-50	25130-128-50	25132-130-49
360	-56	25140-138-45	25135-130-44	25133-130-44	25135-132-44
340	-52	25135-134-40	25130-126-39	24125-120-39	24127-122-39
320	-48	25128-127-35	25125-121-34	25121-117-34	25123-119-34
		ASTER	SDE	ELDAK	GTC
400	-56	25125-124-53	25124-123-52	25118-117-52	25112-109-52
380	-56	25132-132-49	25131-131-49	25123-122-48	25117-116-48
360	-56	25135-135-44	25136-136-44	25127-127-43	25119-118-43
340	-52	24128-128-39	24130-130-39	24124-124-38	24123-123-38
320	-48	25124-124-34	25125-125-34	25120-120-34	25119-118-33
		BEGSA	NESKO	SAMON	SUGNO
400	-56	25111-107-52	25110-100-51	25110-101-51	25112-077-50
380	-56	25115-110-47	25114-102-47	25114-103-47	25115-075-46
360	-56	25117-110-43	25116-101-42	25116-103-42	25117-072-42
340	-52	24119-110-38	24119-102-38	24118-102-38	25119-070-38
320	-48	25118-111-34	25117-101-34	25115-101-35	25113-071-35
		SAPRA	BULGA	KPO	ELAPI
400	-56	25114-080-50	25115-081-49	25115-081-49	25116-081-49
380	-56	25118-079-46	25118-079-46	25119-079-46	25119-079-46
360	-56	25120-077-43	25121-078-43	25121-078-43	25120-079-43
340	-52	25115-069-39	25114-071-39	25113-071-40	25112-071-40
320	-48	25110-070-36	25109-071-36	25108-070-37	25108-071-37
		CUN	BIGOB	BASEM	ENSAL
400	-56	25116-081-49			
380	-56	25120-080-46			
360	-56	25119-078-43			
340	-52	25111-072-40			

320 -48 25107-071-37
GUKDO

DRIFTDOWN SUMMARY DATA

CRZ	TO	BURN	FL	MSA	TO	BURN	FL	MSA	FOB	LAT	LON	W
LRC	KSFO	092400	100	113	PACD	091996	100	108	315103	N53108	W133588	M
	*PACD	111350	100	094	RJAA	112603	100	048	170280	N49594	E159552	
1LE	KSFO	072449	290	113	PACD	072502	290	108	310273	N53516	W135384	
	*PACD	089210	330	094	RJAA	090564	330	048	165647	N49144	E158234	
2LE	KSFO	092343	110	113	PACD	093282	110	108	312554	N53330	W134510	M
	*PACD	110108	170	094	RJAA	114192	160	048	167280	N49300	E158552	

WARNING FLAGS: M-MSA, D-FUEL DUMP REQ., F-DIVERT FUEL REQ.,
S-SPIRAL DESCENT

END OF JEPPESEN DATAPLAN
REQUEST NO. 7500

(TDM TRK H 260608190001
2606081900 2606090800
BAART BARAZ 34N140W 33N150W 32N160W 31N170W 30N180E 29N170E
28N160E 28N150E 27N140E CANAI
RTS/KSFO GNNRR BAART
KLAX MCKEY LIBBO BRINY BAART
CANAI V75 NHC
RMK/TRK H ONLY AVAILABLE TO ACFT LANDING RCTP OR SOUTH)

(TDM TRK C 260608190001
2606081900 2606090800
KATCH HMPTN GRIZZ CJAYY 57N160W CAMBO EYETI 50N170E CUTEK KALIG
KALNA
RTS/CYVR UQQ KATCH
KSEA TOU FINGS KATCH
KPDX TOU FINGS KATCH
KSFO TOU FINGS KATCH
KLAX TOU FINGS KATCH
KALNA OTR5 ADNAP
RMK/0)

(TDM TRK A 260608190001
2606081900 2606090800
PUPPI CRESP 24N170W 26N180E 28N170E 29N160E 31N150E TONIK
RTS/PHNL KEOLA PUPPI
TONIK G223 BEGAD
RMK/TRK B NOT AVAILABLE)

(TDM TRK 12 260607173201
2606081000 2606082100
SEALS 36N150E 36N160E 34N170E 31N180E 27N170W SYVAD
RTS/ LAPIL OTR13 SEALS
SYVAD BOOKE PHNL
RMK/ ATM CENTER TEL:81-92-608-8870)

(TDM TRK 11 260607173201
2606081000 2606082100
SEALS 36N150E 36N160E 34N170E 31N180E 27N170W CANON
RTS/ LAPIL OTR13 SEALS
CANON BOOKE PHNL
RMK/ TRK 11 NOT AVAILABLE IF CROSSING CANON AFTER 1630Z)

(TDM TRK 14 260607173301
2606080700 2606082100

LEPKI 38N160E 39N170E 40N180E 42N170W 45N160W 45N150W 43N140W
39N130W CEPAS
RTS/ MOLKA M750 MUKEP Y891 OVSUN Y893 IGMIS Y57 POROT OTR11 LEPKI
CEPAS PIRAT OSI KSFO
CEPAS PIRAT BURGL IRNMN KLAX
RMK/ TRK 15 NOT AVAILABLE
ATM CENTER TEL:81-92-608-8870)

(TDM TRK 3 260607173001
2606080700 2606082100
LEPKI 39N160E 40N170E 41N180E 44N170W 47N160W 47N150W 45N140W
41N130W FATMO
RTS/ AVBET OTR11 LEPKI
FATMO PAINT PIRAT BURGL IRNMN KLAX
FATMO PAINT PIRAT OSI KSFO
RMK/ ATM CENTER TEL:81-92-608-8870)

(TDM TRK 2 260607173001
2606080700 2606082100
EMRON 40N160E 41N170E 42N180E 45N170W 48N160W 48N150W 46N140W
42N130W VESPA
RTS/ ADNAP OTR7 EMRON
VESPA AMAKR BGGLO KSFO
VESPA ENI OAK BURGL IRNMN KLAX
RMK/0)

(TDM TRK 1 260607173001
2606080700 2606082100
KALNA 42N160E 44N170E 45N180E 47N170W 49N160W 50N150W 49N140W ROUKE
RTS/ ADNAP OTR5 KALNA
ROUKE DOLFF TOU KSEA
ROUKE DOLFF TOU KPDY
RMK/ ACFT LDG CYVR--50N150W 50N140W PRETY GOVAD CYVR
ACFT LDG OTHER DEST--ROUKE DOLFF TOU UPR TO DEST)

(TDM TRK J 260608050001
2606080500 2606082100
BAART BARAZ 34N140W 33N150W 33N160W 33N170W 33N180E 32N170E
31N160E 30N150E 28N140E CANAI
RTS/KSFO GNNRR BAART
KLAX MCKEY LIBBO BRINY BAART
CANAI V75 NHC
RMK/0)

(TDM TRK F 260608190001

2606081900 2606090800

ALCOA ALLBE ADTIL 36N140W 38N150W 41N160W 44N170W 44N180E 42N170E
39N160E 36N150E SEALS
RTS/KSFO GNNRR ALCOA
KLAX MCKEY LIBBO BRINY ALCOA
SEALS OTR13 LAPIL
RMK/0)

(TDM TRK E 260608190001

2606081900 2606090800

ALCOA BUTEN BOSKE 39N140W 40N150W 42N160W 45N170W 46N180E 44N170E
40N160E LEPKI
RTS/KSFO GNNRR ALCOA
KLAX MCKEY LIBBO BRINY ALCOA
LEPKI OTR11 AVBET
RMK/0)