

Appendix

Contents

1	xthdidregress	2
2	estat aggregation, dynamic	3
3	estat aggregation, cohort	3
4	estat aggregation, time	4

1 xthdidregress

```
. global covars i.region pop medinc white hs pov c.pop#c.pop c.medinc#c.medinc
. xthdidregress aipw (lemp $covars) (treat $covars), group(state)
note: variable _did_cohort, containing cohort indicators formed by treatment
      variable treat and group variable state, was added to the dataset.
```

Computing ATET for each cohort and time:

Cohort 2004 (6): done

Cohort 2006 (6): done

Cohort 2007 (6): done

Treatment and time information

Time variable: year

Time interval: 2001 to 2007

Control: _did_cohort = 0

Treatment: _did_cohort > 0

	_did_cohort
Number of cohorts	4
Number of obs	
Never treated	9639
2004	700
2006	1561
2007	4088

Heterogeneous-treatment-effects regression

Number of obs = 15,988

Number of panels = 29

Estimator: Augmented IPW

Panel variable: countyreal

Treatment level: state

Control group: Never treated

(Std. err. adjusted for 29 clusters in state)

Cohort	Robust					
	ATET	std. err.	z	P> z	[95% conf. interval]	
2004						
year						
2002	.0672458	.0061125	11.00	0.000	.0552655	.079226
2003	.0266718	.0122508	2.18	0.029	.0026608	.0506829
2004	-.0979371	.002649	-36.97	0.000	-.103129	-.0927451
2005	-.1139248	.0070092	-16.25	0.000	-.1276627	-.1001869
2006	-.1719979	.0082852	-20.76	0.000	-.1882366	-.1557592
2007	-.2078132	.0056814	-36.58	0.000	-.2189485	-.196678
2006						
year						
2002	-.0186685	.0105915	-1.76	0.078	-.0394274	.0020904
2003	.056737	.0181748	3.12	0.002	.0211151	.0923589
2004	.0212315	.0363779	0.58	0.559	-.0500679	.092531
2005	.0319911	.0158191	2.02	0.043	.0009863	.0629959
2006	-.009851	.0117487	-0.84	0.402	-.0328781	.013176
2007	-.0510452	.0092241	-5.53	0.000	-.069124	-.0329664

2007							
year							
2002	-.0215125	.014779	-1.46	0.145	-.0504788	.0074538	
2003	.0167167	.0132905	1.26	0.208	-.0093322	.0427655	
2004	.0149363	.0133763	1.12	0.264	-.0112809	.0411534	
2005	.0038453	.0092391	0.42	0.677	-.014263	.0219537	
2006	-.0390546	.0114977	-3.40	0.001	-.0615896	-.0165196	
2007	-.0292338	.0136042	-2.15	0.032	-.0558976	-.00257	

Note: ATET computed using covariates.

2 estat aggregation, dynamic

```
. estat aggreg, dynamic graph(name(d1))
```

Duration of exposure ATET

Number of obs = 15,988

(Std. err. adjusted for 29 clusters in state)

Exposure	ATET	Robust std. err.	z	P> z	[95% conf. interval]	
-5	-.0215125	.014779	-1.46	0.145	-.0504788	.0074538
-4	.0069386	.0100519	0.69	0.490	-.0127627	.0266399
-3	.0264872	.0126915	2.09	0.037	.0016122	.0513621
-2	.0151101	.0118987	1.27	0.204	-.0082109	.0384311
-1	-.0143403	.0124878	-1.15	0.251	-.0388159	.0101353
0	-.032043	.0122219	-2.62	0.009	-.0559975	-.0080885
1	-.0705126	.0161956	-4.35	0.000	-.1022553	-.0387699
2	-.1719979	.0082852	-20.76	0.000	-.1882366	-.1557592
3	-.2078132	.0056814	-36.58	0.000	-.2189485	-.196678

Note: Exposure is the number of periods since the first treatment time.

3 estat aggregation, cohort

```
. estat aggreg, cohort graph(name(c1))
```

ATET over cohort

Number of obs = 15,988

(Std. err. adjusted for 29 clusters in state)

Cohort	ATET	Robust std. err.	z	P> z	[95% conf. interval]	
2004	-.1479183	.0053113	-27.85	0.000	-.1583283	-.1375082
2006	-.0304481	.0075561	-4.03	0.000	-.0452578	-.0156384
2007	-.0292338	.0136042	-2.15	0.032	-.0558976	-.00257

4 estat aggregation, time

```
. estat aggreg, time graph(name(t1))
```

ATET over time

Number of obs = 15,988

(Std. err. adjusted for 29 clusters in state)

Time	Robust		z	P> z	[95% conf. interval]	
	ATET	std. err.				
2004	-.0979371	.002649	-36.97	0.000	-.103129	-.0927451
2005	-.1139248	.0070092	-16.25	0.000	-.1276627	-.1001869
2006	-.0600513	.0406199	-1.48	0.139	-.1396648	.0195622
2007	-.0542855	.0206191	-2.63	0.008	-.0946981	-.0138728