

1 PURPOSE AND GUIDANCE

This document is made to outline the discussions with **Attalon** on the CRIMs (gaps) carried out related to IFS® functionality. In addition, this document lays out the processes **Attalon** practice currently and possible changes to the workflows and possible solutions under the IFS®.

This document specifies:

- Attalon business requirements
- How screens, views, fields, and tables shall look and operate.
- How business logic and functions shall operate and/or calculate
- How the application shall be customized to solve the business requirements.

The **Solution Description** defines **what** will be delivered. The solution is matched against the requirements described in the Requirements section.

The **Delimitations** describe what is explicitly **not covered** by this CRIM. Together with the Solution description, these sections delimit the extent of the functional addition agreed for implementation.

2 OPEN ISSUES/QUESTIONS/DECISIONS REQUIRED

This specification cannot be completed until the following issues/decisions have been resolved:

Issue/Decision	Responsible
8/17/2026	Open Questions – answered in this section 2.1

2.1 EMAILED QUESTIONS FROM DEVELOPER

Q1 – Shipment Service Selection

Specification Reference:

“Attalon requires that the ‘selected’ shipment service (FedEx, UPS) be able to be selected and then inserted into the original Customer Order charge line and linked to the Customer Order line found on the first shipment line of the shipment.”

Question:

Could you clarify how and where the shipment service selection is expected to be made, and at what point in the shipment process should the user make this selection?

[Customer Order / Details / Ship Via Code – linked to Freight Interface – Carrier/ship via code](#)

[Customer Order / Details / Delivery Terms – Linked to Freight Delivery Terms](#)

[Customer Order / Freight Interface / field: service – Linked to services basic data and mapped to Freight Interface \(i.e., Saturday morning delivery, ...\)](#)

Q2 – Interface Trigger

Question:

What is the expected trigger for the freight interface? Specifically, from which IFS page or screen should the interface be initiated, and what user action or business event should trigger the call to FedEx/UPS?

Specification

Two Places:

Customer Order / Freight Interface / Button: "Rate It" as the Freight Estimation
Shipment / Freight Interface / Button: UPS as the real Freight Charges to book against.

Q3 – IFS-to-FedEx/UPS Field Mapping

Specification Reference:

The specification states that the POST request to FedEx/UPS will include information such as Deliver From Address, Deliver To Address, Service Type, Handling Units, Handling Unit Type, Handling Unit Dimensions, Weight, Shipment Date, and Special Services.

Question:

Could you clarify where each of these required attributes is sourced from in IFS Cloud? We will need to establish the mapping between the IFS fields and the corresponding FedEx/UPS API fields.

For Freight Estimation (Customer Order / Detail and/or the Customer Order Line / Address Info:

- Freight Basic Data
 - Freight Map (i.e., all US addresses)
 - Freight Price List: Notional Price to be used as a holding charge on the customer order charge line.
- Delivery Address: Site's Delivery Address (Site's Delivery Address denoted with a -D)
- Date / Time taken from customer order line: : "Planned Ship Date"
- Delivery To Address: Customer Order/Detail/Delivery Address; Or Customer Order Line / Address/ Delivery Address
- Service Type:
 - Customer Order / Detail / Ship Via
 - Customer Order / Detail / Delivery Terms
 - Customer Order / Freight Interface / Service Type (if any are selected: Saturday Delivery...)
 - Special services have its own basic data: "Shipment Services" (Saturday Delivery, Saturday Pickup, ...)
- Handling Units:
 - Packing Proposal has generic boxes, pallets, etc. that can be used to auto-construct 'theoretical' packs
 - Handling Unit Types: Each part has a weight and a volume. Using weight and volume, they can be 'packed' into nested structures automatically by using packing proposals.
 - Handling Unit Dimensions: Each handling unit is defined with Length, Width, Depth, Max Volume, Max weight. These are used to auto-pack into packing proposals.
- Parts:
 - All parts in the part master will have weight and volume. This is necessary for Freight Interface.

For Freight Booking (Shipment Header):

- Freight Basic Data
 - Freight Map (i.e., all US addresses)

Specification

- **Freight Price List: Notional Price** to be used as a holding charge on the customer order charge line.
- **Delivery Address:** Shipment / Deliver From Address (Site's Delivery Address denoted with a -D)
- **Date / Time** taken from shipment header: "Planned Ship Date"
- **Delivery To Address:** Shipment /Detail/Delivery Address; Or Customer Order Line / Address/ Delivery Address
- **Service Type:**
 - Shipment / Freight Interface
 - Shipment / Freight Interface/ Delivery Terms
 - Shipment / Freight Interface / Service Type (if any are selected: Saturday Delivery...)
 - Special services have its own basic data: "Shipment Services" (Saturday Delivery, Saturday Pickup, ...)
- **Handling Units:**
 - **Packing Instructions** (not packing proposal) has exact boxes, pallets, etc. that are used to with shipment
 - Packing Instructions link parts to handling units to quantity.
 - Box A – contains 10 parts of part X
 - Box B – contains 5 parts of part X
 - **Handling Unit Types:** Each part has a weight and a volume. Using weight and volume, they can be 'packed' into nested structures automatically by using packing proposals.
 - **Handling Unit Dimensions:** Each handling unit is defined with Length, Width, Depth, Max Volume, Max weight. These are used to auto-pack into packing instructions.
- **Parts:**
 - All parts in the part master will have weight and volume. This is necessary for Freight Interface.

Q4 – Estimate Selection and Shipment Booking

Specification Reference:

"Shipment Reviews Estimate and then once estimate is selected, it will book the FedEx shipment assigning the correct charge to the correct charge line associated with the correct Customer Order line."

Question:

Could you clarify the expected estimate selection process? Once FedEx returns the available estimates, where will the user review and select the estimate, and what action should trigger the shipment booking and subsequent Customer Order charge-line update?

- **My suggestion is to review the current functionality of Pacejet of the return message from FedEx.**
 - Return payload updates the freight interface selection
 - Return payload allows end-user to select the freight charge
 - End-User selects freight charge and the functionality updates:
 - The customer order charge line connected to the freight charges for each line
 - The return freight cost – update each freight charge line with cost proportioned out by weight
 - The return freight price – update each freight charge line with price proportioned out by weight

Specification

- **Customer Order**
 - When taking "Estimating) the customer order freight charges:
 - The basic data freight price list auto-selects 'notional' freight pricing for the customer order line charges (i.e., price 0.01, cost 0.01)
 - Freight Price. Please see how this works.(Notional price until updated by return / selected freight charge)
 - Freight Cost. (Notional until updated by the interface)
 - Freight Button "Rate It" is then selected.
 - The return payload logs information into the dialog box table.
 - The end-user selects which service / date time and price
 - End-users select OK, the Customer Order Line Freight Charges are then updated
- **Shipment**
 - When "Booking" the actual FedEx
 - Use the "FedEx" button on the shipment / Freight Interface
 - The return payload logs information into the dialog box table.
 - The end-user selects which service / date time and price
 - End-users select OK, the Customer Order Line Freight Price / Charges are then updated and finalized

Q5 – Daily Background Job / Shipment Transmission

Specification Reference:

"Attalon requires that a background job run once per day to transmit to the customer that the shipment has occurred. It will only transmit those shipments, shipped (i.e., delivered) that day to the customer."

- Hold off on this background job until we validate this is still needed. Spec updated accordingly

Question:

Could you clarify what is meant by "transmit to the customer" in this requirement? Is the expectation for IFS to send an email notification to the customer, or is the shipment information expected to be transmitted to another system or external interface? If it is an interface, could you clarify the target system and the expected method of transmission?

- Hold off on this background job until we validate this is still needed. Spe updated accordingly

Q6 – FedEx APIs / Secondary Call

Question:

FedEx provides multiple APIs/endpoints. Could you clarify which specific FedEx APIs/endpoints are expected to be used for this integration?

The specification also mentions a secondary call to FedEx. Could you clarify the purpose of this secondary call, what information it is expected to send or retrieve, and when/how it should be triggered from IFS?

Thank you so much!

FedEx Offers two major categories that we will be using:

Customer Order / Freight Interface / "Rate It" Calls (i.e., Rating and Estimating)

Specification

- **Get Rate Quotes:** Retrieve account-specific rates and **Time in Transit** for any origin/destination pair that FedEx Freight serviceable
 - Rates and Transit Time API
- **Service Options:** Choose from various service levels to see how they affect rates and transit times.
 - Rates and Transit Time API
- **Handling Unit-Level Data:** Rates are calculated per handling unit, with visibility into each unit's dimensions, weight, and service level

Shipment / Freight Information / Booking Calls (i.e., Booking and Pickup Management)

- **Create Shipments:** Build LTL shipments with multiple handling units (max 200 units, 9,999 pieces per unit)
- **Schedule Pickups:** Request pickup locations and times; cancel if needed before the shipment ready time
- **Delete Shipments:** Remove shipments not yet tendered to FedEx.

3 BUSINESS REQUIREMENTS DETAILS

3.1 BUSINESS REQUIREMENTS

- Attalon requires that IFS Freight Interface functionality, APIs, Basic Data Tables and interface to the larger IFS ERP applications be leveraged as much as possible for this specification. The primary development effort is leveraging the "Freight Provider" functionality in IFS for purpose of interfacing with FedEx for quoting freight cost and price.
 - Existing Freight Interface in IFS includes:
 - Shipment Management / Freight Integration
 - Basic Data
 - Freight Provider (i.e., use provider Pacejet to understand how to setup provider FedEx)
 - In separate specification (I-007) replace with UPS
 - Shipment Services
 - Examples are overnight, next day, etc.
 - Freight Carriers
 - Examples are: FedEx, UPS, FedEx Over Night, ect.
 - Freight Delivery Terms
 - Examples are pre-paid and add (PPAD)
 - Freight Transactions
 - All Financial transactions for the freight interface.
 - May include calls / return payloads from FedEx or any provider
 - Freight Log

Specification

- All calls / return payloads from FedEx or any provider
- Attalon requires that at Shipment (Shipment Header Screen), the shipping department will be able to automate a call to either FedEx or UPS and receive the return values for cost and price for a specific shipment and service.
- Attalon requires that the shipment cost and price be able to be marked up (%)
- Attalon requires multiple FedEx accounts based on the site that they will ship from. This means a separate Provider (i.e., FedEx 1, FedEx 2, ..., FedEx N) one for each site. RR change 8/14/2026
 - Note for testing they will give us two FedEx accounts
 - Naming convention (FedEx-CA002, Description CA002 FedEx Account)
- Attalon requires that the 'selected' shipment service (FedEx, UPS) be able to be selected and then inserted into the original customer order charge line and linked to the customer order line found on the first shipment line of the shipment.
 - The COL charges be updated or inserted with the cost and markup price.
- Attalon requires that an integration to FedEx (and UPS) be able to call FedEx (and UPS) open interfaces (RESTful API) and retrieve information regarding shipment.
 - Interface (POST) will send to FedEx (and UPS) - something like this
 - Deliver From Address (site Address with -D)
 - Deliver To Address (customer order line and/or shipment line)
 - Service Type (i.e. overnight, same-day, ground, etc.)
 - Handling Unit/s for Shipment (Pallets, Boxes, etc.)
 - Type Handling Unit/s (Pallet, Box)
 - Size Handling Unit/s (L, W, H)
 - Weight of Handling Unit/s
 - Shipment Date
 - Interface will receive an initial estimate for booking to the Shipment Freight Transactions Line
 - Estimated Shipping Cost and Shipping Price (Rate it at COL)
 - Actual Shipping Cost and Shipping Price (Sending the shipment)
 - Shipment Reviews Estimate and then once estimate is selected, it will book the FedEx shipment assigning the correct charge to the correct charge line associated with the correct customer order line.
- Attalon requires that returned FedEx 'estimate' be able to be selected and booked.
 - The Customer Order Charge Line is created which is linked to the First Customer Order Line found on the shipment.
 - The charge cost is the cost of freight in return payload from FedEx cost
 - The charge price will be the charge cost x markup found on the Freight Delivery Terms.
 - The sales charge used on the CO charge line will be found in the Freight Delivery Terms.
 - The Shipment Header is updated
 - Planned Ship Date is updated with Pickup date, time
 - PRO No is updated with Tracking Number (master or first tracking No)
- ~~Attalon requires that a background job run once per day to transmit to the customer that the shipment has occurred. It will only transmit those shipments, shipped (i.e., delivered) that day to the customer.~~
- Attalon requires that a background job run once per day to retrieve tracking information for each shipment shipped via FedEx. Should include at minimum: shipment, shipment line,

This medium contains information intended solely for internal use within our organization. It includes routine communications and documents that are not to be shared outside the company. Please handle this information with the appropriate level of confidentiality.


Specification

tracking number, weight, volume, and estimated day of delivery to customer. This should be easily recognized in the Freight Interface Logging table/view.

- Attalon requires that label and bill of lading printable information returned and stored.
 - Depending on the return information (text or image), we may need to create reports in IFS to print labels accordingly.

4 SOLUTION DESCRIPTION

4.1 IFS FREIGHT INTERFACE BASIC DATA SETUP



This medium contains information intended solely for internal use within our organization. It includes routine communications and documents that are not to be disclosed outside the company. Please handle this information with the appropriate level of confidentiality.

Specification

4.2 PROCESS FLOW FOR INTERFACE

*T1081 of 8Planned

<+@/StatusShareOperationsFreightInvoiceRelated PagesCopy Order

Order No.1108Customer243992 - Draper LaboratorySiteCAROrder TypeFFPWanted Delivery Date/Time8/17/26, 12:00 AM PST

Order Amounts

Total Net Amount/Base243336.33 USDTotal Contribution Margin179982.50 USDTotal Contribution Margin(%)76.64Total Net Amount/Curr243336.33 USDTotal Tax Amount/Curr60634.58 USDTotal Gross Amount/Curr304172.91 USDCharges Exist

LINESORDER DETAILSCHARGESINVOLVED PARTIESFREIGHT INTEGRATIONFREIGHT TRANSACTIONS

Filter+@/StatusLine DetailsOperationsReservationRMA

17Packing Instruction IDDock CodeSub Dock CodeLast Actual Ship DateFirst Actual Ship DateTarget Date/TimePromised Delivery Date/TimeWanted Delivery Date/TimePlanned Ship Date/TimePlanned Del

TST-SALESP...8/17/26, 12:00 AMP...8/18/26, 12:00 AMP...8/17/26, 12:00 AMP...8/18/26, 8:00 AMP...8/18/26, 12:00 AMP...8/18/26, 12:00 AMP...

TST-SALESP...8/17/26, 12:00 AMP...8/18/26, 12:00 AMP...8/17/26, 12:00 AMP...8/18/26, 8:00 AMP...8/18/26, 12:00 AMP...

*T1081 of 8

<+@/StatusShareOperationsFreightInvoiceRelated PagesCopy OrderOrder HistorySales Promotions

Order No.1108Customer243992 - Draper LaboratorySiteCAROrder TypeFFPWanted Delivery Date/Time8/17/26, 12:00 AM PST

Order Amounts

Total Net Amount/Base243336.33 USDTotal Contribution Margin179982.50 USDTotal Contribution Margin(%)76.64Total Net Amount/Curr243336.33 USDTotal Tax Amount/Curr60634.58 USDTotal Gross Amount/Curr304172.91 USDCharges Exist

LINESORDER DETAILSCHARGESINVOLVED PARTIESFREIGHT INTEGRATIONFREIGHT TRANSACTIONS

Filter+@

Sequence NoCharge TypeCharge GroupCharge Group DescCharge CostCharge Price/CurrChrg Price Incl Tax/CurrCharge (%)Charge (%) Basis/CurrCharge QtySales I

1FRTCHRG - Freight Ch...FRTCHRGFreight Charge (Real)3.003.003.752752.778277...EA

2FRTCHRG - Freight Ch...FRTCHRGFreight Charge (Real)3.003.003.7575EA

 Corning Data.
Experience Matters.®

Page 12 of 23

This medium contains information intended solely for internal use within our organization. It includes routine communications and documents that are not to be shared outside the company. Please handle this information with the appropriate level of confidentiality.

Specification

UNIT AMOUNTS

Total Net Amount/Base	Total Contribution Margi...	Contribution Margin(%)	Total Net Amount/Curr	Total Tax Amount/Curr	Total Gross Amount/Curr	Charge Total
245338.33 USD	179892.50 USD	76.64	245338.33 USD	80834.58 USD	364172.91 USD	

LINES

ORDER DETAILS

CHARGES

INVOLVED PARTIES

FREIGHT INTEGRATION

FREIGHT TRANSACTIONS

Rate Shop

Freight Settings

Ship-Via
FEX - FedEx

Delivery Terms
PPAD - Pre Paid and Add

Phone

Shipping Note

Internal Note

Carrier
FedEx2 - FedEx

Freight Terms Code
#

Email

Freight Provider
FEDEX - FedEx

Contact Name

Freight Billing/Third Party

Freight Account
1212121212

Address
Dexter, Inc.
100 Main Street
24556
Raleigh
NC
UNITED STATES OF AMERICA (THE)
US

Shipping Services

Service Code
Overnight

Include Service
☐

×

Freight Rate Shopping for Customer Order - #1108

Shipment Settings

Shipping Rates

General

Source Type	Source	Ship Via Code	Ship Via Desc
Customer Order	#1108	FEX	FedEx
Carrier ID	Carrier Name	Provider ID	Provider Name
FedEx2	FedEx	FEDEX	FedEx
Delivery Terms	Delivery Terms Description	Freight Terms Code	Contract
PPAD	Pre Paid and Add	#	CARI
Quote only this Ship-Via ☐	Auto Pack ☒	Total Weight	Weight UoM
		2825.778277310968759037172516812837923175	lb

Ship From

Location Type *	Location ID *	Location Description
Site	CARI	RICHMOND, CA

Previous

Next

Finish

Cancel

Specification


[illegible]

Specification

4.3 SETUP FREIGHT PROVIDER SCREEN

Using the Freight Provider Screen, create a new Freight Provider "FedEx". Determine the correct config values, provider locations and terms code (for freight delivery terms) as well as mapping messages:

- Config Values:
 - Values used to connect to the correct FedEx APIs, username, password, passcode, secrete, mappings to the end-projections or end APIs at FedEx.
 - Try to find a similar setup to FedEx and use these as the basic mapping data.
- Terms Code
 - These are used to connect the delivery terms used by FedEx to the Freight Delivery Terms used in IFS. The mapping is one to one.
- Provider Locations
 - These are the site locations in IFS mapped to the account/site/warehouse locations at FedEx (or freight provider).
- Message Mapping
 - For Calls and Return Payloads, message mapping allows for translation between FedEx and IFS.



4.4 PROCESS FLOW BUSINESS LOGIC

- Initial Call to FedEx – From Customer Order / Freight Interface / “Rate It”
 - Organize Payload based on L, W, H of boxes (or pallets)
 - Total Qty of boxes (or pallets) by L, W, H
 - Total Weight of boxes (or pallets) by L, W, H
 - Ship from address (on shipment header), ship to address (on shipment header), and service
 - Shipment Date
 - Call FedEx → Send Payload
 - Receive Return Payload (Customer Order Charges)
 - Insert Return Payload into the Shipment / Tab “Freight Transactions” Screen.
 - Allows the selection of which service the end-user wishes to use.
 - Save and update the customer order
 - Updates the Freight Charge Line/s
 - Any ‘freight charge’ on the customer order line charges is updated.
 - A proportion of the freight cost is portioned by line weight
 - A portion of the freight price is portioned by line weight
 - The cost and price are applied to each ‘freight charge’ on the customer order line
 - If return is an array of potential pickup dates, times, and/or services then insert into multiple lines in table.
- Select and Book
 - (Note, that this may require a secondary confirmation/booking call to FedEx)
 - Using delivery terms on the shipment, lookup freight delivery terms. Using the freight delivery terms lookup the sales charge linked to the freight delivery terms.
 - Using the sales charge and the source ref 1, 2, 3, 4 of the first shipment line, insert the sales charge on the customer order linked to the customer order line.
 - Using the cost in the return payload, calculate the price by using markup x price. (i.e. \$100 x 1.5 = \$150)
 - Insert or update the charge line cost and price
 - Update the shipment header / General / Reference Documents and Misc. Info/ Field PRO No with the tracking number.
 - Update the shipment header / Planned Ship Date Time with the estimated pickup date and time in return payload.

4.5 FEDEX DEV

Obtaining a FedEx API Key via the FedEx Developer Portal

123

You can get a FedEx API Key (Client ID) and Secret Key (Client Secret) by creating a project in the FedEx Developer Portal. Test credentials are provided first, and production keys require additional steps.

Getting Test API Credentials

Go to the [FedEx Developer Portal](#) and log in with your account, or sign up if you don't have one.

In the left-hand menu, click **My Projects**.

Select **Create New Project**.

Choose the reason for the API from the dropdown and enter a unique project name.

Select the APIs you want (e.g., Ship API, Rates and Transit Times, Address Validation).

Enter project details, including name and shipping location.

Select the countries you plan to ship within so FedEx can assign a test shipping account.

Confirm the details to complete project creation.

View your **API Key (Client ID)** and **Secret Key (Client Secret)** in the confirmation window (these are test credentials).

Generating Production API Credentials

In the FedEx Developer Portal, click **My Projects**.

Open the project you created for test credentials.

Go to the **Production Key** tab.

Select your account number and click **Next**.

If the account is not added, click **Add shipping account** and provide account number, nickname, and billing address.

Once ready, access your production API Key and Secret Key in the **Production** tab.

Important Notes

Specification

FedEx Certification is mandatory for Ship API and Open Ship API before production use.

For authentication, use the OAuth endpoint with your Client ID and Client Secret to generate an access token.

Test Mode must be enabled when using sandbox credentials to avoid generating live labels.

4.6 EXAMPLE OF PAYLOAD TO FEDEX

Message Sent --> IFS to FedEx

```
{
  "accountNumber": {
    "value": "108993660"
  },
  "rateRequestControlParameters": {
    "returnTransitTimes": "true",
    "servicesNeededOnRateFailure": "false",
    "rateSortOrder": "SERVICENAME",
    "ADDITIONAL": ""
  },
  "requestedShipment": {
    "shipper": {
      "address": {
        "streetLines": [
          "4704 Interstate Blvd"
        ],
        "city": "Loves Park",
        "stateOrProvinceCode": "IL",
        "postalCode": "62111",
        "countryCode": "US",
        "residential": "false"
      },
      "recipient": {
        "address": {
          "streetLines": [
            "2340 S. Crockett Parkway"
          ],
          "city": "JIMSCITY",
          "stateOrProvinceCode": "TN",
          "postalCode": "39813",
          "countryCode": "US",
          "residential": "false"
        },
        "rateRequestType": "ACCOUNT",
        "shipDateStamp": "2025-11-11",
        "pickupType": "USE_SCHEDULED_PICKUP",
        "requestedPackageLineItems": [
          {
            "weight": {
              "units": "LB",
              "value": 50
            },
            "dimensions": {
              "length": 12,
              "width": 11,
              "height": 11,
              "units": "IN"
            },
            "weight": {
              "units": "LB",
              "value": 11
            },
            "dimensions": {
              "length": 14,
              "width": 8,
              "height": 6,
              "units": "IN"
            }
          },
          {
            "weight": {
              "units": "LB",
              "value": 11
            },
            "dimensions": {
              "length": 14,
              "width": 8,
              "height": 6,
              "units": "IN"
            }
          }
        ],
        "packagingType": "YOUR_PACKAGING",
        "totalPackageCount": 2
      }
    }
  }
}
```

5 SCREEN SHOT EXAMPLES

This medium contains information intended solely for internal use within our organization. It includes routine communications and documents that are not to be shared outside the company. Please handle this information with the appropriate level of confidentiality.

Specification

Home > Shipping > Shipment Delivery > Shipment

Shipment

Q Search Advanced Search with Time Zone

Status Shipment ID Notes Receiver ID Sender Address ID More Favorites Search Saved Searches

Set by

Receiver ID: 10029
Receiver Description: AutoZone

194838
Cancelled
Receiver ID: 10401
Receiver Description: VisionGroup, Inc.

4682
Cancelled
Receiver ID: LP-INTERNAL-CUST
Receiver Description: Loves Park Internal Customer

3648
Cancelled
Receiver ID: LP-INTERNAL-CUST
Receiver Description: Loves Park Internal Customer

2657
Cancelled
Receiver ID: 10029
Receiver Description: AutoZone

14798
Closed
Receiver ID: ROC-INTERNAL-CUST
Receiver Description: Rockford Internal Customer

Sender
Sender Type Site
Sender ID CH
Sender Description Des Plaines

Receiver
Receiver Type Customer
Receiver ID ROC-INTERNAL-CUST
Receiver Description Rockford Internal Customer

Settings and Indicators

SHIPMENT LINES AVAILABLE LINES ADDRESS GENERAL **FREIGHT INTEGRATION** FREIGHT TRANSACTIONS

Take Shop

Freight Settings

Ship Via 317 CH ROBINSON - GROUND Carrier CH ROBINSON - CH Robinson Freight Provider NOT RATED - Unrated Carrier
Delivery Terms DAPF - Seller Pays Destination Prepaid Freight Terms Code Contact Name
Phone Email
Shipping Note
Internal Note

Freight Billing/Third Party

Freight Account
Address
Open Map
Shipping Services
Service Code Include Service
(No data)

Home > Shipping > Shipment Delivery > Shipment

Shipment

Q Search Advanced Search with Time Zone

Status Shipment ID Notes Receiver ID Sender Address ID More Favorites Search Saved Searches

Set by

Receiver ID: 10029
Receiver Description: AutoZone

194838
Cancelled
Receiver ID: 10401
Receiver Description: VisionGroup, Inc.

4682
Cancelled
Receiver ID: LP-INTERNAL-CUST
Receiver Description: Loves Park Internal Customer

3648
Cancelled
Receiver ID: LP-INTERNAL-CUST
Receiver Description: Loves Park Internal Customer

2657
Cancelled
Receiver ID: 10029
Receiver Description: AutoZone

14798
Closed
Receiver ID: ROC-INTERNAL-CUST
Receiver Description: Rockford Internal Customer

Shipment ID 14798
Shipment Type Bulk
Notes Dispatch Advice History

Site CH
Created 2/19/2026
Dispatch Advice History

Source Ref Type Customer Order
Planned Ship Date/Time 2/19/26 12:00 AM CST
Planned Delivery Date/Time

Next Step in Shipment Flow

Sender
Sender Type Site
Sender ID CH
Sender Description Des Plaines

Receiver
Receiver Type Customer
Receiver ID ROC-INTERNAL-CUST
Receiver Description Rockford Internal Customer

Settings and Indicators

SHIPMENT LINES AVAILABLE LINES ADDRESS GENERAL **FREIGHT INTEGRATION** FREIGHT TRANSACTIONS

Freight Transactions

Send to NOT RATED
V State Dto Freight Message Type Freight Provider ID Delivery Line Order Date Task Weight Total Price Total Cost Total Lbl Price Currency Code
(No data)

This medium contains information intended solely for internal use within our organization. It includes routine communications and documents that are not to be shared outside the company. Please handle this information with the appropriate level of confidentiality.

Specification

Shipment Management > Freight Integration > Basic Data > Freight Delivery Terms

Freight Delivery Terms

Q Search

	Freight Provider	Provider Name	Provider Active	Delivery Terms	Delivery Terms Description	Default Freight Payer	Freight Terms Code	Freight Terms Code Description	Add Estimated Freight Cost	Add Estimated Freight Price	Invoice Estimated Freight	Add Actual Freight Cost	Add Actual Freight Price	Invoice Actual Freight
☐	1	FEDX	FedEx Web Services	Yes	DDPH	Deliver On Paid Desk...	Prepaid	Prepaid	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FEDX	FedEx Web Services	Yes	FCAR	Free Carrier Origin Add...	Prepaid	Prepaid	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FEDX	FedEx Web Services	Yes	DAPD	Deliver Paid On Desk...	Third Party	Third Party	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FEDX	FedEx Web Services	Yes	DAPD	Deliver Paid On Desk...	Freight Collect	Freight Collect	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FRED-PAVE	Freightwise LLC	Yes	DDPH	Deliver On Paid Desk...	Prepaid	Prepaid	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FRED-PAVE	Freightwise LLC	Yes	DDPH	Deliver On Paid Desk...	Third Party	Third Party	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FEDX	FedEx Web Services	Yes	DDPH	Deliver On Paid Desk...	Freight Collect	Freight Collect	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FRED-PAVE	Freightwise LLC	Yes	FCAR	Free Carrier Origin Add...	Prepaid	Prepaid	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FEDX	FedEx Web Services	Yes	DDPH	Deliver On Paid Desk...	Third Party	Third Party	Yes	Yes	Yes	Yes	Yes	Yes
☐	1	FEDX	FedEx Web Services	Yes	FCAR	Free Carrier Origin Add...	Third Party	Third Party	Yes	Yes	Yes	Yes	Yes	Yes

Shipment Management > Freight Integration > Basic Data > Freight Carriers

Freight Carriers

Q Search

Carrier ID must match value from Freight Provider - case sensitive

	Carrier ID	Carrier Name	Invoice Supplier ID	Supplier Name	Default Freight Provider ID	Provider Name	SCAC Code	Carrier Status
☐	1	MATSON NAVIGA...		Matson Navigation	NOT RATED	Unrated Carrier	MATN	Yes
☐	1	RGT TRANSPORT		RGT Transport	NOT RATED	Unrated Carrier	RGT	Yes
☐	1	SATURN TRUCKING		Saturn Trucking	NOT RATED	Unrated Carrier	SATT	Yes
☐	1	TRANSPLACE		Transplace	NOT RATED	Unrated Carrier	TRAP	Yes
☐	1	DT EXPRESS		DT Express	NOT RATED	Unrated Carrier		Yes
☐	1	PANTHER EXPED...		Panther Expedited Services	NOT RATED	Unrated Carrier	PTNT	Yes
☐	1	EMERGENTECH INC		Emergentech, Inc.	NOT RATED	Unrated Carrier	EMGN	Yes
☐	1	RUAN TRANSPORT		Ruan Transportation Management Systems	NOT RATED	Unrated Carrier	RUAN	Yes

Shipment Management

Freight Integration

Basic Data

Shipment Services

21

Shipment Services

Q Search

▽

+

✎

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕

⌕</

This medium contains information intended solely for internal use within our organization. It includes routine communications and documents that are not to be shared outside the company. Please handle this information with the appropriate level of confidentiality.

Specification

Freight Provider Setup

Q Search

Sort by

FREIGHTWISE

FEDEX

NOT RATED

UPS

SCALE

PACEJET

FEDEX

Freight Provider ID: FEDEX

Name: FedEx Web Services

Ship Contact Role: [Dropdown]

Ship Contact Role Name

Active: ☒

Default Provider: [Yes]

Set as Default

Validate Interface Parameters

CONFIG VALUES PROVIDER LOCATIONS TERMS CODE MESSAGE MAPPING

Config ID	Value	Description
ACCOUNT_NUMBER	108923660	
MAX_CARTON_CAPACITY	10	
MAX_WEIGHT_CAPACITY	200	

Freight Provider Setup

Q Search

Sort by

FREIGHTWISE

FEDEX

NOT RATED

UPS

SCALE

PACEJET

FEDEX

Freight Provider ID: FEDEX

Name: FedEx Web Services

Ship Contact Role: [Dropdown]

Ship Contact Role Name

Active: ☒

Default Provider: [Yes]

Set as Default

Validate Interface Parameters

CONFIG VALUES PROVIDER LOCATIONS TERMS CODE MESSAGE MAPPING

Site	Sender Type	Sender ID	Sender Description	Freight Site Code	Freight Facility	Note
(No data)						

This medium contains information intended solely for internal use within our organization. It includes routine communications and documents that are not to be shared outside the company. Please handle this information with the appropriate level of confidentiality.

Specification

Shipment Management > Integrations > Basic Data > Freight Provider Setup

Freight Provider Setup

Search

Sort by

FREIGHTWISE

FEDEX

NOT RATED

UPS

SCALE

PACEJET

<< FEDEX >>

+ - / \ []

Set as Default

Validate Interface Parameters

Freight Provider ID

FEDEX

Active

Active

Name *

FedEx Web Services

Ship Contact Role

Ship Contact Role Name

Default Provider

No

CONFIG VALUES

PROVIDER LOCATIONS

TERMS CODE

MESSAGE MAPPING

+

Terms Code

Terms Description

Consignee

Consignee

Freight Collect

Freight Collect

Prepaid

Prepaid

Third Party

Third Party

6 PERFORMANCE CONSIDERATIONS

N/A

7 GLOSSARY/ACRONYMS

Commonly used IFS terms within this specification include:

Term	Explanation

Estimate for Delivery

Activity	Estimate of Hours	Actual Hours (including revisions)
Spec (Functional)		
Development (Technical)		
Testing (Functional)		
Deployment (Technical)		
Total		