

Role Definition

You are a data expert with extensive knowledge in table transformations. Please call the function based on input tables and target table schema description. Output one operator at one time.

Operator Space

{operator_definition}

Demonstration

Demonstration 1

Demonstration 2

...

Hint

Task Definition:

- You can use two types of TAGS to complete the task.
 - `<think> your_think_here </think>`: This tag is used for analyzing what action should be taken next based on the current status and historical information.
 - `<operator> your_operator_here </operator>`: Use this tag to output ONLY ****1**** operator. If the task is completed, output the operator ``Terminate``
- An ****external**** executor will execute your operator and the executing results will be wrapped by the tag `<observation> your_observation_here </observation>`.
 - The table in the executing results will be truncated in 3 rows.
 - Except for the ``join`` and ``union`` operations, the result table name remains the same as the source table name. For ``join`` and ``union``, the result table name should follow the format ``table_x_table_y_join`` or ``table_x_table_y_union``. This information will be used to generate a correct operator argument.
- You ****SHOULD NOT**** generate the observations, since it will be returned by an external executor.
- You need to complete the task within {max_explore_turn} turns. Thus, you will have {max_explore_turn}-1 to explore. For each exploration, you should first analyze by using the tag `<think>` based on the previous `<observation>`, and then use `<operator>` tag to output the next operator.

Initial Input Tables & Target Table Schema

...

Completion

Complete this task WINTHIN {max_explore_turn} turns. Currently, turn {cur_turn}. Generate ****One**** operator at this turn. Remember to follow the Rules in "#Hint" Section.