





AWS Solutions Architect Associate

Session 502

Developer Tools & Containers

July/2024

- DevOps Culture: Automatize everywhere
- Continuous Integration (Source, Build, Test)
- Continuous Delivery (Deployment and Ready Artifact, Manual Deploy to Productive)
- Continuous Deployment (CD and Automatic Productive Deploy)







Developer Tools




AWS CodeStar



AWS CodePipeline



AWS CodeBuild



AWS CodeDeploy



AWS CodeCommit



AWS OpsWorks

Mgmt & Gov

Containers



Amazon Elastic Container
Registry



Registry



Image



Amazon Elastic Container
Service



Container 1



Container 3



Task



Container 2



Service



Amazon Elastic Kubernetes
Service




AWS CodeStar




AWS CodePipeline



AWS CodeCommit



AWS CodeBuild



AWS CodeDeploy

Management & Governance



AWS OpsWorks




Figure 2: Continuous integration—source and build




Figure 3: Continuous delivery—staging




Figure 4: Continuous delivery—production




Figure 5: Continuous deployment



AWS CodeCommit



GitHub



CodeBuild



Build and Test using Gradle, Maven, npm for:
Java, Python, Node.js, Ruby, Go, Android, .NET Core for Linux, and Docker.
Specify build commands using YAML

Region: US East (N. Virginia) ↕

Compute instance type	Memory	vCPU	Linux price per build minute	Windows price per build minute
general1.small	3 GB	2	\$0.005	N/A
general1.medium	7 GB	4	\$0.01	\$0.018
arm1.large	16 GiB	8	\$0.015	N/A
general1.large	15 GB	8	\$0.02	\$0.036
general1.2xlarge	144 GiB	72	\$0.20	N/A
gpu1.large	244 GiB	32	\$0.65	N/A

First 5 active users*

\$0.00

Receives:

- Unlimited repositories
- 50 GB-month of storage
- 10,000 Git requests/month

Each additional active user beyond the first 5*

\$1.00 per month

Receives:

- Unlimited repositories
- 10 GB-month of storage per active user
- 2,000 Git requests/month per active user



AWS CodeBuild

Bring code from:Github, Bitbucket, CodeCommit.

Deliver artifacts to S3, Any Repository.

CodeStar vs CodePipeline

fmorenod.co
©2024



Codepipeline: Build, Test and Deploy. Powerfull and integration.



AWS CodeStar



AWS CodePipeline




develop and integrate in minutes (Boards,

Products / Developer Tools / AWS CodeStar

AWS CodeStar FAQs

Discontinuation of AWS CodeStar support

On July 31, 2024, Amazon Web Services (AWS) will discontinue support for creating and viewing AWS CodeStar projects. After July 31, 2024, you will no longer be able to access the AWS CodeStar console or create new projects. However, the AWS resources created by AWS CodeStar, including your source repositories, pipelines, and builds, will be unaffected by this change and will continue to function. AWS CodeStar Connections will not be impacted by this discontinuation.



Java, Node.js
(Javascript), PHP, Python
and Ruby.

Atlassian Jira or using
AWS Codepipeline

Amazon EC2, AWS Elastic
Beanstalk or AWS Lambda

No additional charge

CodeStart vs CodePipeline



fmorenod.co
©2024



AWS CodeStar



AWS CodePipeline



Pipeline

Stage

Actions

Executions at Pipeline, Stage, or Actions states.

Transitions.

Artifacts

Amazon ECR source actions
Amazon S3 source actions
Bitbucket source actions
CodeCommit source actions
GitHub source actions

CodeBuild build actions
CloudBees build actions
Jenkins build actions
TeamCity build actions

CodeBuild test actions
AWS Device Farm test actions
BlazeMeter test actions
Ghost Inspector test actions
Micro Focus StormRunner Load test actions
Nouvola test actions
Runscope test actions

Amazon S3 deploy actions
AWS AppConfig deploy actions
AWS CloudFormation deploy actions
Amazon ECS deploy actions
Elastic Beanstalk deploy actions
AWS OpsWorks deploy actions
AWS Service Catalog deploy actions
Amazon Alexa deploy actions
CodeDeploy deploy actions
XebiaLabs deploy actions

Approval e Invoke:
SNS, Lambda and Steps

No additional charge

Taken from <https://docs.aws.amazon.com/codepipeline/latest/userguide/concepts-how-it-works.html> (18/07/2024)



Deploy Table for CodeDeploy and BeanStalk

fmorenod.co
©2024

Method	Impact of Failed Deployment	Deploy Time	Zero Downtime	No DNS Change	Rollback Process	Code Deployed To
Deploy in place	Downtime	🕒	X	✓	Re-deploy	Existing instances
Rolling	Single batch out of service. Any successful batches prior to failure running new application version.	🕒🕒†	✓	✓	Re-deploy	Existing instances
Rolling with additional batch (beanstalk)	Minimal if first batch fails, otherwise similar to rolling.	🕒🕒🕒†	✓	✓	Re-deploy	New & existing instances
Immutable	Minimal	🕒🕒🕒🕒	✓	✓	Re-deploy	New instances
Blue/green	Minimal	🕒🕒🕒🕒	✓	X	switch back to old environment	New instances

Deployment Configuration:

Canary (Soft Rolling): Traffic is shifted in two increments. You can choose from predefined canary options that specify the percentage of traffic shifted to your updated new deploy version in the first increment and the interval, in minutes, before the remaining traffic is shifted in the second increment.

Linear: Traffic is shifted in equal increments with an equal number of minutes between each increment. You can choose from predefined linear options that specify the percentage of traffic shifted in each increment and the number of minutes between each increment.


All-at-Once: All traffic shifted

Immutable using the new ASG to have new servers (non-mutable) and then assign to ELB the ASG.

Mutable means no capable of reconfiguring, so coming from scratch.



AWS CodeDeploy



Computing Scope: EC2/OnPremises, ECS, Lambda

Application: Unique identifier for Code, cfg files, Lambda functions, executables, packages, scripts.

Deployment configuration: Canary, Linear, All-At-Once.

Deployment group: Set of Instances or ASG.

Deployment Type: In-Place, Blue/Green.

IAM Instance Profile: For the deployed instances.

Service Role: Role of CodeDeploy to deploy

To sum up all,

Revision: AppSpec about application, and deployment configuration.

Deployment: Its a execution

Create New Deployment

Filter: All Deployments Search by Deployment ID

Deployment ID	Application	Deployment Group	Revision Location	Start Time	End Time	Status
d-I9BOKNIQ6	DemoApplication	Development	s3://aws-codedeploy-us-west-2/samples/latest/SampleApp_Linux.zip	1 second ago		In Progress

Details

Deployment ID: d-I9BOKNIQ6

Deployment Config: CodeDeployDefault.OneAtATime

Minimum Healthy Hosts: 2 of 3 instances

Revision Location: s3://aws-codedeploy-us-west-2/samples/latest/SampleApp_Linux.zip

Instances

1 of 3 Instances Completed

1 Succeeded 1 In Progress 1 Pending

[View All Instance](#)

Charge for OnPremise Deployments: \$0.02, otherwise EC2/Lambda no charge.



AWS OpsWorks

Configuration Management Service. Configuration-as-a-Service to automate server configurations.
Master-Agent using Pull Configuration. Infrastructure is provided too.

3 Offers: OpsWork for Chef Automate, OpsWork for Puppet Enterprise and OpsWork Stacks (Chef Local Mode).

Desired States

Chef: Cookbook (Collection of Recipes), Recipes.



Stack



Layers



Deployments



Monitoring



Permissions


What Is AWS OpsWorks?

[PDF](#) | [RSS](#)

⚠ Important

The AWS OpsWorks services have reached end of life and have been disabled for both new and existing customers. We strongly recommend customers migrate their workloads to other solutions as soon as possible. If you have questions about migration, reach out to the AWS Support Team on [AWS re:Post](#) or through [AWS Premium Support](#).

Deploy an app or run a command



r Servers).

y. Declarative.

OS:

Linux/Unix, Windows, Mac (Puppet)

Check Prices for Nodes per Hour, Chef License.

More info at deprecated at <https://docs.aws.amazon.com/opsworks/latest/userguide/welcome.html> (18/07/2024)
Taken from <https://aws.amazon.com/opsworks/chefautomate/features/?nc=sn&loc=2> and <https://logz.io/blog/chef-vs-puppet/#:~:text=To%20use%20an%20analogy%2C%20using,might%20be%20a%20better%20fit.> (10/10/2020)



Amazon Elastic Container
Registry



Registry



Image



Amazon Elastic Container
Service



Container 1



Container 2



Container 3



Service





Task




Amazon Elastic Kubernetes
Service



Containers vs VM





Components:


Repository including policies
Images including lifecycle
Authorization Token

Features:

ECS Integration,
Docker Support (OCI Images)
AWS Marketplace
HA and durability
Team collaboration using IAM
Encryption
* Vulnerabilities Scan

https://aws_account_id.dkr.ecr.region.amazonaws.com.

Pricing: per Storage (GB per Month), data transfer out.



Components:

Cluster: Where. EC2 Instances, EBS, VPC, Sec Groups.

Task Definition: What. Container Definition: Image, CPU, Memory, Ports, Tags. JSON on Web Mgmt Console and JSON/YAML on CFn.

Run Tasks: Try to fulfill task-definition request using Cluster.

Services: When. Workload, Automate Run Tasks (Monitor, Deploy). ELB.


Task Placement: How they fulfill task on EC2

Features:

Docker Support.

Can use EC2 (OnDemand, Spot, RI) or Fargate
ECS Container Agent.


```
taskDefinition:
  containerDefinitions:
    - name: "my-app"
      image: "xxx.ecr.{{region}}.amazonaws.com/xxx:{{tag}}"
      cpu: 300
      memory: 750
      portMappings:
        - containerPort: 5000
          protocol: "tcp"
      links:
        - statsd:statsd
      environment:
        - name: 'NODE_ENV'
          value: '{{ environment }}'
        - name: 'AWS_REGION'
          value: '{{ region }}'
        - name: 'UV_THREADPOOL_SIZE'
          value: '128'
    - name: "statsd"
      image: "xxx.ecr.{{region}}.amazonaws.com/xxx-statsd:4.5.0"
      cpu: 64
      memory: 64
      environment:
        - name: "TARGET"
          value: '{{ statsd_target }}'
  startupTimeout: 20
  taskRoleArn: {{ task_role_arn }}
```





Elastic Kubernetes Services - EKS

fmorenod.co
©2024



Command Line Commands:

eksctl, kubectl

Kubernetes Definition:

YAML

Features:

Managed Kubernetes Clusters

Launch using eksctl

Networking & Security

Windows Support

Classic Load Balancing

Serverless Compute - Fargate

Hybrid Deployments

Logging (Add Cloudtrail)

Certified Conformant

Managed cluster updates

Support for advanced workloads

Open Source Tools

Pricing:

\$0.10 per hour → US\$72

EKS > Clusters

📘 New Kubernetes versions are available for 2 clusters.

Clusters (2) [Info](#) [Refresh](#) [Delete](#)

🔍 Find clusters by name

	Cluster name	Kubernetes version	Status
<input type="radio"/>	lla-pa-ls-sand-be_EKS-cluster	1.15 Update now	🟢 Active
<input type="radio"/>	lla-pa-ls-sand-bff_EKS-cluster	1.15 Update now	🟢 Active

EKS > Clusters > lla-pa-ls-sand-be_EKS-cluster

lla-pa-ls-sand-be_EKS-cluster [Refresh](#) [Delete](#)

📘 New Kubernetes versions are available for this cluster. [Learn more](#) [Update now](#)

Cluster configuration [Info](#)

Kubernetes version Info 1.15	Status 🟢 Active
Platform version Info eks.4	

[Details](#) [Compute](#) [Networking](#) [Logging](#) [Update history](#) [Tags](#)

Details

API server endpoint Copy https://83618278259D5B900E91126598BEA9C7.gr7.us-east-2.eks.amazonaws.com	OpenID Connect provider URL Copy https://oidc.eks.us-east-2.amazonaws.com/id/83618278259D5B900E91126598BEA9C7	Cluster ARN Copy arn:aws:eks:us-east-2:455469987488:cluster/lla-pa-ls-sand-be_EKS-cluster
Creation time Sep 30th 2020 at 4:38 PM	Certificate authority Copy LS0tLS1CRUdJTiBDRVJUSUZJQ0FUR50tLS0tCk1JSUN5RENDQWJ DZ0F3SUJBZ0lCQURBTklna3Foa2lHOXcwQkFRc0ZBREFWTVJNd0 VRWURWUWFERXdwcmRXSmwKY201bGRHVnpNQjRYFRjJd01Ea	Cluster IAM Role ARN Copy arn:aws:iam::455469987488:role/lla-pa-ls-sand-be_EKS-cluster_IAM-Cluster-role View

taken from <https://docs.aws.amazon.com/eks/latest/userguide/what-is-eks.html> (10/10/2020)