



# When DevOps Services met Functions

Or

How to deliver a high-quality product with minimal cost by using serverless options



**Francisco Moreno**

<https://www.linkedin.com/in/fmorenod>

<https://github.com/fmorenod81/whendevopsmetfunctions>

28-Feb-2023






when  
harry  
met  
sally

# Sub-Agenda


50m

1. Conditions for Serverless services
2. Purpose of DevOps
3. Oracle's Vision for Cloud Native
4. CI/CD Tool: DevOps Services
5. Video DevOps with OKE
6. Serverless Compute: Functions
7. Demo DevOps with Functions
8. Conclusions and References


# Conditions for Serverless services



# Condition for Serverless Services



FaaS is....



**Advantages:**

Focus on Code



Quick development



Unpredictable workload

## Disadvantages

- Less control on servers
- Possible less performance (*Cold Start Problem*)
- Limited resources (Timeout, Memory > Complexity)




DAVID HEINEMEIER HANSSON

- Unpredictable Costs, according with workload\*\*
- External Persistency

\*\* You can limit using Quotas or alert them using Budgets

# Purpose of DevOps



# DevOps Concepts for Dummies



The **business people** come to have some ethereal thing (Idea)

A **designer** create a template (**Code**)

Add raw material (Dependencies Injection: Libs/Framework)

Build it in a pipeline (**Build stage on Build Pipeline**)

A **line of production** deliver a product and ship it (**Artifacts**)

A **tester** probe its quality (**Test stage on Build Pipeline**)


Assure circumstances for it (Configure on **Environments**)

A **line of production** deliver the product to several stores (**Deployment Pipeline**)

The store offer the **product** (API Exposition)

The **user** expects the product fulfils his needs, and the **user** only buys the amount that he needs and he uses it when he needs it only (**Serverless Computing**)

# Idea of DevOps



Final Product



Store

# What are cloud-native applications?

---

Modern applications designed as:

- Loosely-coupled **microservices**
- That communicate over **APIs**
- Often packaged as **Containers**
- Developed & released **using modern DevOps** patterns & tools

But -- **there's more...**




## Innovate Faster!

- Improve TTM and Lead-time
- Improve release cadence & reliability
- Improve developer productivity
- Ensure scaling + HA more easily
- Less management overhead



Loosely-coupled architectures are the **#1 predictor of DevOps success**.  
Each service is developed, deployed, and operated independently – so you can move faster!

# Oracle Portfolio for Cloud Native



# What is Cloud Computing?



"is a model for enabling **ubiquitous**, **convenient**, **on-demand** network access to a **shared pool** of **configurable computing resources** (e.g., networks, servers, storage, applications, and services) that can be **rapidly provisioned** and **released** with **minimal management effort** or service provider interaction"

NIST Definition. SP 800-145

- 1. Just user' needs**
- 2. Available**
- 3. Automatic options: deploy & manage**



# OCI Regions – Global Footprint

January 2023: 41 Regions, 8 planned; 12 Azure Interconnect Regions

100%  
renewable  
**energy** used for  
Oracle Cloud  
data centers in  
Europe (today);  
All regions (by  
2025)



SAN JOSE  
PHOENIX  
CHICAGO  
ASHBURN  
MONTREAL  
TORONTO  
QUERETARO  
MEXICO 2  
COLOMBIA



LONDON  
NEWPORT  
GERMANY  
PARIS  
MADRID  
SPAIN  
FRANKFURT  
AMSTERDAM  
ZURICH  
MILAN  
MARSEILLE  
STOCKHOLM  
SERBIA  
ISRAEL 2  
JERUSALEM  
SAUDI 2  
JEDDAH  
DUBAI  
ABU DHABI  
MUMBAI  
HYDERABAD  
SINGAPORE



CHUNCHEON  
SEOUL  
TOKYO  
OSAKA

- Same Architecture
- Same Services
- Same Prices

- 34 Commercial
- 6 Commercial Planned
- ▢ 2 Sovereign Planned
- 7 Government
- ▣ 12 Microsoft Azure Interconnect



VINHEDO  
SAO PAULO  
SANTIAGO  
CHILE 2



JOHANNESBURG




SYDNEY  
MELBOURNE

AWS: 31 Regions  
Azure: 46 (60?) Regions  
GCP: 35 Regions

# Alliance for Hosting in a New Public Region - Colombia

Consequences for a Public Region for a country and surroundings



**Claro Colombia investing US\$25mn in datacenter for Oracle cloud**

BnAmericas  
Published: Saturday, August 20, 2022

Claro is part of America Móvil, 6th largest mobile network operator: 18 Countries in America and 7 in Europe.



**TECNOLOGÍA**

**Claro Colombia invertirá US\$200 millones para impulsar la productividad**

Claro Colombia will invest US\$200mn to boost productivity

jueves, 18 de agosto de 2022

f in GUARDAR

## Press Release

### Oracle and Claro Partner to Expand Global Cloud Services in Colombia

Claro will offer Oracle Cloud Infrastructure as part of its managed cloud services

Collaboration will enable organizations to take advantage of Oracle Cloud Infrastructure's high performance, built-in security, and lower costs

Partnership is designed to modernize IT infrastructure and stimulate the economic recovery in Colombia

Austin, TX and Bogota, Colombia—July 14, 2022

Today Oracle and Claro announced a partnership to jointly offer Oracle Cloud Infrastructure (OCI) services to public and

or organizations and enterprises in Claro will become the host partner for loud region in Colombia, which will o to offer OCI platform services along sional and managed services to help adopt cloud solutions. In addition, to re its customer service and billings

Claro will migrate over 100 on-premises servers running mission-critical workloads to OCI.



100+ Claro' on-premises servers  
10 years agreement




# Multicloud Options


## Oracle Database Services for Azure

The screenshot shows the Oracle Database Service for Azure dashboard. It includes a left sidebar with navigation links like Overview, Tags, Resources, and Backups. The main area displays metrics such as Activity log, Access control (IAM), Tags, and Diagnose and solve problems. A central panel shows Oracle services like Autonomous Database, Exadata Database, and Base Database, along with options to Create a resource, Navigate, and Useful links.


MySQL Heatwave is...



## Azure Interconnect



## MySQL Heatwave on AWS




# What does each CSP offer?

	Oracle	AWS	Microsoft	Google
Functions	OCI Functions	AWS Lambda	Azure Functions	Google Cloud Functions/ Google Cloud Run *
CI/CD	Oracle DevOps Service	AWS CodeBuild AWS CodeDeploy AWS CodePipeline	GitHub Azure DevOps Azure Pipelines Visual Studio App Center	Cloud Build Google Code Deploy Tekton



# Oracle vision for Cloud Native is open source, however...



Cloud Native Landscape

# Open and flexible: Choice matters

Full support for OSS, 3rd party technologies, and ecosystem tools enables innovation, portability, and ensures optimal TCO for *anything* running on OCI

## Managed services based on upstream open source



kubernetes



docker



Terraform

## Deploy what you want, ensuring seamless operations and lowest TCO



Redhat,  
Ubuntu,  
CentOS,  
Debian,  
SUSE, Oracle



Windows  
Server



vmware®

## Native integrations with the dev tools you're used to



GitHub



Ansible



Apache



ANSIBLE



kubernetes



HELM



Terraform



ATLASSIAN



## Communities we contribute to



CLOUD NATIVE  
COMPUTING FOUNDATION



Java™



OPEN CONTAINER  
INITIATIVE



THE LINUX  
FOUNDATION



CD FOUNDATION




ECLIPSE  
FOUNDATION


# Application Modernization on OCI




Dev Productivity




## Microservices, Containers, and Kubernetes



## API Management and Streaming



## Artificial Intelligence (AI) and Data Services



## Monitoring and Observability



Operations Reliability



OCI DevOps + Freedom of Choice with Integrated Ecosystem

Open Frameworks, 100% Upstream Compatible

Flexible Infrastructure – Configurable CPU / Memory Ratio



IAM, Security & Governance

# Oracle's Modern App Dev Framework



**Core requirements**



**Design principles**



**Architecture patterns**



**Technology recommendations**



**Security and compliance**



**Availability**



**Scalability**



**Performance**



**Agility**



**Observability**



**Resiliency**



**Cost Optimization**



**Portability**

## Common requirements that apply to any modern application

- Security Policies & Best Practices
- 24/7/365, no downtime.
- Scale gracefully
- Low latency and high throughput to improve UX
- Digital Enablers: DevOps/Cloud Native Services
- Metrics to improve Reliability
- Recover gracefully
- Total Costs
- Easy migration

# Modern Application Design Principles

We're your partner on your path to modernization



## Design principles

Use low-code platforms if possible; if not, use mature programming languages and lightweight frameworks



## Architecture patterns

Build your app as a suite of services that communicate via REST APIs

Package and ship apps as containers



Automate build, test, and deployment



Use **fully managed** services to eliminate complexity in app development and operations



## Technology recommendations

Keep application tier stateless

Use converged databases with full featured support across all data

Instrument end-to-end monitoring and tracing

Eliminate single points of failure through automated data replication and failure recovery

Implement a defense-in-depth approach to secure the app lifecycle

# Oracle Cloud Infrastructure Reference Architectures

Access to OCI best practices framework



Cloud Architecture Center




Image: Modern App Development - Web and Mobile



## Architecture patterns

Access OCI reference architecture for:

- Cloud best practices including availability, performance, security, and costs
- Access to OCI best practices framework
- Migration automation to OCI
- Latest deployments updates from customers and partners who are using OCI to drive innovation
- 200+ references architectures.



## Technology recommendations

### Automation Available

You can deploy this pattern using downloadable code or automated provisioning, as described in the Download or Deploy section.

[Learn more](#)


Deploy to Oracle Cloud

Go to GitHub


# Oracle's Modern App Dev Framework



## Technology recommendations




# DevOps Services



O

# Complete CI/CD Platform



# Integrations: Jenkins, GitHub, GitLab, Spinnaker

## For Code Repository:

Mirror a GitHub, GitLab or Bitbucket repo to your OCI Code Repository to speed up builds

## For CI Tools:

Easier to migrate existing pipelines – keep your current Jenkins file, GitHub Actions

- Deliver Artifacts to OCI Artifact Registry
- Trigger a Deployment Pipeline

## For CD Tools:

Spinnaker: open source multi-cloud orchestration for Kubernetes and VMs

- Deploy to OCI platforms



**Jenkins**




# DevOps Continuous Integration (CI)



## Serverless, Scalable


No instances to manage



## Release Strategies


Reduce downtime, faster recovery

# DevOps Continuous Deployment (CD)



## Integrated

Works with your resources



## Integrated

Connect your workflows



## Complete

Native CI/CD Platform



## Rollback


Recover from errors

## Features of General DevOps



### Automation

Simplify and speed up software development



### Security

Take advantage of Cloud Security



### Governance

End to end Visibility



### Flexible

Integrate existing CI/CD tooling.



## Differences with DevOps Services

### Cloud Native

Using Serverless (cheap) or Free Services to simplify

### Cloud Security Services


IAM on DevOps. Scan and sign images

### OCI Integration

Observability, logging and Identity.

# Deploy Strategies:


## Blue/Green Deploy



OKE

BM/VM


## Canary Release



OKE

BM/VM

# Video DevOps with OKE



# Videos & Steps

- New Deploy – Version 0.0
- Check canary release (%)
- Approve the change – Version 0.1



- New Deploy – Version 1.0
- Check canary release (%) – Version 2.0
- Reject the change - Version 1.0




- Manual Rollback
- From previous deploy – Version 1.0
- Select deployment –Version 0.1




The screenshot shows the Oracle DevOps Pipeline interface. At the top, it displays the start time as "Started at: Mon, Feb 27, 2023, 10:51:40 UTC" and "Stages running: 1". On the left, a deployment pipeline diagram shows a sequence of stages: "oke\_environment\_903a" (green), "canary\_oke\_traffic\_shift" (green), "approval\_to\_deploy\_to\_production" (orange), and "Production Release" (grey). The "approval\_to\_deploy\_to\_production" stage has a "View details" button and a dropdown menu with "Approve" and "Reject" options, with "Approve" highlighted. To the right of the pipeline is a "Deployment Progress" section with a list of steps: "Deploy to OKE", "canary\_oke\_traffic\_shift", "approval\_to\_deploy\_to\_production", and "Production Release". Below this is a "Confirm Approval" section with a "Reason for approval" field containing "Change to version 0.1". Further down is a "Group Traffic Shift" section. The main pipeline area shows a "Pipeline" tab selected, followed by "Deployments", "Parameters", "Work requests", and "Tags". A deployment named "devopsdeployment20230227112301" is listed, showing a status of "Succeeded" and a start time of "Mon, Feb 27, 2023, 11:23:13 UTC". The total duration is "56m" and stages running are "0". The deployment details show a "Production Release" step with "Deploy OKE: Rolling" and "oke\_environment\_903a". A "Manual rollback" button is visible. On the right side, there is a "Manual Rollback - Deploy: Apply manifest to your Kubernetes cluster" section with a "Deployment input" dropdown set to "Select Deployment" and a table showing a deployment named "devopsdeployment20230227105127" with a status of "Succeeded". Below this is a "Parameters" section with a table for "BUILDRUN\_HASH". At the bottom left, a terminal window shows log output with several "Message": "with Love from OCI Devops by FJMD" entries.

# Functions




# Container Strategy: Flex Runtimes



# Oracle Functions

Functions-as-a-Service

Container-Base Open  
Source Initiative  
Cloud Integrated




**Pay per use**  
Pay for execution,  
not for idle time

**Autonomous**  
Platform auto-scales functions  
No servers to provision, manage

**Event-driven**  
Oracle Cloud Infrastructure  
triggers to run your code


# How it does it work?

**Options:**  
Local  
DataCenter  
OCI




# Oracle Functions: Features and Architectures

1. Type of License
2. Scope
3. Description
4. Pricing
5. Input




1. Open Source – Apache 2.0 License
2. Multisite - Multicloud
3. Improve DevOps experience and “On my machine works”
4. Container Native – Auto scaling – Pricing by invocations and GB-sec consume. Agnostic to orchestrator and language (hot wrap)
5. CNCF Events.



- **Application**  
Logical grouping of isolated functions, with a common context (cfg vars) and resources (networks, signature verification, metrics and logs)
- **Function**  
Block building for microservices, stored as Docker image, write common context (cfg vars).

# Comparative with other open source options



1. Open Source / CNCF Support.
2. Multisite – Multicloud.
3. Kubernetes (Container) Native, autoscale to 0.
4. Pricing due to Kubernetes cluster. GCP 2 models.
5. Cloud Events, HTTP(S) support.




1. Open Source / Commercial Support.
2. Multisite – Multicloud.
3. Kubernetes/OpenShift/Swarm (Container) Native, autoscale to 0. PLONK - Grafana
4. Pricing due to Kubernetes cluster.
5. HTTP/TLS.



1. Open Source / Deprecated by VMWare (Dic/2021).
2. Multisite – Multicloud.
3. Kubernetes (Container) Native, autoscale to 0. Python, Node or Ruby.
4. Pricing due to Kubernetes cluster.
5. HTTP or Kafka Events.



# Event-Driven Design Patterns: Common Use Cases



Event-driven  
applications




Web, Mobile, IoT  
Backends



Real-time File,  
Stream  
Processing



DevOps, Batch  
Processing




Glue Cloud  
Services, Event-  
driven



Security  
Operations




IT Operations



Multi-Cloud



# Demo DevOps with Functions



# Demo DevOps with Functions

<https://docs.oracle.com/en/solutions/build-cicd-pipelines-devops-function/>

Create Auth Token for the user

Launch Resource Manager (Terraform-as-a-Services)

Configure Options to the stack

In my case, the Auth Token contains:


User:

ladcsemrcn/oracleidentitycloudservice/francisco.m.moreno

Password:

From OCI Cloud Console, select your username from Right Corner


Then goes to *Auth Token*



Function Code

DevOps Code

# Conclusions



# ORACLE CLOUD DIFFERENCES



1. Cloud Native offer is using Open-Source Software and *de facto* industry standard, i.e. Functions, Kubernetes and Terraform.



2. Existing Tools can integrated with DevOps services, i.e. Jenkins, GitHub, GitLab and BitBucket.




3. Converged platform for number of systems (and databases, too). Number of services reduced, i.e. DevOps Services or Oracle Database (JSON, Graph, Spatial, etc.)



4. Multicloud is new normal.



# References



## Explore Fn

# Tutorials Fn and Sample Code


- [Create Apps with Fn](#) - Learn how to group your functions into an application/API and deploy them together.
- [Create a Function with a Docker Container](#) - This tutorial provides a simple example of how to define an Fn function using a custom built Docker container.
- [Create a Function with a Linux Command and HotWrap](#) - This tutorial provides an example of how to define an Fn function using Linux commands, HotWrap, and a custom Docker container.
- [Create a Function from a Docker image that contains a Node.js app with Oracle DB Support](#)
- [Fn Development with Multiple Contexts](#) - Shows how to setup and use multiple Fn configuration contexts for development.
- [Using Fn RuntimeContext with a Function](#) - See how to set Fn Application and Function variables and access them in your function using the Runtime Context.

<https://fnproject.io/tutorials/>

<https://app.pluralsight.com/library/courses/serverless-programming-fn-project>

## Test and Monitor Functions

- [Monitor Fn metrics with Grafana and Prometheus](#) - Learn how to view Fn server metrics with Prometheus and Grafana.
- [Troubleshoot and Log functions](#) - Resolve issues at both development and deployment time.



## Oracle Functions

<https://www.oracle.com/cloud-native/functions/>


### Fn Project

<https://hackernoon.com/playing-with-the-fn-project-8c6939cf5cc>

<https://dev.to/kh40sz3r0/serverless-functions-with-fn-project-64e>



# Official Resources to Learn



coursera

## No-Official Resources



## Oracle Cloud Blog

My personal take on Oracle's Infrastructure and Platform Coolness!!



# References



## Technical Blogs

SCHOLL, Boris. Getting Started with Microservices, Taken from Dic, 2021. 3 Articles.

<https://blogs.oracle.com/developers/post/getting-started-with-microservices-part-1-advantages-and-considerations>

RESELMAN, Bob. Design principles for microservices, Taken from Jan, 2021.

[https://developers.redhat.com/articles/2022/01/11/5-design-principles-microservices#five\\_design\\_principles\\_for\\_microservices](https://developers.redhat.com/articles/2022/01/11/5-design-principles-microservices#five_design_principles_for_microservices)

Cloud Native Computing Foundation


<https://www.cncf.io/>

## Frameworks Ligeros

<https://helidon.io/>

<https://micronaut.io/>

<https://www.oracle.com/java/graalvm/>





# References

## General Page

<https://oracle.com/application-development>

<https://www.oracle.com/cloud-native/>

## Events Service (Using CNCF Events)

<https://www.oracle.com/cloud-native/events-service/>

## API Management

<https://www.oracle.com/cloud-native/api-management/>

## Verazzano

<https://www.oracle.com/java/verrazzano/>

<https://github.com/verrazzano/verrazzano>

## Service Mesh

<https://docs.oracle.com/en-us/iaas/Content/service-mesh/home.htm>

<https://www.oracle.com/cloud/cloud-native/service-mesh/faq/>

## Enable Service Mesh on OKE

<https://docs.oracle.com/en/solutions/oci-service-mesh-oke/index.html#GUID-12216A44-2E62-48D8-8C89-864335BE9EF6>

## Hands-on Labs for DevOps & Cloud Native

<https://github.com/oracle-quickstart/oci-cloudnative/>

<https://docs.oracle.com/en/solutions/ci-cd-pipe-oci-devops/index.html>

<https://go.oracle.com/hols>

<https://apexapps.oracle.com/pls/apex/dbpm/r/livelabs/home>

# Por donde iniciar?

Contenedores y Functions	<b>Documentation &amp; tutorials</b>	<b>Solutions Playbooks and Reference Architectures</b>	<b>Labs</b>
	<ul style="list-style-type: none"><li><a href="#">Container Engine for Kubernetes</a></li><li><a href="#">Container Registry</a></li><li><a href="#">Functions</a></li></ul>	<ul style="list-style-type: none"><li><a href="#">Set up a Kubernetes cluster for deploying containerized applications</a></li><li><a href="#">Deploy Cloud Native Apps with MySQL</a></li><li><a href="#">OCI for AWS Professionals</a></li><li><a href="#">OCI for Azure Professionals</a></li></ul>	<ul style="list-style-type: none"><li><a href="#">Build Cloud Native Java Apps with Micronaut and GraalVM OCI Certification</a></li><li><a href="#">Automate the Deployment of Java Apps to OCI/DevOps Pipeline Developer Community</a></li><li>//</li></ul>
API y Streaming	<b>Training:</b>	<ul style="list-style-type: none"><li><a href="#">API For Developers: Learn how to design, develop and manage APIs</a></li></ul>	
AI y Data Services	<b>AI Workshops</b>	<ul style="list-style-type: none"><li><a href="#">Digital Assistant</a></li><li><a href="#">Language</a></li><li><a href="#">Speech</a></li></ul>	<b>Blogs</b>
		<ul style="list-style-type: none"><li><a href="#">Vision</a></li><li><a href="#">Anomaly Detection</a></li><li><a href="#">Forecasting</a></li></ul>	<ul style="list-style-type: none"><li><a href="#">Develop XR With Oracle Ep 3: Computer Vision AI, ML, and Metaverse</a></li><li><a href="#">ML and AI blog</a></li></ul>
DevOps y Application Development	<ul style="list-style-type: none"><li><a href="#">DevOps service example workflows and terraform automation</a></li></ul>	<ul style="list-style-type: none"><li><a href="#">OCI DevOps Documentation</a></li></ul>	<ul style="list-style-type: none"><li><a href="#">DevOps CI/CD Reference Architecture</a></li><li><a href="#">Deploy a Jenkins CI/CD pipeline</a></li><li><a href="#">OCI DevOps Professional Certification</a></li><li><a href="#">DB Operations with DevOps</a></li></ul>

