UUT Report

Station ID:	**JPREWITT5**
Serial Number:	**3**
Date:	**Thursday, May 16, 2019**
Time:	**12:18:58 AM**
Operator:	administrator
Execution Time:	**1.3110777 seconds**
Number of Results:	**51**
UUT Result:	**Passed**

Begin Sequence: MainSequence
(C:\Users\jprewitt\Documents\GitHub\teststand-executor\TestStand Examples\Power Test\Power Test.seq)

Power Test	
Status:	Passed
Measurement:	2.094881194348
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.3
Current (A) [In]:	1.2
Module Time:	0.0136918

Power Test	
Status:	Passed
Measurement:	3.554875631901
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.3
Current (A) [In]:	2.2
Module Time:	0.0118566

Power Test	
Status:	Passed
Measurement:	6.472447326889
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.3
Current (A) [In]:	3.2
Module Time:	0.0116886

Power Test	
Status:	Passed
Measurement:	3.01485445605
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.4

Current (A) [In]:	1.2
Module Time:	0.0118672

Power Test

Status:	Passed
Measurement:	4.568362334332
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.4
Current (A) [In]:	2.2
Module Time:	0.0120159

Power Test

Status:	Passed
Measurement:	5.357968827941
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.4
Current (A) [In]:	3.2
Module Time:	0.0120602

Power Test

Status:	Passed
Measurement:	2.44421546966
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.5
Current (A) [In]:	1.2
Module Time:	0.0124282

Power Test

Status:	Passed
Measurement:	3.878502674835
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.5
Current (A) [In]:	2.2
Module Time:	0.0120701

Power Test

Status:	Passed
Measurement:	6.038462212094
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.5
Current (A) [In]:	3.2
Module Time:	0.0118737

Power Test

Status:	Passed
Measurement:	2.252464898403
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.6
Current (A) [In]:	1.2
Module Time:	0.0119009

Power Test

Status:	Passed
Measurement:	4.254775083903
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.6
Current (A) [In]:	2.2
Module Time:	0.012144

Power Test

Status:	Passed
Measurement:	7.462889939862
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.6
Current (A) [In]:	3.2
Module Time:	0.011954

Power Test

Status:	Passed
Measurement:	3.331382511648
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.7
Current (A) [In]:	1.2
Module Time:	0.0132038

Power Test

Status:	Passed
Measurement:	5.639250093416
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.7
Current (A) [In]:	2.2
Module Time:	0.0131575

Power Test

Status:	Passed
Measurement:	5.18660028282
Limits:	
Low:	2

High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.7
Current (A) [In]:	3.2
Module Time:	0.0132801

Power Test

Status:	Passed
Measurement:	3.389390742862
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.8
Current (A) [In]:	1.2
Module Time:	0.0139522

Power Test

Status:	Passed
Measurement:	6.290945350716
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.8
Current (A) [In]:	2.2
Module Time:	0.0134422

Power Test

Status:	Passed
Measurement:	6.538131110364
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.8
Current (A) [In]:	3.2
Module Time:	0.0132276

Power Test

Status:	Passed
Measurement:	3.514883843614
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.9
Current (A) [In]:	1.2
Module Time:	0.0128651

Power Test

Status:	Passed
Measurement:	4.967780758255
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.9

Current (A) [In]:	2.2
Module Time:	0.0135903

Power Test

Status:	Passed
Measurement:	8.200298606133
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.9
Current (A) [In]:	3.2
Module Time:	0.0152859

Power Test

Status:	Passed
Measurement:	3.458408440793
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4
Current (A) [In]:	1.2
Module Time:	0.0133115

Power Test

Status:	Passed
Measurement:	5.712041564995
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4
Current (A) [In]:	2.2
Module Time:	0.0134704

Power Test

Status:	Passed
Measurement:	6.54715795587
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4
Current (A) [In]:	3.2
Module Time:	0.0137179

Power Test

Status:	Passed
Measurement:	2.90063493
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.1
Current (A) [In]:	1.2
Module Time:	0.0141472

Power Test

Status:	Passed
Measurement:	4.983021927929
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.1
Current (A) [In]:	2.2
Module Time:	0.013215

Power Test

Status:	Passed
Measurement:	7.343456124021
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.1
Current (A) [In]:	3.2
Module Time:	0.012795

Power Test

Status:	Passed
Measurement:	3.420279424498
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.2
Current (A) [In]:	1.2
Module Time:	0.0126428

Power Test

Status:	Passed
Measurement:	5.115868328209
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.2
Current (A) [In]:	2.2
Module Time:	0.0124423

Power Test

Status:	Passed
Measurement:	7.152113077129
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.2
Current (A) [In]:	3.2
Module Time:	0.0135604

Power Test

Status:	Passed
Measurement:	3.386061878917
Limits:	
Low:	2

High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.3
Current (A) [In]:	1.2
Module Time:	0.0138692

Power Test

Status:	Passed
Measurement:	6.733422805777
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.3
Current (A) [In]:	2.2
Module Time:	0.0129355

Power Test

Status:	Passed
Measurement:	9.204428846346
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.3
Current (A) [In]:	3.2
Module Time:	0.0125789

Power Test

Status:	Passed
Measurement:	3.368856314872
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.4
Current (A) [In]:	1.2
Module Time:	0.0123801

Power Test

Status:	Passed
Measurement:	6.386420352135
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.4
Current (A) [In]:	2.2
Module Time:	0.0128296

Power Test

Status:	Passed
Measurement:	8.833527665257
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.4

Current (A) [In]:	3.2
Module Time:	0.0123294

Power Test

Status:	Passed
Measurement:	3.807882954115
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.5
Current (A) [In]:	1.2
Module Time:	0.012283

Power Test

Status:	Passed
Measurement:	6.375632625991
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.5
Current (A) [In]:	2.2
Module Time:	0.0123065

Power Test

Status:	Passed
Measurement:	9.389505026075
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.5
Current (A) [In]:	3.2
Module Time:	0.0126625

Power Test

Status:	Passed
Measurement:	4.496349932085
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.6
Current (A) [In]:	1.2
Module Time:	0.0135569

Power Test

Status:	Passed
Measurement:	7.447442701958
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.6
Current (A) [In]:	2.2
Module Time:	0.0136821

Power Test

Status:	Passed
Measurement:	7.530570316048
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.6
Current (A) [In]:	3.2
Module Time:	0.0140595

Power Test

Status:	Passed
Measurement:	3.754052152922
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.7
Current (A) [In]:	1.2
Module Time:	0.0140557

Power Test

Status:	Passed
Measurement:	8.229678340276
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.7
Current (A) [In]:	2.2
Module Time:	0.0134563

Power Test

Status:	Passed
Measurement:	10.36847984908
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.7
Current (A) [In]:	3.2
Module Time:	0.0137252

Power Test

Status:	Passed
Measurement:	4.013900082196
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.8
Current (A) [In]:	1.2
Module Time:	0.0136223

Power Test

Status:	Passed
Measurement:	7.366383133736
Limits:	
Low:	2

High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.8
Current (A) [In]:	2.2
Module Time:	0.0149821

Power Test

Status:	Passed
Measurement:	8.761379094228
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.8
Current (A) [In]:	3.2
Module Time:	0.0163615

Power Test

Status:	Passed
Measurement:	4.551144233853
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.9
Current (A) [In]:	1.2
Module Time:	0.0154648

Power Test

Status:	Passed
Measurement:	7.518535641592
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.9
Current (A) [In]:	2.2
Module Time:	0.0145671

Power Test

Status:	Passed
Measurement:	8.819247952187
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.9
Current (A) [In]:	3.2
Module Time:	0.0145018

End Sequence: MainSequence

End UUT Report