UUT Report

Station ID:	**JPREWITT5**
Serial Number:	**d**
Date:	**Tuesday, July 30, 2019**
Time:	**6:24:34 PM**
Operator:	**administrator**
Execution Time:	**2.2093375 seconds**
Number of Results:	**51**
UUT Result:	**Passed**

Begin Sequence: MainSequence
(C:\Users\jprewitt\Documents\GitHub\teststand-executor\TestStand Examples\Power Test\Power Test.seq)

Power Test	
Status:	Passed
Measurement:	2.772831281027
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.3
Current (A) [In]:	1.2
Module Time:	0.1220912

Power Test	
Status:	Passed
Measurement:	3.746447694465
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.3
Current (A) [In]:	2.2
Module Time:	0.0150651

Power Test	
Status:	Passed
Measurement:	5.803233019543
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.3
Current (A) [In]:	3.2
Module Time:	0.0181025

Power Test	
Status:	Passed
Measurement:	2.616435330077
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.4

Current (A) [In]:	1.2
Module Time:	0.0172583

Power Test

Status:	Passed
Measurement:	3.392887856126
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.4
Current (A) [In]:	2.2
Module Time:	0.0139739

Power Test

Status:	Passed
Measurement:	6.261833489267
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.4
Current (A) [In]:	3.2
Module Time:	0.0188046

Power Test

Status:	Passed
Measurement:	2.888826442699
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.5
Current (A) [In]:	1.2
Module Time:	0.0135537

Power Test

Status:	Passed
Measurement:	3.964237521897
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.5
Current (A) [In]:	2.2
Module Time:	0.0135792

Power Test

Status:	Passed
Measurement:	6.103389609106
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.5
Current (A) [In]:	3.2
Module Time:	0.0140064

Power Test

Status:	Passed
Measurement:	2.720366978943
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.6
Current (A) [In]:	1.2
Module Time:	0.0143331

Power Test

Status:	Passed
Measurement:	5.683119062923
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.6
Current (A) [In]:	2.2
Module Time:	0.0159624

Power Test

Status:	Passed
Measurement:	5.89919599549
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.6
Current (A) [In]:	3.2
Module Time:	0.013439

Power Test

Status:	Passed
Measurement:	2.91243875033
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.7
Current (A) [In]:	1.2
Module Time:	0.0139038

Power Test

Status:	Passed
Measurement:	5.474131071146
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.7
Current (A) [In]:	2.2
Module Time:	0.0134982

Power Test

Status:	Passed
Measurement:	7.267183014888
Limits:	
Low:	2

High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.7
Current (A) [In]:	3.2
Module Time:	0.0145375

Power Test

Status:	Passed
Measurement:	2.752176353385
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.8
Current (A) [In]:	1.2
Module Time:	0.0148516

Power Test

Status:	Passed
Measurement:	5.870783980161
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.8
Current (A) [In]:	2.2
Module Time:	0.0152956

Power Test

Status:	Passed
Measurement:	6.493468819325
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.8
Current (A) [In]:	3.2
Module Time:	0.0146419

Power Test

Status:	Passed
Measurement:	3.521058596637
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.9
Current (A) [In]:	1.2
Module Time:	0.0151152

Power Test

Status:	Passed
Measurement:	5.248434290939
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.9

Current (A) [In]:	2.2
Module Time:	0.0405768

Power Test

Status:	Passed
Measurement:	7.146016979265
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	3.9
Current (A) [In]:	3.2
Module Time:	0.0173287

Power Test

Status:	Passed
Measurement:	3.040797381316
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4
Current (A) [In]:	1.2
Module Time:	0.0153636

Power Test

Status:	Passed
Measurement:	4.977253275488
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4
Current (A) [In]:	2.2
Module Time:	0.018199

Power Test

Status:	Passed
Measurement:	8.162182703915
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4
Current (A) [In]:	3.2
Module Time:	0.016256

Power Test

Status:	Passed
Measurement:	3.606463182177
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.1
Current (A) [In]:	1.2
Module Time:	0.0172143

Power Test

Status:	Passed
Measurement:	5.249776455158
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.1
Current (A) [In]:	2.2
Module Time:	0.0160829

Power Test

Status:	Passed
Measurement:	8.422879101148
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.1
Current (A) [In]:	3.2
Module Time:	0.0159568

Power Test

Status:	Passed
Measurement:	3.60066955363
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.2
Current (A) [In]:	1.2
Module Time:	0.0168108

Power Test

Status:	Passed
Measurement:	7.093711375875
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.2
Current (A) [In]:	2.2
Module Time:	0.0156885

Power Test

Status:	Passed
Measurement:	8.024103441065
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.2
Current (A) [In]:	3.2
Module Time:	0.0164416

Power Test

Status:	Passed
Measurement:	4.04311659509
Limits:	
Low:	2

High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.3
Current (A) [In]:	1.2
Module Time:	0.0181902

Power Test

Status:	Passed
Measurement:	6.087573507857
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.3
Current (A) [In]:	2.2
Module Time:	0.0226872

Power Test

Status:	Passed
Measurement:	7.439222746092
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.3
Current (A) [In]:	3.2
Module Time:	0.0164082

Power Test

Status:	Passed
Measurement:	3.682450790889
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.4
Current (A) [In]:	1.2
Module Time:	0.0158395

Power Test

Status:	Passed
Measurement:	5.992504264929
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.4
Current (A) [In]:	2.2
Module Time:	0.0162278

Power Test

Status:	Passed
Measurement:	9.698660009001
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.4

Current (A) [In]:	3.2
Module Time:	0.0152064

Power Test

Status:	Passed
Measurement:	3.401764776535
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.5
Current (A) [In]:	1.2
Module Time:	0.0153976

Power Test

Status:	Passed
Measurement:	7.270439043195
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.5
Current (A) [In]:	2.2
Module Time:	0.0171923

Power Test

Status:	Passed
Measurement:	8.331859487716
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.5
Current (A) [In]:	3.2
Module Time:	0.0171512

Power Test

Status:	Passed
Measurement:	4.076327475175
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.6
Current (A) [In]:	1.2
Module Time:	0.0229054

Power Test

Status:	Passed
Measurement:	7.507164260509
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.6
Current (A) [In]:	2.2
Module Time:	0.0163096

Power Test

Status:	Passed
Measurement:	10.38933386842
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.6
Current (A) [In]:	3.2
Module Time:	0.0147443

Power Test

Status:	Passed
Measurement:	4.244390151412
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.7
Current (A) [In]:	1.2
Module Time:	0.0150328

Power Test

Status:	Passed
Measurement:	7.96044958641
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.7
Current (A) [In]:	2.2
Module Time:	0.0140399

Power Test

Status:	Passed
Measurement:	8.707522000977
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.7
Current (A) [In]:	3.2
Module Time:	0.014212

Power Test

Status:	Passed
Measurement:	4.248417020947
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.8
Current (A) [In]:	1.2
Module Time:	0.0147448

Power Test

Status:	Passed
Measurement:	7.090324402285
Limits:	
Low:	2

High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.8
Current (A) [In]:	2.2
Module Time:	0.0209356
Power Test	
Status:	Passed
Measurement:	10.83945681091
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.8
Current (A) [In]:	3.2
Module Time:	0.0151777
Power Test	
Status:	Passed
Measurement:	3.75434697056
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.9
Current (A) [In]:	1.2
Module Time:	0.0145275
Power Test	
Status:	Passed
Measurement:	8.70185045961
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.9
Current (A) [In]:	2.2
Module Time:	0.0148296
Power Test	
Status:	Passed
Measurement:	10.55920709272
Limits:	
Low:	2
High:	15
Comparison Type:	GELE (>= <=)
Voltage (V) [In]:	4.9
Current (A) [In]:	3.2
Module Time:	0.0140537

End Sequence: MainSequence

End UUT Report