Utiliser les instructions système

Ce document explique comment utiliser les instructions système. Pour découvrir en quoi consistent les instructions système et les bonnes pratiques liées à leur utilisation, consultez plutôt Présentation des instructions système (https://docs.cloud.google.com/vertex-ai/generative-ai/docs/learn/prompts/system-instruction-introduction?hl=fr)
.

Les instructions système sont un ensemble d'instructions que le modèle traite avant de traiter les requêtes. Nous vous recommandons d'utiliser des instructions système pour indiquer au modèle comment vous souhaitez qu'il se comporte et qu'il réponde aux requêtes. Par exemple, vous pouvez inclure des éléments tels que le rôle ou le persona, des informations contextuelles et des instructions de mise en forme :

```
You are a friendly and helpful assistant.
Ensure your answers are complete, unless the user requests a more concise approach
When generating code, offer explanations for code segments as necessary and mainta
When presented with inquiries seeking information, provide answers that reflect a
For any non-english queries, respond in the same language as the prompt unless oth
For prompts involving reasoning, provide a clear explanation of each step in the r
```

Lorsqu'une instruction système est définie, elle s'applique à l'ensemble de la requête. Elle fonctionne sur plusieurs tours d'utilisateur et de modèle lorsqu'elle est incluse dans le prompt. Bien que les instructions système soient distinctes du contenu du prompt, elles font toujours partie de vos prompts globales et sont donc soumises aux règles standards d'utilisation des données.

Remarque : Les instructions système peuvent aider le modèle à suivre les instructions, mais elles n'empêchent pas complètement les jailbreaks ou les fuites. Nous vous recommandons de faire preuve de prudence lorsque vous insérez des informations sensibles dans les instructions système.

Cas d'utilisation

Vous pouvez utiliser les instructions système de différentes manières, par exemple :

- Pour définir un persona ou un rôle (pour un chatbot, par exemple)
- Pour définir le format de sortie (Markdown, YAML, etc.)

- Pour définir le style et le ton de la sortie (par exemple, la verbosité, la formalité et le niveau de lecture cible)
- Pour définir des objectifs ou des règles pour la tâche (par exemple, renvoyer un extrait de code sans autre explication)
- Pour fournir un contexte supplémentaire pour le prompt (par exemple, une date limite des connaissances)
- Pour spécifier la langue dans laquelle le modèle doit répondre (parfois, les modèles peuvent répondre dans votre langue locale, même si le prompt est écrit dans une autre langue). Si vous utilisez une langue autre que l'anglais pour vos requêtes, nous vous recommandons d'ajouter ceci à vos instructions système :

```
All questions should be answered comprehensively with details, unless the use
```

Exemples de code

Les exemples de code des onglets suivants montrent comment utiliser des instructions système dans votre application d'IA générative.

Python Gen AI SDK | Go Gen AI SDK | Node.js Gen AI SDK | Java Gen AI SDK | REST (#rest)

Découvrez comment installer ou mettre à jour le Java (https://docs.cloud.google.com/vertex-ai/generative-ai/docs/sdks/overview?hl=fr).

Pour en savoir plus, lisez la documentation de référence du SDK (https://central.sonatype.com/artifact/com.google.genai/google-genai).

Définissez des variables d'environnement pour utiliser le SDK Gen AI avec Vertex AI :

```
# Replace the `GOOGLE_CLOUD_PROJECT` and `GOOGLE_CLOUD_LOCATION` values
# with appropriate values for your project.
export GOOGLE_CLOUD_PROJECT=GOOGLE_CLOUD_PROJECT
export GOOGLE_CLOUD_LOCATION=global
export GOOGLE_GENAI_USE_VERTEXAI=True
```

```
import com.google.genai.Client;
import com.google.genai.types.Content;
import com.google.genai.types.GenerateContentConfig;
import com.google.genai.types.GenerateContentResponse;
import com.google.genai.types.HttpOptions;
import com.google.genai.types.Part;

public class TextGenerationWithSystemInstruction {

  public static void main(String[] args) {
    // TODO(developer): Replace these variables before running the sample.
    String modelId = "gemini-2.5-flash";
    generateContent(modelId);
  }

  // Generates text with text and system instruction input
  public static String generateContent(String modelId) {
    // Initialize client that will be used to send requests. This client only
    // once, and can be reused for multiple requests.
    try (Client client =
        Client.builder()
            .location("global")
            .vertexAI(true)
            .httpOptions(HttpOptions.builder().apiVersion("v1").build())
            .build()) {

      GenerateContentConfig config =
          GenerateContentConfig.builder()
              .systemInstruction(
                  Content.fromParts(
                      Part.fromText("You're a language translator."),
                      Part.fromText("Your mission is to translate text in Eng
              .build();

      GenerateContentResponse response =
          client.models.generateContent(modelId, "Why is the sky blue?", cont

      System.out.print(response.text());
      // Example response:
      // Pourquoi le ciel est-il bleu ?
      return response.text();
    }
  }
}
```

Exemples d'invites

Vous trouverez ci-dessous des exemples de requêtes système qui définissent le comportement attendu du modèle.

Génération de code

ation de code

ions système :

```
are a coding expert that specializes in rendering code for front-end interfaces. Wh
ribe a component of a website I want to build, please return the HTML and CSS neede
). Do not give an explanation for this code. Also offer some UI design suggestions.
```

:

```
e a box in the middle of the page that contains a rotating selection of images eac
a caption. The image in the center of the page should have shadowing behind it to
and out. It should also link to another page of the site. Leave the URL blank so t
fill it in.
```

Génération de données formatées

ation de données formatées

ions système :

```
are an assistant for home cooks. You receive a list of ingredients and respond with
of recipes that use those ingredients. Recipes which need no extra ingredients sho
s be listed before those that do.

response must be a JSON object containing 3 recipes. A recipe object has the follo
a:

e: The name of the recipe
dIngredients: Ingredients in the recipe that were provided in the list
erIngredients: Ingredients in the recipe that were not provided in the
```

```
 (omitted if there are no other ingredients)
scription: A brief description of the recipe, written positively as if
ell it
```

:

```
.b bag frozen broccoli
oint heavy cream
.b pack cheese ends and pieces
```

Chatbot de musique

ot de musique

tions système :

```
will respond as a music historian, demonstrating comprehensive knowledge across div
cal genres and providing relevant examples. Your tone will be upbeat and enthusiast
ading the joy of music. If a question is not related to music, the response should
 is beyond my knowledge."
```

:

```
 person was born in the sixties, what was the most popular music genre being played
 they were born? List five songs by bullet point.
```

Analyse financière

se financière

tions système :

```
 financial analysis expert, your role is to interpret complex financial data, offer
onalized advice, and evaluate investments using statistical methods to gain insight
ss different financial areas.
```

```
·acy is the top priority. All information, especially numbers and calculations, mus
ɜct and reliable. Always double-check for errors before giving a response. The way
ɔnd should change based on what the user needs. For tasks with calculations or data
ʼsis, focus on being precise and following instructions rather than giving long
ınations. If you're unsure, ask the user for more information to ensure your respon
; their needs.

:asks that are not about numbers:

ɜ clear and simple language to avoid confusion and don't use jargon.
:e sure you address all parts of the user's request and provide complete informatic
.nk about the user's background knowledge and provide additional context or explana
 needed.

ıtting and Language:

.low any specific instructions the user gives about formatting or language.
ɜ proper formatting like JSON or tables to make complex data or results easier to
·stand.
```

```
:
```

```
ɜe summarize the key insights of given numerical tables.

)LIDATED STATEMENTS OF INCOME (In millions, except per share amounts)

· Ended December 31 | 2020 | 2021 | 2022 |

 | --- | --- | --- |

ɜnues | $ 182,527| $ 257,637| $ 282,836|

:s and expenses:|

: of revenues | 84,732 | 110,939 | 126,203|

ɜarch and development | 27,573 | 31,562 | 39,500|

ɜs and marketing | 17,946 | 22,912 | 26,567|

ɜral and administrative | 11,052 | 13,510 | 15,724|

ıl costs and expenses | 141,303| 178,923| 207,994|

ɔme from operations | 41,224 | 78,714 | 74,842|

ɜr income (expense), net | 6,858 | 12,020 | (3,514)|
```

```
ome before income taxes | 48,082 | 90,734 | 71,328|

vision for income taxes | 7,813 | 14,701 | 11,356|

 income | $40,269| $76,033 | $59,972|

c net income per share of Class A, Class B, and Class C stock | $2.96| $5.69| $4.5

ted net income per share of Class A, Class B, and Class C stock| $2.93| $5.61| $4.

se list important, but no more than five, highlights from 2020 to 2022 in the given
.

se write in a professional and business-neutral tone.

summary should only be based on the information presented in the table.
```

Analyse des sentiments du marché

se des sentiments du marché

ions système :

```
re a stock market analyst who analyzes market sentiment given a news snippet. Base
news snippet, you extract statements that impact investor sentiment.

nd in JSON format and for each statement:

e a score 1 - 10 to suggest if the sentiment is negative or positive (1 is most
ive 10 is most positive, 5 will be neutral).
terate the statement.
e a one sentence explanation.
```

:

```
eye reported a build-up of excess inventory by top-tier customers following supply
 constraints in
t years. Revenue for the first quarter is expected to be down about 50% from $458
on generated a
 earlier, before normalizing over the remainder of 2024, Mobileye said. Mobileye
ast revenue for
```

```
year 2024 at between $1.83 billion and $1.96 billion, down from the about $2.08
on it now expects for 2023.
```

Étape suivante

- Découvrez d'autres exemples de requêtes dans la galerie de requêtes (https://docs.cloud.google.com/vertex-ai/generative-ai/docs/prompt-gallery?hl=fr).

Sauf indication contraire, le contenu de cette page est régi par une licence Creative Commons Attribution 4.0 (https://creativecommons.org/licenses/by/4.0/), et les échantillons de code sont régis par une licence Apache 2.0 (https://www.apache.org/licenses/LICENSE-2.0). Pour en savoir plus, consultez les Règles du site Google Developers (https://developers.google.com/site-policies?hl=fr). Java est une marque déposée d'Oracle et/ou de ses sociétés affiliées.

Dernière mise à jour le 2026/02/27 (UTC).