Vertex AI GenAI API

Service: aiplatform.googleapis.com

To call this service, we recommend that you use the Google-provided client libraries (https://cloud.google.com/apis/docs/client-libraries-explained). If your application needs to use your own libraries to call this service, use the following information when you make the API requests.

Discovery document

A Discovery Document (https://developers.google.com/discovery/v1/reference/apis) is a machine-readable specification for describing and consuming REST APIs. It is used to build client libraries, IDE plugins, and other tools that interact with Google APIs. One service may provide multiple discovery documents. This service provides the following discovery documents:

- https://aiplatform.googleapis.com/$discovery/rest?version=v1 (https://aiplatform.googleapis.com/$discovery/rest?version=v1)
- https://aiplatform.googleapis.com/$discovery/rest?version=v1beta1 (https://aiplatform.googleapis.com/$discovery/rest?version=v1beta1)

Service endpoint

A service endpoint (https://cloud.google.com/apis/design/glossary#api_service_endpoint) is a base URL that specifies the network address of an API service. One service might have multiple service endpoints. This service has the following service endpoint and all URIs below are relative to this service endpoint:

- `https://aiplatform.googleapis.com`

REST Resource: v1.media (/vertex-ai/generative-ai/docs/reference/rest/v1/media)

Methods

upload (/vertex-ai/generative-ai/docs/reference/rest/v1/media/upload)	`POST /v1/{parent}/ragFiles:upload`
	`POST /upload/v1/{parent}/ragFiles:upload`
	Upload a file into a RagCorpus.

REST Resource: v1.projects

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects)

Methods

getCacheConfig (/vertex-ai/generative-ai/docs/reference/rest/v1/projects/getCacheConfig)	`GET /v1/{name}` Gets a GenAI cache config.
updateCacheConfig (/vertex-ai/generative-ai/docs/reference/rest/v1/projects/updateCacheConfig)	`PATCH /v1/{cacheConfig.name}` Updates a cache config.

REST Resource: v1.projects.locations

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations)

Methods

augmentPrompt (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/augmentPrompt)	`POST /v1/{parent}:augmentPrompt` Given an input prompt, it returns augmented prompt from vertex rag store to guide LLM towards generating grounded responses.
corroborateContent (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/corroborateContent)	`POST /v1/{parent}:corroborateContent` Given an input text, it returns a score that evaluates the factuality of the text.

Methods

evaluateDataset (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/evaluateDataset)	`POST /v1/{location}:evaluateDataset` Evaluates a dataset based on a set of given metrics.
evaluateInstances (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/evaluateInstances)	`POST /v1/{location}:evaluateInstances` Evaluates instances based on a given metric.
generateInstanceRubrics (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/generateInstanceRubrics)	`POST /v1/{location}:generateInstanceRubrics` Generates rubrics for a given prompt.
generateSyntheticData (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/generateSyntheticData)	`POST /v1/{location}:generateSyntheticData` Generates synthetic data based on the provided configuration.
getRagEngineConfig (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/getRagEngineConfig)	`GET /v1/{name}` Gets a RagEngineConfig.
retrieveContexts (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/retrieveContexts)	`POST /v1/{parent}:retrieveContexts` Retrieves relevant contexts for a query.
updateRagEngineConfig (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations/updateRagEngineConfig)	`PATCH /v1/{ragEngineConfig.name}` Updates a RagEngineConfig.

REST Resource: v1.projects.locations.batchPredictionJobs

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.batchPredictionJobs)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.batchPredictionJobs/cancel)	`POST /v1/{name}:cancel` Cancels a BatchPredictionJob.
create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.batchPredictionJobs/create)	`POST /v1/{parent}/batchPredictionJobs` Creates a BatchPredictionJob.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.batchPredictionJobs/delete)	`DELETE /v1/{name}` Deletes a BatchPredictionJob.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.batchPredictionJobs/get)	`GET /v1/{name}` Gets a BatchPredictionJob
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.batchPredictionJobs/list)	`GET /v1/{parent}/batchPredictionJobs` Lists BatchPredictionJobs in a Location.

REST Resource: v1.projects.locations.cachedContents

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.cachedContents)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.cachedContents/create)	`POST /v1/{parent}/cachedContents` Creates cached content, this call will initialize the cached content in the data storage, and users need to pay for the cache data storage.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.cachedContents/delete)	`DELETE /v1/{name}` Deletes cached content
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.cachedContents/get)	`GET /v1/{name}` Gets cached content configurations
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.cachedContents/list)	`GET /v1/{parent}/cachedContents` Lists cached contents in a project
patch (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.cachedContents/patch)	`PATCH /v1/{cachedContent.name}` Updates cached content configurations

REST Resource: v1.projects.locations.endpoints

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints)

Methods

computeTokens (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/computeTokens)	`POST /v1/{endpoint}:computeTokens` Return a list of tokens based on the input text.

Methods

countTokens (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/countTokens)	`POST /v1/{endpoint}:countTokens` Perform a token counting.
fetchPredictOperation (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/fetchPredictOperation)	`POST /v1/{endpoint}:fetchPredictOperation` Fetch an asynchronous online prediction operation.
generateContent (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/generateContent)	`POST /v1/{model}:generateContent` Generate content with multimodal inputs.
predict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/predict)	`POST /v1/{endpoint}:predict` Request message for running inference on Google's generative AI models on Vertex AI.
predictLongRunning (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/predictLongRunning)	`POST /v1/{endpoint}:predictLongRunning`
rawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/rawPredict)	`POST /v1/{endpoint}:rawPredict` Perform an online prediction with an arbitrary HTTP payload.
serverStreamingPredict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/serverStreamingPredict)	`POST /v1/{endpoint}:serverStreamingPredict` Perform a server-side streaming online prediction request for Vertex LLM streaming.

Methods

streamGenerateContent (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/streamGenerateContent)	`POST /v1/{model}:streamGenerateContent` Generate content with multimodal inputs with streaming support.
streamRawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints/streamRawPredict)	`POST /v1/{endpoint}:streamRawPredict` Perform a streaming online prediction with an arbitrary HTTP payload.

REST Resource: v1.projects.locations.endpoints.chat

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.chat)

Methods

completions (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.chat/completions)	`POST /v1/{endpoint}/chat/completions` Exposes an OpenAI-compatible endpoint for chat completions.

REST Resource: v1.projects.locations.endpoints.deployedModels.invoke

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.deployedModels.invoke)

Methods

invoke (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.deployedModels.invoke/invoke)	`POST /v1/{endpoint}/deployedModels/{deployedModelId}/invoke/**` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1.projects.locations.endpoints.google.science

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.google.science)

Methods

inference (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.google.science/inference)	`POST /v1/{endpoint}/science/inference` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1.projects.locations.endpoints.invoke

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.invoke)

Methods

invoke (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.invoke/invoke)	`POST /v1/{endpoint}/invoke/**` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1.projects.locations.endpoints.openapi

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.openapi)

Methods

completions (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.openapi/completions)	`POST /v1/{endpoint}/completions` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

Methods

embeddings (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.endpoints.openapi/embeddings)	`POST /v1/{endpoint}/embeddings` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1.projects.locations.evaluationItems

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationItems)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationItems/create)	`POST /v1/{parent}/evaluationItems` Creates an Evaluation Item.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationItems/delete)	`DELETE /v1/{name}` Deletes an Evaluation Item.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationItems/get)	`GET /v1/{name}` Gets an Evaluation Item.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationItems/list)	`GET /v1/{parent}/evaluationItems` Lists Evaluation Items.

REST Resource: v1.projects.locations.evaluationRuns

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationRuns)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationRuns/cancel)	`POST /v1/{name}:cancel` Cancels an Evaluation Run.
create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationRuns/create)	`POST /v1/{parent}/evaluationRuns` Creates an Evaluation Run.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationRuns/delete)	`DELETE /v1/{name}` Deletes an Evaluation Run.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationRuns/get)	`GET /v1/{name}` Gets an Evaluation Run.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationRuns/list)	`GET /v1/{parent}/evaluationRuns` Lists Evaluation Runs.

REST Resource: v1.projects.locations.evaluationSets

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationSets)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationSets/create)	`POST /v1/{parent}/evaluationSets` Creates an Evaluation Set.

Methods

delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationSets/delete)	`DELETE /v1/{name}` Deletes an Evaluation Set.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationSets/get)	`GET /v1/{name}` Gets an Evaluation Set.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationSets/list)	`GET /v1/{parent}/evaluationSets` Lists Evaluation Sets.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.evaluationSets/patch)	`PATCH /v1/{evaluationSet.name}` Updates an Evaluation Set.

REST Resource: v1.projects.locations.models

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.models)

Methods

getIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.models/getIamPolicy)	`POST /v1/{resource}:getIamPolicy` Gets the access control policy for a resource.
setIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.models/setIamPolicy)	`POST /v1/{resource}:setIamPolicy` Sets the access control policy on the specified resource.

Methods

testIamPermissions (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.models/testIamPermissions)	`POST /v1/{resource}:testIamPermissions` Returns permissions that a caller has on the specified resource.

REST Resource: v1.projects.locations.operations

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.operations)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.operations/cancel)	`POST /v1/{name}:cancel` Starts asynchronous cancellation on a long-running operation.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.operations/delete)	`DELETE /v1/{name}` Deletes a long-running operation.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.operations/get)	`GET /v1/{name}` Gets the latest state of a long-running operation.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.operations/list)	`GET /v1/{name}/operations` Lists operations that match the specified filter in the request.
wait (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.operations/wait)	`POST /v1/{name}:wait` Waits until the specified long-running operation is done or reaches at most a specified timeout, returning the latest state.

REST Resource: v1.projects.locations.publishers.models

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models)

Methods

computeTokens (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/computeTokens)	`POST /v1/{endpoint}:computeTokens` Return a list of tokens based on the input text.
countTokens (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/countTokens)	`POST /v1/{endpoint}:countTokens` Perform a token counting.
embedContent (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/embedContent)	`POST /v1/{model}:embedContent` Embed content with multimodal inputs.
fetchPredictOperation (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/fetchPredictOperation)	`POST /v1/{endpoint}:fetchPredictOperation` Fetch an asynchronous online prediction operation.
generateContent (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/generateContent)	`POST /v1/{model}:generateContent` Generate content with multimodal inputs.
predict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/predict)	`POST /v1/{endpoint}:predict` Request message for running inference on Google's generative AI models on Vertex AI.

Methods

predictLongRunning (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/predictLongRunning)	`POST /v1/{endpoint}:predictLongRunning`
rawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/rawPredict)	`POST /v1/{endpoint}:rawPredict` Perform an online prediction with an arbitrary HTTP payload.
serverStreamingPredict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/serverStreamingPredict)	`POST /v1/{endpoint}:serverStreamingPredict` Perform a server-side streaming online prediction request for Vertex LLM streaming.
streamGenerateContent (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/streamGenerateContent)	`POST /v1/{model}:streamGenerateContent` Generate content with multimodal inputs with streaming support.
streamRawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models/streamRawPredict)	`POST /v1/{endpoint}:streamRawPredict` Perform a streaming online prediction with an arbitrary HTTP payload.

REST Resource: v1.projects.locations.publishers.models.invoke

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models.invoke)

Methods

invoke (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.publishers.models.invoke/invoke)	`POST /v1/{endpoint}/invoke/**` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1.projects.locations.ragCorpora

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora/create)	`POST /v1/{parent}/ragCorpora` Creates a RagCorpus.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora/delete)	`DELETE /v1/{name}` Deletes a RagCorpus.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora/get)	`GET /v1/{name}` Gets a RagCorpus.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora/list)	`GET /v1/{parent}/ragCorpora` Lists RagCorpora in a Location.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora/patch)	`PATCH /v1/{ragCorpus.name}` Updates a RagCorpus.

REST Resource: v1.projects.locations.ragCorpora.ragFiles

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora.ragFiles)

Methods

delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora.ragFiles/delete)	`DELETE /v1/{name}` Deletes a RagFile.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora.ragFiles/get)	`GET /v1/{name}` Gets a RagFile.
import (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora.ragFiles/import)	`POST /v1/{parent}/ragFiles:import` Import files from Google Cloud Storage or Google Drive into a RagCorpus.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.ragCorpora.ragFiles/list)	`GET /v1/{parent}/ragFiles` Lists RagFiles in a RagCorpus.

REST Resource: v1.projects.locations.reasoningEngines

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines/create)	`POST /v1/{parent}/reasoningEngines` Creates a reasoning engine.

Methods

delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines/delete)	`DELETE /v1/{name}` Deletes a reasoning engine.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines/get)	`GET /v1/{name}` Gets a reasoning engine.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines/list)	`GET /v1/{parent}/reasoningEngines` Lists reasoning engines in a location.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines/patch)	`PATCH /v1/{reasoningEngine.name}` Updates a reasoning engine.
query (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines/query)	`POST /v1/{name}:query` Queries using a reasoning engine.
streamQuery (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines/streamQuery)	`POST /v1/{name}:streamQuery` Streams queries using a reasoning engine.

REST Resource: v1.projects.locations.reasoningEngines.memories

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/create)	`POST /v1/{parent}/memories` Create a Memory.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/delete)	`DELETE /v1/{name}` Delete a Memory.
generate (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/generate)	`POST /v1/{parent}/memories:generate` Generate memories.
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/get)	`GET /v1/{name}` Get a Memory.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/list)	`GET /v1/{parent}/memories` List Memories.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/patch)	`PATCH /v1/{memory.name}` Update a Memory.

Methods

purge (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/purge)	`POST /v1/{parent}/memories:purge` Purge memories.
retrieve (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/retrieve)	`POST /v1/{parent}/memories:retrieve` Retrieve memories.
rollback (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories/rollback)	`POST /v1/{name}:rollback` Rollback Memory to a specific revision.

REST Resource: v1.projects.locations.reasoningEngines.memories.revisions

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories.revisions)

Methods

get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories.revisions/get)	`GET /v1/{name}` Get a Memory Revision.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.memories.revisions/list)	`GET /v1/{parent}/revisions` List Memory Revisions for a Memory.

REST Resource: v1.projects.locations.reasoningEngines.sessions

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions)

Methods

appendEvent (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions/appendEvent)	`POST /v1/{name}:appendEvent` Appends an event to a given session.
create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions/create)	`POST /v1/{parent}/sessions` Creates a new Session (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions#Session).
delete (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions/delete)	`DELETE /v1/{name}` Deletes details of the specific Session (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions#Session).
get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions/get)	`GET /v1/{name}` Gets details of the specific Session (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions#Session).
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions/list)	`GET /v1/{parent}/sessions` Lists Sessions (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions#Session) in a given reasoning engine.

Methods

patch (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions/patch)	`PATCH /v1/{session.name}` Updates the specific `Session` (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions#Session).

REST Resource: v1.projects.locations.reasoningEngines.sessions.events

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions.events)

Methods

list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.reasoningEngines.sessions.events/list)	`GET /v1/{parent}/events` Lists `Events` in a given session.

REST Resource: v1.projects.locations.tuningJobs

(/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.tuningJobs)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.tuningJobs/cancel)	`POST /v1/{name}:cancel` Cancels a tuning job.
create (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.tuningJobs/create)	`POST /v1/{parent}/tuningJobs` Creates a tuning job.

Methods

get (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.tuningJobs/get)	`GET /v1/{name}` Gets a tuning job.
list (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.tuningJobs/list)	`GET /v1/{parent}/tuningJobs` Lists tuning jobs in a location.
rebaseTunedModel (/vertex-ai/generative-ai/docs/reference/rest/v1/projects.locations.tuningJobs/rebaseTunedModel)	`POST /v1/{parent}/tuningJobs:rebaseTunedModel` Rebase a tuned model.

REST Resource: v1beta1.media

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/media)

Methods

upload (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/media/upload)	`POST /v1beta1/{parent}/ragFiles:upload`
	`POST /upload/v1beta1/{parent}/ragFiles:upload`
	Upload a file into a RagCorpus.

REST Resource: v1beta1.projects

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects)

Methods

getCacheConfig (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects/getCacheConfig)	`GET /v1beta1/{name}` Gets a GenAI cache config.

Methods

updateCacheConfig (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects/updateCacheConfig)	`PATCH /v1beta1/{cacheConfig.name}` Updates a cache config.

REST Resource: v1beta1.projects.locations

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations)

Methods

augmentPrompt (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/augmentPrompt)	`POST /v1beta1/{parent}:augmentPrompt` Given an input prompt, it returns augmented prompt from vertex rag store to guide LLM towards generating grounded responses.
corroborateContent (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/corroborateContent)	`POST /v1beta1/{parent}:corroborateContent` Given an input text, it returns a score that evaluates the factuality of the text.
evaluateDataset (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/evaluateDataset)	`POST /v1beta1/{location}:evaluateDataset` Evaluates a dataset based on a set of given metrics.
evaluateInstances (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/evaluateInstances)	`POST /v1beta1/{location}:evaluateInstances` Evaluates instances based on a given metric.
generateInstanceRubrics (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/generateInstanceRubrics)	`POST /v1beta1/{location}:generateInstanceRubrics` Generates rubrics for a given prompt.

Methods

generateSyntheticData (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/generateSyntheticData)	`POST /v1beta1/{location}:generateSyntheticData` Generates synthetic data based on the provided configuration.
getRagEngineConfig (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/getRagEngineConfig)	`GET /v1beta1/{name}` Gets a RagEngineConfig.
retrieveContexts (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/retrieveContexts)	`POST /v1beta1/{parent}:retrieveContexts` Retrieves relevant contexts for a query.
updateRagEngineConfig (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations/updateRagEngineConfig)	`PATCH /v1beta1/{ragEngineConfig.name}` Updates a RagEngineConfig.

REST Resource: v1beta1.projects.locations.batchPredictionJobs

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.batchPredictionJobs)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.batchPredictionJobs/cancel)	`POST /v1beta1/{name}:cancel` Cancels a BatchPredictionJob.

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.batchPredictionJobs/create)	`POST /v1beta1/{parent}/batchPredictionJobs` Creates a BatchPredictionJob.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.batchPredictionJobs/delete)	`DELETE /v1beta1/{name}` Deletes a BatchPredictionJob.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.batchPredictionJobs/get)	`GET /v1beta1/{name}` Gets a BatchPredictionJob
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.batchPredictionJobs/list)	`GET /v1beta1/{parent}/batchPredictionJobs` Lists BatchPredictionJobs in a Location.

REST Resource: v1beta1.projects.locations.cachedContents

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.cachedContents)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.cachedContents/create)	`POST /v1beta1/{parent}/cachedContents` Creates cached content, this call will initialize the cached content in the data storage, and users need to pay for the cache data storage.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.cachedContents/delete)	`DELETE /v1beta1/{name}` Deletes cached content

Methods

get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.cachedContents/get)	`GET /v1beta1/{name}` Gets cached content configurations
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.cachedContents/list)	`GET /v1beta1/{parent}/cachedContents` Lists cached contents in a project
patch (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.cachedContents/patch)	`PATCH /v1beta1/{cachedContent.name}` Updates cached content configurations

REST Resource: v1beta1.projects.locations.endpoints

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints)

Methods

computeTokens (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/computeTokens)	`POST /v1beta1/{endpoint}:computeTokens` Return a list of tokens based on the input text.
countTokens (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/countTokens)	`POST /v1beta1/{endpoint}:countTokens` Perform a token counting.
fetchPredictOperation (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/fetchPredictOperation)	`POST /v1beta1/{endpoint}:fetchPredictOperation` Fetch an asynchronous online prediction operation.

Methods

generateContent (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/generateContent)	`POST /v1beta1/{model}:generateContent` Generate content with multimodal inputs.
getIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/getIamPolicy)	`POST /v1beta1/{resource}:getIamPolicy` Gets the access control policy for a resource.
predict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/predict)	`POST /v1beta1/{endpoint}:predict` Request message for running inference on Google's generative AI models on Vertex AI.
predictLongRunning (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/predictLongRunning)	`POST /v1beta1/{endpoint}:predictLongRunning`
rawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/rawPredict)	`POST /v1beta1/{endpoint}:rawPredict` Perform an online prediction with an arbitrary HTTP payload.
serverStreamingPredict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/serverStreamingPredict)	`POST /v1beta1/{endpoint}:serverStreamingPredict` Perform a server-side streaming online prediction request for Vertex LLM streaming.
setIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/setIamPolicy)	`POST /v1beta1/{resource}:setIamPolicy` Sets the access control policy on the specified resource.

Methods

streamGenerateContent (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/streamGenerateContent)	`POST /v1beta1/{model}:streamGenerateContent` Generate content with multimodal inputs with streaming support.
streamRawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/streamRawPredict)	`POST /v1beta1/{endpoint}:streamRawPredict` Perform a streaming online prediction with an arbitrary HTTP payload.
testIamPermissions (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints/testIamPermissions)	`POST /v1beta1/{resource}:testIamPermissions` Returns permissions that a caller has on the specified resource.

REST Resource: v1beta1.projects.locations.endpoints.chat

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.chat)

Methods

completions (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.chat/completions)	`POST /v1beta1/{endpoint}/chat/completions` Exposes an OpenAI-compatible endpoint for chat completions.

REST Resource: v1beta1.projects.locations.endpoints.deployedModels.invoke

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.deployedModels.invoke)

Methods

invoke (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.deployedModels.invoke/invoke)	`POST /v1beta1/{endpoint}/deployedModels/{deployedModelId}/invoke/**` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1beta1.projects.locations.endpoints.google.science

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.google.science)

Methods

inference (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.google.science/inference)	`POST /v1beta1/{endpoint}/science/inference` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1beta1.projects.locations.endpoints.invoke

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.invoke)

Methods

invoke (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.invoke/invoke)	`POST /v1beta1/{endpoint}/invoke/**` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1beta1.projects.locations.endpoints.openapi

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.openapi)

Methods

completions (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.openapi/completions)	`POST /v1beta1/{endpoint}/completions` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.
embeddings (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.endpoints.openapi/embeddings)	`POST /v1beta1/{endpoint}/embeddings` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1beta1.projects.locations.evaluationItems

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationItems)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationItems/create)	`POST /v1beta1/{parent}/evaluationItems` Creates an Evaluation Item.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationItems/delete)	`DELETE /v1beta1/{name}` Deletes an Evaluation Item.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationItems/get)	`GET /v1beta1/{name}` Gets an Evaluation Item.

Methods

list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationItems/list)	`GET /v1beta1/{parent}/evaluationItems` Lists Evaluation Items.

REST Resource: v1beta1.projects.locations.evaluationRuns

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationRuns)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationRuns/cancel)	`POST /v1beta1/{name}:cancel` Cancels an Evaluation Run.
create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationRuns/create)	`POST /v1beta1/{parent}/evaluationRuns` Creates an Evaluation Run.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationRuns/delete)	`DELETE /v1beta1/{name}` Deletes an Evaluation Run.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationRuns/get)	`GET /v1beta1/{name}` Gets an Evaluation Run.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationRuns/list)	`GET /v1beta1/{parent}/evaluationRuns` Lists Evaluation Runs.

REST Resource: v1beta1.projects.locations.evaluationSets

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationSets)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationSets/create)	`POST /v1beta1/{parent}/evaluationSets` Creates an Evaluation Set.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationSets/delete)	`DELETE /v1beta1/{name}` Deletes an Evaluation Set.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationSets/get)	`GET /v1beta1/{name}` Gets an Evaluation Set.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationSets/list)	`GET /v1beta1/{parent}/evaluationSets` Lists Evaluation Sets.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.evaluationSets/patch)	`PATCH /v1beta1/{evaluationSet.name}` Updates an Evaluation Set.

REST Resource: v1beta1.projects.locations.extensions

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions)

Methods

delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions/delete)	`DELETE /v1beta1/{name}` Deletes an Extension.
execute (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions/execute)	`POST /v1beta1/{name}:execute` Executes the request against a given extension.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions/get)	`GET /v1beta1/{name}` Gets an Extension.
import (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions/import)	`POST /v1beta1/{parent}/extensions:import` Imports an Extension.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions/list)	`GET /v1beta1/{parent}/extensions` Lists Extensions in a location.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions/patch)	`PATCH /v1beta1/{extension.name}` Updates an Extension.
query (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.extensions/query)	`POST /v1beta1/{name}:query` Queries an extension with a default controller.

REST Resource: v1beta1.projects.locations.models

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.models)

Methods

getIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.models/getIamPolicy)	`POST /v1beta1/{resource}:getIamPolicy` Gets the access control policy for a resource.
setIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.models/setIamPolicy)	`POST /v1beta1/{resource}:setIamPolicy` Sets the access control policy on the specified resource.
testIamPermissions (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.models/testIamPermissions)	`POST /v1beta1/{resource}:testIamPermissions` Returns permissions that a caller has on the specified resource.

REST Resource: v1beta1.projects.locations.operations

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.operations)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.operations/cancel)	`POST /v1beta1/{name}:cancel` Starts asynchronous cancellation on a long-running operation.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.operations/delete)	`DELETE /v1beta1/{name}` Deletes a long-running operation.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.operations/get)	`GET /v1beta1/{name}` Gets the latest state of a long-running operation.

Methods

list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.operations/list)	`GET /v1beta1/{name}/operations` Lists operations that match the specified filter in the request.
wait (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.operations/wait)	`POST /v1beta1/{name}:wait` Waits until the specified long-running operation is done or reaches at most a specified timeout, returning the latest state.

REST Resource: v1beta1.projects.locations.publishers

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers)

Methods

getIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers/getIamPolicy)	`POST /v1beta1/{resource}:getIamPolicy` Gets the access control policy for a resource.

REST Resource: v1beta1.projects.locations.publishers.models

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models)

Methods

computeTokens (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/computeTokens)	`POST /v1beta1/{endpoint}:computeTokens` Return a list of tokens based on the input text.

Methods

countTokens (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/countTokens)	`POST /v1beta1/{endpoint}:countTokens` Perform a token counting.
embedContent (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/embedContent)	`POST /v1beta1/{model}:embedContent` Embed content with multimodal inputs.
fetchPredictOperation (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/fetchPredictOperation)	`POST /v1beta1/{endpoint}:fetchPredictOperation` Fetch an asynchronous online prediction operation.
generateContent (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/generateContent)	`POST /v1beta1/{model}:generateContent` Generate content with multimodal inputs.
getIamPolicy (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/getIamPolicy)	`POST /v1beta1/{resource}:getIamPolicy` Gets the access control policy for a resource.
predict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/predict)	`POST /v1beta1/{endpoint}:predict` Request message for running inference on Google's generative AI models on Vertex AI.

Methods

predictLongRunning (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/predictLongRunning)	`POST /v1beta1/{endpoint}:predictLongRunning`
rawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/rawPredict)	`POST /v1beta1/{endpoint}:rawPredict` Perform an online prediction with an arbitrary HTTP payload.
serverStreamingPredict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/serverStreamingPredict)	`POST /v1beta1/{endpoint}:serverStreamingPredict` Perform a server-side streaming online prediction request for Vertex LLM streaming.
streamGenerateContent (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/streamGenerateContent)	`POST /v1beta1/{model}:streamGenerateContent` Generate content with multimodal inputs with streaming support.
streamRawPredict (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models/streamRawPredict)	`POST /v1beta1/{endpoint}:streamRawPredict` Perform a streaming online prediction with an arbitrary HTTP payload.

REST Resource: v1beta1.projects.locations.publishers.models.invoke

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models.invoke)

Methods

invoke (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.publishers.models.invoke/invoke)	`POST /v1beta1/{endpoint}/invoke/**` Forwards arbitrary HTTP requests for both streaming and non-streaming cases.

REST Resource: v1beta1.projects.locations.ragCorpora

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora/create)	`POST /v1beta1/{parent}/ragCorpora` Creates a RagCorpus.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora/delete)	`DELETE /v1beta1/{name}` Deletes a RagCorpus.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora/get)	`GET /v1beta1/{name}` Gets a RagCorpus.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora/list)	`GET /v1beta1/{parent}/ragCorpora` Lists RagCorpora in a Location.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora/patch)	`PATCH /v1beta1/{ragCorpus.name}` Updates a RagCorpus.

REST Resource: v1beta1.projects.locations.ragCorpora.ragFiles

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora.ragFiles)

Methods

delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora.ragFiles/delete)	`DELETE /v1beta1/{name}` Deletes a RagFile.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora.ragFiles/get)	`GET /v1beta1/{name}` Gets a RagFile.
import (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora.ragFiles/import)	`POST /v1beta1/{parent}/ragFiles:import` Import files from Google Cloud Storage or Google Drive into a RagCorpus.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.ragCorpora.ragFiles/list)	`GET /v1beta1/{parent}/ragFiles` Lists RagFiles in a RagCorpus.

REST Resource: v1beta1.projects.locations.reasoningEngines

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines/create)	`POST /v1beta1/{parent}/reasoningEngines` Creates a reasoning engine.

Methods

delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines/delete)	`DELETE /v1beta1/{name}` Deletes a reasoning engine.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines/get)	`GET /v1beta1/{name}` Gets a reasoning engine.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines/list)	`GET /v1beta1/{parent}/reasoningEngines` Lists reasoning engines in a location.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines/patch)	`PATCH /v1beta1/{reasoningEngine.name}` Updates a reasoning engine.
query (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines/query)	`POST /v1beta1/{name}:query` Queries using a reasoning engine.
streamQuery (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines/streamQuery)	`POST /v1beta1/{name}:streamQuery` Streams queries using a reasoning engine.

REST Resource: v1beta1.projects.locations.reasoningEngines.a2a.v1

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1)

Methods

card (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1/card)	`GET /v1beta1/{name}/a2a/{a2aEndpoint}` Get request for reasoning engine instance via the A2A get protocol apis.

REST Resource: v1beta1.projects.locations.reasoningEngines.a2a.v1.message

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.message)

Methods

send (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.message/send)	`POST /v1beta1/{name}/a2a/{a2aEndpoint}:send` Send post request for reasoning engine instance via the A2A post protocol apis.
stream (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.message/stream)	`POST /v1beta1/{name}/a2a/{a2aEndpoint}:stream` Streams queries using a reasoning engine instance via the A2A streaming protocol apis.

REST Resource: v1beta1.projects.locations.reasoningEngines.a2a.v1.tasks

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.tasks)

Methods

a2aGetReasoningEngine (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.tasks/a2aGetReasoningEngine)	`GET /v1beta1/{name}/a2a/{a2aEndpoint}` Get request for reasoning engine instance via the A2A get protocol apis.
cancel (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.tasks/cancel)	`POST /v1beta1/{name}/a2a/{a2aEndpoint}:cancel` Send post request for reasoning engine instance via the A2A post protocol apis.
pushNotificationConfigs (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.tasks/pushNotificationConfigs)	`GET /v1beta1/{name}/a2a/{a2aEndpoint}` Get request for reasoning engine instance via the A2A get protocol apis.
subscribe (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.tasks/subscribe)	`GET /v1beta1/{name}/a2a/{a2aEndpoint}:subscribe` Stream get request for reasoning engine instance via the A2A stream get protocol apis.

REST Resource: v1beta1.projects.locations.reasoningEngines.a2a.v1.tasks.pushNotificationConfigs

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.tasks/pushNotificationConfigs)

Methods

a2aGetReasoningEngine (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.a2a.v1.tasks.pushNotificationConfigs/a2aGetReasoningEngine)	`GET /v1beta1/{name}/a2a/{a2aEndpoint}` Get request for reasoning engine instance via the A2A get protocol apis.

REST Resource: v1beta1.projects.locations.reasoningEngines.memories

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories)

Methods

create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/create)	`POST /v1beta1/{parent}/memories` Create a Memory.
delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/delete)	`DELETE /v1beta1/{name}` Delete a Memory.
generate (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/generate)	`POST /v1beta1/{parent}/memories:generate` Generate memories.

Methods

get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/get)	`GET /v1beta1/{name}` Get a Memory.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/list)	`GET /v1beta1/{parent}/memories` List Memories.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/patch)	`PATCH /v1beta1/{memory.name}` Update a Memory.
purge (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/purge)	`POST /v1beta1/{parent}/memories:purge` Purge memories.
retrieve (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/retrieve)	`POST /v1beta1/{parent}/memories:retrieve` Retrieve memories.
rollback (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories/rollback)	`POST /v1beta1/{name}:rollback` Rollback Memory to a specific revision.

REST Resource: v1beta1.projects.locations.reasoningEngines.memories.revisi

ons

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories.revisions)

Methods

get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories.revisions/get)	`GET /v1beta1/{name}` Get a Memory Revision.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.memories.revisions/list)	`GET /v1beta1/{parent}/revisions` List Memory Revisions for a Memory.

REST Resource: v1beta1.projects.locations.reasoningEngines.sessions

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions)

Methods

appendEvent (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions/appendEvent)	`POST /v1beta1/{name}:appendEvent` Appends an event to a given session.
create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions/create)	`POST /v1beta1/{parent}/sessions` Creates a new `Session` (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions#Session). .

Methods

delete (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions/delete)	`DELETE /v1beta1/{name}` Deletes details of the specific Session (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions#Session). .
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions/get)	`GET /v1beta1/{name}` Gets details of the specific Session (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions#Session). .
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions/list)	`GET /v1beta1/{parent}/sessions` Lists Sessions (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions#Session) in a given reasoning engine.
patch (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions/patch)	`PATCH /v1beta1/{session.name}` Updates the specific Session (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions#Session). .

REST Resource: v1beta1.projects.locations.reasoningEngines.sessions.events

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions.events)

Methods

list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.reasoningEngines.sessions.events/list)	`GET /v1beta1/{parent}/events` Lists Events in a given session.

REST Resource: v1beta1.projects.locations.tuningJobs

(/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.tuningJobs)

Methods

cancel (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.tuningJobs/cancel)	`POST /v1beta1/{name}:cancel` Cancels a tuning job.
create (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.tuningJobs/create)	`POST /v1beta1/{parent}/tuningJobs` Creates a tuning job.
get (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.tuningJobs/get)	`GET /v1beta1/{name}` Gets a tuning job.
list (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.tuningJobs/list)	`GET /v1beta1/{parent}/tuningJobs` Lists tuning jobs in a location.
optimizePrompt (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.tuningJobs/optimizePrompt)	`POST /v1beta1/{parent}/tuningJobs:optimizePrompt` Optimizes a prompt.
rebaseTunedModel (/vertex-ai/generative-ai/docs/reference/rest/v1beta1/projects.locations.tuningJobs/rebaseTunedModel)	`POST /v1beta1/{parent}/tuningJobs:rebaseTunedModel` Rebase a tuned model.

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 4.0 License (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the Apache 2.0 License (https://www.apache.org/licenses/LICENSE-2.0). For details, see the Google Developers Site

Policies (https://developers.google.com/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2026-02-25 UTC.