

► Instructions

▶ Settings

1

Headers

Enter a desired value for (URL), (Header Name) and (Header Value), then press Enter or click on the (+) button to add it to the Table.

HEADER VALUE

HEADER VALUE

Name (i.e. User-Agent)

HEADER VALUE

value (i.e. Mozilla/5.0 (Linux; U; Android 4.4.4; Nexus 5 Build/KTU84P) AppleWebkit/5 +

URL (i.e. https://www.google.com/ or *)			name (i.e. User-Agent)				value (i.e. Mozilla/5.0 (Linux; U; Android 4.4.4; Nexus 5 Build/KTU84P) AppleWebkit/5 +			
# URL	DOMAIN	SUB	<b>↓</b> HEADER NAME	ADD	MODIFY	REMOVE	HEADER VALUE	STATE	DELETE	
1 *	<b>2</b>	<b>V</b>	Referrer-Policy	<b>✓</b>			origin-when-cross-origin	ACTIVE		
2 *		<b>✓</b>	Permissions-Policy	<b>✓</b>			<pre>geolocation=(self "https://example.com"), microphone=()</pre>	ACTIVE		
3 *		<b>✓</b>	Content-Security-Policy	<b>✓</b>			script-src 'self'	ACTIVE	×	
4 *		<b>✓</b>	X-CMS	<b>✓</b>			Confidential	ACTIVE	×	
5 *		<b>✓</b>	X-Generated-By	<b>✓</b>			Confidential	ACTIVE	×	
6 *	<b>✓</b>	<b>✓</b>	X-Generator	<b>✓</b>			Confidential	ACTIVE	×	
7 *	<b>✓</b>	<b>✓</b>	X-Redirect-By	<b>✓</b>			Confidential	ACTIVE	×	
8 *	<b>✓</b>	<b>~</b>	X-SourceFiles	<b>V</b>			Confidential	ACTIVE	×	
9 *	✓	<b>✓</b>	X-AspNet-Version	<b>✓</b>			Confidential	ACTIVE	×	
10 *	✓	<b>✓</b>	X-AspNetMvc-Version	<b>✓</b>			Confidential	ACTIVE	×	
11 *	✓	<b>✓</b>	X-SourceMap	<b>✓</b>			Confidential	ACTIVE	×	
12 *		<b>✓</b>	X-Powered-CMS	<b>✓</b>			Confidential	ACTIVE	×	
13 *		<b>~</b>	X-Server-Powered-By	<b>V</b>			Confidential	ACTIVE	×	
14 *		<b>✓</b>	X-Powered-By	<b>~</b>			Confidential	ACTIVE	×	
15 *	<b>V</b>	<b>✓</b>	X-Turbo-Charged-By	<b>✓</b>			Confidential	ACTIVE	×	
16 *	<b>~</b>	<b>✓</b>	Liferay-Portal	<b>✓</b>			Confidential	ACTIVE	×	
17 *	~	<b>✓</b>	Server	<b>~</b>			Confidential	ACTIVE	×	
18 *	<b>~</b>	<b>~</b>	Clear-Site-Data	<b>V</b>			"cache","cookies","storage"	ACTIVE	×	
19 *		<b>~</b>	pragma	<b>V</b>			no-cache	ACTIVE	×	
20 *		<b>~</b>	Cache-Control	<b>V</b>			no-store, max-age=3600	ACTIVE	×	
21 *		<b>✓</b>	Cross-Origin-Resource-Policy	<b>~</b>			same-origin	ACTIVE	×	
22 *		<b>✓</b>	X-Permitted-Cross-Domain-Policies	<b>~</b>			none	ACTIVE	×	
23 *		<b>~</b>	X-Content-Type-Option	<b>~</b>			nosniff	ACTIVE	×	
24 *		<b>~</b>	X-Frame-Options	<b>~</b>			DENY	ACTIVE	×	
25 *		<b>✓</b>	X-XSS-Protection	<b>✓</b>			1; mode=block	ACTIVE	×	
26 *		<b>✓</b>	Strict-Transport-Security	<b>✓</b>			max-age=3600; preload	ACTIVE	×	
27 *		<b>✓</b>	Strict-Transport-Security	<b>✓</b>			max-age=3600; includeSubDomains	ACTIVE	×	
28 *		<b>✓</b>	User-Agent	<b>V</b>			Chrome/51.0.2704.106 Safari/537.36 OPR/38.0.2220.41	INACTIVE	×	
29 *	<b>V</b>	<b>✓</b>	Strict-Transport-Security	<b>✓</b>			max-age=3600	ACTIVE	×	