Packaging Flask Server with macOS Swift App Using PyInstaller — Final Steps

---

1. Prepare Your Flask App Folder Structure

```
FlaskAppBuild/
├── app.py
└── static/
    └── focus-block.html
```

app.py:

```
from flask import Flask, send_from_directory

app = Flask(__name__, static_folder='static')

@app.route("/")
def home():
    return send_from_directory(app.static_folder, "focus-block.html")

if __name__ == "__main__":
    # Disable debugger and reloader for production build
    app.run(port=5050, debug=False, use_reloader=False)
```

2. Install PyInstaller

```
pip3 install pyinstaller
```

3. Build Standalone Executable with Static Folder Included

Run this in the folder containing app.py:

```
pyinstaller --onefile --add-data "static:static" app.py
```

This creates the standalone binary: dist/app

Rename it for clarity: mv dist/app dist/flask_server

chmod +x dist/flask_server

4. Add flask_server Binary to Your Xcode Project

1. In Xcode, right-click your project navigator → **Add Files to "YourApp"**.
2. Select dist/flask_server.
3. Check **“Copy items if needed”** and add to your main target.
4. In your project’s **Build Phases → Copy Bundle Resources**, verify flask_server is listed.

After building, flask_server will be copied to:

YourApp.app/Contents/Resources/flask_server

5. Launch Flask Server from Swift