

DE Camp Lection 2 Home Work

Скріншот 1: Активний аларм у CloudWatch на суму \$1

1-dollar-billing-alarm

Metric alarm

OK

Details

Name 1-dollar-billing-alarm	State OK	Namespace AWS/Billing	Datapoints to alarm 1 out of 1
Type Metric alarm	Threshold EstimatedCharges > 1 for 1 datapoints within 6 hours	Metric name EstimatedCharges	Missing data treatment Treat missing data as missing
Description No description	Actions Actions enabled	Currency USD	Percentiles with low samples evaluate
	Last state update 2026-05-10 09:44:09 (UTC)	Statistic Maximum	ARN arn:aws:cloudwatch:us?
		Period 6 hours	

Скріншот 2: Завантажений файл у S3 Бакет

data/

Copy S3 URI

ObjectsProperties

Objects (1)

Copy S3 URICopy URLDownloadOpen>DeleteActionsCreate folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

	Name	Type	Last modified	Size	Storage class
	api_keys.csv	csv	May 10, 2026, 13:39:39 (UTC+03:00)	1.6 KB	Standard

Скріншот 3: Список користувачів у IAM

IAM users (1) Info

DeleteCreate user

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Search

	User name	Path	Group	Last activity	MFA	Password age
	data_engineer_Vladyslav	/	0	2 hours ago	Virtual...	2 hours

Скріншот 4: Таблиця у Glue Catalog, яку створив кравлер

Schema

Partitions

Indexes

Column statistics - new

Schema (8)

Edit schema as JSON

Edit schema

View and manage the table schema.

Filter schemas

< 1 > ⚙

#	Column name	Data type	Partition key	Comment
1	id	bigint	-	-
2	service_name	string	-	-
3	environment	string	-	-
4	key_type	string	-	-
5	api_key	string	-	-
6	created_at	string	-	-
7	status	string	-	-
8	team_owner	string	-	-

Скріншот 5: Вікно результатів Athena

Completed

Time in queue: 104 ms

Run time: 427 ms

Data scanned: 1.65 KB

Results (10)

Copy

Download results CSV

Search rows

< 1 > ⚙

#	id	service_name	environment	key_type	api_key
1	1	OpenAI	production	secret_key	sk-0YbQtSDQvdC1INGB0L/RgNCw0LLQtC90ZYg0LrQu9GO0YfRlg=
2	2	Stripe	production	live_key	sk_live_d186d0b520d0bdd0b520d181d0bfd180d0b0d0b2d0b6d0t
3	3	AWS	development	access_key	AKIA_D186_D0B5_20_D0BD_D0B5
4	4	GitHub	production	personal_token	ghp_20D181D0BFD180D0B0D0B2D0B6D0BDD196
5	5	Twilio	testing	auth_token	==glRfYOQuLgQWZYg09CQttLL0wCRg/L0BGI1CdvQD1tQb0
6	6	SendGrid	staging	api_token	SG.%D1%86%D0%B5%20%D0%BD%D0%B5%20%D1%81%D0%
7	7	Datadog	production	api_key	dd_0YbQtSDQvdC1INGB0L
8	8	Slack	development	bot_token	xoxb-d186d0b520d0bdd0b520
9	9	GCP	production	service_account	gcp-not-real-keys-json-base64
10	10	Snowflake	production	private_key	rsa-ce-ne-spravzhni-klyuchi-123