

CS261 Data Structures

Assignment 7

Fall 2021

HashMap Implementation



Contents

General Instructions	3
-----------------------------	---

Hash Map Implementation

Summary and Specific Instructions	4
empty_buckets()	6
table_load()	7
clear()	8
put()	9
contains_key()	10
get()	11
remove()	12
resize_table()	13
get_keys()	14

General Instructions

1. Programs in this assignment must be written in Python v3 and submitted to Gradescope before the due date specified in the syllabus. You may resubmit your code as many times as necessary. Gradescope allows you to choose which submission will be graded.
2. In Gradescope, your code will run through several tests. Any failed tests will provide a brief explanation of testing conditions to help you with troubleshooting. Your goal is to pass all tests.
3. We encourage you to create your own test programs and cases even though this work won't have to be submitted and won't be graded. Gradescope tests are limited in scope and may not cover all edge cases. Your submission must work on all valid inputs. We reserve the right to test your submission with more tests than Gradescope.
4. Your code must have an appropriate level of comments. At a minimum, each method should have a descriptive docstring. Additionally, put comments throughout the code to make it easy to follow and understand.
5. You will be provided with a starter "skeleton" code, on which you will build your implementation. Methods defined in skeleton code must retain their names and input / output parameters. Variables defined in skeleton code must also retain their names. We will only test your solution by making calls to methods defined in the skeleton code and by checking values of variables defined in the skeleton code.

You can add more helper methods and variables, as needed. You also are allowed to add optional default parameters to method definitions.

However, certain classes and methods cannot be changed in any way. Please see comments in the skeleton code for guidance. In particular, content of any methods pre-written for you as part of the skeleton code must not be changed.


6. Both the skeleton code and code examples provided in this document are part of assignment requirements. They have been carefully selected to demonstrate requirements for each method. Refer to them for the detailed description of expected method behavior, input / output parameters, and handling of edge cases. Code examples may include assignment requirements not explicitly stated elsewhere.
7. For each method, you can choose to implement a recursive or iterative solution. When using a recursive solution, be aware of maximum recursion depths on large inputs. We will specify the maximum input size that your solution must handle.
8. We will test your implementation with different types of objects, not just integers. We guarantee that all such objects will have correct implementation of methods `__eq__`, `__lt__`, `__gt__`, `__ge__`, `__le__` and `__str__`.

Summary and Specific Instructions

1. Implement the HashMap class by completing provided skeleton code in the file `hash_map.py`. Once completed, your implementation will include the following methods:

```
put()
get()
remove()
contains_key()
clear()
empty_buckets()
resize_table()
table_load()
get_keys()
```

2. Use a dynamic array to store your hash table and implement chaining for collision resolution using a singly linked list. Chains of key/value pairs must be stored in linked list nodes. Diagram below illustrates the overall architecture of the HashMap.



3. Two pre-written classes are provided for you in the skeleton code - `DynamicArray` and `LinkedList` (file `a7_include.py`). You **must** use objects of these classes in your HashMap class implementation. Use a `DynamicArray` object to store your hash table and `LinkedList` objects to store chains of key / value pairs.

4. The provided `DynamicArray` and `LinkedList` classes may provide different functionality than those described in the lectures or implemented in prior homework assignments. Review the docstrings in the skeleton code to understand the available methods, their use, and input / output parameters.
5. The number of objects stored in the `HashMap` will be between 0 and 1,000,000 inclusive.
6. Two pre-written hash functions are provided in the skeleton code. Make sure you test your code with both functions. We will use these two functions in our testing of your implementation.
7. **RESTRICTIONS:** You are NOT allowed to use ANY built-in Python data structures and/or their methods.

You are NOT allowed to directly access any variables of the `DynamicArray` or `LinkedList` classes. All work must be done only by using class methods.

8. Variables in the `HashMap` and `SLNode` classes are not private. You ARE allowed to access and change their values directly. You do not need to write any getter or setter methods for the `HashMap` or `SLNode` classes.
9. You may not use any imports beyond the ones included in the assignment source code provided.

empty_buckets(self) -> int:

This method returns the number of empty buckets in the hash table.

Example #1:

```
m = HashMap(100, hash_function_1)
print(m.empty_buckets(), m.size, m.capacity)
m.put('key1', 10)
print(m.empty_buckets(), m.size, m.capacity)
m.put('key2', 20)
print(m.empty_buckets(), m.size, m.capacity)
m.put('key1', 30)
print(m.empty_buckets(), m.size, m.capacity)
m.put('key4', 40)
print(m.empty_buckets(), m.size, m.capacity)
```

Output:

```
100 0 100
99 1 100
98 2 100
98 2 100
97 3 100
```

Example #2:

```
# this test assumes that put() has already been correctly implemented
m = HashMap(50, hash_function_1)
for i in range(150):
    m.put('key' + str(i), i * 100)
    if i % 30 == 0:
        print(m.empty_buckets(), m.size, m.capacity)
```

Output:

```
49 1 50
39 31 50
36 61 50
33 91 50
30 121 50
```

table_load(self) -> float:

This method returns the current hash table load factor.

Example #1:

```
m = HashMap(100, hash_function_1)
print(m.table_load())
m.put('key1', 10)
print(m.table_load())
m.put('key2', 20)
print(m.table_load())
m.put('key1', 30)
print(m.table_load())
```

Output:

```
0.0
0.01
0.02
0.02
```

Example #2:

```
m = HashMap(50, hash_function_1)
for i in range(50):
    m.put('key' + str(i), i * 100)
    if i % 10 == 0:
        print(m.table_load(), m.size, m.capacity)
```

Output:

```
0.02 1 50
0.22 11 50
0.42 21 50
0.62 31 50
0.82 41 50
```

clear(self) -> None:

This method clears the contents of the hash map. It does not change the underlying hash table capacity.

Example #1:

```
m = HashMap(100, hash_function_1)
print(m.size, m.capacity)
m.put('key1', 10)
m.put('key2', 20)
m.put('key1', 30)
print(m.size, m.capacity)
m.clear()
print(m.size, m.capacity)
```

Output:

```
0 100
2 100
0 100
```

Example #2:

```
m = HashMap(50, hash_function_1)
print(m.size, m.capacity)
m.put('key1', 10)
print(m.size, m.capacity)
m.put('key2', 20)
print(m.size, m.capacity)
m.resize_table(100)
print(m.size, m.capacity)
m.clear()
print(m.size, m.capacity)
```

Output:

```
0 50
1 50
2 50
2 100
0 100
```


put(self, key: str, value: object) -> None:

This method updates the key / value pair in the hash map. If a given key already exists in the hash map, its associated value must be replaced with the new value. If a given key is not in the hash map, a key / value pair must be added.

Example #1:

```
m = HashMap(50, hash_function_1)
for i in range(150):
    m.put('str' + str(i), i * 100)
    if i % 25 == 24:
        print(m.empty_buckets(), m.table_load(), m.size, m.capacity)
```

Output:

```
39 0.5 25 50
37 1.0 50 50
35 1.5 75 50
32 2.0 100 50
30 2.5 125 50
30 3.0 150 50
```

Example #2:

```
m = HashMap(40, hash_function_2)
for i in range(50):
    m.put('str' + str(i // 3), i * 100)
    if i % 10 == 9:
        print(m.empty_buckets(), m.table_load(), m.size, m.capacity)
```

Output:

```
36 0.1 4 40
33 0.175 7 40
30 0.25 10 40
27 0.35 14 40
25 0.425 17 40
```

contains_key(self, key: str) -> bool:

This method returns True if the given key is in the hash map, otherwise it returns False. An empty hash map does not contain any keys.

Example #1:

```
m = HashMap(50, hash_function_1)
print(m.contains_key('key1'))
m.put('key1', 10)
m.put('key2', 20)
m.put('key3', 30)
print(m.contains_key('key1'))
print(m.contains_key('key4'))
print(m.contains_key('key2'))
print(m.contains_key('key3'))
m.remove('key3')
print(m.contains_key('key3'))
```

Output:

```
False
True
False
True
True
False
```

Example #2:

```
m = HashMap(75, hash_function_2)
keys = [i for i in range(1, 1000, 20)]
for key in keys:
    m.put(str(key), key * 42)
print(m.size, m.capacity)
result = True
for key in keys:
    # all inserted keys must be present
    result &= m.contains_key(str(key))
    # NOT inserted keys must be absent
    result &= not m.contains_key(str(key + 1))
print(result)
```

Output:

```
50 75
True
```

get(self, key: str) -> object:

This method returns the value associated with the given key. If the key is not in the hash map, the method returns None.

Example #1:

```
m = HashMap(30, hash_function_1)
print(m.get('key'))
m.put('key1', 10)
print(m.get('key1'))
```

Output:

```
None
10
```

Example #2:

```
m = HashMap(150, hash_function_2)
for i in range(200, 300, 7):
    m.put(str(i), i * 10)
print(m.size, m.capacity)
for i in range(200, 300, 21):
    print(i, m.get(str(i)), m.get(str(i)) == i * 10)
    print(i + 1, m.get(str(i + 1)), m.get(str(i + 1)) == (i + 1) * 10)
```

Output:

```
15 150
200 2000 True
201 None False
221 2210 True
222 None False
242 2420 True
243 None False
263 2630 True
264 None False
284 2840 True
285 None False
```

remove(self, key: str) -> None:

This method removes the given key and its associated value from the hash map. If a given key is not in the hash map, the method does nothing (no exception needs to be raised).

Example #1:

```
m = HashMap(50, hash_function_1)
print(m.get('key1'))
m.put('key1', 10)
print(m.get('key1'))
m.remove('key1')
print(m.get('key1'))
m.remove('key4')
```

Output:

```
None
10
None
```

resize_table(self, new_capacity: int) -> None:

This method changes the capacity of the internal hash table. All existing key / value pairs must remain in the new hash map and all hash table links must be rehashed. If new_capacity is less than 1, this method should do nothing.

Example #1:

```
m = HashMap(20, hash_function_1)
m.put('key1', 10)
print(m.size, m.capacity, m.get('key1'), m.contains_key('key1'))
m.resize_table(30)
print(m.size, m.capacity, m.get('key1'), m.contains_key('key1'))
```

Output:

```
1 20 10 True
1 30 10 True
```

Example #2:

```
m = HashMap(75, hash_function_2)
keys = [i for i in range(1, 1000, 13)]
for key in keys:
    m.put(str(key), key * 42)
print(m.size, m.capacity)

for capacity in range(111, 1000, 117):
    m.resize_table(capacity)
    m.put('some key', 'some value')
    result = m.contains_key('some key')
    m.remove('some key')
    for key in keys:
        result &= m.contains_key(str(key))
        result &= not m.contains_key(str(key + 1))
    print(capacity, result, m.size, m.capacity, round(m.table_load(), 2))
```

Output:

```
77 75
111 True 77 111 0.69
228 True 77 228 0.34
345 True 77 345 0.22
462 True 77 462 0.17
579 True 77 579 0.13
696 True 77 696 0.11
813 True 77 813 0.09
930 True 77 930 0.08
```

get_keys(self) -> DynamicArray:

This method returns a DynamicArray that contains all keys stored in your hash map. The order of the keys in the DA does not matter.

Example #1:

```
m = HashMap(10, hash_function_2)
for i in range(100, 200, 10):
    m.put(str(i), str(i * 10))
print(m.get_keys())
```

```
m.resize_table(1)
print(m.get_keys())
```

```
m.put('200', '2000')
m.remove('100')
m.resize_table(2)
print(m.get_keys())
```

Output:

```
['160', '110', '170', '120', '180', '130', '190', '140', '150', '100']
['100', '150', '140', '190', '130', '180', '120', '170', '110', '160']
['200', '160', '110', '170', '120', '180', '130', '190', '140', '150']
```