

Variable	Last version	Minimum value	Maximum value	Dependence
DD9	SKJEMA4H	1	31	
DD10	SKJEMA4H	1	12	
DD11	SKJEMA4H	2000	2010	Select DD11, to_char(sysdate, 'YYYY') From SKJEMA4_TBL1 T1 Where (DD11 Not Between 2000 AND to_char(sysdate, 'YYYY'))
DD12	SKJEMA4H	1	2	
DD13	SKJEMA4H	1500	5500	Select DD13, DD212 From SKJEMA4_TBL1 T1 Where (DD13 Not Between 1500 AND 5500 ) OR DD13 > DD212 +200
DD14	SKJEMA4H	40	55	Select DD14, DD213 From SKJEMA4_TBL1 T1 Where (DD14 Not Between 40 AND 55 ) OR (DD14 > DD213 AND DD213>10)
DD15	SKJEMA4H	30	43	
DD16	SKJEMA4H	0	60	Select DD16, DD17, DD18, DD34 From SKJEMA4_TBL1 T1 Where ( (DD16 Not Between 0 AND 60 ) OR (DD16 > 9 AND DD16 > DD34 AND DD18=1 AND DD17 Is Null) OR (DD16 > 6 AND 1 < DD17 ) OR (DD16 > 0 AND DD16 < 7 AND 0 < DD17 ) OR (DD16 = 0 AND ( DD17 Is Null OR DD17 = 0 ) ) )
DD17	SKJEMA4H	0	10	Select DD17, DD16 From SKJEMA4_TBL1 T1 Where ( ( DD17 Not Between 0 AND 10 ) OR (DD16 > 0 AND DD16 < 7 AND 0 < DD17 ) OR ( DD17 > 1 AND 6 < DD16 ) )
DD18	SKJEMA4H	1	2	
DD20	SKJEMA4H	1	2	
DD21	SKJEMA4H	1	2	
DD28	SKJEMA4H	1	2	
DD30	SKJEMA4H	1	2	
DD33	SKJEMA4H	0	99	
DD34	SKJEMA4H	0	28	Select DD34, DD16, DD17 From SKJEMA4_TBL1 T1 Where ( ( DD34 Not Between 0 AND 28 ) OR ( (DD34 - DD16 > 2 ) AND DD16 > 0 AND (DD17 Is Null OR DD17=0) ) OR ( (DD34 > DD17 * 7 +2) AND DD17>0 ) )
DD35	SKJEMA4H	1	5	
DD36	SKJEMA4H	1	3	
DD37	SKJEMA4H	1	3	
DD38	SKJEMA4H	1	3	
DD39	SKJEMA4H	1	1	Select DD39, DD41 From SKJEMA4_TBL1 T1 Where (DD39 Not Between 1 AND 1 ) OR (DD39 = 1 AND 1 = DD41)

Variable	Last version	Minimum value	Maximum value	Dependence
DD40	SKJEMA4H	1	1	Select DD40, DD41 From SKJEMA4_TBL1 T1 Where (DD40 Not Between 1 AND 1 ) OR (DD40 = 1 AND 1 = DD41)
DD41	SKJEMA4H	1	1	Select DD41, DD39, DD40 From SKJEMA4_TBL1 T1 Where (DD41 Not Between 1 AND 1 ) OR (DD41 = 1 AND (1 = DD39 OR 1 = DD40))
DD92	SKJEMA4H	1	4	
DD93	SKJEMA4H	1	4	
DD94	SKJEMA4H	1	4	
DD95	SKJEMA4H	1	4	
DD96	SKJEMA4H	1	4	
DD97	SKJEMA4H	1	4	
DD101	SKJEMA4H	1	4	
DD102	SKJEMA4H	1	4	
DD103	SKJEMA4H	1	4	
DD104	SKJEMA4H	1	4	
DD105	SKJEMA4H	1	4	
DD106	SKJEMA4H	1	4	
DD107	SKJEMA4H	1	4	
DD109	SKJEMA4H	1	4	
DD110	SKJEMA4H	3	8	
DD111	SKJEMA4H	1	4	
DD112	SKJEMA4H	3	8	
DD113	SKJEMA4H	1	4	
DD114	SKJEMA4H	3	8	
DD115	SKJEMA4H	1	4	
DD116	SKJEMA4H	3	8	
DD117	SKJEMA4H	1	4	
DD118	SKJEMA4H	3	8	
DD119	SKJEMA4H	1	4	

Variable	Last version	Minimum value	Maximum value	Dependence
DD120	SKJEMA4H	3	8	
DD121	SKJEMA4H	1	4	
DD122	SKJEMA4H	3	8	
DD123	SKJEMA4H	1	4	
DD124	SKJEMA4H	3	8	
DD125	SKJEMA4H	1	4	
DD126	SKJEMA4H	3	8	
DD127	SKJEMA4H	1	4	
DD128	SKJEMA4H	3	8	
DD129	SKJEMA4H	1	4	
DD130	SKJEMA4H	3	8	
DD131	SKJEMA4H	1	4	
DD132	SKJEMA4H	3	8	
DD133	SKJEMA4H	1	4	
DD134	SKJEMA4H	3	8	
DD135	SKJEMA4H	1	4	
DD136	SKJEMA4H	3	8	
DD137	SKJEMA4H	1	4	
DD138	SKJEMA4H	3	8	
DD139	SKJEMA4H	1	4	
DD140	SKJEMA4H	3	8	
DD141	SKJEMA4H	1	4	
DD142	SKJEMA4H	3	8	
DD144	SKJEMA4H	1	2	
DD151	SKJEMA4H	1	2	
DD152	SKJEMA4H	0	3	
DD153	SKJEMA4H	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
DD154	SKJEMA4H	0	9	
DD155	SKJEMA4H	0	9	
DD156	SKJEMA4H	0	3	
DD157	SKJEMA4H	1	2	
DD158	SKJEMA4H	0	9	
DD159	SKJEMA4H	0	9	
DD160	SKJEMA4H	0	3	
DD161	SKJEMA4H	1	2	
DD162	SKJEMA4H	0	9	
DD163	SKJEMA4H	0	9	
DD164	SKJEMA4A	0	3	
DD165	SKJEMA4A	1	2	
DD166	SKJEMA4A	0	9	
DD167	SKJEMA4A	0	9	
DD168	SKJEMA4H	1	2	
DD169	SKJEMA4H	0	9	
DD170	SKJEMA4H	0	9	
DD171	SKJEMA4H	1	2	
DD172	SKJEMA4H	0	9	
DD173	SKJEMA4H	0	9	
DD175	SKJEMA4H	1	2	
DD176	SKJEMA4H	0	9	
DD177	SKJEMA4H	0	9	
DD179	SKJEMA4H	1	5	
DD180	SKJEMA4H	1	5	
DD184	SKJEMA4H	1	2	
DD185	SKJEMA4H	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
DD186	SKJEMA4H	1	2	
DD187	SKJEMA4H	1	2	
DD188	SKJEMA4H	1	2	
DD189	SKJEMA4H	1	2	
DD190	SKJEMA4H	1	2	
DD191	SKJEMA4H	1	2	
DD192	SKJEMA4H	1	2	
DD193	SKJEMA4H	1	2	
DD194	SKJEMA4H	1	2	
DD195	SKJEMA4H	1	2	
DD196	SKJEMA4H	1	2	
DD197	SKJEMA4H	1	2	
DD198	SKJEMA4H	1	2	
DD199	SKJEMA4H	1	2	
DD200	SKJEMA4H	1	2	
DD201	SKJEMA4H	1	2	
DD202	SKJEMA4H	1	2	
DD203	SKJEMA4H	1	2	
DD204	SKJEMA4H	1	2	
DD205	SKJEMA4H	1	2	
DD206	SKJEMA4H	1	2	
DD207	SKJEMA4H	1	2	
DD209	SKJEMA4H	1	31	
DD210	SKJEMA4H	1	12	
DD211	SKJEMA4H	0	10	Select DD211, to_char(sysdate, 'YY') From SKJEMA4_TBL1 T1 Where (DD211 Not Between 0 AND to_char(sysdate, 'YY') )
DD212	SKJEMA4H	1500	7000	Select DD212, DD218, DD224, DD13 From SKJEMA4_TBL1 T1 Where (DD212 Not Between 1500 AND 7000 ) OR DD212 > DD218 OR DD212 > DD224 OR DD13 > DD212 +200

Variable	Last version	Minimum value	Maximum value	Dependence
DD213	SKJEMA4H	40	65	Select DD213, DD14, DD219, DD225, DD214 From SKJEMA4_TBL1 T1 Where (DD213 Not Between 40 AND 65 ) OR DD213 < DD14 OR DD213 > DD219 OR DD213 > DD225 OR DD213 < DD214
DD214	SKJEMA4H	30	42	Select DD214, DD220, DD226, DD213 From SKJEMA4_TBL1 T1 Where (DD214 Not Between 30 AND 42 ) OR DD214 > DD220 OR DD214 > DD226 OR DD214 > DD213
DD215	SKJEMA4H	1	31	
DD216	SKJEMA4H	1	12	
DD217	SKJEMA4H	0	10	Select DD217, to_char(sysdate, 'YY') From SKJEMA4_TBL1 T1 Where (DD217 Not Between 0 AND to_char(sysdate, 'YY') )
DD218	SKJEMA4H	2000	9000	Select DD218, DD212, DD224 From SKJEMA4_TBL1 T1 Where (DD218 Not Between 2000 AND 9000 ) OR DD218 < DD212 OR DD218 > DD224
DD219	SKJEMA4H	40	70	Select DD219, DD213, DD225, DD220 From SKJEMA4_TBL1 T1 Where (DD219 Not Between 40 AND 70 ) OR DD219 < DD213 OR DD219 > DD225 OR DD219 < DD220
DD220	SKJEMA4H	30	45	Select DD220, DD219, DD214, DD226 From SKJEMA4_TBL1 T1 Where (DD220 Not Between 30 AND 45 ) OR DD220 > DD219 OR DD220 < DD214 OR DD220 > DD226
DD221	SKJEMA4H	1	31	
DD222	SKJEMA4H	1	12	
DD223	SKJEMA4H	0	10	Select DD223, to_char(sysdate, 'YY') From SKJEMA4_TBL1 T1 Where (DD223 Not Between 0 AND to_char(sysdate, 'YY') )
DD224	SKJEMA4H	3200	11000	Select DD224, DD218, DD212 From SKJEMA4_TBL1 T1 Where (DD224 Not Between 3200 AND 11000 ) OR DD224 < DD218 OR DD224 < DD212
DD225	SKJEMA4H	45	80	Select DD225, DD213, DD219, DD226 From SKJEMA4_TBL1 T1 Where (DD225 Not Between 45 AND 80 ) OR DD225 < DD213 OR DD225 < DD219 OR DD225 < DD226
DD226	SKJEMA4H	30	48	Select DD226, DD214, DD220, DD225 From SKJEMA4_TBL1 T1 Where (DD226 Not Between 30 AND 48 ) OR DD226 < DD214 OR DD226 < DD220 OR DD226 > DD225
DD227	SKJEMA4H	1	2	
DD228	SKJEMA4H	1	3	
DD229	SKJEMA4H	1	2	
DD230	SKJEMA4H	1	3	
DD231	SKJEMA4H	1	2	
DD232	SKJEMA4H	1	3	
DD233	SKJEMA4H	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
DD234	SKJEMA4H	1	3	
DD235	SKJEMA4H	1	2	
DD236	SKJEMA4H	1	3	
DD237	SKJEMA4H	1	2	
DD238	SKJEMA4H	1	3	
DD239	SKJEMA4H	1	2	
DD240	SKJEMA4H	1	3	
DD241	SKJEMA4H	1	2	
DD242	SKJEMA4H	1	3	
DD243	SKJEMA4H	1	2	
DD244	SKJEMA4H	1	3	
DD245	SKJEMA4H	1	2	
DD246	SKJEMA4H	1	3	
DD247	SKJEMA4H	1	2	
DD248	SKJEMA4H	1	3	
DD249	SKJEMA4H	1	2	
DD250	SKJEMA4H	1	3	
DD251	SKJEMA4H	1	2	
DD252	SKJEMA4H	1	3	
DD253	SKJEMA4H	1	2	
DD254	SKJEMA4H	1	3	
DD256	SKJEMA4H	1	2	
DD257	SKJEMA4H	1	3	
DD259	SKJEMA4H	1	4	
DD261	SKJEMA4B	1	2	
DD262	SKJEMA4B	0	9	
DD263	SKJEMA4H	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
DD264	SKJEMA4H	0	20	Select DD264, DD263, DD263, DD265, DD266 From SKJEMA4_TBL1 T1 Where (DD264 Not Between 0 AND 20 ) OR ( (DD263 is null OR DD263 = 1) AND (DD265 is null OR DD265=1) AND (DD266 is null OR DD266=1) AND DD264>0) OR ((DD263=2 OR DD265=2 OR DD266=2) AND DD264=0)
DD265	SKJEMA4H	1	2	
DD266	SKJEMA4H	1	2	
DD267	SKJEMA4H	1	2	
DD268	SKJEMA4H	0	20	Select DD268, DD267, DD269, DD270 From SKJEMA4_TBL1 T1 Where (DD268 Not Between 0 AND 20 ) OR ( (DD267 is null OR DD267 = 1) AND (DD269 is null OR DD269=1) AND (DD270 is null OR DD270=1) AND DD268>0) OR ((DD267=2 OR DD269=2 OR DD270=2) AND DD268=0)
DD269	SKJEMA4H	1	2	
DD270	SKJEMA4H	1	2	
DD271	SKJEMA4H	1	2	
DD272	SKJEMA4H	0	20	Select DD272, DD271, DD273, DD274 From SKJEMA4_TBL1 T1 Where (DD272 Not Between 0 AND 20 ) OR ( (DD271 is null OR DD271 = 1) AND (DD273 is null OR DD273=1) AND (DD274 is null OR DD274=1) AND DD272>0) OR ((DD271=2 OR DD273=2 OR DD274=2) AND DD272=0)
DD273	SKJEMA4H	1	2	
DD274	SKJEMA4H	1	2	
DD275	SKJEMA4H	1	2	
DD276	SKJEMA4H	0	20	Select DD276, DD275, DD277, DD278 From SKJEMA4_TBL1 T1 Where (DD276 Not Between 0 AND 20 ) OR ( (DD275 is null OR DD275 = 1) AND (DD277 is null OR DD277=1) AND (DD278 is null OR DD278=1) AND DD276>0) OR ((DD275=2 OR DD277=2 OR DD278=2) AND DD276=0)
DD277	SKJEMA4H	1	2	
DD278	SKJEMA4H	1	2	
DD279	SKJEMA4H	1	2	
DD280	SKJEMA4H	0	20	Select DD280, DD279, DD281, DD282 From SKJEMA4_TBL1 T1 Where (DD280 Not Between 0 AND 20 ) OR ( (DD279 is null OR DD279 = 1) AND (DD281 is null OR DD281=1) AND (DD282 is null OR DD282=1) AND DD280>0) OR ((DD279=2 OR DD281=2 OR DD282=2) AND DD280=0)
DD281	SKJEMA4H	1	2	
DD282	SKJEMA4H	1	2	
DD283	SKJEMA4H	1	2	



Variable	Last version	Minimum value	Maximum value	Dependence
DD284	SKJEMA4H	0	20	Select DD284, DD283, DD285, DD286 From SKJEMA4_TBL1 T1 Where (DD284 Not Between 0 AND 20 ) OR ( (DD283 is null OR DD283 = 1) AND (DD285 is null OR DD285=1) AND (DD286 is null OR DD286=1) AND DD284>0) OR ((DD283=2 OR DD285=2 OR DD286=2) AND DD284=0)
DD285	SKJEMA4H	1	2	
DD286	SKJEMA4H	1	2	
DD287	SKJEMA4H	1	2	
DD288	SKJEMA4H	0	20	Select DD288, DD287, DD289, DD290 From SKJEMA4_TBL1 T1 Where (DD288 Not Between 0 AND 20 ) OR ( (DD287 is null OR DD287 = 1) AND (DD289 is null OR DD289=1) AND (DD290 is null OR DD290=1) AND DD288>0) OR ((DD287=2 OR DD288=2 OR DD290=2) AND DD288=0)
DD289	SKJEMA4H	1	2	
DD290	SKJEMA4H	1	2	
DD291	SKJEMA4H	1	2	
DD292	SKJEMA4H	0	20	Select DD292, DD291, DD293, DD294 From SKJEMA4_TBL1 T1 Where (DD292 Not Between 0 AND 20 ) OR ( (DD291 is null OR DD291 = 1) AND (DD293 is null OR DD293=1) AND (DD294 is null OR DD294=1) AND DD292>0) OR ((DD291=2 OR DD293=2 OR DD294=2) AND DD292=0)
DD293	SKJEMA4H	1	2	
DD294	SKJEMA4H	1	2	
DD295	SKJEMA4H	1	2	
DD296	SKJEMA4H	0	20	Select DD296, DD295, DD297, DD298 From SKJEMA4_TBL1 T1 Where (DD296 Not Between 0 AND 20 ) OR ( (DD295 is null OR DD295 = 1) AND (DD297 is null OR DD297=1) AND (DD298 is null OR DD298=1) AND DD296>0) OR ((DD295=2 OR DD297=2 OR DD298=2) AND DD296=0)
DD297	SKJEMA4H	1	2	
DD298	SKJEMA4H	1	2	
DD299	SKJEMA4H	1	2	
DD300	SKJEMA4H	0	20	Select DD300, DD299, DD301, DD302 From SKJEMA4_TBL1 T1 Where (DD300 Not Between 0 AND 20 ) OR ( (DD299 is null OR DD299 = 1) AND (DD301 is null OR DD301=1) AND (DD302 is null OR DD302=1) AND DD300>0) OR ((DD299=2 OR DD301=2 OR DD302=2) AND DD300=0)
DD301	SKJEMA4H	1	2	
DD302	SKJEMA4H	1	2	
DD303	SKJEMA4H	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
DD304	SKJEMA4H	0	20	Select DD304, DD303, DD305, DD306 From SKJEMA4_TBL1 T1 Where (DD304 Not Between 0 AND 20 ) OR ( (DD303 is null OR DD303 = 1) AND (DD305 is null OR DD305=1) AND (DD306 is null OR DD306=1) AND DD304>0) OR ((DD303=2 OR DD305=2 OR DD306=2) AND DD304=0)
DD305	SKJEMA4H	1	2	
DD306	SKJEMA4H	1	2	
DD307	SKJEMA4H	1	2	
DD308	SKJEMA4H	0	20	Select DD308, DD307, DD309, DD310 From SKJEMA4_TBL1 T1 Where (DD308 Not Between 0 AND 20 ) OR ( (DD307 is null OR DD307 = 1) AND (DD309 is null OR DD309=1) AND (DD310 is null OR DD310=1) AND DD308>0) OR ((DD307=2 OR DD309=2 OR DD310=2) AND DD308=0)
DD309	SKJEMA4H	1	2	
DD310	SKJEMA4H	1	2	
DD311	SKJEMA4H	1	2	
DD312	SKJEMA4H	0	20	Select DD312, DD311, DD313, DD315, DD862 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD312 Not Between 0 AND 20 ) OR ( (DD311 is null OR DD311 = 1) AND (DD313 is null OR DD313=1) AND (DD314 is null OR DD314=1) AND DD862 is null AND DD312>0) OR ((DD311=2 OR DD313=2 OR DD314=2) AND DD312=0)
DD313	SKJEMA4H	1	2	
DD314	SKJEMA4H	1	2	
DD316	SKJEMA4H	1	2	
DD322	SKJEMA4H	0	200	Select DD322, DD863, DD318, DD319, DD320, DD321 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((DD322 Not Between 0 AND 200 AND DD322 <> 999) OR (DD863 is null AND DD318 is null AND DD319 is null AND DD320 is null AND DD321 is null AND DD322 > 0))
DD328	SKJEMA4H	0	200	Select DD328, DD864, DD324, DD325, DD326, DD327 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD328 Not Between 0 AND 200 AND DD328 <> 999) OR (DD328 > 0 AND DD864 Is Null AND DD324 Is Null AND DD325 Is Null AND DD326 Is Null AND DD327 Is Null)
DD334	SKJEMA4H	0	200	Select DD334, DD330, DD331, DD332, DD333, DD865 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD334 Not Between 0 AND 200 AND DD334 <> 999 ) OR (DD334 > 0 AND DD330 is null AND DD331 is null AND DD332 is null AND DD333 is null AND DD865 is null)

Variable	Last version	Minimum value	Maximum value	Dependence
DD340	SKJEMA4H	0	200	Select DD340, DD336, DD337, DD338, DD339, DD866 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD340 Not Between 0 AND 200 AND DD340 <> 999) OR (DD340 > 0 AND DD336 is null AND DD337 is null AND DD338 is null AND DD339 is null AND DD866 is null)
DD344	SKJEMA4H	1	2	
DD346	SKJEMA4H	1	2	
DD348	SKJEMA4H	1	4	
DD349	SKJEMA4H	1	4	
DD350	SKJEMA4H	1	4	
DD351	SKJEMA4H	1	4	
DD352	SKJEMA4H	1	4	
DD353	SKJEMA4H	1	4	
DD354	SKJEMA4H	1	4	
DD355	SKJEMA4H	1	4	
DD356	SKJEMA4H	1	4	
DD357	SKJEMA4H	1	4	
DD358	SKJEMA4H	1	4	
DD364	SKJEMA4H	0	20	Select DD364, DD363 From SKJEMA4_TBL1 T1 Where (DD364 Not Between 0 AND 20 ) OR (DD364 > 9 AND DD363 is null)
DD365	SKJEMA4H	1	2	
DD366	SKJEMA4H	0	20	Select DD366, DD365 From SKJEMA4_TBL1 T1 Where (DD366 Not Between 0 AND 20 ) OR (DD366 > 0 AND 1 = DD365)
DD367	SKJEMA4H	1	4	
DD368	SKJEMA4H	1	4	
DD369	SKJEMA4H	1	5	
DD382	SKJEMA4H	1	3	
DD383	SKJEMA4H	1	3	
DD384	SKJEMA4H	1	3	
DD385	SKJEMA4H	1	3	

Variable	Last version	Minimum value	Maximum value	Dependence
DD386	SKJEMA4H	1	7	
DD387	SKJEMA4H	1	7	
DD388	SKJEMA4H	1	7	
DD389	SKJEMA4H	1	7	
DD390	SKJEMA4H	1	7	
DD391	SKJEMA4H	1	7	
DD392	SKJEMA4H	1	7	
DD393	SKJEMA4H	1	7	
DD394	SKJEMA4H	1	7	
DD395	SKJEMA4H	1	7	
DD396	SKJEMA4H	1	4	
DD401	SKJEMA4H	1	2	
DD402	SKJEMA4H	0	10	Select DD402, DD401 From SKJEMA4_TBL1 T1 Where ((DD402 Not Between 0 AND 10 ) OR (DD401=1 AND DD402 > 0) OR (DD401=2 AND DD402 = 0) )
DD410	SKJEMA4H	1	2	
DD411	SKJEMA4H	0	24	Select DD411, DD410 From SKJEMA4_TBL1 T1 Where (DD411 Not Between 0 AND 24 ) OR (DD411>0 AND 1 = DD410) OR (DD411=0 AND 2 = DD410)
DD412	SKJEMA4H	1	2	
DD414	SKJEMA4H	1	2	
DD416	SKJEMA4H	1	4	
DD417	SKJEMA4H	1	1	Select DD417, DD418, DD419, DD421, DD422, DD423, DD424 From SKJEMA4_TBL1 T1 Where ( (DD417 Not Between 1 AND 1 ) OR (DD417 = 1 AND (DD418 Is Not Null OR DD419 Is Not Null OR DD421 Is Not Null OR DD422 Is Not Null OR DD423 Is Not Null OR DD424 Is Not Null ) ) )
DD418	SKJEMA4H	1	1	Select DD418, DD417 From SKJEMA4_TBL1 T1 Where (DD418 Not Between 1 AND 1 ) OR ( DD418 = 1 AND 1 = DD417)
DD419	SKJEMA4H	1	1	Select DD419, DD417 From SKJEMA4_TBL1 T1 Where ( (DD419 Not Between 1 AND 1 ) OR ( DD419 = 1 AND 1 = DD417) )
DD421	SKJEMA4H	1	1	Select DD421, DD417 From SKJEMA4_TBL1 T1 Where ( (DD421 Not Between 1 AND 1 ) OR ( DD421 = 1 AND 1 = DD417 ) )

Variable	Last version	Minimum value	Maximum value	Dependence
DD422	SKJEMA4H	1	1	Select DD422, DD417 From SKJEMA4_TBL1 T1 Where ( (DD422 Not Between 1 AND 1 ) OR ( DD422 = 1 AND 1 = DD417 ) )
DD424	SKJEMA4H	0	250	Select DD424, DD417, DD421, DD422, DD423, DD872 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD424 Not Between 0 AND 250 AND DD424 <> 999) OR ( 1 = DD417 AND DD424 > 0 ) OR ( DD424 > 0 AND DD421 is null AND DD422 is null AND DD423 is null AND DD872 is null) OR (DD424 = 0 AND (DD421 =1 OR DD422 =1 OR DD423 =1 OR DD872 is not null))
DD425	SKJEMA4H	1	1	Select DD425, DD426, DD427, DD429, DD430, DD431 From SKJEMA4_TBL1 T1 Where ( (DD425 Not Between 1 AND 1 ) OR (DD425 = 1 AND ( 1 = DD426 OR 1 = DD427 OR 1 = DD429 OR 1 = DD430 OR 1 = DD431) ) )
DD432	SKJEMA4H	0	250	Select DD432, DD425, DD429, DD430, DD431, DD873 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD432 Not Between 0 AND 250 AND DD432 <> 999) OR ( 1 = DD425 AND DD432 > 0 ) OR ( DD432 > 0 AND DD429 is null AND DD430 is null AND DD431 is null AND DD873 is null) OR (DD432 = 0 AND (DD429 =1 OR DD430 =1 OR DD431 =1 OR DD873 is not null))
DD440	SKJEMA4H	0	250	Select DD440, DD433, DD437, DD438, DD439, DD874 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD440 Not Between 0 AND 250 AND DD440 <> 999) OR ( 1 = DD433 AND DD440 > 0 ) OR ( DD440 > 0 AND DD437 is null AND DD438 is null AND DD439 is null AND DD874 is null) OR (DD440 = 0 AND (DD437 =1 OR DD438 =1 OR DD439 =1 OR DD874 is not null))
DD448	SKJEMA4H	0	250	Select DD448, DD441, DD445, DD446, DD447, DD875 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD448 Not Between 0 AND 250 AND DD448 <> 999) OR ( DD448 > 0 AND 1 = DD441) OR ( DD448 > 0 AND DD445 is null AND DD446 is null AND DD447 is null AND DD875 is null) OR ( DD448 = 0 AND (DD445 = 1 OR DD446 = 1 OR DD447 = 1 OR DD875 is not null))
DD456	SKJEMA4H	0	250	Select DD456, DD449, DD453, DD454, DD455, DD876 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD456 Not Between 0 AND 250 AND DD456 <> 999) OR ( DD456 > 0 AND 1 = DD449) OR ( DD456 > 0 AND DD453 is null AND DD454 is null AND DD455 is null AND DD876 is null) OR ( DD456 = 0 AND (DD453 = 1 OR DD454 =1 OR DD455 = 1 OR DD876 is not null))
DD464	SKJEMA4H	0	250	Select DD464, DD457, DD461, DD462, DD463, DD877 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD464 Not Between 0 AND 250 ) OR (DD464 > 0 AND 1 = DD457) OR (DD464 > 0 AND DD461 is null AND DD462 is null AND DD463 is null AND DD877 is null) OR (DD464 = 0 AND (DD461 = 1 OR DD462 = 1 OR DD463 = 1 OR DD877 is not null))

Variable	Last version	Minimum value	Maximum value	Dependence
DD472	SKJEMA4H	0	250	Select DD472, DD465, DD469, DD470, DD471, DD878 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD472 Not Between 0 AND 250 AND DD472 <> 999) OR (DD472 > 0 AND 1 = DD465) OR (DD472 > 0 AND DD469 is null AND DD470 is null AND DD471 is null AND DD878 is null) OR (DD472 = 0 AND (DD469 = 1 OR DD470 = 1 OR DD471 = 1 OR DD878 is not null))
DD480	SKJEMA4H	0	250	Select DD480, DD473, DD477, DD478, DD479, DD879 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD480 Not Between 0 AND 250 AND DD480 <> 999) OR (DD480 > 0 AND 1 = DD473) OR (DD480 > 0 AND DD477 is null AND DD478 is null AND DD479 is null AND DD879 is null) OR (DD480 = 0 AND (DD477 = 1 OR DD478 = 1 OR DD479 = 1 OR DD879 is not null))
DD488	SKJEMA4H	0	250	Select DD488, DD481, DD485, DD486, DD487, DD880 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD488 Not Between 0 AND 250 AND DD488 <> 999) OR (DD488 > 0 AND 1 = DD481) OR (DD488 > 0 AND DD485 is null AND DD486 is null AND DD487 is null AND DD880 is null) OR (DD488 = 0 AND (DD485 = 1 OR DD486 = 1 OR DD487 = 1 OR DD880 is not null))
DD496	SKJEMA4H	0	250	Select DD496, DD489, DD493, DD494, DD495, DD881 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD496 Not Between 0 AND 250 AND DD496 <> 999) OR (DD496 > 0 AND 1 = DD489) OR (DD496 > 0 AND DD493 is null AND DD494 is null AND DD495 is null AND DD881 is null) OR (DD496 = 0 AND (DD493 = 1 OR DD494 = 1 OR DD495 = 1 OR DD881 is not null))
DD504	SKJEMA4H	0	250	Select DD504, DD497, DD501, DD502, DD503, DD882 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD504 Not Between 0 AND 250 AND DD504 <> 999) OR (DD504 > 0 AND 1 = DD497) OR (DD504 > 0 AND DD501 is null AND DD502 is null AND DD503 is null AND DD882 is null) OR (DD504 = 0 AND (DD501 = 1 OR DD502 = 1 OR DD503 = 1 OR DD882 is not null))
DD512	SKJEMA4H	0	250	Select DD512, DD505, DD509, DD510, DD511, DD883 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD512 Not Between 0 AND 250 AND DD512 <> 999) OR (DD512 > 0 AND 1 = DD505) OR (DD512 > 0 AND DD509 is null AND DD510 is null AND DD511 is null AND DD883 is null) OR (DD512 = 0 AND (DD509 = 1 OR DD510 = 1 OR DD511 = 1 OR DD883 is not null))
DD520	SKJEMA4H	0	250	Select DD520, DD513, DD517, DD518, DD519, DD884 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD520 Not Between 0 AND 250 AND DD520 <> 999) OR (DD520 > 0 AND 1 = DD513) OR (DD520 > 0 AND DD517 is null AND DD518 is null AND DD519 is null AND DD884 is null) OR (DD520 = 0 AND (DD517 = 1 OR DD518 = 1 OR DD519 = 1 OR DD884 is not null))

Variable	Last version	Minimum value	Maximum value	Dependence
DD528	SKJEMA4H	0	250	Select DD528, DD521, DD525, DD526, DD527, DD885, t1.skjemainfo_id From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD528 Not Between 0 AND 250 AND DD528 <> 999) OR (DD528 > 0 AND 1 = DD521) OR (DD528 > 0 AND DD525 is null AND DD526 is null AND DD527 is null AND DD885 is null) OR (DD528 = 0 AND (DD525 = 1 OR DD526 = 1 OR DD527 = 1 OR DD885 is not null))
DD536	SKJEMA4H	0	250	Select DD536, DD529, DD533, DD534, DD535, DD886 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD536 Not Between 0 AND 250 AND DD536 <> 999) OR (DD536 > 0 AND 1 = DD529) OR (DD536 > 0 AND DD533 is null AND DD534 is null AND DD535 is null AND DD886 is null) OR (DD536 = 0 AND (DD533 = 1 OR DD534 = 1 OR DD535 = 1 OR DD886 is not null))
DD544	SKJEMA4H	0	250	Select DD544, DD537, DD541, DD542, DD543, DD887 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD544 Not Between 0 AND 250 AND DD544 <> 999) OR (DD544 > 0 AND 1 = DD537) OR (DD544 > 0 AND DD541 is null AND DD542 is null AND DD543 is null AND DD887 is null) OR (DD544 = 0 AND (DD541 = 1 OR DD542 = 1 OR DD543 = 1 OR DD887 is not null))
DD552	SKJEMA4H	0	250	Select DD552, DD545, DD549, DD550, DD551, DD888 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD552 Not Between 0 AND 250 AND DD552 <> 999) OR (DD552 > 0 AND 1 = DD545) OR (DD552 > 0 AND DD549 is null AND DD550 is null AND DD551 is null AND DD888 is null) OR (DD552 = 0 AND (DD549 = 1 OR DD550 = 1 OR DD551 = 1 OR DD888 is not null))
DD560	SKJEMA4H	0	250	Select DD560, DD553, DD557, DD558, DD559, DD889 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD560 Not Between 0 AND 250 AND DD560 <> 999) OR (DD560 > 0 AND 1 = DD553) OR (DD560 > 0 AND DD557 is null AND DD558 is null AND DD559 is null AND DD889 is null) OR (DD560 = 0 AND (DD557 = 1 OR DD558 = 1 OR DD559 = 1 OR DD889 is not null))
DD568	SKJEMA4H	0	250	Select DD568, DD561, DD565, DD566, DD567, DD890, t1.skjemainfo_id From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD568 Not Between 0 AND 250 AND DD568 <> 999) OR (DD568 > 0 AND 1 = DD561) OR (DD568 > 0 AND DD565 is null AND DD566 is null AND DD567 is null AND DD890 is null) OR (DD568 = 0 AND (DD565 = 1 OR DD566 = 1 OR DD567 = 1 OR DD890 is not null))
DD570	SKJEMA4H	1	2	
DD573	SKJEMA4H	0	100	Select DD573, DD572, DD892 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD573 Not Between 0 AND 100) OR (DD573 > 0 AND DD572 is null AND DD892 is null)

Variable	Last version	Minimum value	Maximum value	Dependence
DD575	SKJEMA4H	0	100	Select DD575, DD574, DD892 From SKJEMA4_TBL1 T1 Inner Join SKJEMA4_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (DD575 Not Between 0 AND 100) OR (DD575 > 0 AND DD574 is null AND DD892 is null)
DD592	SKJEMA4H	1	2	
DD614	SKJEMA4H	1	2	
DD615	SKJEMA4H	1	2	
DD616	SKJEMA4H	1	2	
DD617	SKJEMA4H	1	2	
DD618	SKJEMA4H	1	2	
DD619	SKJEMA4H	1	2	
DD620	SKJEMA4H	1	2	
DD621	SKJEMA4H	1	2	
DD622	SKJEMA4H	1	2	
DD623	SKJEMA4H	1	2	
DD624	SKJEMA4H	1	2	
DD625	SKJEMA4H	1	2	
DD626	SKJEMA4H	1	2	
DD627	SKJEMA4H	1	2	
DD628	SKJEMA4H	1	2	
DD629	SKJEMA4H	1	2	
DD630	SKJEMA4H	1	2	
DD631	SKJEMA4H	1	2	
DD632	SKJEMA4H	1	2	
DD633	SKJEMA4H	1	2	
DD634	SKJEMA4H	1	2	
DD635	SKJEMA4H	1	2	
DD636	SKJEMA4H	1	2	
DD637	SKJEMA4H	1	2	



Variable	Last version	Minimum value	Maximum value	Dependence
DD638	SKJEMA4H	1	2	
DD639	SKJEMA4H	1	3	
DD640	SKJEMA4H	1	3	
DD641	SKJEMA4H	1	2	
DD655	SKJEMA4H	0	30	Select DD655, DD656 From SKJEMA4_TBL1 T1 Where ((DD655 Not Between 0 AND 30 ) OR (DD656=1 AND DD655 in (1,11)))
DD656	SKJEMA4H	1	1	Select DD656, DD655 From SKJEMA4_TBL1 T1 Where ( (DD656 <> 1 ) OR (DD656=1 AND DD655 in (1,11) ) )
DD657	SKJEMA4G	1	5	
DD658	SKJEMA4G	1	2	
DD659	SKJEMA4G	1	5	
DD660	SKJEMA4G	1	2	
DD661	SKJEMA4G	1	5	
DD662	SKJEMA4G	1	2	
DD663	SKJEMA4G	1	5	
DD664	SKJEMA4G	1	5	
DD665	SKJEMA4H	0	15	
DD666	SKJEMA4H	1	2	
DD672	SKJEMA4H	40	120	Select DD672, DD673 From SKJEMA4_TBL1 T1 Where (DD672 Not Between 40 AND 120 ) OR ((DD672 - DD673) > 28 AND DD673>15 AND DD673<300) OR ((DD672 < DD673) AND DD673>15 AND DD673<300)
DD673	SKJEMA4H	40	120	Select DD673,DD672 From SKJEMA4_TBL1 T1 Where (DD673 Not Between 40 AND 120 ) OR ((DD672 - DD673) > 28 AND DD672>15 AND DD672<300) OR ((DD672 < DD673) AND DD672>15 AND DD672<300)
DD674	SKJEMA4H	1	3	
DD679	SKJEMA4H	0	99	
DD680	SKJEMA4H	10	100	
DD685	SKJEMA4H	0	99	
DD686	SKJEMA4H	10	100	

Variable	Last version	Minimum value	Maximum value	Dependence
DD691	SKJEMA4H	0	99	
DD692	SKJEMA4H	10	100	
DD693	SKJEMA4A	1	3	
DD694	SKJEMA4H	1	4	
DD695	SKJEMA4H	1	2	
DD702	SKJEMA4H	1	2	
DD710	SKJEMA4H	1	5	
DD711	SKJEMA4H	1	5	
DD712	SKJEMA4H	1	5	
DD716	SKJEMA4H	1	5	
DD717	SKJEMA4H	1	5	
DD718	SKJEMA4H	1	5	
DD719	SKJEMA4H	1	5	
DD720	SKJEMA4H	1	5	
DD721	SKJEMA4H	1	5	
DD722	SKJEMA4H	1	5	
DD723	SKJEMA4H	1	5	
DD724	SKJEMA4H	1	5	
DD725	SKJEMA4H	1	5	
DD726	SKJEMA4H	1	5	
DD727	SKJEMA4H	1	5	
DD728	SKJEMA4H	1	5	
DD729	SKJEMA4H	1	5	
DD730	SKJEMA4H	1	6	
DD731	SKJEMA4H	1	6	
DD732	SKJEMA4F	1	3	Select DD732, DD738 From SKJEMA4_TBL1 T1 Where ( ( DD732 Not Between 1 AND 3 ) OR ( DD732=1 AND 0 < DD738 ) OR ( DD732=3 And (DD738 is Null OR DD738=0 ) ) )

Variable	Last version	Minimum value	Maximum value	Dependence
DD732	SKJEMA4H	1	3	Select DD732, DD738, DD1114 From SKJEMA4_TBL1 T1, SKJEMA4_TBL2 T2 Where T1.SKJEMAINFO_ID=T2.SKJEMAINFO_ID AND ( ( DD732 Not Between 1 AND 3 ) OR ( DD732=1 AND ( DD738 > 0 OR DD1114 > 0 ) ) OR ( DD732=2 AND ( DD1114=0 OR DD1114 is Null ) ) OR ( DD732=3 AND ( DD738=0 OR DD738 is Null ) ) )
DD733	SKJEMA4H	1	3	
DD733	SKJEMA4F	1	3	Select DD733, DD739 From SKJEMA4_TBL1 T1 Where ( ( DD733 Not Between 1 AND 3 ) OR ( DD733=1 AND 0 < DD739 ) OR ( DD733=3 And (DD739 is Null OR DD739=0 ) ) )
DD734	SKJEMA4F			Select DD734, DD740 From SKJEMA4_TBL1 T1 Where ( ( DD734 Not Between 1 AND 3 ) OR ( DD734=1 AND 0 < DD740 ) OR ( DD734=3 And (DD740 is Null OR DD740=0 ) ) )
DD734	SKJEMA4H	1	3	
DD735	SKJEMA4H	1	3	
DD736	SKJEMA4H	1	3	
DD737	SKJEMA4H	1	3	
DD738	SKJEMA4H	0	20	Select DD738, DD732 From SKJEMA4_TBL1 T1 Where (DD738 Not Between 0 AND 20 ) OR (DD738 > 0 AND 1 = DD732) OR (DD738 = 0 AND 3 = DD732)
DD739	SKJEMA4H	0	20	Select DD739, DD733 From SKJEMA4_TBL1 T1 Where (DD739 Not Between 0 AND 20 ) OR (DD739>0 AND 1 = DD733) OR (DD739=0 AND 3 = DD733)
DD740	SKJEMA4H	0	20	Select DD740, DD734 From SKJEMA4_TBL1 T1 Where (DD740 Not Between 0 AND 20 ) OR (DD740>0 AND 1 = DD734) OR (DD740=0 AND 3 = DD734)
DD741	SKJEMA4H	0	30	Select DD741, DD735 From SKJEMA4_TBL1 T1 Where ( (DD741 Not Between 0 AND 30 ) OR (DD741>0 AND 1 = DD735) OR (DD741=0 AND 3 = DD735) )
DD742	SKJEMA4H	0	30	Select DD742, DD736 From SKJEMA4_TBL1 T1 Where (DD742 Not Between 0 AND 30 ) OR (DD742 > 0 AND 1 = DD736) OR (DD742 = 0 AND 3 = DD736)
DD743	SKJEMA4H	0	30	Select DD743, DD737 From SKJEMA4_TBL1 T1 Where (DD743 Not Between 0 AND 30 ) OR (DD743 > 0 AND 1 = DD737) OR (DD743 = 0 AND 3 = DD737)
DD744	SKJEMA4H	1	4	
DD745	SKJEMA4H	0	15	Select DD745, DD744 From SKJEMA4_TBL1 T1 Where ((DD745 Not Between 0 AND 15 ) OR (DD745 > 0 AND 1 = DD744) OR (DD745 > 4 AND 2 = DD744))
DD747	SKJEMA4H			Select DD747 From SKJEMA4_TBL1 T1 Where DD747=1
DD748	SKJEMA4H			Select DD746, DD750 From SKJEMA4_TBL1 T1 Where DD746=1 AND DD750=1
DD750	SKJEMA4H			Select DD750 From SKJEMA4_TBL1 T1 Where DD750=1

Variable	Last version	Minimum value	Maximum value	Dependence
DD751	SKJEMA4H			Select DD751 From SKJEMA4_TBL1 T1 Where DD751=1
DD753	SKJEMA4H			Select DD753 From SKJEMA4_TBL1 T1 Where DD753=1
DD754	SKJEMA4H			Select DD754 From SKJEMA4_TBL1 T1 Where DD754=1
DD756	SKJEMA4H			Select DD756 From SKJEMA4_TBL1 T1 Where DD756=1
DD757	SKJEMA4H			Select DD757 From SKJEMA4_TBL1 T1 Where DD757=1
DD759	SKJEMA4H			Select DD759 From SKJEMA4_TBL1 T1 Where DD759=1
DD760	SKJEMA4H			Select DD760 From SKJEMA4_TBL1 T1 Where DD760=1
DD762	SKJEMA4H			Select DD762 From SKJEMA4_TBL1 T1 Where DD762=1
DD763	SKJEMA4H			Select DD761, DD763 From SKJEMA4_TBL1 T1 Where DD761=1 And DD763=1
DD766	SKJEMA4H			Select DD766 From SKJEMA4_TBL1 T1 Where DD766=1
DD767	SKJEMA4H			Select DD767 From SKJEMA4_TBL1 T1 Where DD767=1
DD769	SKJEMA4H			Select DD769 From SKJEMA4_TBL1 T1 Where DD769=1
DD770	SKJEMA4H			Select DD770 From SKJEMA4_TBL1 T1 Where DD770=1
DD772	SKJEMA4H			Select DD772 From SKJEMA4_TBL1 T1 Where DD772=1
DD773	SKJEMA4H			Select DD773 From SKJEMA4_TBL1 T1 Where DD773=1
DD774	SKJEMA4H	1	7	
DD774	SKJEMA4F	4	7	
DD775	SKJEMA4H	1	7	
DD775	SKJEMA4F	3	7	
DD776	SKJEMA4H	1	7	
DD776	SKJEMA4F	3	7	
DD777	SKJEMA4H	1	6	
DD777	SKJEMA4F	5	6	
DD778	SKJEMA4H	1	6	
DD779	SKJEMA4H	1	6	
DD780	SKJEMA4H	1	2	
DD784	SKJEMA4H	1	6	

Variable	Last version	Minimum value	Maximum value	Dependence
DD785	SKJEMA4H	1	6	
DD786	SKJEMA4H	1	6	
DD787	SKJEMA4H	1	6	
DD788	SKJEMA4H	1	6	
DD789	SKJEMA4H	1	6	
DD790	SKJEMA4H	1	6	
DD791	SKJEMA4H	1	6	
DD792	SKJEMA4H	1	6	
DD793	SKJEMA4H	1	6	
DD794	SKJEMA4H	1	5	
DD795	SKJEMA4H	1	5	
DD796	SKJEMA4H	1	5	
DD797	SKJEMA4H	1	5	
DD798	SKJEMA4H	1	5	
DD799	SKJEMA4H	1	5	
DD800	SKJEMA4H	1	7	
DD801	SKJEMA4H	1	7	
DD802	SKJEMA4H	1	7	
DD803	SKJEMA4H	1	7	
DD804	SKJEMA4H	1	7	
DD805	SKJEMA4H	1	2	
DD806	SKJEMA4H	1	3	
DD807	SKJEMA4H	1	2	
DD808	SKJEMA4H	1	3	
DD809	SKJEMA4H	1	2	
DD810	SKJEMA4H	1	3	
DD811	SKJEMA4H	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
DD812	SKJEMA4H	1	3	
DD813	SKJEMA4H	1	2	
DD814	SKJEMA4H	1	3	
DD815	SKJEMA4H	1	2	
DD816	SKJEMA4H	1	3	
DD817	SKJEMA4H	1	2	
DD818	SKJEMA4H	1	3	
DD819	SKJEMA4H	1	2	
DD820	SKJEMA4H	1	3	
DD821	SKJEMA4H	1	2	
DD822	SKJEMA4H	1	3	
DD823	SKJEMA4H	1	2	
DD824	SKJEMA4H	1	3	
DD825	SKJEMA4H	1	2	
DD826	SKJEMA4H	1	3	
DD827	SKJEMA4H	1	4	
DD828	SKJEMA4H	1	4	
DD829	SKJEMA4H	1	4	
DD830	SKJEMA4H	1	4	
DD831	SKJEMA4H	1	4	
DD832	SKJEMA4H	1	4	
DD833	SKJEMA4H	1	4	
DD834	SKJEMA4H	1	4	
DD835	SKJEMA4H	1	4	
DD836	SKJEMA4H	1	4	
DD837	SKJEMA4H	1	4	
DD838	SKJEMA4H	1	4	

Variable	Last version	Minimum value	Maximum value	Dependence
DD839	SKJEMA4H	1	4	
DD840	SKJEMA4H	1	4	
DD841	SKJEMA4H	1	4	
DD842	SKJEMA4H	1	4	
DD843	SKJEMA4H	1	4	
DD844	SKJEMA4H	1	4	
DD850	SKJEMA4H			Select DD850 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD851	SKJEMA4H			Select DD851 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD852	SKJEMA4H			Select DD852 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD853	SKJEMA4H			Select DD853 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD854	SKJEMA4H			Select DD854,t1.skjemainfo_id From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD855	SKJEMA4H			Select DD855 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD857	SKJEMA4H			Select DD857 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD858	SKJEMA4H			Select DD858 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD859	SKJEMA4H			Select DD859 From SKJEMA4_TXT T1 Where LENGTH( TRIM ( DD859 ) ) BETWEEN 60 AND 64
DD860	SKJEMA4H			Select DD860 From SKJEMA4_TXT T1 Where LENGTH( TRIM( DD860 ) ) BETWEEN 60 AND 64
DD861	SKJEMA4H			Select DD861, length(DD861) From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and ( ( t1.skjemainfo_id between 325000 and 344200 and versjon_id=103) or ( length(DD861) in (31,32) and versjon_id in (103,61) ) ) )
DD862	SKJEMA4H			Select DD862, length(DD862) From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and ( ( t1.skjemainfo_id between 325000 and 344200 and versjon_id=103) or ( length(DD862) in (31,32,63,64) and versjon_id in (103,61) ) ) )
DD863	SKJEMA4H			Select DD863 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)

Variable	Last version	Minimum value	Maximum value	Dependence
DD864	SKJEMA4H			Select DD864 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD865	SKJEMA4H			Select DD865 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD866	SKJEMA4H			Select DD866 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD867	SKJEMA4H			Select DD867 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD868	SKJEMA4H			Select DD868, length(DD868) From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and ( ( t1.skjemainfo_id between 325000 and 344200 and version_id=103) or ( length(DD868) in (31,32,63,64) and version_id in (103,61) ) ) )
DD869	SKJEMA4H			Select DD869 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD870	SKJEMA4H			Select DD870 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD871	SKJEMA4H			Select DD871 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD872	SKJEMA4H			Select DD872 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD873	SKJEMA4H			Select DD873 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD874	SKJEMA4H			Select DD874 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD875	SKJEMA4H			Select DD875 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD876	SKJEMA4H			Select DD876 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD877	SKJEMA4H			Select DD877 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD878	SKJEMA4H			Select DD878 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD879	SKJEMA4H			Select DD879 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)



Variable	Last version	Minimum value	Maximum value	Dependence
DD880	SKJEMA4H			Select DD880 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD881	SKJEMA4H			Select DD881, DD492 From SKJEMA4_TXT T1 Inner Join SKJEMA4_TBL1 T2 On T2.Skjemainfo_ID = T1.Skjemainfo_ID Where DD881 is Null AND 1 = DD492
DD882	SKJEMA4H			Select DD882 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD885	SKJEMA4H			Select DD885 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD886	SKJEMA4H			Select DD886 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD887	SKJEMA4H			Select DD887 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD888	SKJEMA4H			Select DD888 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD890	SKJEMA4H			Select DD890 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD891	SKJEMA4H			Select DD891 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD892	SKJEMA4H			Select DD892 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD893	SKJEMA4H			Select DD893 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD894	SKJEMA4H			Select DD894 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD895	SKJEMA4H			Select DD895 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD896	SKJEMA4H			Select DD896 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD897	SKJEMA4H			Select DD897 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)
DD898	SKJEMA4H			Select DD898 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and version_id=103)

Variable	Last version	Minimum value	Maximum value	Dependence
DD899	SKJEMA4H			Select DD899 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD900	SKJEMA4H			Select DD900 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD904	SKJEMA4H			Select DD904 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD905	SKJEMA4H			Select DD905 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1071	SKJEMA4A			Select DD1071 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1072	SKJEMA4A			Select DD1072 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1073	SKJEMA4A			Select DD1073 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1074	SKJEMA4A			Select DD1074 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1075	SKJEMA4A			Select DD1075 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1076	SKJEMA4A			Select DD1076 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1077	SKJEMA4A			Select DD1077 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1078	SKJEMA4A			Select DD1078 From SKJEMA4_TXT T1, mb_datainfo t2 Where (t1.skjemainfo_id=t2.skjemainfo_id and t1.skjemainfo_id between 325000 and 344200 and versjon_id=103)
DD1102	SKJEMA4H	1	3	
DD1103	SKJEMA4H	1	2	
DD1104	SKJEMA4H	1	2	
DD1105	SKJEMA4H	1	2	
DD1106	SKJEMA4H	1	2	
DD1107	SKJEMA4H	1	2	
DD1108	SKJEMA4H	1	3	

Variable	Last version	Minimum value	Maximum value	Dependence
DD1114	SKJEMA4H	0	20	
DD1115	SKJEMA4H	0	20	
DD1116	SKJEMA4H	0	20	
DD1117	SKJEMA4H	0	30	
DD1118	SKJEMA4H	0	30	
DD1119	SKJEMA4H	0	30	
DD1121	SKJEMA4H	1	2	
DD1122	SKJEMA4H	1	2	
DD1123	SKJEMA4H	1	2	
DD1124	SKJEMA4H	1	2	
DD1125	SKJEMA4H	1	2	
DD1126	SKJEMA4H	1	5	
DD1127	SKJEMA4H	1	4	