

Variable	Last version	Minimum value	Maximum value	Dependence
GG9	SKJEMA6D	1	31	
GG10	SKJEMA6D	1	12	
GG11	SKJEMA6D	2004	2012	Select GG11 From SKJEMA6_TBL1 T1 Where (GG11 Not Between 2004 AND to_char(sysdate, 'YYYY'))
GG11	SKJEMA62	2006	2012	Select GG11 From SKJEMA6_TBL1 T1 Where (GG11 Not Between 2006 AND to_char(sysdate, 'YYYY'))
GG12	SKJEMA6D	1	31	
GG13	SKJEMA6D	1	12	
GG14	SKJEMA6D	2	12	Select GG14 From SKJEMA6_TBL1 T1 Where (GG14 Not Between 02 AND (to_char(sysdate, 'YY') -1))
GG15	SKJEMA6D	74	88	Select GG15, GG20, GG25 From SKJEMA6_TBL1 T1 Where ((GG15 Not Between 74 AND 88) OR (GG15 > GG25 AND GG25>=80 AND GG25<=110) OR (GG15 > GG20 AND GG20>=75 AND GG20<=100))
GG16	SKJEMA6D	8	14	Select GG16, GG21, GG26 From SKJEMA6_TBL1 T1 Where ((GG16 Not Between 8 AND 14) OR (GG16 > GG21 AND GG21>=7 AND GG21<=20) OR (GG16 > GG26 AND GG26>=8 AND GG26<=21))
GG17	SKJEMA6D	1	31	
GG18	SKJEMA6D	1	12	
GG19	SKJEMA6D	1	12	Select GG19 From SKJEMA6_TBL1 T1 Where (GG19 Not Between 01 AND (to_char(sysdate, 'YY') -1))
GG20	SKJEMA6D	79	95	Select GG20, GG25, GG15 From SKJEMA6_TBL1 T1 Where ((GG20 Not Between 79 AND 95) OR (GG20 > GG25 AND GG25 >= 80 AND GG25 <= 110) OR (GG20 < GG15 AND GG20 >= 79 AND GG15 >= 65 AND GG15 <= 90))
GG21	SKJEMA6D	9.8	16	Select GG21, GG16, GG26 From SKJEMA6_TBL1 T1 Where ((GG21 Not Between 9.8 AND 16) OR (GG21 < GG16 AND GG16 >= 6 AND GG16 <= 19) OR (GG21 > GG26 AND GG26 >= 8 AND GG26 <= 21))
GG22	SKJEMA6D	1	31	
GG23	SKJEMA6D	1	12	
GG25	SKJEMA6D	88	104	Select GG25, GG15, GG20 From SKJEMA6_TBL1 T1 Where ((GG25 Not Between 88 AND 104) OR (GG25 < GG15 AND GG25>=88 AND GG20>=75 AND GG20<=100) OR (GG25 < GG20 AND GG25>=88 AND GG15>=65 AND GG15<=90))
GG26	SKJEMA6D	11.6	19.5	Select GG26, GG16, GG21 From SKJEMA6_TBL1 T1 Where ((GG26 Not Between 11.6 AND 19.5) OR (GG26 < GG16 AND GG16>=6 AND GG16<=19) OR (GG26 < GG21 AND GG21>=7 AND GG21<=20))
GG27	SKJEMA6D	9	20	Select GG27, GG28 From SKJEMA6_TBL1 T1 Where ((GG27 Not Between 9 AND 20) OR (GG27 Is Not Null AND 1 = GG28))

Variable	Last version	Minimum value	Maximum value	Dependence
GG28	SKJEMA6D	1	1	Select GG28, GG27 From SKJEMA6_TBL1 T1 Where ((GG28 Not Between 1 AND 1) OR (GG28 = 1 AND GG27 Is Not Null))
GG29	SKJEMA6D	1	1	Select GG29, GG30, GG31, GG32 From SKJEMA6_TBL1 T1 Where ((GG29 Not Between 1 AND 1) OR (GG29 = 1 AND (1 = GG30 OR 1 = GG31 OR 2 = GG32)))
GG30	SKJEMA6D	1	1	Select GG30, GG29 From SKJEMA6_TBL1 T1 Where ((GG30 Not Between 1 AND 1) OR (GG30 = 1 AND 1 = GG29))
GG31	SKJEMA6D	1	1	Select GG31, GG29 From SKJEMA6_TBL1 T1 Where ((GG31 Not Between 1 AND 1) OR (GG31 = 1 AND 1 = GG29))
GG32	SKJEMA6D	1	2	Select GG32, GG29 From SKJEMA6_TBL1 T1 Where ((GG32 Not Between 1 AND 2) OR (GG32 = 2 AND 1 = GG29))
GG33	SKJEMA6D	1	1	Select GG33, GG34, GG35, GG36 From SKJEMA6_TBL1 T1 Where ((GG33 Not Between 1 AND 1) OR (GG33 = 1 AND (1 = GG34 OR 1 = GG35 OR 2 = GG36)))
GG34	SKJEMA6D	1	1	Select GG34, GG33 From SKJEMA6_TBL1 T1 Where ((GG34 Not Between 1 AND 1) OR (GG34 = 1 AND 1 = GG33))
GG35	SKJEMA6D	1	1	Select GG35, GG33 From SKJEMA6_TBL1 T1 Where ((GG35 Not Between 1 AND 1) OR (GG35 = 1 AND 1 = GG33))
GG36	SKJEMA6D	1	2	Select GG36, GG33 From SKJEMA6_TBL1 T1 Where ((GG36 Not Between 1 AND 2) OR (GG36 = 2 AND 1 = GG33))
GG37	SKJEMA6D	1	1	Select GG37, GG38, GG39, GG40 From SKJEMA6_TBL1 T1 Where ((GG37 Not Between 1 AND 1) OR (GG37 = 1 AND (1 = GG38 OR 1 = GG39 OR 2 = GG40)))
GG38	SKJEMA6D	1	1	Select GG38, GG37 From SKJEMA6_TBL1 T1 Where ((GG38 Not Between 1 AND 1) OR (GG38 = 1 AND 1 = GG37))
GG39	SKJEMA6D	1	1	Select GG39, GG37 From SKJEMA6_TBL1 T1 Where ((GG39 Not Between 1 AND 1) OR (GG39 = 1 AND 1 = GG37))
GG40	SKJEMA6D	1	2	Select GG40, GG37 From SKJEMA6_TBL1 T1 Where ((GG40 Not Between 1 AND 2) OR (GG40 = 2 AND 1 = GG37))
GG41	SKJEMA6D	1	1	Select GG41, GG42, GG43, GG44 From SKJEMA6_TBL1 T1 Where ((GG41 Not Between 1 AND 1) OR (GG41 = 1 AND (1 = GG42 OR 1 = GG43 OR 2 = GG44)))
GG42	SKJEMA6D	1	1	Select GG42, GG41 From SKJEMA6_TBL1 T1 Where ((GG42 Not Between 1 AND 1) OR (GG42 = 1))
GG43	SKJEMA6D	1	1	Select GG43, GG41, GG42 From SKJEMA6_TBL1 T1 Where ((GG43 Not Between 1 AND 1) OR (GG43 = 1 AND 1 = GG41) OR (GG43 = 1 AND GG41 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
GG44	SKJEMA6D	1	2	Select GG44, GG41 From SKJEMA6_TBL1 T1 Where ((GG44 Not Between 1 AND 2) OR (GG44 = 2 AND 1 = GG41))
GG45	SKJEMA6D	1	1	Select GG45, GG46, GG47, GG48 From SKJEMA6_TBL1 T1 Where ((GG45 Not Between 1 AND 1) OR (GG45 = 1 AND (1 = GG46 OR 1 = GG47 OR 2 = GG48)))
GG46	SKJEMA6D	1	1	Select GG46, GG45 From SKJEMA6_TBL1 T1 Where ((GG46 Not Between 1 AND 1) OR (GG46 = 1 AND 1 = GG45))
GG47	SKJEMA6D	1	1	Select GG47, GG45 From SKJEMA6_TBL1 T1 Where ((GG47 Not Between 1 AND 1) OR (GG47 = 1 AND 1 = GG45))
GG48	SKJEMA6D	1	2	Select GG48, GG45 From SKJEMA6_TBL1 T1 Where ((GG48 Not Between 1 AND 2) OR (GG48 = 2 AND 1 = GG45))
GG49	SKJEMA6D	1	1	Select GG49, GG50, GG51, GG52 From SKJEMA6_TBL1 T1 Where ((GG49 Not Between 1 AND 1) OR (GG49 = 1 AND (1 = GG50 OR 1 = GG51 OR 2 = GG52)))
GG50	SKJEMA6D	1	1	Select GG50, GG49 From SKJEMA6_TBL1 T1 Where ((GG50 Not Between 1 AND 1) OR (GG50 = 1 AND 1 = GG49))
GG51	SKJEMA6D	1	1	Select GG51, GG49 From SKJEMA6_TBL1 T1 Where ((GG51 Not Between 1 AND 1) OR (GG51 = 1 AND 1 = GG49))
GG52	SKJEMA6D	1	2	Select GG52, GG49 From SKJEMA6_TBL1 T1 Where ((GG52 Not Between 1 AND 2) OR (GG52 = 2 AND 1 = GG49))
GG53	SKJEMA6D	1	1	Select GG53, GG54, GG55, GG56 From SKJEMA6_TBL1 T1 Where ((GG53 Not Between 1 AND 1) OR (GG53 = 1 AND (1 = GG54 OR 1 = GG55 OR 2 = GG56)))
GG54	SKJEMA6D	1	1	Select GG54, GG53 From SKJEMA6_TBL1 T1 Where ((GG54 Not Between 1 AND 1) OR (GG54 = 1 AND 1 = GG53))
GG55	SKJEMA6D	1	1	Select GG55, GG53 From SKJEMA6_TBL1 T1 Where ((GG55 Not Between 1 AND 1) OR (GG55 = 1 AND 1 = GG53))
GG56	SKJEMA6D	1	2	Select GG56, GG53 From SKJEMA6_TBL1 T1 Where ((GG56 Not Between 1 AND 2) OR (GG56 = 2 AND 1 = GG53))
GG57	SKJEMA6D	1	1	Select GG57, GG58, GG59, GG60 From SKJEMA6_TBL1 T1 Where ((GG57 Not Between 1 AND 1) OR (GG57 = 1 AND (1 = GG58 OR 1 = GG59 OR 2 = GG60)))
GG58	SKJEMA6D	1	1	Select GG58, GG57 From SKJEMA6_TBL1 T1 Where ((GG58 Not Between 1 AND 1) OR (GG58 = 1 AND 1 = GG57))
GG59	SKJEMA6D	1	1	Select GG59, GG57 From SKJEMA6_TBL1 T1 Where ((GG59 Not Between 1 AND 1) OR (GG59 = 1 AND 1 = GG57))

Variable	Last version	Minimum value	Maximum value	Dependence
GG60	SKJEMA6D	1	2	Select GG60, GG57 From SKJEMA6_TBL1 T1 Where ((GG60 Not Between 1 AND 2) OR (GG60 = 2 AND 1 = GG57))
GG61	SKJEMA6D	1	1	Select GG61, GG62, GG63, GG64 From SKJEMA6_TBL1 T1 Where ((GG61 Not Between 1 AND 1) OR (GG61 = 1 AND (1 = GG62 OR 1 = GG63 OR 2 = GG64)))
GG62	SKJEMA6D	1	1	Select GG62, GG61 From SKJEMA6_TBL1 T1 Where ((GG62 Not Between 1 AND 1) OR (GG62 = 1 AND 1 = GG61))
GG63	SKJEMA6D	1	1	Select GG63, GG61 From SKJEMA6_TBL1 T1 Where ((GG63 Not Between 1 AND 1) OR (GG63 = 1 AND 1 = GG61))
GG64	SKJEMA6D	1	2	Select GG64, GG61 From SKJEMA6_TBL1 T1 Where ((GG64 Not Between 1 AND 2) OR (GG64 = 2 AND 1 = GG61))
GG65	SKJEMA6D	1	1	Select GG65, GG66, GG67, GG68 From SKJEMA6_TBL1 T1 Where ((GG65 Not Between 1 AND 1) OR (GG65 = 1 AND (1 = GG66 OR 1 = GG67 OR 2 = GG68)))
GG66	SKJEMA6D	1	1	Select GG66, GG65 From SKJEMA6_TBL1 T1 Where ((GG66 Not Between 1 AND 1) OR (GG66 = 1 AND 1 = GG65))
GG67	SKJEMA6D	1	1	Select GG67, GG65 From SKJEMA6_TBL1 T1 Where ((GG67 Not Between 1 AND 1) OR (GG67 = 1 AND 1 = GG65))
GG68	SKJEMA6D	1	2	Select GG68, GG65 From SKJEMA6_TBL1 T1 Where ((GG68 Not Between 1 AND 2) OR (GG68 = 2 AND 1 = GG65))
GG69	SKJEMA6D	1	1	Select GG69, GG70, GG71, GG72 From SKJEMA6_TBL1 T1 Where ((GG69 Not Between 1 AND 1) OR (GG69 = 1 AND (1 = GG70 OR 1 = GG71 OR 2 = GG72)))
GG70	SKJEMA6D	1	1	Select GG70, GG69 From SKJEMA6_TBL1 T1 Where ((GG70 Not Between 1 AND 1) OR (GG70 = 1 AND 1 = GG69))
GG71	SKJEMA6D	1	1	Select GG71, GG69 From SKJEMA6_TBL1 T1 Where ((GG71 Not Between 1 AND 1) OR (GG71 = 1 AND 1 = GG69))
GG72	SKJEMA6D	1	2	Select GG72, GG69 From SKJEMA6_TBL1 T1 Where ((GG72 Not Between 1 AND 2) OR (GG72 = 2 AND 1 = GG69))
GG73	SKJEMA6D	1	1	Select GG73, GG74, GG75, GG76 From SKJEMA6_TBL1 T1 Where ((GG73 Not Between 1 AND 1) OR (GG73 = 1 AND (1 = GG74 OR 1 = GG75 OR 2 = GG76)))
GG74	SKJEMA6D	1	1	Select GG74, GG73 From SKJEMA6_TBL1 T1 Where ((GG74 Not Between 1 AND 1) OR (GG74 = 1 AND 1 = GG73))
GG75	SKJEMA6D	1	1	Select GG75, GG73 From SKJEMA6_TBL1 T1 Where ((GG75 Not Between 1 AND 1) OR (GG75 = 1 AND 1 = GG73))

Variable	Last version	Minimum value	Maximum value	Dependence
GG76	SKJEMA6D	1	2	Select GG76, GG73 From SKJEMA6_TBL1 T1 Where ((GG76 Not Between 1 AND 2) OR (GG76 = 2 AND 1 = GG73))
GG77	SKJEMA6D	1	1	Select GG77, GG78, GG79, GG80 From SKJEMA6_TBL1 T1 Where ((GG77 Not Between 1 AND 1) OR (GG77 = 1 AND (1 = GG78 OR 1 = GG79 OR 2 = GG80)))
GG78	SKJEMA6D	1	1	Select GG78, GG77 From SKJEMA6_TBL1 T1 Where ((GG78 Not Between 1 AND 1) OR (GG78 = 1 AND 1 = GG77))
GG79	SKJEMA6D	1	1	Select GG79, GG77 From SKJEMA6_TBL1 T1 Where ((GG79 Not Between 1 AND 1) OR (GG79 = 1 AND 1 = GG77))
GG80	SKJEMA6D	1	2	Select GG80, GG77 From SKJEMA6_TBL1 T1 Where ((GG80 Not Between 1 AND 2) OR (GG80 = 2 AND 1 = GG77))
GG81	SKJEMA6D	1	1	Select GG81, GG82, GG83, GG84 From SKJEMA6_TBL1 T1 Where ((GG81 Not Between 1 AND 1) OR (GG81 = 1 AND (1 = GG82 OR 1 = GG83 OR 2 = GG84)))
GG82	SKJEMA6D	1	1	Select GG82, GG81 From SKJEMA6_TBL1 T1 Where ((GG82 Not Between 1 AND 1) OR (GG82 = 1 AND 1 = GG81))
GG83	SKJEMA6D	1	1	Select GG83, GG81 From SKJEMA6_TBL1 T1 Where ((GG83 Not Between 1 AND 1) OR (GG83 = 1 AND 1 = GG81))
GG84	SKJEMA6D	1	2	Select GG84, GG81 From SKJEMA6_TBL1 T1 Where ((GG84 Not Between 1 AND 2) OR (GG84 = 2 AND 1 = GG81))
GG85	SKJEMA6D	1	1	Select GG85, GG86, GG87, GG88 From SKJEMA6_TBL1 T1 Where ((GG85 Not Between 1 AND 1) OR (GG85 = 1 AND (1 = GG86 OR 1 = GG87 OR 2 = GG88)))
GG86	SKJEMA6D	1	1	Select GG86, GG85 From SKJEMA6_TBL1 T1 Where ((GG86 Not Between 1 AND 1) OR (GG86 = 1 AND 1 = GG85))
GG87	SKJEMA6D	1	1	Select GG87, GG85 From SKJEMA6_TBL1 T1 Where ((GG87 Not Between 1 AND 1) OR (GG87 = 1 AND 1 = GG85))
GG88	SKJEMA6D	1	2	Select GG88, GG85 From SKJEMA6_TBL1 T1 Where ((GG88 Not Between 1 AND 2) OR (GG88 = 2 AND 1 = GG85))
GG89	SKJEMA6A	1	1	Select GG89, GG90, GG91, GG92 From SKJEMA6_TBL1 T1 Where ((GG89 Not Between 1 AND 1) OR (GG89 = 1 AND (1 = GG90 OR 1 = GG91 OR 2 = GG92)))
GG90	SKJEMA6A	1	1	Select GG90, GG89 From SKJEMA6_TBL1 T1 Where ((GG90 Not Between 1 AND 1) OR (GG90 = 1 AND 1 = GG89))
GG91	SKJEMA6A	1	1	Select GG91, GG89 From SKJEMA6_TBL1 T1 Where ((GG91 Not Between 1 AND 1) OR (GG91 = 1 AND 1 = GG89))

Variable	Last version	Minimum value	Maximum value	Dependence
GG92	SKJEMA6A	1	2	Select GG92, GG89 From SKJEMA6_TBL1 T1 Where ((GG92 Not Between 1 AND 2) OR (GG92 = 2 AND 1 = GG89))
GG93	SKJEMA6D	1	1	Select GG93, GG94, GG95, GG96 From SKJEMA6_TBL1 T1 Where ((GG93 Not Between 1 AND 1) OR (GG93 = 1 AND (1 = GG94 OR 1 = GG95 OR 2 = GG96)))
GG94	SKJEMA6D	1	1	Select GG94, GG93 From SKJEMA6_TBL1 T1 Where ((GG94 Not Between 1 AND 1) OR (GG94 = 1 AND 1 = GG93))
GG95	SKJEMA6D	1	1	Select GG95, GG93 From SKJEMA6_TBL1 T1 Where ((GG95 Not Between 1 AND 1) OR (GG95 = 1 AND 1 = GG93))
GG96	SKJEMA6D	1	2	Select GG96, GG93 From SKJEMA6_TBL1 T1 Where ((GG96 Not Between 1 AND 2) OR (GG96 = 2 AND 1 = GG93))
GG97	SKJEMA6D	1	1	Select GG97, GG98, GG99, GG100 From SKJEMA6_TBL1 T1 Where ((GG97 Not Between 1 AND 1) OR (GG97 = 1 AND (1 = GG98 OR 1 = GG99 OR 2 = GG100)))
GG98	SKJEMA6D	1	1	Select GG98, GG97 From SKJEMA6_TBL1 T1 Where ((GG98 Not Between 1 AND 1) OR (GG98 = 1 AND 1 = GG97))
GG99	SKJEMA6D	1	1	Select GG99, GG97 From SKJEMA6_TBL1 T1 Where ((GG99 Not Between 1 AND 1) OR (GG99 = 1 AND 1 = GG97))
GG100	SKJEMA6D	1	2	Select GG100, GG97 From SKJEMA6_TBL1 T1 Where ((GG100 Not Between 1 AND 2) OR (GG100 = 2 AND 1 = GG97))
GG101	SKJEMA6A	1	1	Select GG101, GG102, GG103, GG104 From SKJEMA6_TBL1 T1 Where ((GG101 Not Between 1 AND 1) OR (GG101 = 1 AND (1 = GG102 OR 1 = GG103 OR 2 = GG104)))
GG102	SKJEMA6A	1	1	Select GG102, GG101 From SKJEMA6_TBL1 T1 Where ((GG102 Not Between 1 AND 1) OR (GG102 = 1 AND 1 = GG101))
GG103	SKJEMA6A	1	1	Select GG103, GG101 From SKJEMA6_TBL1 T1 Where ((GG103 Not Between 1 AND 1) OR (GG103 = 1 AND 1 = GG101))
GG104	SKJEMA6A	1	2	Select GG104, GG101 From SKJEMA6_TBL1 T1 Where ((GG104 Not Between 1 AND 2) OR (GG104 = 2 AND 1 = GG101))
GG105	SKJEMA6D	1	1	Select GG105, GG106, GG107, GG108 From SKJEMA6_TBL1 T1 Where ((GG105 Not Between 1 AND 1) OR (GG105 = 1 AND (1 = GG106 OR 1 = GG107 OR 2 = GG108)))
GG106	SKJEMA6D	1	1	Select GG106, GG105 From SKJEMA6_TBL1 T1 Where ((GG106 Not Between 1 AND 1) OR (GG106 = 1 AND 1 = GG105))
GG107	SKJEMA6D	1	1	Select GG107, GG105 From SKJEMA6_TBL1 T1 Where ((GG107 Not Between 1 AND 1) OR (GG107 = 1 AND 1 = GG105))

Variable	Last version	Minimum value	Maximum value	Dependence
GG108	SKJEMA6D	1	2	Select GG108, GG105 From SKJEMA6_TBL1 T1 Where ((GG108 Not Between 1 AND 2) OR (GG108 = 2 AND 1 = GG105))
GG109	SKJEMA6D	1	1	Select GG109, GG110, GG111, GG112 From SKJEMA6_TBL1 T1 Where ((GG109 Not Between 1 AND 1) OR (GG109 = 1 AND (1 = GG110 OR 1 = GG111 OR 2 = GG112)))
GG110	SKJEMA6D	1	1	Select GG110, GG109 From SKJEMA6_TBL1 T1 Where ((GG110 Not Between 1 AND 1) OR (GG110 = 1 AND 1 = GG109))
GG111	SKJEMA6D	1	1	Select GG111, GG109 From SKJEMA6_TBL1 T1 Where ((GG111 Not Between 1 AND 1) OR (GG111 = 1 AND 1 = GG109))
GG112	SKJEMA6D	1	2	Select GG112, GG109 From SKJEMA6_TBL1 T1 Where ((GG112 Not Between 1 AND 2) OR (GG112 = 2 AND 1 = GG109))
GG113	SKJEMA6D	1	1	Select GG113, GG114, GG115, GG116 From SKJEMA6_TBL1 T1 Where ((GG113 Not Between 1 AND 1) OR (GG113 = 1 AND (1 = GG114 OR 1 = GG115 OR 2 = GG116)))
GG114	SKJEMA6D	1	1	Select GG114, GG113 From SKJEMA6_TBL1 T1 Where ((GG114 Not Between 1 AND 1) OR (GG114 = 1 AND 1 = GG113))
GG115	SKJEMA6D	1	1	Select GG115, GG113 From SKJEMA6_TBL1 T1 Where ((GG115 Not Between 1 AND 1) OR (GG115 = 1 AND 1 = GG113))
GG116	SKJEMA6D	1	2	Select GG116, GG113 From SKJEMA6_TBL1 T1 Where ((GG116 Not Between 1 AND 2) OR (GG116 = 2 AND 1 = GG113))
GG117	SKJEMA6D	1	3	
GG118	SKJEMA6D	1	1	Select GG118, GG542 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG118 Not Between 1 AND 1) OR (GG118 = 1 AND GG542 Is Null))
GG120	SKJEMA6D	1	1	Select GG120, GG543 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG120 Not Between 1 AND 1) OR (GG120 = 1 AND GG543 Is Null))
GG122	SKJEMA6D	1	1	Select GG122, GG544 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG122 Not Between 1 AND 1) OR (GG122 = 1 AND GG544 Is Null))
GG125	SKJEMA6D	1	2	
GG127	SKJEMA6D	1	2	
GG128	SKJEMA6D	1	2	Select GG128, GG129, GG130 From SKJEMA6_TBL1 T1 Where ((GG128 Not Between 1 AND 2) OR (GG128 = 1 AND (GG129 > 0 OR 2 = GG130)))

Variable	Last version	Minimum value	Maximum value	Dependence
GG129	SKJEMA6D	0	25	Select GG129, GG128 From SKJEMA6_TBL1 T1 Where ((GG129 Not Between 0 AND 25) OR (GG129 > 0 AND 1 = GG128))
GG130	SKJEMA6D	1	2	Select GG130, GG128 From SKJEMA6_TBL1 T1 Where ((GG130 Not Between 1 AND 2) OR (GG130 = 2 AND 1 = GG128))
GG131	SKJEMA6D	1	2	Select GG131, GG132, GG133 From SKJEMA6_TBL1 T1 Where ((GG131 Not Between 1 AND 2) OR (GG131 = 1 AND (0 < GG132 OR 2 = GG133)))
GG132	SKJEMA6D	0	5	Select GG132, GG131 From SKJEMA6_TBL1 T1 Where ((GG132 Not Between 0 AND 5) OR (GG132 > 0 AND 1 = GG131))
GG133	SKJEMA6D	1	2	Select GG133, GG131 From SKJEMA6_TBL1 T1 Where ((GG133 Not Between 1 AND 2) OR (1 = GG131 AND GG133 = 2))
GG134	SKJEMA6D	1	2	Select GG134, GG135, GG136 From SKJEMA6_TBL1 T1 Where ((GG134 Not Between 1 AND 2) OR (GG134 = 1 AND (0 < GG135 OR 2 = GG136)))
GG135	SKJEMA6D	0	10	Select GG135, GG134 From SKJEMA6_TBL1 T1 Where ((GG135 Not Between 0 AND 10) OR (GG135 > 0 AND 1 = GG134))
GG136	SKJEMA6D	1	2	Select GG136, GG134 From SKJEMA6_TBL1 T1 Where ((GG136 Not Between 1 AND 2) OR (GG136 = 2 AND 1 = GG134))
GG137	SKJEMA6D	1	2	Select GG137, GG138, GG139 From SKJEMA6_TBL1 T1 Where ((GG137 Not Between 1 AND 2) OR (GG137 = 1 AND (0 < GG138 OR 2 = GG139)))
GG138	SKJEMA6D	0	15	Select GG138, GG137 From SKJEMA6_TBL1 T1 Where ((GG138 Not Between 0 AND 15) OR (GG138 > 0 AND 1 = GG137))
GG139	SKJEMA6D	1	2	Select GG139, GG137 From SKJEMA6_TBL1 T1 Where ((GG139 Not Between 1 AND 2) OR (GG139 = 2 AND 1 = GG137))
GG140	SKJEMA6D	1	2	Select GG140, GG141, GG142 From SKJEMA6_TBL1 T1 Where ((GG140 Not Between 1 AND 2) OR (GG140 = 1 AND (0 < GG141 OR 2 = GG142)))
GG141	SKJEMA6D	0	10	Select GG141, GG140 From SKJEMA6_TBL1 T1 Where ((GG141 Not Between 0 AND 10) OR (GG141 > 0 AND 1 = GG140))
GG142	SKJEMA6D	1	2	Select GG142, GG140 From SKJEMA6_TBL1 T1 Where ((GG142 Not Between 1 AND 2) OR (GG142 = 2 AND 1 = GG140))
GG143	SKJEMA6D	1	2	Select GG143, GG144, GG145 From SKJEMA6_TBL1 T1 Where ((GG143 Not Between 1 AND 2) OR (GG143 = 1 AND (0 < GG144 OR 2 = GG145)))
GG144	SKJEMA6D	0	10	Select GG144, GG143 From SKJEMA6_TBL1 T1 Where ((GG144 Not Between 0 AND 10) OR (GG144 > 0 AND 1 = GG143))

Variable	Last version	Minimum value	Maximum value	Dependence
GG145	SKJEMA6D	1	2	Select GG145, GG143 From SKJEMA6_TBL1 T1 Where ((GG145 Not Between 1 AND 2) OR (GG145 = 2 AND 1 = GG143))
GG146	SKJEMA6D	1	2	Select GG146, GG147, GG148 From SKJEMA6_TBL1 T1 Where ((GG146 Not Between 1 AND 2) OR (GG146 = 1 AND (0 < GG147 OR 2 = GG148)))
GG148	SKJEMA6D	1	2	
GG149	SKJEMA6D	1	2	Select GG149, GG150, GG151 From SKJEMA6_TBL1 T1 Where ((GG149 Not Between 1 AND 2) OR (GG149 = 1 AND (0 < GG150 OR 2 = GG151)))
GG150	SKJEMA6D	0	10	Select GG150, GG149 From SKJEMA6_TBL1 T1 Where ((GG150 Not Between 0 AND 10) OR (GG150 > 0 AND 1 = GG149))
GG151	SKJEMA6D	1	2	Select GG151, GG149 From SKJEMA6_TBL1 T1 Where ((GG151 Not Between 1 AND 2) OR (GG151 = 2 AND 1 = GG149))
GG152	SKJEMA6D	1	2	Select GG152, GG153, GG154 From SKJEMA6_TBL1 T1 Where ((GG152 Not Between 1 AND 2) OR (GG152 = 1 AND (0 < GG153 OR 2 = GG154)))
GG153	SKJEMA6D	0	5	Select GG153, GG152 From SKJEMA6_TBL1 T1 Where ((GG153 Not Between 0 AND 5) OR (GG153 > 0 AND 1 = GG152))
GG154	SKJEMA6D	1	2	Select GG154, GG152 From SKJEMA6_TBL1 T1 Where ((GG154 Not Between 1 AND 2) OR (GG154 = 2 AND 1 = GG152))
GG155	SKJEMA6D	1	2	Select GG155, GG156, GG157 From SKJEMA6_TBL1 T1 Where ((GG155 Not Between 1 AND 2) OR (GG155 = 1 AND (0 < GG156 OR 2 = GG157)))
GG156	SKJEMA6D	0	1	Select GG156, GG155 From SKJEMA6_TBL1 T1 Where ((GG156 Not Between 0 AND 1) OR (GG156 > 0 AND 1 = GG155))
GG157	SKJEMA6D	1	2	Select GG157, GG155 From SKJEMA6_TBL1 T1 Where ((GG157 Not Between 1 AND 2) OR (GG157 = 2 AND 1 = GG155))
GG158	SKJEMA6D	1	2	Select GG158, GG159, GG160 From SKJEMA6_TBL1 T1 Where ((GG158 Not Between 1 AND 2) OR (GG158 = 1 AND (0 < GG159 OR 2 = GG160)))
GG159	SKJEMA6D	0	10	Select GG159, GG158 From SKJEMA6_TBL1 T1 Where ((GG159 Not Between 0 AND 10) OR (GG159 > 0 AND 1 = GG158))
GG160	SKJEMA6D	1	2	Select GG160, GG158 From SKJEMA6_TBL1 T1 Where ((GG160 Not Between 1 AND 2) OR (GG160 = 2 AND 1 = GG158))
GG161	SKJEMA6D	1	2	Select GG161, GG162, GG163 From SKJEMA6_TBL1 T1 Where ((GG161 Not Between 1 AND 2) OR (GG161 = 1 AND (0 < GG162 OR 2 = GG163)))

Variable	Last version	Minimum value	Maximum value	Dependence
GG162	SKJEMA6D	0	15	Select GG162, GG161 From SKJEMA6_TBL1 T1 Where ((GG162 Not Between 0 AND 15) OR (GG162 > 0 AND 1 = GG161))
GG163	SKJEMA6D	1	2	Select GG163, GG161 From SKJEMA6_TBL1 T1 Where ((GG163 Not Between 1 AND 2) OR (GG163 = 2 AND 1 = GG161))
GG164	SKJEMA6D	1	2	Select GG164, GG165, GG166 From SKJEMA6_TBL1 T1 Where ((GG164 Not Between 1 AND 2) OR (GG164 = 1 AND (0 < GG165 OR 2 = GG166)))
GG165	SKJEMA6D	0	5	Select GG165, GG164 From SKJEMA6_TBL1 T1 Where ((GG165 Not Between 0 AND 5) OR (GG165 > 0 AND 1 = GG164))
GG166	SKJEMA6D	1	2	Select GG166, GG164 From SKJEMA6_TBL1 T1 Where ((GG166 Not Between 1 AND 2) OR (GG166 = 2 AND 1 = GG164))
GG167	SKJEMA6D	1	2	Select GG167, GG168, GG169 From SKJEMA6_TBL1 T1 Where ((GG167 Not Between 1 AND 2) OR (GG167 = 1 AND (0 < GG168 OR 2 = GG169)))
GG168	SKJEMA6D	0	15	Select GG168, GG167 From SKJEMA6_TBL1 T1 Where ((GG168 Not Between 0 AND 15) OR (GG168 > 0 AND 1 = GG167))
GG169	SKJEMA6D	1	2	Select GG169, GG167 From SKJEMA6_TBL1 T1 Where ((GG169 Not Between 1 AND 2) OR (GG169 = 2 AND 1 = GG167))
GG173	SKJEMA6D	1	2	
GG174	SKJEMA6D	1	2	
GG175	SKJEMA6D	1	2	
GG176	SKJEMA6D	1	2	
GG183	SKJEMA6D	1	2	Select GG183, GG550 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG183 Not Between 1 AND 2) OR (GG183 = 2 AND GG550 Is Null))
GG190	SKJEMA6D	1	2	Select GG190, GG551 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG190 Not Between 1 AND 2) OR (GG190 = 2 AND GG551 Is Null))
GG197	SKJEMA6D	1	2	Select GG197, GG552 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG197 Not Between 1 AND 2) OR (GG197 = 2 AND GG552 Is Null))
GG204	SKJEMA6D	1	2	Select GG204, GG553 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG204 Not Between 1 AND 2) OR (GG204 = 2 AND GG553 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
GG205	SKJEMA6D	1	2	
GG207	SKJEMA6D	1	31	
GG208	SKJEMA6D	1	12	
GG211	SKJEMA6D	1	31	
GG212	SKJEMA6D	1	12	
GG214	SKJEMA6D	1	3	
GG215	SKJEMA6D	1	3	
GG216	SKJEMA6D	1	3	
GG218	SKJEMA6D	1	3	
GG220	SKJEMA6D	1	3	
GG222	SKJEMA6D	1	3	
GG223	SKJEMA6D	1	3	
GG224	SKJEMA6D	1	3	
GG225	SKJEMA6D	1	3	
GG226	SKJEMA6D	1	6	
GG227	SKJEMA6D	1	3	
GG228	SKJEMA6D	1	3	
GG229	SKJEMA6D	1	3	
GG230	SKJEMA6D	1	3	
GG231	SKJEMA6D	1	3	
GG232	SKJEMA6D	1	3	
GG233	SKJEMA6D	1	3	
GG234	SKJEMA6D	1	3	
GG235	SKJEMA6D	1	3	
GG236	SKJEMA6D	1	3	
GG237	SKJEMA6D	1	3	
GG238	SKJEMA6D	1	3	

Variable	Last version	Minimum value	Maximum value	Dependence
GG239	SKJEMA6D	1	3	
GG240	SKJEMA6D	1	3	
GG241	SKJEMA6D	1	3	
GG242	SKJEMA6D	1	3	
GG243	SKJEMA6D	1	2	
GG244	SKJEMA6D	1	2	
GG245	SKJEMA6D	1	2	
GG246	SKJEMA6D	1	2	
GG247	SKJEMA6D	1	2	
GG248	SKJEMA6D	1	2	
GG249	SKJEMA6D	1	2	
GG250	SKJEMA6D	1	2	
GG251	SKJEMA6D	1	2	
GG252	SKJEMA6A	1	2	
GG253	SKJEMA6D	1	2	
GG254	SKJEMA6D	1	2	
GG255	SKJEMA6D	1	2	
GG256	SKJEMA6D	1	2	
GG257	SKJEMA6D	1	2	
GG258	SKJEMA6D	1	2	
GG259	SKJEMA6D	1	2	
GG260	SKJEMA6D	1	2	
GG261	SKJEMA6D	1	2	
GG262	SKJEMA6D	1	2	
GG263	SKJEMA6D	1	2	
GG264	SKJEMA6D	1	2	
GG265	SKJEMA6D	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
GG266	SKJEMA6D	1	2	
GG267	SKJEMA6D	1	2	
GG268	SKJEMA6D	1	2	
GG269	SKJEMA6D	1	2	
GG270	SKJEMA6D	1	2	
GG271	SKJEMA6D	1	2	
GG272	SKJEMA6D	1	2	
GG273	SKJEMA6D	1	2	
GG274	SKJEMA6D	1	2	
GG275	SKJEMA6D	1	2	
GG276	SKJEMA6D	1	2	
GG277	SKJEMA6D	1	2	
GG278	SKJEMA6D	1	2	
GG279	SKJEMA6D	1	2	
GG280	SKJEMA6D	1	2	
GG281	SKJEMA6D	1	2	
GG282	SKJEMA6D	1	2	
GG283	SKJEMA6D	1	2	
GG284	SKJEMA6D	1	2	
GG285	SKJEMA6D	1	2	
GG286	SKJEMA6D	1	2	
GG287	SKJEMA6D	1	2	
GG288	SKJEMA6D	1	2	
GG289	SKJEMA6D	1	2	
GG290	SKJEMA6D	1	2	
GG291	SKJEMA6D	1	2	
GG292	SKJEMA6D	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
GG293	SKJEMA6D	1	2	
GG294	SKJEMA6D	1	2	
GG295	SKJEMA6D	1	3	
GG296	SKJEMA6D	1	3	
GG297	SKJEMA6D	1	3	
GG298	SKJEMA6D	1	3	
GG299	SKJEMA6D	1	5	
GG300	SKJEMA6D	1	5	
GG301	SKJEMA6D	1	5	
GG302	SKJEMA6D	1	5	
GG303	SKJEMA6D	1	5	
GG304	SKJEMA6D	1	5	
GG305	SKJEMA6D	1	5	
GG306	SKJEMA6D	1	5	
GG307	SKJEMA6D	1	5	
GG308	SKJEMA6D	1	5	
GG309	SKJEMA6D	1	5	
GG310	SKJEMA6D	1	5	
GG311	SKJEMA6D	1	5	
GG312	SKJEMA6D	1	5	
GG313	SKJEMA6D	1	3	
GG314	SKJEMA6D	1	3	
GG315	SKJEMA6D	1	3	
GG316	SKJEMA6D	1	3	
GG317	SKJEMA6D	1	3	
GG318	SKJEMA6D	1	3	
GG319	SKJEMA6D	1	3	

Variable	Last version	Minimum value	Maximum value	Dependence
GG320	SKJEMA6D	1	3	
GG321	SKJEMA6D	1	3	
GG322	SKJEMA6D	1	3	
GG323	SKJEMA6D	1	3	
GG324	SKJEMA6D	1	3	
GG325	SKJEMA6D	1	3	
GG326	SKJEMA6D	1	3	
GG327	SKJEMA6D	1	3	
GG328	SKJEMA6D	1	3	
GG329	SKJEMA6D	1	3	
GG330	SKJEMA6D	1	3	
GG331	SKJEMA6D	1	3	
GG332	SKJEMA6D	1	3	
GG333	SKJEMA6D	1	3	
GG334	SKJEMA6D	1	3	
GG335	SKJEMA6D	1	3	
GG336	SKJEMA6D	1	3	
GG337	SKJEMA6D	1	3	
GG338	SKJEMA6D	1	3	
GG339	SKJEMA6D	1	3	
GG340	SKJEMA6D	1	3	
GG341	SKJEMA6D	1	3	
GG342	SKJEMA6D	1	3	
GG343	SKJEMA6D	1	3	
GG344	SKJEMA6D	1	3	
GG345	SKJEMA6D	1	3	
GG346	SKJEMA6D	1	3	

Variable	Last version	Minimum value	Maximum value	Dependence
GG347	SKJEMA6D	1	3	
GG348	SKJEMA6D	1	3	
GG349	SKJEMA6D	1	3	
GG350	SKJEMA6D	1	3	
GG351	SKJEMA6D	1	3	
GG352	SKJEMA6D	1	3	
GG353	SKJEMA6D	1	3	
GG354	SKJEMA6D	1	3	
GG355	SKJEMA6D	1	3	
GG356	SKJEMA6D	1	3	
GG357	SKJEMA6D	1	3	
GG358	SKJEMA6D	1	3	
GG359	SKJEMA6D	1	3	
GG360	SKJEMA6D	1	3	
GG361	SKJEMA6D	1	3	
GG362	SKJEMA6D	1	3	
GG363	SKJEMA6D	1	3	
GG364	SKJEMA6D	1	3	
GG365	SKJEMA6D	1	3	
GG366	SKJEMA6D	1	3	
GG367	SKJEMA6D	1	3	
GG368	SKJEMA6D	1	5	
GG369	SKJEMA6D	1	5	
GG370	SKJEMA6D	1	5	
GG371	SKJEMA6D	1	5	
GG372	SKJEMA6D	1	5	
GG373	SKJEMA6D	1	5	

Variable	Last version	Minimum value	Maximum value	Dependence
GG374	SKJEMA6D	1	5	
GG375	SKJEMA6D	1	5	
GG376	SKJEMA6D	1	5	
GG377	SKJEMA6D	1	5	
GG378	SKJEMA6D	1	5	
GG379	SKJEMA6D	1	5	
GG380	SKJEMA6D	1	2	
GG381	SKJEMA6D	1	2	
GG382	SKJEMA6D	1	2	
GG383	SKJEMA6D	1	2	
GG384	SKJEMA6D	1	6	
GG385	SKJEMA6D	1	6	
GG386	SKJEMA6D	1	4	
GG387	SKJEMA6D	1	3	
GG388	SKJEMA6D	1	5	
GG389	SKJEMA6D	0	10	Select GG389, GG388 From SKJEMA6_TBL1 T1 Where ((GG389 Not Between 0 AND 10) OR (GG389 > 2 AND 2 < GG388))
GG390	SKJEMA6D	1	4	
GG391	SKJEMA6D	1	5	
GG392	SKJEMA6C	1	1	Select GG392, GG393, GG394, GG395, GG396, GG397 From SKJEMA6_TBL1 T1 Where ((GG392 Not Between 1 AND 1) OR (GG392 = 1 AND 1 = GG393 AND 1 = GG394 AND 1 = GG395 AND 1 = GG396 AND 1 = GG397))
GG393	SKJEMA6C	1	1	Select GG393, GG392, GG394, GG395, GG396, GG397 From SKJEMA6_TBL1 T1 Where ((GG393 Not Between 1 AND 1) OR (GG392 = 1 AND 1 = GG393 AND 1 = GG394 AND 1 = GG395 AND 1 = GG396 AND 1 = GG397))
GG394	SKJEMA6C	1	1	Select GG394, GG392, GG393, GG395, GG396, GG397 From SKJEMA6_TBL1 T1 Where ((GG394 Not Between 1 AND 1) OR (GG394 = 1 AND 1 = GG392 AND 1 = GG393 AND 1 = GG395 AND 1 = GG396 AND 1 = GG397))

Variable	Last version	Minimum value	Maximum value	Dependence
GG395	SKJEMA6C	1	1	Select GG395, GG392, GG393, GG394, GG396, GG397 From SKJEMA6_TBL1 T1 Where ((GG395 Not Between 1 AND 1) OR (GG395 = 1 AND 1 = GG392 AND 1 = GG393 AND 1 = GG394 AND 1 = GG396 AND 1 = GG397))
GG396	SKJEMA6C	1	1	Select GG396, GG392, GG393, GG394, GG397, GG395 From SKJEMA6_TBL1 T1 Where ((GG396 Not Between 1 AND 1) OR (GG396 = 1 AND 1 = GG392 AND 1 = GG393 AND 1 = GG394 AND 1 = GG397 AND 1 = GG395))
GG397	SKJEMA6C	1	1	Select GG397, GG392, GG393, GG394, GG395, GG396 From SKJEMA6_TBL1 T1 Where ((GG397 Not Between 1 AND 1) OR (GG397 = 1 AND 1 = GG392 AND 1 = GG393 AND 1 = GG394 AND 1 = GG395 AND 1 = GG396))
GG398	SKJEMA6D	1	7	
GG399	SKJEMA6D	1	7	
GG400	SKJEMA6D	1	7	
GG401	SKJEMA6D	1	7	
GG402	SKJEMA6D	1	7	
GG403	SKJEMA6D	1	7	
GG404	SKJEMA6D	1	7	
GG405	SKJEMA6D	1	7	
GG406	SKJEMA6D	1	7	
GG407	SKJEMA6D	1	7	
GG408	SKJEMA6D	1	7	
GG409	SKJEMA6D	1	7	
GG410	SKJEMA6D	1	7	
GG411	SKJEMA6D	1	7	
GG413	SKJEMA6D	1	7	
GG414	SKJEMA6D	1	7	
GG415	SKJEMA6D	1	7	
GG416	SKJEMA6D	1	7	
GG417	SKJEMA6D	1	7	
GG418	SKJEMA6D	1	7	

Variable	Last version	Minimum value	Maximum value	Dependence
GG419	SKJEMA6D	1	7	
GG420	SKJEMA6D	1	7	
GG421	SKJEMA6D	1	7	
GG422	SKJEMA6D	0	10	Select GG422, GG599 From SKJEMA6_TBL1 T1 Where ((GG422 Not Between 0 AND 10) OR GG422 < GG599)
GG423	SKJEMA6D	1	7	
GG424	SKJEMA6D	1	7	
GG425	SKJEMA6D	1	7	
GG426	SKJEMA6D	1	7	
GG427	SKJEMA6D	1	7	
GG428	SKJEMA6D	1	7	
GG429	SKJEMA6D	1	7	
GG430	SKJEMA6D	1	7	
GG431	SKJEMA6D	1	7	
GG432	SKJEMA6D	1	7	
GG433	SKJEMA6D	1	7	
GG434	SKJEMA6D	1	7	
GG435	SKJEMA6D	1	6	
GG436	SKJEMA6D	1	2	Select GG436, GG437 From SKJEMA6_TBL1 T1 Where ((GG436 Not Between 1 AND 2) OR (GG436 = 1 AND 0 < GG437))
GG437	SKJEMA6D	0	50	Select GG437, GG436 From SKJEMA6_TBL1 T1 Where ((GG437 Not Between 0 AND 50) OR (GG437 > 0 AND 1 = GG436))
GG449	SKJEMA6D	1	5	
GG450	SKJEMA6D	1	3	
GG451	SKJEMA6D	1	3	
GG452	SKJEMA6A	1	4	
GG453	SKJEMA6A	1	4	
GG454	SKJEMA6A	1	4	

Variable	Last version	Minimum value	Maximum value	Dependence
GG455	SKJEMA6A	1	4	
GG456	SKJEMA6A	1	4	
GG457	SKJEMA6A	1	4	
GG458	SKJEMA6D	1	2	
GG459	SKJEMA6A	1	3	
GG462	SKJEMA6A	1	3	
GG465	SKJEMA6D	1	2	Select GG465, GG565 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG465 Not Between 1 AND 2) OR (GG465 = 1 AND GG565 Is Not Null))
GG467	SKJEMA6C	1	5	Select GG467, GG468 From SKJEMA6_TBL1 T1 Where ((GG467 Not Between 1 AND 5) OR (GG467 = 1 AND 0 < GG468))
GG468	SKJEMA6C	1	3	Select GG468, GG467 From SKJEMA6_TBL1 T1 Where ((GG468 Not Between 1 AND 3) OR (GG468 > 0 AND 1 = GG467))
GG469	SKJEMA6C	1	5	Select GG469, GG470 From SKJEMA6_TBL1 T1 Where ((GG469 Not Between 1 AND 5) OR (GG469 = 1 AND 0 < GG470))
GG470	SKJEMA6C	1	3	Select GG470, GG469 From SKJEMA6_TBL1 T1 Where ((GG470 Not Between 1 AND 3) OR (GG470 > 0 AND 1 = GG469))
GG471	SKJEMA6C	1	5	Select GG471, GG472 From SKJEMA6_TBL1 T1 Where ((GG471 Not Between 1 AND 5) OR (GG471 = 1 AND 0 < GG472))
GG472	SKJEMA6C	1	3	Select GG472, GG471 From SKJEMA6_TBL1 T1 Where ((GG472 Not Between 1 AND 3) OR (GG472 > 0 AND 1 = GG471))
GG473	SKJEMA6C	1	5	
GG474	SKJEMA6C	1	5	
GG475	SKJEMA6D	1	6	
GG476	SKJEMA6D	1	6	
GG477	SKJEMA6D	1	6	
GG478	SKJEMA6D	1	4	
GG479	SKJEMA6D	1	3	
GG480	SKJEMA6D	0	20	Select GG480, GG479 From SKJEMA6_TBL1 T1 Where ((GG480 Not Between 0 AND 20) OR (GG480 > 0 AND GG479 In (0,1)))

Variable	Last version	Minimum value	Maximum value	Dependence
GG481	SKJEMA6D	0	20	Select GG481, GG479 From SKJEMA6_TBL1 T1 Where ((GG481 Not Between 0 AND 20) OR (GG481 > 0 AND GG479 In (0,1)))
GG482	SKJEMA6D	1	1	Select GG482, GG483, GG484, GG485 From SKJEMA6_TBL1 T1 Where ((GG482 Not Between 1 AND 1) OR (GG482 = 1 AND 1 = GG483 AND 1 = GG484 AND 1 = GG485))
GG483	SKJEMA6D	1	1	Select GG483, GG482, GG484, GG485 From SKJEMA6_TBL1 T1 Where ((GG483 Not Between 1 AND 1) OR (GG482 = 1 AND 1 = GG483 AND 1 = GG484 AND 1 = GG485))
GG484	SKJEMA6D	1	1	Select GG484, GG482, GG483, GG485 From SKJEMA6_TBL1 T1 Where ((GG484 Not Between 1 AND 1) OR (GG482 = 1 AND 1 = GG483 AND 1 = GG484 AND 1 = GG485))
GG485	SKJEMA6D	1	1	Select GG485, GG482, GG483, GG484 From SKJEMA6_TBL1 T1 Where ((GG485 Not Between 1 AND 1) OR (GG482 = 1 AND 1 = GG483 AND 1 = GG484 AND 1 = GG485))
GG486	SKJEMA6C	1	7	
GG486	SKJEMA6D	2	7	
GG487	SKJEMA6D	1	6	
GG488	SKJEMA6C	1	6	
GG488	SKJEMA6D	2	6	
GG489	SKJEMA6D	1	2	
GG490	SKJEMA6D	1	2	
GG491	SKJEMA6D	1	2	
GG492	SKJEMA6D	1	2	
GG493	SKJEMA6D	1	2	
GG494	SKJEMA6D	1	2	
GG495	SKJEMA6D	1	3	
GG496	SKJEMA6D	1	3	
GG497	SKJEMA6D	1	3	
GG498	SKJEMA6D	1	3	
GG499	SKJEMA6D	1	3	
GG500	SKJEMA6D	1	2	
GG501	SKJEMA6D	50	120	Select GG501, GG502 From SKJEMA6_TBL1 T1 Where ((GG501 Not Between 50 AND 120) OR ((GG501/((GG502/100)*(GG502/100))) > 40 AND GG502 > 100) OR ((GG501/((GG502/100)*(GG502/100))) < 17 AND GG502 < 190))

Variable	Last version	Minimum value	Maximum value	Dependence
GG502	SKJEMA6D	151	184	Select GG502, GG501 From SKJEMA6_TBL1 T1 Where ((GG502 Not Between 151 AND 184) OR ((GG501/((GG502/100)*(GG502/100))) > 40 AND GG501 < 140) OR ((GG501/((GG502/100)*(GG502/100))) < 17 AND GG501 > 40))
GG503	SKJEMA6D	1	5	
GG504	SKJEMA6D	1	5	
GG505	SKJEMA6D	1	5	
GG506	SKJEMA6D	1	5	
GG507	SKJEMA6D	1	5	
GG508	SKJEMA6D	1	5	
GG509	SKJEMA6D	1	6	
GG510	SKJEMA6D	1	6	
GG511	SKJEMA6D	1	6	
GG512	SKJEMA6D	1	6	
GG513	SKJEMA6D	1	6	
GG514	SKJEMA6D	1	4	
GG515	SKJEMA6D	1	4	
GG516	SKJEMA6D	1	4	
GG517	SKJEMA6D	1	4	
GG518	SKJEMA6D	1	4	
GG519	SKJEMA6D	1	4	
GG520	SKJEMA6D	1	4	
GG521	SKJEMA6D	1	4	
GG522	SKJEMA6D	1	2	Select GG522, GG523 From SKJEMA6_TBL1 T1 Where ((GG522 Not Between 1 AND 2) OR (GG522 = 1 AND -1 < GG523))
GG523	SKJEMA6D	1	3	Select GG523, GG522 From SKJEMA6_TBL1 T1 Where ((GG523 Not Between 1 AND 3) OR (GG523 > 0 AND 1 = GG522))
GG524	SKJEMA6D	1	2	Select GG524, GG525 From SKJEMA6_TBL1 T1 Where ((GG524 Not Between 1 AND 2) OR (GG524 = 1 AND -1 < GG525))

Variable	Last version	Minimum value	Maximum value	Dependence
GG525	SKJEMA6D	1	3	Select GG525, GG524 From SKJEMA6_TBL1 T1 Where ((GG525 Not Between 1 AND 3) OR (GG525 > 0 AND 1 = GG524))
GG526	SKJEMA6D	1	2	Select GG526, GG527 From SKJEMA6_TBL1 T1 Where ((GG526 Not Between 1 AND 2) OR (GG526 = 1 AND -1 < GG527))
GG527	SKJEMA6D	1	3	Select GG527, GG526 From SKJEMA6_TBL1 T1 Where ((GG527 Not Between 1 AND 3) OR (GG527 > 0 AND 1 = GG526))
GG528	SKJEMA6D	1	2	Select GG528, GG529 From SKJEMA6_TBL1 T1 Where ((GG528 Not Between 1 AND 2) OR (GG528 = 1 AND -1 < GG529))
GG529	SKJEMA6D	1	3	Select GG529, GG528 From SKJEMA6_TBL1 T1 Where ((GG529 Not Between 1 AND 3) OR (GG529 > 0 AND 1 = GG528))
GG530	SKJEMA6D	1	2	Select GG530, GG531 From SKJEMA6_TBL1 T1 Where ((GG530 Not Between 1 AND 2) OR (GG530 = 1 AND -1 < GG531))
GG531	SKJEMA6D	1	3	Select GG531, GG530 From SKJEMA6_TBL1 T1 Where ((GG531 Not Between 1 AND 3) OR (GG531 > 0 AND 1 = GG530))
GG532	SKJEMA6D	1	2	Select GG532, GG533 From SKJEMA6_TBL1 T1 Where ((GG532 Not Between 1 AND 2) OR (GG532 = 1 AND -1 < GG533))
GG533	SKJEMA6D	1	3	Select GG533, GG532 From SKJEMA6_TBL1 T1 Where ((GG533 Not Between 1 AND 3) OR (GG533 > 0 AND 1 = GG532))
GG534	SKJEMA6D	1	2	Select GG534, GG535 From SKJEMA6_TBL1 T1 Where ((GG534 Not Between 1 AND 2) OR (GG534 = 1 AND -1 < GG535))
GG535	SKJEMA6D	1	3	Select GG535, GG534 From SKJEMA6_TBL1 T1 Where ((GG535 Not Between 1 AND 3) OR (GG535 > 0 AND 1 = GG534))
GG536	SKJEMA6D	1	2	Select GG536, GG537 From SKJEMA6_TBL1 T1 Where ((GG536 Not Between 1 AND 2) OR (GG536 = 1 AND - 1 < GG537))
GG537	SKJEMA6D	1	3	Select GG537, GG536 From SKJEMA6_TBL1 T1 Where ((GG537 Not Between 1 AND 3) OR (GG537 > 0 AND 1 = GG536))
GG538	SKJEMA6D	1	2	Select GG538, GG539 From SKJEMA6_TBL1 T1 Where ((GG538 Not Between 1 AND 2) OR (GG538 = 1 AND -1 < GG539))
GG539	SKJEMA6D	1	3	Select GG539, GG538 From SKJEMA6_TBL1 T1 Where ((GG539 Not Between 1 AND 3) OR (GG539 > 0 AND 1 = GG538))
GG540	SKJEMA6D	1	2	Select GG540, GG541 From SKJEMA6_TBL1 T1 Where ((GG540 Not Between 1 AND 2) OR (GG540 = 1 AND -1 < GG541))

Variable	Last version	Minimum value	Maximum value	Dependence
GG541	SKJEMA6D	1	3	Select GG541, GG540 From SKJEMA6_TBL1 T1 Where ((GG541 Not Between 1 AND 3) OR (GG541 > 0 AND 1 = GG540))
GG554	SKJEMA6D			Select GG554, GG207, GG208, GG209 From SKJEMA6_TXT T1 Inner Join SKJEMA6_TBL1 T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (GG554 Is Null AND (0 < GG207 OR 0 < GG208 OR 0 < GG209))
GG555	SKJEMA6D			Select GG555, GG211, GG212, GG213 From SKJEMA6_TXT T1 Inner Join SKJEMA6_TBL1 T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (GG555 Is Null AND (0 < GG211 OR 0 < GG212 OR 0 < GG213))
GG566	SKJEMA6D	1	1	Select GG566, GG567, GG568, GG569 From SKJEMA6_TBL1 T1 Where ((GG566 Not Between 1 AND 1) OR (GG566 = 1 AND (1 = GG567 OR 1 = GG568 OR 2 = GG569)))
GG567	SKJEMA6D	1	1	Select GG567, GG566 From SKJEMA6_TBL1 T1 Where ((GG567 Not Between 1 AND 1) OR (GG567 = 1 AND 1 = GG566))
GG568	SKJEMA6D	1	1	Select GG568, GG566 From SKJEMA6_TBL1 T1 Where ((GG568 Not Between 1 AND 1) OR (GG568 = 1 AND 1 = GG566))
GG569	SKJEMA6D	1	2	Select GG569, GG566 From SKJEMA6_TBL1 T1 Where ((GG569 Not Between 1 AND 2) OR (GG569 = 2 AND 1 = GG566))
GG570	SKJEMA6D	1	1	Select GG570, GG571, GG572, GG573 From SKJEMA6_TBL1 T1 Where ((GG570 Not Between 1 AND 1) OR (GG570 = 1 AND (1 = GG571 OR 1 = GG572 OR 2 = GG573)))
GG571	SKJEMA6D	1	1	Select GG571, GG570 From SKJEMA6_TBL1 T1 Where ((GG571 Not Between 1 AND 1) OR (GG571 = 1 AND 1 = GG570))
GG572	SKJEMA6D	1	1	Select GG572, GG570 From SKJEMA6_TBL1 T1 Where ((GG572 Not Between 1 AND 1) OR (GG572 = 1 AND 1 = GG570))
GG573	SKJEMA6D	1	2	Select GG573, GG570 From SKJEMA6_TBL1 T1 Where ((GG573 Not Between 1 AND 2) OR (GG573 = 2 AND 1 = GG570))
GG574	SKJEMA6D	1	1	Select GG574, GG575, GG576, GG577 From SKJEMA6_TBL1 T1 Where ((GG574 Not Between 1 AND 1) OR (GG574 = 1 AND (1 = GG575 OR 1 = GG576 OR 2 = GG577)))
GG575	SKJEMA6D	1	1	Select GG575, GG574 From SKJEMA6_TBL1 T1 Where ((GG575 Not Between 1 AND 1) OR (GG575 = 1 AND 1 = GG574))
GG576	SKJEMA6D	1	1	Select GG576, GG574 From SKJEMA6_TBL1 T1 Where ((GG576 Not Between 1 AND 1) OR (GG576 = 1 AND 1 = GG574))
GG577	SKJEMA6D	1	2	Select GG577, GG574 From SKJEMA6_TBL1 T1 Where ((GG577 Not Between 1 AND 2) OR (GG577 = 2 AND 1 = GG574))

Variable	Last version	Minimum value	Maximum value	Dependence
GG578	SKJEMA6D	1	1	Select GG578, GG579, GG580, GG581 From SKJEMA6_TBL1 T1 Where ((GG578 Not Between 1 AND 1) OR (GG578 = 1 AND (1 = GG579 OR 1 = GG580 OR 2 = GG581)))
GG579	SKJEMA6D	1	1	Select GG579, GG578 From SKJEMA6_TBL1 T1 Where ((GG579 Not Between 1 AND 1) OR (GG579 = 1 AND 1 = GG578))
GG580	SKJEMA6D	1	1	Select GG580, GG578 From SKJEMA6_TBL1 T1 Where ((GG580 Not Between 1 AND 1) OR (GG580 = 1 AND 1 = GG578))
GG581	SKJEMA6D	1	2	Select GG581, GG578 From SKJEMA6_TBL1 T1 Where ((GG581 Not Between 1 AND 2) OR (GG581 = 2 AND 1 = GG578))
GG582	SKJEMA6D	1	1	Select GG582, GG583, GG584, GG585 From SKJEMA6_TBL1 T1 Where ((GG582 Not Between 1 AND 1) OR (GG582 = 1 AND (1 = GG583 OR 1 = GG584 OR 2 = GG585)))
GG583	SKJEMA6D	1	1	Select GG583 From SKJEMA6_TBL1 T1 Where ((GG583 Not Between 1 AND 1) OR GG583 = 1)
GG584	SKJEMA6D	1	1	Select GG584 From SKJEMA6_TBL1 T1 Where ((GG584 Not Between 1 AND 1) OR GG584 = 1)
GG585	SKJEMA6D	1	2	Select GG585, GG582, GG584, GG585 From SKJEMA6_TBL1 T1 Where (GG585 Not Between 1 AND 2) OR (GG585 = 2 AND 1 = GG582) OR (GG585 = 2 AND NOT (1 = GG584 OR 1 = GG585))
GG589	SKJEMA6D	1	31	
GG590	SKJEMA6D	1	12	
GG592	SKJEMA6D	1	2	
GG594	SKJEMA6D	1	2	
GG595	SKJEMA6D	1	2	
GG597	SKJEMA6D	0	45	Select GG597 From SKJEMA6_TBL1 T1 Where ((GG597 Not Between 0 AND 45) OR (GG597 Is Null AND T1.Skjemainfo_id<=1043436 AND Exists (Select 1 From MB_DATAINFO T2 Where T1.Skjemainfo_id=T2.Skjemainfo_id And T2.Versjon_id=1424)))
GG598	SKJEMA6D	1	7	
GG599	SKJEMA6D	0	12	Select GG599, GG422 From SKJEMA6_TBL1 T1 Where ((GG599 Not Between 0 AND 12) OR GG599 > GG422)
GG600	SKJEMA6D	1	5	
GG601	SKJEMA6D	1	5	
GG602	SKJEMA6D	1	5	
GG603	SKJEMA6D	1	5	

Variable	Last version	Minimum value	Maximum value	Dependence
GG604	SKJEMA6D	1	5	
GG605	SKJEMA6D	1	5	
GG606	SKJEMA6D	1	7	
GG607	SKJEMA6D	1	7	
GG608	SKJEMA6D	1	7	
GG609	SKJEMA6D	1	7	
GG610	SKJEMA6D	1	7	
GG611	SKJEMA6D	1	7	
GG612	SKJEMA6D	1	4	
GG613	SKJEMA6D	1	4	
GG614	SKJEMA6D	1	4	
GG615	SKJEMA6D	1	4	
GG616	SKJEMA6D	1	5	
GG617	SKJEMA6D	1	5	
GG618	SKJEMA6D	1	5	
GG619	SKJEMA6D	1	5	
GG620	SKJEMA6D	1	5	
GG621	SKJEMA6D	1	5	
GG622	SKJEMA6D	1	5	
GG623	SKJEMA6D	1	5	
GG624	SKJEMA6D	1	5	
GG626	SKJEMA6D			Select GG626, GG589, GG590, GG591 From SKJEMA6_TXT T1 Inner Join SKJEMA6_TBL1 T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (GG626 Is Null AND (0 < GG589 OR 0 < GG590 OR 0 < GG591))
GG630	SKJEMA6D	1	5	Select GG630, GG550 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG630 Not Between 1 AND 5) OR (GG630 > 0 AND GG550 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
GG631	SKJEMA6D	1	5	Select GG631, GG551 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG631 Not Between 1 AND 5) OR (GG631 > 0 AND GG551 Is Null))
GG632	SKJEMA6D	1	5	Select GG632, GG552 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG632 Not Between 1 AND 5) OR (GG632 > 0 AND GG552 Is Null))
GG633	SKJEMA6D	1	5	Select GG633, GG553 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG633 Not Between 1 AND 5) OR (GG633 > 0 AND GG553 Is Null))
GG634	SKJEMA6D	1	1	Select GG634, GG635, GG636, GG637 From SKJEMA6_TBL1 T1 Where ((GG634 Not Between 1 AND 1) OR (GG634 = 1 AND (1 = GG635 OR 1 = GG636 OR 1 = GG637)))
GG635	SKJEMA6D	1	1	Select GG635, GG634 From SKJEMA6_TBL1 T1 Where ((GG635 Not Between 1 AND 1) OR (GG635 = 1 AND 1 = GG634))
GG636	SKJEMA6D	1	1	Select GG636, GG634 From SKJEMA6_TBL1 T1 Where ((GG636 Not Between 1 AND 1) OR (GG636 = 1 AND 1 = GG634))
GG637	SKJEMA6D	1	1	Select GG637, GG634 From SKJEMA6_TBL1 T1 Where ((GG637 Not Between 1 AND 1) OR (GG637 = 1 AND 1 = GG634))
GG638	SKJEMA6D	1	1	Select GG638, GG639, GG640, GG641 From SKJEMA6_TBL1 T1 Where ((GG638 Not Between 1 AND 1) OR (GG638 = 1 AND (1 = GG639 OR 1 = GG640 OR 1 = GG641)))
GG639	SKJEMA6D	1	1	Select GG639, GG638 From SKJEMA6_TBL1 T1 Where ((GG639 Not Between 1 AND 1) OR (GG639 = 1 AND 1 = GG638))
GG640	SKJEMA6D	1	1	Select GG640, GG638 From SKJEMA6_TBL1 T1 Where ((GG640 Not Between 1 AND 1) OR (GG640 = 1 AND 1 = GG638))
GG641	SKJEMA6D	1	1	Select GG641, GG638 From SKJEMA6_TBL1 T1 Where ((GG641 Not Between 1 AND 1) OR (GG641 = 1 AND 1 = GG638))
GG642	SKJEMA6D	1	1	Select GG642, GG643, GG644, GG645 From SKJEMA6_TBL1 T1 Where ((GG642 Not Between 1 AND 1) OR (GG642 = 1 AND (1 = GG643 OR 1 = GG644 OR 1 = GG645)))
GG643	SKJEMA6D	1	1	Select GG643, GG642 From SKJEMA6_TBL1 T1 Where ((GG643 Not Between 1 AND 1) OR (GG643 = 1 AND 1 = GG642))
GG644	SKJEMA6D	1	1	Select GG644, GG642 From SKJEMA6_TBL1 T1 Where ((GG644 Not Between 1 AND 1) OR (GG644 = 1 AND 1 = GG642))
GG645	SKJEMA6D	1	1	Select GG645, GG642 From SKJEMA6_TBL1 T1 Where ((GG645 Not Between 1 AND 1) OR (GG645 = 1 AND 1 = GG642))

Variable	Last version	Minimum value	Maximum value	Dependence
GG646	SKJEMA6D	1	1	Select GG646, GG647, GG648, GG649 From SKJEMA6_TBL1 T1 Where ((GG646 Not Between 1 AND 1) OR (GG646 = 1 AND (1 = GG647 OR 1 = GG648 OR 1 = GG649)))
GG647	SKJEMA6D	1	1	Select GG647, GG646 From SKJEMA6_TBL1 T1 Where ((GG647 Not Between 1 AND 1) OR (GG647 = 1 AND 1 = GG646))
GG648	SKJEMA6D	1	1	Select GG648, GG646 From SKJEMA6_TBL1 T1 Where ((GG648 Not Between 1 AND 1) OR (GG648 = 1 AND 1 = GG646))
GG649	SKJEMA6D	1	1	Select GG649, GG646 From SKJEMA6_TBL1 T1 Where ((GG649 Not Between 1 AND 1) OR (GG649 = 1 AND 1 = GG646))
GG650	SKJEMA6D	1	1	Select GG650, GG651, GG652, GG653 From SKJEMA6_TBL1 T1 Where ((GG650 Not Between 1 AND 1) OR (GG650 = 1 AND (1 = GG651 OR 1 = GG652 OR 1 = GG653)))
GG651	SKJEMA6D	1	1	Select GG651, GG650 From SKJEMA6_TBL1 T1 Where ((GG651 Not Between 1 AND 1) OR (GG651 = 1 AND 1 = GG650))
GG652	SKJEMA6D	1	1	Select GG652, GG650 From SKJEMA6_TBL1 T1 Where ((GG652 Not Between 1 AND 1) OR (GG652 = 1 AND 1 = GG650))
GG653	SKJEMA6D	1	1	Select GG653, GG650 From SKJEMA6_TBL1 T1 Where ((GG653 Not Between 1 AND 1) OR (GG653 = 1 AND 1 = GG650))
GG654	SKJEMA6D	1	1	Select GG654, GG655, GG656, GG657 From SKJEMA6_TBL1 T1 Where ((GG654 Not Between 1 AND 1) OR (GG654 = 1 AND (1 = GG655 OR 1 = GG656 OR 1 = GG657)))
GG655	SKJEMA6D	1	1	Select GG655, GG654 From SKJEMA6_TBL1 T1 Where ((GG655 Not Between 1 AND 1) OR (GG655 = 1 AND 1 = GG654))
GG656	SKJEMA6D	1	1	Select GG656, GG654 From SKJEMA6_TBL1 T1 Where ((GG656 Not Between 1 AND 1) OR (GG656 = 1 AND 1 = GG654))
GG657	SKJEMA6D	1	1	Select GG657, GG654 From SKJEMA6_TBL1 T1 Where ((GG657 Not Between 1 AND 1) OR (GG657 = 1 AND 1 = GG654))
GG658	SKJEMA6D	1	1	Select GG658, GG561, GG562 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG658 Not Between 1 AND 1) OR (GG658 = 1 AND (GG561 Is Not Null OR GG562 Is Not Null)))
GG661	SKJEMA6D	1	1	Select GG661, GG563, GG564 From SKJEMA6_TBL1 T1 Inner Join SKJEMA6_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((GG661 Not Between 1 AND 1) OR (GG661 = 1 AND (GG563 Is Not Null OR GG564 Is Not Null)))