

Variable	Last version	Minimum value	Maximum value	Dependence
JJ9	SKJEMA7W	1	31	
JJ10	SKJEMA7W	1	12	
JJ11	SKJEMA7W	2007	2016	Select JJ11 From SKJEMA7_TBL1 T1 Where ((JJ11 Not Between 2007 AND 2016) OR (JJ11 > to_char(sysdate, 'YYYY')))
JJ12	SKJEMA7B	1	1	Select JJ12, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ12 Not Between 1 AND 1) OR JJ12 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ13	SKJEMA7W	0	7	Select JJ13, JJ14 From SKJEMA7_TBL1 T1 Where (JJ13 Not Between 0 AND 7) OR JJ13 > JJ14
JJ14	SKJEMA7W	0	7	Select JJ14, JJ13 From SKJEMA7_TBL1 T1 Where (JJ14 Not Between 0 AND 7) OR JJ14 < JJ13
JJ15	SKJEMA7A	1	1	Select JJ15, JJ14 From SKJEMA7_TBL1 T1 Where ((JJ15 Not Between 1 AND 1) OR (JJ15 = 1 AND JJ14 Is Not Null))
JJ16	SKJEMA7W	1	1	Select JJ16, JJ12, JJ13, JJ14, JJ15 From SKJEMA7_TBL1 T1 Where ((JJ16 Not Between 1 AND 1) OR (JJ16 = 1 AND JJ12 Is Null AND JJ13 Is Null AND JJ14 Is Null AND JJ15 Is Null))
JJ16	SKJEMA7C	1	1	Select JJ16, JJ623, JJ13, JJ450, JJ14 From SKJEMA7_TBL1 T1 Where (JJ16 Not Between 1 AND 1) OR (JJ16 = 1 AND JJ623 = 1) OR (JJ16 = 1 AND JJ13 is Null AND JJ450 is Null AND JJ14 is Null)
JJ17	SKJEMA7A	1	1	Select JJ12, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ17 Not Between 1 AND 1) OR JJ17 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ18	SKJEMA7A	0	7	Select JJ18, JJ19 From SKJEMA7_TBL1 T1 Where (JJ18 Not Between 0 AND 7) OR JJ18 > JJ19
JJ19	SKJEMA7A	0	7	Select JJ19, JJ18 From SKJEMA7_TBL1 T1 Where (JJ19 Not Between 0 AND 7) OR JJ19 < JJ18
JJ20	SKJEMA7A	1	1	Select JJ20, JJ19 From SKJEMA7_TBL1 T1 Where ((JJ20 Not Between 1 AND 1) OR (JJ20 = 1 AND JJ19 Is Not Null))
JJ21	SKJEMA7A	1	1	Select JJ21, JJ17, JJ18, JJ19, JJ20 From SKJEMA7_TBL1 T1 Where ((JJ21 Not Between 1 AND 1) OR (JJ21 = 1 AND JJ17 Is Null AND JJ18 Is Null AND JJ19 Is Null AND JJ20 Is Null))
JJ22	SKJEMA7B	1	1	Select JJ12, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ22 Not Between 1 AND 1) OR JJ22 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ23	SKJEMA7W	0	7	Select JJ23, JJ24 From SKJEMA7_TBL1 T1 Where (JJ23 Not Between 0 AND 7) OR JJ23 > JJ24
JJ24	SKJEMA7W	0	7	Select JJ24, JJ23 From SKJEMA7_TBL1 T1 Where (JJ24 Not Between 0 AND 7) OR JJ24 < JJ23
JJ25	SKJEMA7A	1	1	Select JJ25, JJ24 From SKJEMA7_TBL1 T1 Where ((JJ25 Not Between 1 AND 1) OR (JJ25 = 1 AND JJ24 Is Not Null))
JJ26	SKJEMA7W	1	1	Select JJ26, JJ22, JJ23, JJ24, JJ25 From SKJEMA7_TBL1 T1 Where ((JJ26 Not Between 1 AND 1) OR (JJ26 = 1 AND JJ22 Is Null AND JJ23 Is Null AND JJ24 Is Null AND JJ25 Is Null))
JJ26	SKJEMA7C	1	1	Select JJ26, JJ626, JJ23, JJ461, JJ24 From SKJEMA7_TBL1 T1 Where (JJ26 Not Between 1 AND 1) OR (JJ26 = 1 AND JJ626 = 1) OR (JJ26 = 1 AND JJ23 is Null AND JJ461 is Null AND JJ24 is Null)
JJ27	SKJEMA7A	1	1	Select JJ12, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ27 Not Between 1 AND 1) OR JJ27 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ28	SKJEMA7A	0	7	Select JJ28, JJ29 From SKJEMA7_TBL1 T1 Where (JJ28 Not Between 0 AND 7) OR JJ28 > JJ29
JJ29	SKJEMA7A	0	7	Select JJ29, JJ28 From SKJEMA7_TBL1 T1 Where (JJ29 Not Between 0 AND 7) OR JJ29 < JJ28
JJ30	SKJEMA7A	1	1	Select JJ30, JJ29 From SKJEMA7_TBL1 T1 Where ((JJ30 Not Between 1 AND 1) OR (JJ30 = 1 AND JJ29 Is Not Null))
JJ31	SKJEMA7A	1	1	Select JJ31, JJ27, JJ28, JJ29, JJ30 From SKJEMA7_TBL1 T1 Where ((JJ31 Not Between 1 AND 1) OR (JJ31 = 1 AND JJ27 Is Null AND JJ28 Is Null AND JJ29 Is Null AND JJ30 Is Null))
JJ32	SKJEMA7A	1	1	Select JJ32, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ32 Not Between 1 AND 1) OR JJ32 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ33	SKJEMA7A	0	7	Select JJ33, JJ34 From SKJEMA7_TBL1 T1 Where (JJ33 Not Between 0 AND 7) OR JJ33 > JJ34
JJ34	SKJEMA7A	0	7	Select JJ34, JJ33 From SKJEMA7_TBL1 T1 Where (JJ34 Not Between 0 AND 7) OR JJ34 < JJ33
JJ35	SKJEMA7A	1	1	Select JJ35, JJ34 From SKJEMA7_TBL1 T1 Where ((JJ35 Not Between 1 AND 1) OR (JJ35 = 1 AND JJ34 Is Not Null))
JJ36	SKJEMA7A	1	1	Select JJ36, JJ32, JJ33, JJ34, JJ35 From SKJEMA7_TBL1 T1 Where ((JJ36 Not Between 1 AND 1) OR (JJ36 = 1 AND JJ32 Is Null AND JJ33 Is Null AND JJ34 Is Null AND JJ35 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ37	SKJEMA7B	1	1	Select JJ37, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ37 Not Between 1 AND 1) OR JJ37 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ38	SKJEMA7W	0	7	Select JJ38, JJ39 From SKJEMA7_TBL1 T1 Where (JJ38 Not Between 0 AND 7) OR JJ38 > JJ39
JJ39	SKJEMA7W	0	7	Select JJ39, JJ38 From SKJEMA7_TBL1 T1 Where (JJ39 Not Between 0 AND 7) OR JJ39 < JJ38
JJ40	SKJEMA7A	1	1	Select JJ40, JJ39 From SKJEMA7_TBL1 T1 Where ((JJ40 Not Between 1 AND 1) OR (JJ40 = 1 AND JJ39 Is Not Null))
JJ41	SKJEMA7W			Select JJ41, JJ37, JJ38, JJ39, JJ40 From SKJEMA7_TBL1 T1 Where ((JJ41 Not Between 1 AND 1) OR (JJ41 = 1 AND JJ37 Is Null AND JJ38 Is Null AND JJ39 Is Null AND JJ40 Is Null))
JJ41	SKJEMA7C	1	1	Select JJ41, JJ622, JJ38, JJ449, JJ39 From SKJEMA7_TBL1 T1 Where (JJ41 Not Between 1 AND 1) OR (JJ41 = 1 AND JJ622 = 1) OR (JJ41 = 1 AND JJ38 is Null AND JJ449 is Null AND JJ39 is Null)
JJ42	SKJEMA7A	1	1	Select JJ42, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ42 Not Between 1 AND 1) OR JJ42 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ43	SKJEMA7A	0	7	Select JJ43, JJ44 From SKJEMA7_TBL1 T1 Where (JJ43 Not Between 0 AND 7) OR JJ43 > JJ44
JJ44	SKJEMA7A	0	7	Select JJ44, JJ43 From SKJEMA7_TBL1 T1 Where (JJ44 Not Between 0 AND 7) OR JJ44 < JJ43
JJ45	SKJEMA7A	1	1	Select JJ45, JJ44 From SKJEMA7_TBL1 T1 Where ((JJ45 Not Between 1 AND 1) OR (JJ45 = 1 AND JJ44 Is Not Null))
JJ46	SKJEMA7A	1	1	Select JJ46, JJ42, JJ43, JJ44, JJ45 From SKJEMA7_TBL1 T1 Where ((JJ46 Not Between 1 AND 1) OR (JJ46 = 1 AND JJ42 Is Null AND JJ43 Is Null AND JJ44 Is Null AND JJ45 Is Null))
JJ47	SKJEMA7B	1	1	Select JJ47, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ47 Not Between 1 AND 1) OR JJ47 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ48	SKJEMA7W	0	7	Select JJ48, JJ49 From SKJEMA7_TBL1 T1 Where (JJ48 Not Between 0 AND 7) OR JJ48 > JJ49
JJ49	SKJEMA7W	0	7	Select JJ49, JJ48 From SKJEMA7_TBL1 T1 Where (JJ49 Not Between 0 AND 7) OR JJ49 < JJ48
JJ50	SKJEMA7A	1	1	Select JJ50, JJ49 From SKJEMA7_TBL1 T1 Where ((JJ50 Not Between 1 AND 1) OR (JJ50 = 1 AND JJ49 Is Not Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ51	SKJEMA7W	1	1	Select JJ51, JJ47, JJ48, JJ49, JJ50 From SKJEMA7_TBL1 T1 Where ((JJ51 Not Between 1 AND 1) OR (JJ51 = 1 AND JJ47 Is Null AND JJ48 Is Null AND JJ49 Is Null AND JJ50 Is Null))
JJ51	SKJEMA7C	1	2	Select JJ51, JJ616, JJ48, JJ443, JJ49 From SKJEMA7_TBL1 T1 Where (JJ51 Not Between 1 AND 1) OR (JJ51 = 1 AND JJ616 = 1) OR (JJ51 = 1 AND JJ48 is Null AND JJ443 is Null AND JJ49 is Null)
JJ52	SKJEMA7A	1	1	Select JJ52, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ52 Not Between 1 AND 1) OR JJ52 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ53	SKJEMA7A	0	7	Select JJ53, JJ54 From SKJEMA7_TBL1 T1 Where (JJ53 Not Between 0 AND 7) OR JJ53 > JJ54
JJ54	SKJEMA7A	0	7	Select JJ54, JJ53 From SKJEMA7_TBL1 T1 Where (JJ54 Not Between 0 AND 7) OR JJ54 < JJ53
JJ55	SKJEMA7A	1	1	Select JJ55, JJ54 From SKJEMA7_TBL1 T1 Where ((JJ55 Not Between 1 AND 1) OR (JJ55 = 1 AND JJ54 Is Not Null))
JJ56	SKJEMA7A	1	1	Select JJ56, JJ52, JJ53, JJ54, JJ55 From SKJEMA7_TBL1 T1 Where ((JJ56 Not Between 1 AND 1) OR (JJ56 = 1 AND JJ52 Is Null AND JJ53 Is Null AND JJ54 Is Null AND JJ55 Is Null))
JJ57	SKJEMA7A	1	1	Select JJ57, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ57 Not Between 1 AND 1) OR JJ57 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ58	SKJEMA7A	0	7	Select JJ58, JJ59 From SKJEMA7_TBL1 T1 Where (JJ58 Not Between 0 AND 7) OR JJ58 > JJ59
JJ59	SKJEMA7A	0	7	Select JJ59, JJ58 From SKJEMA7_TBL1 T1 Where (JJ59 Not Between 0 AND 7) OR JJ59 < JJ58
JJ60	SKJEMA7A	1	1	Select JJ60, JJ59 From SKJEMA7_TBL1 T1 Where ((JJ60 Not Between 1 AND 1) OR (JJ60 = 1 AND JJ59 Is Not Null))
JJ61	SKJEMA7A	1	1	Select JJ61, JJ57, JJ58, JJ59, JJ60 From SKJEMA7_TBL1 T1 Where ((JJ61 Not Between 1 AND 1) OR (JJ61 = 1 AND JJ57 Is Null AND JJ58 Is Null AND JJ59 Is Null AND JJ60 Is Null))
JJ62	SKJEMA7A	1	1	Select JJ62, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ62 Not Between 1 AND 1) OR JJ62 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ63	SKJEMA7A	0	7	Select JJ63, JJ64 From SKJEMA7_TBL1 T1 Where (JJ63 Not Between 0 AND 7) OR JJ63 > JJ64
JJ64	SKJEMA7A	0	7	Select JJ64, JJ63 From SKJEMA7_TBL1 T1 Where (JJ64 Not Between 0 AND 7) OR JJ64 < JJ63

Variable	Last version	Minimum value	Maximum value	Dependence
JJ65	SKJEMA7A	1	1	Select JJ65, JJ64 From SKJEMA7_TBL1 T1 Where ((JJ65 Not Between 1 AND 1) OR (JJ65 = 1 AND JJ64 Is Not Null))
JJ66	SKJEMA7A	1	1	Select JJ66, JJ62, JJ63, JJ64, JJ65 From SKJEMA7_TBL1 T1 Where ((JJ66 Not Between 1 AND 1) OR (JJ66 = 1 AND JJ62 Is Null AND JJ63 Is Null AND JJ64 Is Null AND JJ65 Is Null))
JJ67	SKJEMA7A	1	1	Select JJ67, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ67 Not Between 1 AND 1) OR JJ67 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ68	SKJEMA7A	0	7	Select JJ68, JJ69 From SKJEMA7_TBL1 T1 Where (JJ68 Not Between 0 AND 7) OR JJ68 > JJ69
JJ69	SKJEMA7A	0	7	Select JJ69, JJ68 From SKJEMA7_TBL1 T1 Where (JJ69 Not Between 0 AND 7) OR JJ69 < JJ68
JJ70	SKJEMA7A	1	1	Select JJ70, JJ69 From SKJEMA7_TBL1 T1 Where ((JJ70 Not Between 1 AND 1) OR (JJ70 = 1 AND JJ69 Is Not Null))
JJ71	SKJEMA7A	1	1	Select JJ71, JJ67, JJ68, JJ69, JJ70 From SKJEMA7_TBL1 T1 Where ((JJ71 Not Between 1 AND 1) OR (JJ71 = 1 AND JJ67 Is Null AND JJ68 Is Null AND JJ69 Is Null AND JJ70 Is Null))
JJ72	SKJEMA7A	1	1	Select JJ72, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ72 Not Between 1 AND 1) OR JJ72 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ73	SKJEMA7A	0	7	Select JJ73, JJ74 From SKJEMA7_TBL1 T1 Where (JJ73 Not Between 0 AND 7) OR JJ73 > JJ74
JJ74	SKJEMA7A	0	7	Select JJ74, JJ73 From SKJEMA7_TBL1 T1 Where (JJ74 Not Between 0 AND 7) OR JJ74 < JJ73
JJ75	SKJEMA7A	1	1	Select JJ75, JJ74 From SKJEMA7_TBL1 T1 Where ((JJ75 Not Between 1 AND 1) OR (JJ75 = 1 AND JJ74 Is Not Null))
JJ76	SKJEMA7A	1	1	Select JJ76, JJ72, JJ73, JJ74, JJ75 From SKJEMA7_TBL1 T1 Where ((JJ76 Not Between 1 AND 1) OR (JJ76 = 1 AND JJ72 Is Null AND JJ73 Is Null AND JJ74 Is Null AND JJ75 Is Null))
JJ77	SKJEMA7A	1	1	Select JJ77, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ77 Not Between 1 AND 1) OR JJ77 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ78	SKJEMA7A	0	7	Select JJ78, JJ79 From SKJEMA7_TBL1 T1 Where (JJ78 Not Between 0 AND 7) OR JJ78 > JJ79
JJ79	SKJEMA7A	0	7	Select JJ79, JJ78 From SKJEMA7_TBL1 T1 Where (JJ79 Not Between 0 AND 7) OR JJ79 < JJ78

Variable	Last version	Minimum value	Maximum value	Dependence
JJ80	SKJEMA7A	1	1	Select JJ80, JJ79 From SKJEMA7_TBL1 T1 Where ((JJ80 Not Between 1 AND 1) OR (JJ80 = 1 AND JJ79 Is Not Null))
JJ81	SKJEMA7A	1	1	Select JJ81, JJ77, JJ78, JJ79, JJ80 From SKJEMA7_TBL1 T1 Where ((JJ81 Not Between 1 AND 1) OR (JJ81 = 1 AND JJ77 Is Null AND JJ78 Is Null AND JJ79 Is Null AND JJ80 Is Null))
JJ82	SKJEMA7A	1	1	Select JJ82, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ82 Not Between 1 AND 1) OR JJ82 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ83	SKJEMA7A	0	7	Select JJ83, JJ84 From SKJEMA7_TBL1 T1 Where (JJ83 Not Between 0 AND 7) OR JJ83 > JJ84
JJ84	SKJEMA7A	0	7	Select JJ84, JJ83 From SKJEMA7_TBL1 T1 Where (JJ84 Not Between 0 AND 7) OR JJ84 < JJ83
JJ85	SKJEMA7A	1	1	Select JJ85, JJ84 From SKJEMA7_TBL1 T1 Where ((JJ85 Not Between 1 AND 1) OR (JJ85 = 1 AND JJ84 Is Not Null))
JJ86	SKJEMA7A	1	1	Select JJ86, JJ82, JJ83, JJ84, JJ85 From SKJEMA7_TBL1 T1 Where ((JJ86 Not Between 1 AND 1) OR (JJ86 = 1 AND JJ82 Is Null AND JJ83 Is Null AND JJ84 Is Null AND JJ85 Is Null))
JJ87	SKJEMA7A	1	1	Select JJ82, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ82 Not Between 1 AND 1) OR JJ82 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ88	SKJEMA7A	0	7	Select JJ88, JJ89 From SKJEMA7_TBL1 T1 Where (JJ88 Not Between 0 AND 7) OR JJ88 > JJ89
JJ89	SKJEMA7A	0	7	Select JJ89, JJ88 From SKJEMA7_TBL1 T1 Where (JJ89 Not Between 0 AND 7) OR JJ89 < JJ88
JJ90	SKJEMA7A			Select JJ90, JJ89 From SKJEMA7_TBL1 T1 Where ((JJ90 Not Between 1 AND 1) OR (JJ90 = 1 AND JJ89 Is Not Null))
JJ91	SKJEMA7A	1	1	Select JJ91, JJ87, JJ88, JJ89, JJ90 From SKJEMA7_TBL1 T1 Where ((JJ91 Not Between 1 AND 1) OR (JJ91 = 1 AND JJ87 Is Null AND JJ88 Is Null AND JJ89 Is Null AND JJ90 Is Null))
JJ92	SKJEMA7A	1	1	Select JJ92, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ92 Not Between 1 AND 1) OR JJ92 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ93	SKJEMA7A	0	7	Select JJ93, JJ94 From SKJEMA7_TBL1 T1 Where (JJ93 Not Between 0 AND 7) OR JJ93 > JJ94
JJ94	SKJEMA7A	0	7	Select JJ94, JJ93 From SKJEMA7_TBL1 T1 Where (JJ94 Not Between 0 AND 7) OR JJ94 < JJ93

Variable	Last version	Minimum value	Maximum value	Dependence
JJ95	SKJEMA7A	1	1	Select JJ95, JJ94 From SKJEMA7_TBL1 T1 Where ((JJ95 Not Between 1 AND 1) OR (JJ95 = 1 AND JJ94 Is Not Null))
JJ96	SKJEMA7A	1	1	Select JJ96, JJ92, JJ93, JJ94, JJ95 From SKJEMA7_TBL1 T1 Where ((JJ96 Not Between 1 AND 1) OR (JJ96 = 1 AND JJ92 Is Null AND JJ93 Is Null AND JJ94 Is Null AND JJ95 Is Null))
JJ97	SKJEMA7B	1	1	Select JJ97, JJ17, JJ22, JJ27 From SKJEMA7_TBL1 T1 Where ((JJ97 Not Between 1 AND 1) OR JJ97 = 1 AND (nvl(JJ12,0) + nvl(JJ17,0) + nvl(JJ22,0) + nvl(JJ27,0) + nvl(JJ32,0) + nvl(JJ37,0) + nvl(JJ42,0) + nvl(JJ47,0) + nvl(JJ52,0) + nvl(JJ57,0) + nvl(JJ62,0) + nvl(JJ67,0) + nvl(JJ72,0) + nvl(JJ77,0) + nvl(JJ82,0) + nvl(JJ87,0) + nvl(JJ92,0) + nvl(JJ97,0))>7)
JJ98	SKJEMA7W	0	7	Select JJ98, JJ99 From SKJEMA7_TBL1 T1 Where (JJ98 Not Between 0 AND 7) OR JJ98 > JJ99
JJ99	SKJEMA7W	0	7	Select JJ99, JJ98 From SKJEMA7_TBL1 T1 Where (JJ99 Not Between 0 AND 7) OR JJ99 < JJ98
JJ100	SKJEMA7A	1	1	Select JJ100, JJ99 From SKJEMA7_TBL1 T1 Where ((JJ100 Not Between 1 AND 1) OR (JJ100 = 1 AND JJ99 Is Not Null))
JJ101	SKJEMA7W	1	1	Select JJ101, JJ97, JJ98, JJ99, JJ100 From SKJEMA7_TBL1 T1 Where ((JJ101 Not Between 1 AND 1) OR (JJ101 = 1 AND JJ97 Is Null AND JJ98 Is Null AND JJ99 Is Null AND JJ100 Is Null))
JJ101	SKJEMA7C	1	2	Select JJ101, JJ617, JJ98, JJ444, JJ99 From SKJEMA7_TBL1 T1 Where (JJ101 Not Between 1 AND 1) OR (JJ101 = 1 AND JJ617 = 1) OR (JJ101 = 1 AND JJ98 is Null AND JJ444 is Null AND JJ99 is Null)
JJ102	SKJEMA7A	1	1	Select JJ102, JJ107, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where ((JJ102 Not Between 1 AND 1) OR (JJ102 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ103	SKJEMA7A	0	7	Select JJ103, JJ104 From SKJEMA7_TBL1 T1 Where (JJ103 Not Between 0 AND 7) OR JJ103 > JJ104
JJ104	SKJEMA7A	0	7	Select JJ104, JJ103 From SKJEMA7_TBL1 T1 Where (JJ104 Not Between 0 AND 7) OR JJ104 < JJ103
JJ105	SKJEMA7A	1	1	Select JJ105, JJ104 From SKJEMA7_TBL1 T1 Where ((JJ105 Not Between 1 AND 1) OR (JJ105 = 1 AND JJ104 Is Not Null))
JJ106	SKJEMA7A	1	1	Select JJ106, JJ102, JJ103, JJ104, JJ105 From SKJEMA7_TBL1 T1 Where ((JJ106 Not Between 1 AND 1) OR (JJ106 = 1 AND JJ102 Is Null AND JJ103 Is Null AND JJ104 Is Null AND JJ105 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ107	SKJEMA7B	1	1	Select JJ107, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where ((JJ107 Not Between 1 AND 1) OR (JJ107 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ108	SKJEMA7W	0	7	Select JJ108, JJ109 From SKJEMA7_TBL1 T1 Where (JJ108 Not Between 0 AND 7) OR JJ108 > JJ109
JJ109	SKJEMA7W	0	7	Select JJ109, JJ108 From SKJEMA7_TBL1 T1 Where (JJ109 Not Between 0 AND 7) OR JJ109 < JJ108
JJ110	SKJEMA7A	1	1	Select JJ110, JJ109 From SKJEMA7_TBL1 T1 Where ((JJ110 Not Between 1 AND 1) OR (JJ110 = 1 AND JJ109 Is Not Null))
JJ111	SKJEMA7W	1	1	Select JJ111, JJ107, JJ108, JJ109, JJ110 From SKJEMA7_TBL1 T1 Where ((JJ111 Not Between 1 AND 1) OR (JJ111 = 1 AND JJ107 Is Null AND JJ108 Is Null AND JJ109 Is Null AND JJ110 Is Null))
JJ111	SKJEMA7C	1	2	Select JJ111, JJ618, JJ108, JJ445, JJ109 From SKJEMA7_TBL1 T1 Where (JJ111 Not Between 1 AND 1) OR (JJ111 = 1 AND JJ618 = 1) OR (JJ111 = 1 AND JJ108 is Null AND JJ445 is Null AND JJ109 is Null)
JJ112	SKJEMA7B	1	1	Select JJ107, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where ((JJ112 Not Between 1 AND 1) OR (JJ112 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ113	SKJEMA7W	0	7	Select JJ113, JJ114 From SKJEMA7_TBL1 T1 Where (JJ113 Not Between 0 AND 7) OR JJ113 > JJ114
JJ114	SKJEMA7W	0	7	Select JJ114, JJ113 From SKJEMA7_TBL1 T1 Where (JJ114 Not Between 0 AND 7) OR JJ114 < JJ113
JJ115	SKJEMA7A	1	1	Select JJ115, JJ114 From SKJEMA7_TBL1 T1 Where ((JJ115 Not Between 1 AND 1) OR (JJ115 = 1 AND JJ114 Is Not Null))
JJ116	SKJEMA7W	1	1	Select JJ116, JJ112, JJ113, JJ114, JJ115 From SKJEMA7_TBL1 T1 Where ((JJ116 Not Between 1 AND 1) OR (JJ116 = 1 AND JJ112 Is Null AND JJ113 Is Null AND JJ114 Is Null AND JJ115 Is Null))
JJ116	SKJEMA7C	1	1	Select JJ116, JJ619, JJ113, JJ446, JJ114 From SKJEMA7_TBL1 T1 Where (JJ116 Not Between 1 AND 1) OR (JJ116 = 1 AND JJ619 = 1) OR (JJ116 = 1 AND JJ113 is Null AND JJ446 is Null AND JJ114 is Null)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ117	SKJEMA7A	1	1	Select JJ107, JJ102, JJ112,JJ117,JJ122,JJ127,JJ132,JJ137 From SKJEMA7_TBL1 T1 Where ((JJ117 Not Between 1 AND 1) OR (JJ117 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ118	SKJEMA7A	0	7	Select JJ118, JJ119 From SKJEMA7_TBL1 T1 Where (JJ118 Not Between 0 AND 7) OR JJ118 > JJ119
JJ119	SKJEMA7A	0	7	Select JJ119, JJ118 From SKJEMA7_TBL1 T1 Where (JJ119 Not Between 0 AND 7) OR JJ119 < JJ118
JJ120	SKJEMA7A	1	1	Select JJ120, JJ119 From SKJEMA7_TBL1 T1 Where ((JJ120 Not Between 1 AND 1) OR (JJ120 = 1 AND JJ119 Is Not Null))
JJ121	SKJEMA7A	1	1	Select JJ121, JJ117, JJ118, JJ119, JJ120 From SKJEMA7_TBL1 T1 Where ((JJ121 Not Between 1 AND 1) OR (JJ121 = 1 AND JJ117 Is Null AND JJ118 Is Null AND JJ119 Is Null AND JJ120 Is Null))
JJ122	SKJEMA7A	1	1	Select JJ107, JJ102, JJ112,JJ117,JJ122,JJ127,JJ132,JJ137 From SKJEMA7_TBL1 T1 Where ((JJ122 Not Between 1 AND 1) OR (JJ122 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ123	SKJEMA7A	0	7	Select JJ123, JJ124 From SKJEMA7_TBL1 T1 Where (JJ123 Not Between 0 AND 7) OR JJ123 > JJ124
JJ124	SKJEMA7A	0	7	Select JJ124, JJ123 From SKJEMA7_TBL1 T1 Where (JJ124 Not Between 0 AND 7) OR JJ124 < JJ123
JJ125	SKJEMA7A	1	1	Select JJ125, JJ124 From SKJEMA7_TBL1 T1 Where ((JJ125 Not Between 1 AND 1) OR (JJ125 = 1 AND JJ124 Is Not Null))
JJ126	SKJEMA7A	1	1	Select JJ126, JJ122, JJ123, JJ124, JJ125 From SKJEMA7_TBL1 T1 Where ((JJ126 Not Between 1 AND 1) OR (JJ126 = 1 AND JJ122 Is Null AND JJ123 Is Null AND JJ124 Is Null AND JJ125 Is Null))
JJ127	SKJEMA7A	1	1	Select JJ107, JJ102, JJ112,JJ117,JJ122,JJ127,JJ132,JJ137 From SKJEMA7_TBL1 T1 Where ((JJ127 Not Between 1 AND 1) OR (JJ127 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ128	SKJEMA7A	0	7	Select JJ128, JJ129 From SKJEMA7_TBL1 T1 Where (JJ128 Not Between 0 AND 7) OR JJ128 > JJ129
JJ129	SKJEMA7A	0	7	Select JJ129, JJ128 From SKJEMA7_TBL1 T1 Where (JJ129 Not Between 0 AND 7) OR JJ129 < JJ128

Variable	Last version	Minimum value	Maximum value	Dependence
JJ130	SKJEMA7A	1	1	Select JJ130, JJ129 From SKJEMA7_TBL1 T1 Where ((JJ130 Not Between 1 AND 1) OR (JJ130 = 1 AND JJ129 Is Not Null))
JJ131	SKJEMA7A	1	1	Select JJ131, JJ127, JJ128, JJ129, JJ130 From SKJEMA7_TBL1 T1 Where ((JJ131 Not Between 1 AND 1) OR (JJ131 = 1 AND JJ127 Is Null AND JJ128 Is Null AND JJ129 Is Null AND JJ130 Is Null))
JJ132	SKJEMA7B	1	1	Select JJ107, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where ((JJ132 Not Between 1 AND 1) OR (JJ132 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ133	SKJEMA7W	0	7	Select JJ133, JJ134 From SKJEMA7_TBL1 T1 Where (JJ133 Not Between 0 AND 7) OR JJ133 > JJ134
JJ134	SKJEMA7W	0	7	Select JJ134, JJ133 From SKJEMA7_TBL1 T1 Where (JJ134 Not Between 0 AND 7) OR JJ134 < JJ133
JJ135	SKJEMA7A	1	1	Select JJ135, JJ134 From SKJEMA7_TBL1 T1 Where ((JJ135 Not Between 1 AND 1) OR (JJ135 = 1 AND JJ134 Is Not Null))
JJ136	SKJEMA7W	1	1	Select JJ136, JJ132, JJ133, JJ134, JJ135 From SKJEMA7_TBL1 T1 Where ((JJ136 Not Between 1 AND 1) OR (JJ136 = 1 AND JJ132 Is Null AND JJ133 Is Null AND JJ134 Is Null AND JJ135 Is Null))
JJ136	SKJEMA7C	1	1	Select JJ136, JJ620, JJ133, JJ447, JJ134 From SKJEMA7_TBL1 T1 Where (JJ136 Not Between 1 AND 1) OR (JJ136 = 1 AND JJ620 = 1) OR (JJ136 = 1 AND JJ133 is Null AND JJ447 is Null AND JJ134 is Null)
JJ137	SKJEMA7B	1	1	Select JJ107, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where ((JJ137 Not Between 1 AND 1) OR (JJ137 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ138	SKJEMA7W	0	7	Select JJ138, JJ139 From SKJEMA7_TBL1 T1 Where (JJ138 Not Between 0 AND 7) OR JJ138 > JJ139
JJ139	SKJEMA7W	0	7	Select JJ139, JJ138 From SKJEMA7_TBL1 T1 Where (JJ139 Not Between 0 AND 7) OR JJ139 < JJ138
JJ140	SKJEMA7A	1	1	Select JJ140, JJ139 From SKJEMA7_TBL1 T1 Where ((JJ140 Not Between 1 AND 1) OR (JJ140 = 1 AND JJ139 Is Not Null))
JJ141	SKJEMA7W	1	1	Select JJ141, JJ137, JJ138, JJ139, JJ140 From SKJEMA7_TBL1 T1 Where ((JJ141 Not Between 1 AND 1) OR (JJ141 = 1 AND JJ137 Is Null AND JJ138 Is Null AND JJ139 Is Null AND JJ140 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ141	SKJEMA7C	1	1	Select JJ141, JJ621, JJ138, JJ448, JJ139 From SKJEMA7_TBL1 T1 Where (JJ141 Not Between 1 AND 1) OR (JJ141 = 1 AND JJ621 = 1) OR (JJ141 = 1 AND JJ138 is Null AND JJ448 is Null AND JJ139 is Null)
JJ142	SKJEMA7B			Select JJ142, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where (JJ142 Not Between 1 AND 1) OR (JJ142 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ143	SKJEMA7W	0	7	Select JJ143, JJ144 From SKJEMA7_TBL1 T1 Where (JJ143 Not Between 0 AND 7) OR JJ143 > JJ144
JJ144	SKJEMA7W	0	7	Select JJ144, JJ143 From SKJEMA7_TBL1 T1 Where (JJ144 Not Between 0 AND 7) OR JJ144 < JJ143
JJ145	SKJEMA7A	1	1	Select JJ145, JJ144 From SKJEMA7_TBL1 T1 Where ((JJ145 Not Between 1 AND 1) OR (JJ145 = 1 AND JJ144 Is Not Null))
JJ146	SKJEMA7W	1	1	Select JJ146, JJ142, JJ143, JJ144, JJ145 From SKJEMA7_TBL1 T1 Where ((JJ146 Not Between 1 AND 1) OR (JJ146 = 1 AND JJ142 Is Null AND JJ143 Is Null AND JJ144 Is Null AND JJ145 Is Null))
JJ146	SKJEMA7C	1	1	Select JJ146, JJ627, JJ143, JJ462, JJ144 From SKJEMA7_TBL1 T1 Where (JJ146 Not Between 1 AND 1) OR (JJ146 = 1 AND JJ627 = 1) OR (JJ146 = 1 AND JJ143 is Null AND JJ462 is Null AND JJ144 is Null)
JJ147	SKJEMA7B	1	1	Select JJ147, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where (JJ147 Not Between 1 AND 1) OR (JJ147 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ148	SKJEMA7W	0	7	Select JJ148, JJ149 From SKJEMA7_TBL1 T1 Where (JJ148 Not Between 0 AND 7) OR JJ148 > JJ149
JJ149	SKJEMA7W	0	7	Select JJ149, JJ148 From SKJEMA7_TBL1 T1 Where (JJ149 Not Between 0 AND 7) OR JJ149 < JJ148
JJ150	SKJEMA7A	1	1	Select JJ150, JJ149 From SKJEMA7_TBL1 T1 Where ((JJ150 Not Between 1 AND 1) OR (JJ150 = 1 AND JJ149 Is Not Null))
JJ151	SKJEMA7W	1	1	Select JJ151, JJ147, JJ148, JJ149, JJ150 From SKJEMA7_TBL1 T1 Where ((JJ151 Not Between 1 AND 1) OR (JJ151 = 1 AND JJ147 Is Null AND JJ148 Is Null AND JJ149 Is Null AND JJ150 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ151	SKJEMA7C	1	1	Select JJ151, JJ628, JJ148, JJ463, JJ149 From SKJEMA7_TBL1 T1 Where (JJ151 Not Between 1 AND 1) OR (JJ151 = 1 AND JJ628 = 1) OR (JJ151 = 1 AND JJ148 is Null AND JJ463 is Null AND JJ149 is Null)
JJ152	SKJEMA7B	1	1	Select JJ152, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where (JJ152 Not Between 1 AND 1) OR (JJ152 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ153	SKJEMA7W	0	7	Select JJ153, JJ154 From SKJEMA7_TBL1 T1 Where (JJ153 Not Between 0 AND 7) OR JJ153 > JJ154
JJ154	SKJEMA7W	0	7	Select JJ154, JJ153 From SKJEMA7_TBL1 T1 Where (JJ154 Not Between 0 AND 7) OR JJ154 < JJ153
JJ155	SKJEMA7A	1	1	Select JJ155, JJ154 From SKJEMA7_TBL1 T1 Where ((JJ155 Not Between 1 AND 1) OR (JJ155 = 1 AND JJ154 Is Not Null))
JJ156	SKJEMA7W	1	1	Select JJ156, JJ152, JJ153, JJ154, JJ155 From SKJEMA7_TBL1 T1 Where ((JJ156 Not Between 1 AND 1) OR (JJ156 = 1 AND JJ152 Is Null AND JJ153 Is Null AND JJ154 Is Null AND JJ155 Is Null))
JJ156	SKJEMA7C	1	1	Select JJ156, JJ631, JJ153, JJ474, JJ154 From SKJEMA7_TBL1 T1 Where (JJ156 Not Between 1 AND 1) OR (JJ156 = 1 AND JJ631 = 1) OR (JJ156 = 1 AND JJ153 is Null AND JJ474 is Null AND JJ154 is Null)
JJ157	SKJEMA7B	1	1	Select JJ157, JJ102, JJ112, JJ117, JJ122, JJ127, JJ132, JJ137 From SKJEMA7_TBL1 T1 Where (JJ157 Not Between 1 AND 1) OR (JJ157 = 1 AND (nvl(JJ102,0) + nvl(JJ107,0) + nvl(JJ112,0) + nvl(JJ117,0) + nvl(JJ122,0) + nvl(JJ127,0) + nvl(JJ132,0) + nvl(JJ137,0) + nvl(JJ142,0) + nvl(JJ147,0) + nvl(JJ152,0) + nvl(JJ157,0)) > 7))
JJ158	SKJEMA7W	0	7	Select JJ158, JJ159 From SKJEMA7_TBL1 T1 Where (JJ158 Not Between 0 AND 7) OR JJ158 > JJ159
JJ159	SKJEMA7W	0	7	Select JJ159, JJ158 From SKJEMA7_TBL1 T1 Where (JJ159 Not Between 0 AND 7) OR JJ159 < JJ158
JJ160	SKJEMA7A	1	1	Select JJ160, JJ159 From SKJEMA7_TBL1 T1 Where ((JJ160 Not Between 1 AND 1) OR (JJ160 = 1 AND JJ159 Is Not Null))
JJ161	SKJEMA7W	1	1	Select JJ161, JJ157, JJ158, JJ159, JJ160 From SKJEMA7_TBL1 T1 Where ((JJ161 Not Between 1 AND 1) OR (JJ161 = 1 AND JJ157 Is Null AND JJ158 Is Null AND JJ159 Is Null AND JJ160 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ161	SKJEMA7C	1	1	Select JJ161, JJ634, JJ158, JJ485, JJ159 From SKJEMA7_TBL1 T1 Where (JJ161 Not Between 1 AND 1) OR (JJ161 = 1 AND JJ634 = 1) OR (JJ161 = 1 AND JJ158 is Null AND JJ485 is Null AND JJ159 is Null)
JJ162	SKJEMA7A	1	1	
JJ163	SKJEMA7A	1	1	
JJ164	SKJEMA7A	1	1	
JJ165	SKJEMA7A	1	1	
JJ166	SKJEMA7A	1	1	
JJ167	SKJEMA7A	1	1	
JJ168	SKJEMA7A	1	1	
JJ169	SKJEMA7W	1	2	Select JJ169, JJ403, JJ404 From SKJEMA7_TBL1 T1 Inner Join SKJEMA7_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((JJ169 Not Between 1 AND 2) OR (JJ169 = 1 AND (JJ403 Is Not Null OR JJ404 Is Not Null)))
JJ172	SKJEMA7W	1	4	Select JJ172, JJ403, JJ404, JJ169 From SKJEMA7_TBL1 T1 Inner Join SKJEMA7_TXT T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where ((JJ172 Not Between 1 AND 4) OR (JJ172 > 0 AND JJ403 Is Null AND JJ404 Is Null AND (JJ169 Is Null OR JJ169 = 1)))
JJ173	SKJEMA7A	1	1	
JJ174	SKJEMA7A	1	1	
JJ175	SKJEMA7A	1	1	
JJ176	SKJEMA7A	1	1	
JJ177	SKJEMA7A	0	9	
JJ178	SKJEMA7A	1	1	
JJ179	SKJEMA7A	1	1	
JJ180	SKJEMA7A	1	1	
JJ181	SKJEMA7A	1	1	
JJ182	SKJEMA7A	0	9	
JJ183	SKJEMA7B	1	1	
JJ184	SKJEMA7W	1	1	
JJ184	SKJEMA7C	1	1	Select JJ636, JJ184, JJ495, JJ187 From SKJEMA7_TBL1 T1 Where (JJ184 Not Between 1 AND 1) OR (JJ184=1 AND JJ636=1) OR (JJ184=1 AND JJ636 is Null AND JJ495 is Null AND JJ187 is Null)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ185	SKJEMA7A	1	1	
JJ186	SKJEMA7A	1	1	
JJ187	SKJEMA7W	0	25	
JJ187	SKJEMA7C	0	9	Select JJ636, JJ184, JJ495, JJ187 From SKJEMA7_TBL1 T1 Where ((JJ187 Not Between 0 AND 9) OR (JJ187>0 AND JJ636=1) OR (JJ187>0 AND JJ636 Is Null AND JJ184 Is Null AND JJ495 Is Null))
JJ188	SKJEMA7B	1	1	
JJ189	SKJEMA7W	1	1	
JJ189	SKJEMA7C	1	1	Select JJ637, JJ189, JJ496, JJ192 From SKJEMA7_TBL1 T1 Where (JJ189 Not Between 1 AND 1) OR (JJ189=1 AND JJ637=1) OR (JJ189=1 AND JJ637 is Null AND JJ496 is Null AND JJ192 is Null)
JJ190	SKJEMA7A	1	1	
JJ191	SKJEMA7A	1	1	
JJ192	SKJEMA7W	0	25	
JJ192	SKJEMA7C	0	9	Select JJ637, JJ189, JJ496, JJ192 From SKJEMA7_TBL1 T1 Where ((JJ192 Not Between 0 AND 9) OR (JJ192>0 AND JJ637=1) OR (JJ192>0 AND JJ637 Is Null AND JJ189 Is Null AND JJ496 Is Null))
JJ193	SKJEMA7B	1	1	
JJ194	SKJEMA7W	1	1	
JJ194	SKJEMA7C	1	1	Select JJ638, JJ194, JJ497, JJ197 From SKJEMA7_TBL1 T1 Where (JJ194 Not Between 1 AND 1) OR (JJ194=1 AND JJ638=1) OR (JJ194=1 AND JJ638 is Null AND JJ497 is Null AND JJ197 is Null)
JJ195	SKJEMA7A	1	1	
JJ196	SKJEMA7A	1	1	
JJ197	SKJEMA7W	0	25	
JJ197	SKJEMA7C	0	9	Select JJ638, JJ194, JJ497, JJ197 From SKJEMA7_TBL1 T1 Where ((JJ197 Not Between 0 AND 9) OR (JJ197>0 AND JJ638=1) OR (JJ197>0 AND JJ638 Is Null AND JJ194 Is Null AND JJ497 Is Null))
JJ198	SKJEMA7B	1	1	
JJ199	SKJEMA7W	1	1	
JJ199	SKJEMA7C	1	1	Select JJ639, JJ199, JJ498, JJ202 From SKJEMA7_TBL1 T1 Where (JJ199 Not Between 1 AND 1) OR (JJ199=1 AND JJ639=1) OR (JJ199=1 AND JJ639 is Null AND JJ498 is Null AND JJ202 is Null)
JJ200	SKJEMA7A	1	1	
JJ201	SKJEMA7A	1	1	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ202	SKJEMA7W	0	25	
JJ202	SKJEMA7C	0	9	Select JJ639, JJ199, JJ498, JJ202 From SKJEMA7_TBL1 T1 Where ((JJ202 Not Between 0 AND 9) OR (JJ202>0 AND JJ639=1) OR (JJ202>0 AND JJ639 Is Null AND JJ199 Is Null AND JJ498 Is Null))
JJ203	SKJEMA7B	1	1	
JJ204	SKJEMA7W	1	1	
JJ204	SKJEMA7C	1	1	Select JJ640, JJ204, JJ499, JJ207 From SKJEMA7_TBL1 T1 Where (JJ204 Not Between 1 AND 1) OR (JJ204=1 AND JJ640=1) OR (JJ204=1 AND JJ640 is Null AND JJ499 is Null AND JJ207 is Null)
JJ205	SKJEMA7A	1	1	
JJ206	SKJEMA7A	1	1	
JJ207	SKJEMA7W	0	25	
JJ207	SKJEMA7C	0	9	Select JJ640, JJ204, JJ499, JJ207 From SKJEMA7_TBL1 T1 Where ((JJ207 Not Between 0 AND 9) OR (JJ207>0 AND JJ640=1) OR (JJ207>0 AND JJ640 Is Null AND JJ204 Is Null AND JJ499 Is Null))
JJ208	SKJEMA7B	1	1	
JJ209	SKJEMA7W	1	1	
JJ209	SKJEMA7C	1	1	Select JJ642, JJ209, JJ504, JJ212 From SKJEMA7_TBL1 T1 Where (JJ209 Not Between 1 AND 1) OR (JJ209=1 AND JJ642=1) OR (JJ209=1 AND JJ642 is Null AND JJ504 is Null AND JJ212 is Null)
JJ210	SKJEMA7A	1	1	
JJ211	SKJEMA7A	1	1	
JJ212	SKJEMA7C	0	24	Select JJ642, JJ209, JJ504, JJ212 From SKJEMA7_TBL1 T1 Where ((JJ212 Not Between 0 AND 24) OR (JJ212>0 AND JJ642=1) OR (JJ212>0 AND JJ642 Is Null AND JJ209 Is Null AND JJ504 Is Null))
JJ212	SKJEMA7W	0	40	
JJ213	SKJEMA7B	1	1	
JJ214	SKJEMA7W	1	1	
JJ214	SKJEMA7C	1	1	Select JJ643, JJ214, JJ505, JJ217 From SKJEMA7_TBL1 T1 Where (JJ214 Not Between 1 AND 1) OR (JJ214=1 AND JJ643=1) OR (JJ214=1 AND JJ643 is Null AND JJ505 is Null AND JJ217 is Null)
JJ215	SKJEMA7A	1	1	
JJ216	SKJEMA7A	1	1	
JJ217	SKJEMA7W	0	9	
JJ217	SKJEMA7C	0	9	Select JJ643, JJ214, JJ505, JJ217 From SKJEMA7_TBL1 T1 Where ((JJ217 Not Between 0 AND 9) OR (JJ217>0 AND JJ643=1) OR (JJ217>0 AND JJ643 Is Null AND JJ214 Is Null AND JJ505 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ218	SKJEMA7B	1	1	
JJ219	SKJEMA7W	1	1	
JJ219	SKJEMA7C	1	1	Select JJ644, JJ219, JJ506, JJ222 From SKJEMA7_TBL1 T1 Where (JJ219 Not Between 1 AND 1) OR (JJ219=1 AND JJ644=1) OR (JJ219=1 AND JJ644 is Null AND JJ506 is Null AND JJ222 is Null)
JJ220	SKJEMA7A	1	1	
JJ221	SKJEMA7A	1	1	
JJ222	SKJEMA7C	0	10	Select JJ644, JJ219, JJ506, JJ222 From SKJEMA7_TBL1 T1 Where ((JJ222 Not Between 0 AND 10) OR (JJ222>0 AND JJ644=1) OR (JJ222>0 AND JJ644 Is Null AND JJ219 Is Null AND JJ506 Is Null))
JJ222	SKJEMA7W	0	15	
JJ223	SKJEMA7A	1	1	
JJ224	SKJEMA7A	1	1	
JJ225	SKJEMA7A	1	1	
JJ226	SKJEMA7A	1	1	
JJ227	SKJEMA7A	0	9	
JJ228	SKJEMA7A	1	1	
JJ229	SKJEMA7A	1	1	
JJ230	SKJEMA7A	1	1	
JJ231	SKJEMA7A	1	1	
JJ232	SKJEMA7A	0	9	
JJ233	SKJEMA7A	1	1	
JJ234	SKJEMA7A	1	1	
JJ235	SKJEMA7A	1	1	
JJ236	SKJEMA7A	1	1	
JJ237	SKJEMA7A	0	9	
JJ238	SKJEMA7B	1	1	
JJ239	SKJEMA7W	1	1	
JJ239	SKJEMA7C	1	1	Select JJ647, JJ239, JJ515, JJ242 From SKJEMA7_TBL1 T1 Where (JJ239 Not Between 1 AND 1) OR (JJ239=1 AND JJ647=1) OR (JJ239=1 AND JJ647 is Null AND JJ515 is Null AND JJ242 is Null)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ240	SKJEMA7A	1	1	
JJ241	SKJEMA7A	1	1	
JJ242	SKJEMA7W	0	9	
JJ242	SKJEMA7C	0	9	Select JJ647, JJ239, JJ515, JJ242 From SKJEMA7_TBL1 T1 Where ((JJ242 Not Between 0 AND 9) OR (JJ242>0 AND JJ647=1) OR (JJ242>0 AND JJ647 Is Null AND JJ239 Is Null AND JJ515 Is Null))
JJ243	SKJEMA7A	1	1	
JJ244	SKJEMA7A	1	1	
JJ245	SKJEMA7A	1	1	
JJ246	SKJEMA7A	1	1	
JJ247	SKJEMA7A	0	9	
JJ248	SKJEMA7A	1	1	
JJ249	SKJEMA7A	1	1	
JJ250	SKJEMA7A	1	1	
JJ251	SKJEMA7A	1	1	
JJ252	SKJEMA7A	0	9	
JJ253	SKJEMA7B	1	1	
JJ254	SKJEMA7W	1	1	
JJ254	SKJEMA7C	1	1	Select JJ649, JJ254, JJ520, JJ257 From SKJEMA7_TBL1 T1 Where (JJ254 Not Between 1 AND 1) OR (JJ254=1 AND JJ649=1) OR (JJ254=1 AND JJ649 is Null AND JJ520 is Null AND JJ257 is Null)
JJ255	SKJEMA7A	1	1	
JJ256	SKJEMA7A	1	1	
JJ257	SKJEMA7W	0	9	
JJ257	SKJEMA7C	0	9	Select JJ649, JJ254, JJ520, JJ257 From SKJEMA7_TBL1 T1 Where ((JJ257 Not Between 0 AND 9) OR (JJ257>0 AND JJ649=1) OR (JJ257>0 AND JJ649 Is Null AND JJ254 Is Null AND JJ520 Is Null))
JJ258	SKJEMA7A	1	1	
JJ259	SKJEMA7A	1	1	
JJ260	SKJEMA7A	1	1	
JJ261	SKJEMA7A	1	1	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ262	SKJEMA7A	0	9	
JJ263	SKJEMA7A	1	1	
JJ264	SKJEMA7A	1	1	
JJ265	SKJEMA7A	1	1	
JJ266	SKJEMA7A	1	1	
JJ267	SKJEMA7A	0	9	
JJ268	SKJEMA7A	1	1	
JJ269	SKJEMA7A	1	1	
JJ270	SKJEMA7A	1	1	
JJ271	SKJEMA7A	1	1	
JJ272	SKJEMA7A	0	9	
JJ273	SKJEMA7B	1	1	
JJ274	SKJEMA7W	1	1	
JJ274	SKJEMA7C	1	1	Select JJ650, JJ274, JJ521, JJ277 From SKJEMA7_TBL1 T1 Where (JJ274 Not Between 1 AND 1) OR (JJ274=1 AND JJ650=1) OR (JJ274=1 AND JJ650 is Null AND JJ521 is Null AND JJ277 is Null)
JJ275	SKJEMA7A	1	1	
JJ276	SKJEMA7A	1	1	
JJ277	SKJEMA7W	0	9	
JJ277	SKJEMA7C	0	9	Select JJ650, JJ274, JJ521, JJ277 From SKJEMA7_TBL1 T1 Where ((JJ277 Not Between 0 AND 9) OR (JJ277>0 AND JJ650=1) OR (JJ277>0 AND JJ650 is Null AND JJ274 is Null AND JJ521 is Null))
JJ279	SKJEMA7W	0	15	
JJ280	SKJEMA7A	0	15	
JJ281	SKJEMA7W	1	6	
JJ282	SKJEMA7W	1	6	
JJ283	SKJEMA7W	0	8	Select JJ283, JJ284 From SKJEMA7_TBL1 T1 Where ((JJ283 Not Between 0 AND 8) OR (JJ283 < JJ284))
JJ284	SKJEMA7W	0	5	Select JJ284, JJ283 From SKJEMA7_TBL1 T1 Where ((JJ284 Not Between 0 AND 5) OR (JJ284 > JJ283) OR JJ284=5)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ285	SKJEMA7W	1	4	Select JJ285, JJ286 From SKJEMA7_TBL1 T1 Where ((JJ285 Not Between 1 AND 4) OR (JJ285 > JJ286))
JJ286	SKJEMA7W	1	4	Select JJ286, JJ285 From SKJEMA7_TBL1 T1 Where ((JJ286 Not Between 1 AND 4) OR (JJ286 < JJ285))
JJ287	SKJEMA7A	1	1	Select JJ287, JJ288, JJ289, JJ290, JJ291 From SKJEMA7_TBL1 T1 Where ((JJ287 Not Between 1 AND 1) OR (JJ287 = 1 AND (JJ288 = 1 OR 0 < JJ289 OR 1 = JJ290 OR 0 < JJ291)))
JJ288	SKJEMA7A	1	1	Select JJ288, JJ287, JJ290, JJ289, JJ291 From SKJEMA7_TBL1 T1 Where ((JJ288 Not Between 1 AND 1) OR (JJ288 = 1 AND (1 = JJ287 OR 1 = JJ290 OR 0 = JJ289)))
JJ289	SKJEMA7W	0	6	Select JJ289, JJ287, JJ410 From SKJEMA7_TBL1 T1 Where ((JJ289 Not Between 0 AND 6) OR (JJ289 > 0 AND (1 = JJ287 OR JJ410=1)))
JJ290	SKJEMA7A	1	1	Select JJ290, JJ287, JJ288, JJ291 From SKJEMA7_TBL1 T1 Where ((JJ290 Not Between 1 AND 1) OR (JJ290 = 1 AND (1 = JJ287 OR 1 = JJ288 OR 0 = JJ291)))
JJ291	SKJEMA7W	0	4	Select JJ291, JJ287 From SKJEMA7_TBL1 T1 Where ((JJ291 Not Between 0 AND 4) OR (JJ291 > 0 AND (1 = JJ287 OR JJ410 = 1)))
JJ292	SKJEMA7W	1	4	
JJ293	SKJEMA7W	1	4	
JJ294	SKJEMA7W	1	4	
JJ295	SKJEMA7W	1	4	
JJ296	SKJEMA7A	8	12	
JJ297	SKJEMA7A	1	2	
JJ298	SKJEMA7A	1	5	Select JJ298, JJ297 From SKJEMA7_TBL1 T1 Where ((JJ298 Not Between 1 AND 5) OR (JJ298 > 0 AND 2 = JJ297))
JJ299	SKJEMA7A	1	5	Select JJ299, JJ297 From SKJEMA7_TBL1 T1 Where ((JJ299 Not Between 1 AND 5) OR (JJ299 > 0 AND 2 = JJ297))
JJ300	SKJEMA7W	1	3	Select JJ300, JJ302, JJ301 From SKJEMA7_TBL1 T1 Where ((JJ300 Not Between 1 AND 3) OR (JJ300 = 1 AND (0 < JJ302 OR 0 < JJ301)))
JJ301	SKJEMA7W	0	20	Select JJ301, JJ300 From SKJEMA7_TBL1 T1 Where ((JJ301 Not Between 0 AND 20) OR (JJ301 > 0 AND 1 = JJ300)) OR (0 = JJ301 AND 3 = JJ300))
JJ302	SKJEMA7W	0	20	Select JJ302, JJ300 From SKJEMA7_TBL1 T1 Where ((JJ302 Not Between 0 AND 20) OR (JJ302 > 0 AND 1 = JJ300)) OR (0 = JJ302 AND 2 = JJ300))
JJ303	SKJEMA7W	1	3	Select JJ303, JJ304, JJ305 From SKJEMA7_TBL1 T1 Where ((JJ303 Not Between 1 AND 3) OR (JJ303 = 1 AND (0 < JJ304 OR 0 < JJ305)))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ304	SKJEMA7W	0	20	Select JJ304, JJ303 From SKJEMA7_TBL1 T1 Where ((JJ304 Not Between 0 AND 20) OR (JJ304 > 0 AND 1 = JJ303) OR (3 = JJ303 AND 0 = JJ304))
JJ305	SKJEMA7W	0	20	Select JJ305, JJ303 From SKJEMA7_TBL1 T1 Where ((JJ305 Not Between 0 AND 20) OR (JJ305 > 0 AND 1 = JJ303) OR (2 = JJ303 AND 0 = JJ305))
JJ306	SKJEMA7W	1	2	Select JJ306, JJ307 From SKJEMA7_TBL1 T1 Where ((JJ306 Not Between 1 AND 2) OR (JJ306 = 1 AND 2 = JJ307))
JJ307	SKJEMA7W	1	2	Select JJ307, JJ306 From SKJEMA7_TBL1 T1 Where ((JJ307 Not Between 1 AND 2) OR (JJ307 = 2 AND 1 = JJ306))
JJ308	SKJEMA7A	1	2	
JJ309	SKJEMA7A	1	4	
JJ310	SKJEMA7A	1	2	
JJ311	SKJEMA7W	1	2	Select JJ311, JJ312, JJ314, JJ316, JJ313, JJ315 From SKJEMA7_TBL1 T1 Where ((JJ311 Not Between 1 AND 2) OR (JJ311 = 1 AND (1 = JJ312 OR 1 = JJ314 OR 1 = JJ316 OR 1 = JJ313 OR 1 = JJ315)))
JJ312	SKJEMA7W	1	1	Select JJ312, JJ311 From SKJEMA7_TBL1 T1 Where ((JJ312 Not Between 1 AND 1) OR (JJ312 = 1 AND 1 = JJ311))
JJ313	SKJEMA7W	1	1	Select JJ313, JJ311 From SKJEMA7_TBL1 T1 Where ((JJ313 Not Between 1 AND 1) OR (JJ313 = 1 AND 1 = JJ311))
JJ314	SKJEMA7W	1	1	Select JJ314, JJ311 From SKJEMA7_TBL1 T1 Where ((JJ314 Not Between 1 AND 1) OR (JJ314 = 1 AND 1 = JJ311))
JJ315	SKJEMA7W	1	1	Select JJ315, JJ311 From SKJEMA7_TBL1 T1 Where ((JJ315 Not Between 1 AND 1) OR (JJ315 = 1 AND 1 = JJ311))
JJ316	SKJEMA7W	1	1	Select JJ316, JJ311 From SKJEMA7_TBL1 T1 Where ((JJ316 Not Between 1 AND 1) OR (JJ316 = 1 AND 1 = JJ311))
JJ317	SKJEMA7W	1	2	Select JJ317, JJ318, JJ319, JJ321, JJ322, JJ320, JJ323 From SKJEMA7_TBL1 T1 Where ((JJ317 Not Between 1 AND 2) OR (JJ317 = 1 AND (1 = JJ318 OR 1 = JJ319 OR 1 = JJ321 OR 1 = JJ322 OR 1 = JJ320 OR 1 = JJ323)))
JJ318	SKJEMA7W	1	1	Select JJ318, JJ317 From SKJEMA7_TBL1 T1 Where ((JJ318 Not Between 1 AND 1) OR (JJ318 = 1 AND 1 = JJ317))
JJ319	SKJEMA7W	1	1	Select JJ319, JJ317 From SKJEMA7_TBL1 T1 Where ((JJ319 Not Between 1 AND 1) OR (JJ319 = 1 AND 1 = JJ317))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ320	SKJEMA7W	1	1	Select JJ320, JJ317 From SKJEMA7_TBL1 T1 Where ((JJ320 Not Between 1 AND 1) OR (JJ320 = 1 AND 1 = JJ317))
JJ321	SKJEMA7W	1	1	Select JJ321, JJ317 From SKJEMA7_TBL1 T1 Where ((JJ321 Not Between 1 AND 1) OR (JJ321 = 1 AND 1 = JJ317))
JJ322	SKJEMA7W	1	1	Select JJ322, JJ317 From SKJEMA7_TBL1 T1 Where ((JJ322 Not Between 1 AND 1) OR (JJ322 = 1 AND 1 = JJ317))
JJ323	SKJEMA7W	1	1	Select JJ323, JJ317 From SKJEMA7_TBL1 T1 Where ((JJ323 Not Between 1 AND 1) OR (JJ323 = 1 AND 1 = JJ317))
JJ324	SKJEMA7A	1.15	1.40	Select JJ324, JJ325 From SKJEMA7_TBL1 T1 Where ((JJ324 Not Between 1.15 AND 1.40) OR (JJ325 / (JJ324 * JJ324)) > 25 OR (JJ325 / (JJ324 * JJ324)) < 11)
JJ325	SKJEMA7W	18	40	Select JJ325, JJ324 From SKJEMA7_TBL1 T1 Where ((JJ325 Not Between 18 AND 40) OR (JJ325 / (JJ324 * JJ324)) > 25 OR (JJ325 / (JJ324 * JJ324)) < 11)
JJ326	SKJEMA7A	1	31	
JJ327	SKJEMA7A	1	12	
JJ328	SKJEMA7A	2007	2010	Select JJ328, JJ11 From SKJEMA7_TBL1 T1 Where ((JJ328 Not Between 2007 AND to_char(sysdate, 'YYYY')) OR (JJ328 < JJ11 - 1 AND JJ11 >= 2007))
JJ329	SKJEMA7A	1	2	
JJ330	SKJEMA7A	3	14	Select JJ330, JJ331 From SKJEMA7_TBL1 T1 Where ((JJ330 Not Between 3 AND 14) OR (JJ330 > 0 AND 1 = JJ331))
JJ331	SKJEMA7A	1	1	Select JJ331, JJ330 From SKJEMA7_TBL1 T1 Where ((JJ331 Not Between 1 AND 1) OR (JJ331 = 1 AND 0 <= JJ330))
JJ332	SKJEMA7W	4	7	Select JJ332, JJ333, JJ334 From SKJEMA7_TBL1 T1 Where ((JJ332 Not Between 4 AND 7) OR (JJ332 >= 0 AND (1 = JJ333 OR 1 = JJ334)))
JJ333	SKJEMA7W	1	1	Select JJ333, JJ332 From SKJEMA7_TBL1 T1 Where ((JJ333 Not Between 1 AND 1) OR (JJ333 = 1 AND 0 <= JJ332))
JJ334	SKJEMA7W	1	1	Select JJ334, JJ332 From SKJEMA7_TBL1 T1 Where ((JJ334 Not Between 1 AND 1) OR (JJ334 = 1 AND 0 <= JJ332))
JJ335	SKJEMA7W	1	4	
JJ336	SKJEMA7A	1	3	
JJ337	SKJEMA7A	1	2	
JJ338	SKJEMA7A	1	3	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ339	SKJEMA7W	0	4	
JJ340	SKJEMA7W	0	10	
JJ341	SKJEMA7W	0	10	
JJ342	SKJEMA7W	0	8	
JJ343	SKJEMA7W	1	6	
JJ344	SKJEMA7W	1	6	
JJ345	SKJEMA7W	1	6	
JJ346	SKJEMA7W	1	6	
JJ347	SKJEMA7A	1	6	
JJ348	SKJEMA7W	1	6	
JJ349	SKJEMA7W	1	6	
JJ350	SKJEMA7A	1	6	
JJ351	SKJEMA7A	1	6	
JJ352	SKJEMA7A	1	6	
JJ353	SKJEMA7W	1	6	
JJ354	SKJEMA7W	1	6	
JJ355	SKJEMA7W	1	6	
JJ356	SKJEMA7W	1	6	
JJ357	SKJEMA7W	1	6	
JJ358	SKJEMA7W	1	6	
JJ359	SKJEMA7W	1	6	
JJ360	SKJEMA7W	1	6	
JJ361	SKJEMA7W	1	6	
JJ362	SKJEMA7W	1	6	
JJ363	SKJEMA7W	1	6	
JJ364	SKJEMA7W	1	6	
JJ365	SKJEMA7W	1	6	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ366	SKJEMA7W	1	6	
JJ367	SKJEMA7A	1	6	
JJ368	SKJEMA7A	1	6	
JJ369	SKJEMA7A	1	6	
JJ370	SKJEMA7A	1	6	
JJ371	SKJEMA7W	1	6	
JJ372	SKJEMA7W	1	6	
JJ373	SKJEMA7W	1	6	
JJ374	SKJEMA7W	1	6	
JJ375	SKJEMA7W	1	6	
JJ376	SKJEMA7W	1	6	
JJ377	SKJEMA7A	1	6	
JJ378	SKJEMA7W	1	6	
JJ379	SKJEMA7A	1	6	
JJ380	SKJEMA7A	1	6	
JJ381	SKJEMA7W	1	6	
JJ382	SKJEMA7W	1	6	
JJ383	SKJEMA7W	1	6	
JJ384	SKJEMA7A	1	6	
JJ385	SKJEMA7A	1	6	
JJ386	SKJEMA7W	1	6	
JJ387	SKJEMA7W	1	6	
JJ388	SKJEMA7W	1	6	
JJ389	SKJEMA7W	1	6	
JJ390	SKJEMA7W	1	6	
JJ391	SKJEMA7W	1	6	
JJ392	SKJEMA7W	1	6	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ393	SKJEMA7A	1	6	
JJ394	SKJEMA7A	1	6	
JJ395	SKJEMA7A	1	6	
JJ396	SKJEMA7A	0	3	
JJ397	SKJEMA7A	0	3	
JJ398	SKJEMA7A	0	3	
JJ400	SKJEMA7A	0	3	
JJ406	SKJEMA7W			Select JJ406, JJ399, JJ398 From SKJEMA7_TXT T1 Inner Join SKJEMA7_TBL1 T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where JJ406 Is Null AND (JJ399 = 1 OR 1 < JJ398)
JJ407	SKJEMA7W			Select JJ407, JJ401, JJ400 From SKJEMA7_TXT T1 Inner Join SKJEMA7_TBL1 T2 On T2.SkjemaInfo_ID = T1.SkjemaInfo_ID Where (JJ407 Is Null AND (JJ401 = 1 OR 1 < JJ400))
JJ408	SKJEMA7W	115	138	
JJ409	SKJEMA7W	0	7	
JJ410	SKJEMA7W	1	3	
JJ411	SKJEMA7W	1	3	
JJ412	SKJEMA7W	0	6	Select JJ412, JJ411 From SKJEMA7_TBL1 T1 Where ((JJ412 Not Between 0 AND 6) OR (JJ412 > 0 AND 1 = JJ411))
JJ413	SKJEMA7W	0	4	Select JJ413, JJ411 From SKJEMA7_TBL1 T1 Where ((JJ413 Not Between 0 AND 4) OR (JJ413 > 0 AND 1 = JJ411))
JJ414	SKJEMA7W	1	2	Select JJ414, JJ415 From SKJEMA7_TBL1 T1 Where ((JJ414 Not Between 1 AND 2) OR (JJ414 = 1 AND 0 < JJ415))
JJ415	SKJEMA7W	1	3	Select JJ415, JJ414 From SKJEMA7_TBL1 T1 Where ((JJ415 Not Between 1 AND 3) OR (JJ415 > 0 AND JJ414 = 1))
JJ416	SKJEMA7W	1970	2016	Select JJ416, to_char(sysdate, 'YYYY') From SKJEMA7_TBL1 T1 Where (JJ416 Not Between 1970 AND to_char(sysdate, 'YYYY'))
JJ417	SKJEMA7W	0	5	
JJ418	SKJEMA7W	1	5	
JJ419	SKJEMA7W	1	5	
JJ420	SKJEMA7W	1	1	Select JJ420, JJ421, JJ422, JJ423 From SKJEMA7_TBL1 T1 Where ((JJ420 Not Between 1 AND 1) OR (JJ420 = 1 AND (1 = JJ421 OR 1 = JJ422 OR 1 = JJ423)))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ421	SKJEMA7W	1	1	Select JJ421, JJ420 From SKJEMA7_TBL1 T1 Where ((JJ421 Not Between 1 AND 1) OR (JJ421 = 1 AND 1 = JJ420))
JJ422	SKJEMA7W	1	1	Select JJ422, JJ420 From SKJEMA7_TBL1 T1 Where ((JJ422 Not Between 1 AND 1) OR (JJ422 = 1 AND 1 = JJ420))
JJ423	SKJEMA7W	1	1	Select JJ423, JJ420 From SKJEMA7_TBL1 T1 Where ((JJ423 Not Between 1 AND 1) OR (JJ423 = 1 AND 1 = JJ420))
JJ424	SKJEMA7W	1	4	
JJ425	SKJEMA7W	1	4	
JJ426	SKJEMA7W	1	7	
JJ427	SKJEMA7W	1	1	Select JJ427, JJ428, JJ429, JJ430, JJ431, JJ432, JJ433 From SKJEMA7_TBL1 T1 Where ((JJ427 Not Between 1 AND 1) OR (NVL(JJ427,0) + NVL(JJ428,0) + NVL(JJ429,0) + NVL(JJ430,0) + NVL(JJ431,0) + NVL(JJ432,0) + NVL(JJ433,0) > 5) OR JJ427 = 1)
JJ428	SKJEMA7W	1	1	Select JJ428 From SKJEMA7_TBL1 T1 Where ((JJ428 Not Between 1 AND 1) OR JJ428 = 1)
JJ429	SKJEMA7W	1	1	Select JJ429 From SKJEMA7_TBL1 T1 Where ((JJ429 Not Between 1 AND 1) OR JJ429 = 1)
JJ430	SKJEMA7W	1	1	Select JJ430 From SKJEMA7_TBL1 T1 Where ((JJ430 Not Between 1 AND 1) OR JJ430 = 1)
JJ431	SKJEMA7W	1	1	Select JJ431 From SKJEMA7_TBL1 T1 Where ((JJ431 Not Between 1 AND 1) OR JJ431 = 1)
JJ432	SKJEMA7W	1	1	Select JJ432 From SKJEMA7_TBL1 T1 Where ((JJ432 Not Between 1 AND 1) OR JJ432 = 1)
JJ433	SKJEMA7W	1	1	Select JJ433 From SKJEMA7_TBL1 T1 Where ((JJ433 Not Between 1 AND 1) OR (JJ433 = 1 AND (NVL(JJ427,0) + NVL(JJ428,0) + NVL(JJ429,0) + NVL(JJ430,0) + NVL(JJ431,0) + NVL(JJ432,0) + NVL(JJ433,0) + NVL(JJ434,0) + NVL(JJ435,0) + NVL(JJ436,0) + NVL(JJ437,0) + NVL(JJ438,0) + NVL(JJ439,0) + NVL(JJ440,0) + NVL(JJ441,0) > 3)))
JJ434	SKJEMA7W	1	1	Select JJ434 From SKJEMA7_TBL1 T1 Where ((JJ434 Not Between 1 AND 1) OR JJ434 = 1)
JJ435	SKJEMA7W	1	1	Select JJ435 From SKJEMA7_TBL1 T1 Where ((JJ435 Not Between 1 AND 1) OR JJ435 = 1)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ436	SKJEMA7W	1	1	Select JJ436 From SKJEMA7_TBL1 T1 Where ((JJ436 Not Between 1 AND 1) OR JJ436 = 1)
JJ437	SKJEMA7W	1	1	Select JJ437 From SKJEMA7_TBL1 T1 Where ((JJ437 Not Between 1 AND 1) OR JJ437 = 1)
JJ438	SKJEMA7W	1	1	Select JJ438 From SKJEMA7_TBL1 T1 Where ((JJ438 Not Between 1 AND 1) OR JJ438 = 1)
JJ439	SKJEMA7W	1	1	Select JJ439 From SKJEMA7_TBL1 T1 Where ((JJ439 Not Between 1 AND 1) OR (JJ439 = 1 AND (NVL(JJ427,0) + NVL(JJ428,0) + NVL(JJ429,0) + NVL(JJ430,0) + NVL(JJ431,0) + NVL(JJ432,0) + NVL(JJ433,0) + NVL(JJ434,0) + NVL(JJ435,0) + NVL(JJ436,0) + NVL(JJ437,0) + NVL(JJ438,0) + NVL(JJ439,0) + NVL(JJ440,0) + NVL(JJ441,0) > 3)))
JJ440	SKJEMA7W	1	1	Select JJ440 From SKJEMA7_TBL1 T1 Where ((JJ440 Not Between 1 AND 1) OR (JJ440 = 1 AND (NVL(JJ427,0) + NVL(JJ428,0) + NVL(JJ429,0) + NVL(JJ430,0) + NVL(JJ431,0) + NVL(JJ432,0) + NVL(JJ433,0) + NVL(JJ434,0) + NVL(JJ435,0) + NVL(JJ436,0) + NVL(JJ437,0) + NVL(JJ438,0) + NVL(JJ439,0) + NVL(JJ440,0) + NVL(JJ441,0) > 3)))
JJ441	SKJEMA7W	1	1	
JJ443	SKJEMA7W	1	2	Select JJ443, JJ616 From SKJEMA7_TBL1 T1 Where (JJ443 Not Between 1 AND 2) OR (JJ443 = 2 AND JJ616 = 1)
JJ444	SKJEMA7W	1	2	Select JJ444, JJ617 From SKJEMA7_TBL1 T1 Where (JJ444 Not Between 1 AND 2) OR (JJ444 = 2 AND JJ617 = 1)
JJ445	SKJEMA7W	1	2	Select JJ445, JJ618 From SKJEMA7_TBL1 T1 Where (JJ445 Not Between 1 AND 2) OR (JJ445 = 2 AND JJ618 = 1)
JJ446	SKJEMA7W	1	2	Select JJ446, JJ619 From SKJEMA7_TBL1 T1 Where (JJ446 Not Between 1 AND 2) OR (JJ446 = 2 AND JJ619 = 1)
JJ447	SKJEMA7W	1	2	Select JJ447, JJ620 From SKJEMA7_TBL1 T1 Where (JJ447 Not Between 1 AND 2) OR (JJ447 = 2 AND JJ620 = 1)
JJ448	SKJEMA7W	1	2	Select JJ448, JJ621 From SKJEMA7_TBL1 T1 Where (JJ448 Not Between 1 AND 2) OR (JJ448 = 2 AND JJ621 = 1)
JJ449	SKJEMA7W	1	2	Select JJ449, JJ622 From SKJEMA7_TBL1 T1 Where (JJ449 Not Between 1 AND 2) OR (JJ449 = 2 AND JJ622 = 1)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ450	SKJEMA7W	1	2	Select JJ450, JJ623 From SKJEMA7_TBL1 T1 Where (JJ450 Not Between 1 AND 2) OR (JJ450 = 2 AND JJ623 = 1)
JJ452	SKJEMA7W	1	1	Select JJ452, JJ624, JJ453, JJ454, JJ455 From SKJEMA7_TBL1 T1 Where (JJ452 Not Between 1 AND 1) OR (JJ452 = 1 AND JJ624 = 1) OR (JJ452 = 1 AND JJ453 is Null AND JJ454 is Null AND JJ455 is Null)
JJ453	SKJEMA7W	0	7	Select JJ453, JJ455 From SKJEMA7_TBL1 T1 Where (JJ453 Not Between 0 AND 7) OR JJ453 > JJ455
JJ454	SKJEMA7W	1	2	Select JJ454, JJ624 From SKJEMA7_TBL1 T1 Where (JJ454 Not Between 1 AND 2) OR (JJ454= 2 AND JJ624 = 1)
JJ455	SKJEMA7W	0	7	Select JJ453, JJ455 From SKJEMA7_TBL1 T1 Where (JJ455 Not Between 0 AND 7) OR JJ453 > JJ455
JJ457	SKJEMA7W	1	1	Select JJ457, JJ625, JJ458, JJ459, JJ460 From SKJEMA7_TBL1 T1 Where (JJ457 Not Between 1 AND 1) OR (JJ457 = 1 AND JJ625 = 1) OR (JJ457 = 1 AND JJ458 is Null AND JJ459 is Null AND JJ460 is Null)
JJ458	SKJEMA7W	0	7	Select JJ458, JJ460 From SKJEMA7_TBL1 T1 Where (JJ458 Not Between 0 AND 7) OR JJ458 > JJ460
JJ459	SKJEMA7W	1	2	Select JJ459, JJ625 From SKJEMA7_TBL1 T1 Where (JJ459 Not Between 1 AND 2) OR (JJ459 = 2 AND JJ625 = 1)
JJ460	SKJEMA7W	0	7	Select JJ460, JJ458 From SKJEMA7_TBL1 T1 Where (JJ460 Not Between 0 AND 7) OR JJ458 > JJ460
JJ461	SKJEMA7W	1	2	Select JJ461, JJ626 From SKJEMA7_TBL1 T1 Where (JJ461 Not Between 1 AND 2) OR (JJ461 = 2 AND JJ626 = 1)
JJ462	SKJEMA7B	1	2	Select JJ462, JJ142, JJ146 From SKJEMA7_TBL1 T1 Where ((JJ462 Not Between 1 AND 2) OR (JJ462 = 2 AND JJ142 Is Null AND JJ146 Is Null))
JJ462	SKJEMA7W	1	2	Select JJ462, JJ627 From SKJEMA7_TBL1 T1 Where (JJ462 Not Between 1 AND 2) OR (JJ462 = 2 AND JJ627 = 1)
JJ463	SKJEMA7W	1	2	Select JJ463, JJ628 From SKJEMA7_TBL1 T1 Where (JJ463 Not Between 1 AND 2) OR (JJ463 = 2 AND JJ628 = 1)
JJ465	SKJEMA7W	1	1	Select JJ465, JJ629, JJ466, JJ467, JJ468 From SKJEMA7_TBL1 T1 Where (JJ465 Not Between 1 AND 1) OR (JJ465 = 1 AND JJ629 = 1) OR (JJ465 = 1 AND JJ466 is Null AND JJ467 is Null AND JJ468 is Null)
JJ466	SKJEMA7W	0	7	Select JJ466, JJ468 From SKJEMA7_TBL1 T1 Where (JJ466 Not Between 0 AND 7) OR JJ466 > JJ468

Variable	Last version	Minimum value	Maximum value	Dependence
JJ467	SKJEMA7W	1	2	Select JJ467, JJ629 From SKJEMA7_TBL1 T1 Where (JJ467 Not Between 1 AND 2) OR (JJ467 = 2 AND JJ629 = 1)
JJ468	SKJEMA7W	0	7	Select JJ468, JJ466 From SKJEMA7_TBL1 T1 Where (JJ468 Not Between 0 AND 7) OR JJ466 > JJ468
JJ470	SKJEMA7W	1	1	Select JJ470, JJ630, JJ471, JJ472, JJ473 From SKJEMA7_TBL1 T1 Where (JJ470 Not Between 1 AND 1) OR (JJ470 = 1 AND JJ630 = 1) OR (JJ470 = 1 AND JJ471 is Null AND JJ472 is Null AND JJ473 is Null)
JJ471	SKJEMA7W	0	7	Select JJ471, JJ473 From SKJEMA7_TBL1 T1 Where (JJ471 Not Between 0 AND 7) OR JJ471> JJ473
JJ472	SKJEMA7W	1	2	Select JJ472, JJ630 From SKJEMA7_TBL1 T1 Where (JJ472 Not Between 1 AND 2) OR (JJ472= 2 AND JJ630 = 1)
JJ473	SKJEMA7W	0	7	Select JJ473, JJ471 From SKJEMA7_TBL1 T1 Where (JJ473 Not Between 0 AND 7) OR JJ471 > JJ473
JJ474	SKJEMA7W	1	2	Select JJ474, JJ631 From SKJEMA7_TBL1 T1 Where (JJ474 Not Between 1 AND 2) OR (JJ474 = 2 AND JJ631 = 1)
JJ476	SKJEMA7W	1	1	Select JJ476, JJ632, JJ477, JJ478, JJ479 From SKJEMA7_TBL1 T1 Where (JJ476 Not Between 1 AND 1) OR (JJ476 = 1 AND JJ632= 1) OR (JJ476 = 1 AND JJ477 is Null AND JJ478 is Null AND JJ479 is Null)
JJ477	SKJEMA7W	0	7	Select JJ477, JJ479 From SKJEMA7_TBL1 T1 Where (JJ477 Not Between 0 AND 7) OR JJ477> JJ479
JJ478	SKJEMA7W	1	2	Select JJ478, JJ632 From SKJEMA7_TBL1 T1 Where (JJ478 Not Between 1 AND 2) OR (JJ478 = 2 AND JJ632 = 1)
JJ479	SKJEMA7W	0	7	Select JJ479, JJ477 From SKJEMA7_TBL1 T1 Where (JJ479 Not Between 0 AND 7) OR JJ477 > JJ479
JJ481	SKJEMA7W	1	1	Select JJ481, JJ633, JJ482, JJ483, JJ484 From SKJEMA7_TBL1 T1 Where (JJ481 Not Between 1 AND 1) OR (JJ481 = 1 AND JJ633 = 1) OR (JJ481 = 1 AND JJ482 is Null AND JJ483 is Null AND JJ484 is Null)
JJ482	SKJEMA7W	0	7	Select JJ482, JJ484 From SKJEMA7_TBL1 T1 Where (JJ482 Not Between 0 AND 7) OR JJ482 > JJ484
JJ483	SKJEMA7W	1	2	Select JJ483, JJ633 From SKJEMA7_TBL1 T1 Where (JJ483 Not Between 1 AND 2) OR (JJ483 = 2 AND JJ633 = 1)
JJ484	SKJEMA7W	0	7	Select JJ484, JJ482 From SKJEMA7_TBL1 T1 Where (JJ484 Not Between 0 AND 7) OR JJ482 > JJ484

Variable	Last version	Minimum value	Maximum value	Dependence
JJ485	SKJEMA7W	1	2	Select JJ485, JJ634 From SKJEMA7_TBL1 T1 Where (JJ485 Not Between 1 AND 2) OR (JJ485 = 2 AND JJ634 = 1)
JJ486	SKJEMA7W	1	1	Select JJ486, JJ634 From SKJEMA7_TBL1 T1 Where (JJ486 Not Between 1 AND 1) OR (JJ486 = 1 AND JJ634 = 1)
JJ487	SKJEMA7W	1	1	Select JJ487, JJ634 From SKJEMA7_TBL1 T1 Where (JJ487 Not Between 1 AND 1) OR (JJ487 = 1 AND JJ634 = 1)
JJ488	SKJEMA7W	1	1	Select JJ488, JJ634 From SKJEMA7_TBL1 T1 Where (JJ488 Not Between 1 AND 1) OR (JJ488 = 1 AND JJ634 = 1)
JJ489	SKJEMA7W	1	1	Select JJ489, JJ634 From SKJEMA7_TBL1 T1 Where (JJ489 Not Between 1 AND 1) OR (JJ489 = 1 AND JJ634 = 1)
JJ491	SKJEMA7B	1	1	Select JJ491, JJ492, JJ493, JJ494 From SKJEMA7_TBL1 T1 Where ((JJ491 Not Between 1 AND 1) OR (JJ491 = 1 AND JJ492 Is Null AND JJ493 Is Null AND JJ494 Is Null))
JJ492	SKJEMA7W	1	1	Select JJ492, JJ491, JJ493, JJ494 From SKJEMA7_TBL1 T1 Where ((JJ492 Not Between 1 AND 1) OR (JJ492 = 1 AND JJ491 Is Null AND JJ493 Is Null AND JJ494 Is Null))
JJ492	SKJEMA7C	1	1	Select JJ635, JJ492, JJ493, JJ494 From SKJEMA7_TBL1 T1 Where (JJ492 Not Between 1 AND 1) OR (JJ492=1 AND JJ635=1) OR (JJ492=1 AND JJ635 is Null AND JJ493 is Null AND JJ494 is Null)
JJ493	SKJEMA7W	1	1	Select JJ493, JJ491, JJ492, JJ494 From SKJEMA7_TBL1 T1 Where ((JJ493 Not Between 1 AND 1) OR (JJ493 = 1 AND JJ491 Is Null AND JJ492 Is Null AND JJ494 Is Null))
JJ493	SKJEMA7C	1	1	Select JJ635, JJ492, JJ493, JJ494 From SKJEMA7_TBL1 T1 Where (JJ493 Not Between 1 AND 1) OR (JJ493=1 AND JJ635=1) OR (JJ493=1 AND JJ635 is Null AND JJ492 is Null AND JJ494 is Null)
JJ494	SKJEMA7W	0	25	Select JJ494, JJ491, JJ492, JJ493 From SKJEMA7_TBL1 T1 Where ((JJ494 Not Between 0 AND 9) OR (JJ494 > 0 AND JJ491 Is Null AND JJ492 Is Null AND JJ493 Is Null))
JJ494	SKJEMA7C	0	9	Select JJ635, JJ492, JJ493, JJ494 From SKJEMA7_TBL1 T1 Where ((JJ494 Not Between 0 AND 9) OR (JJ494>0 AND JJ635=1) OR (JJ494>0 AND JJ635 Is Null AND JJ492 Is Null AND JJ493 Is Null))
JJ495	SKJEMA7W	1	1	
JJ495	SKJEMA7C	1	1	Select JJ636, JJ184, JJ495, JJ187 From SKJEMA7_TBL1 T1 Where (JJ495 Not Between 1 AND 1) OR (JJ495=1 AND JJ636=1) OR (JJ495=1 AND JJ636 is Null AND JJ184 is Null AND JJ187 is Null)
JJ496	SKJEMA7W	1	1	
JJ496	SKJEMA7C	1	1	Select JJ637, JJ189, JJ496, JJ192 From SKJEMA7_TBL1 T1 Where (JJ496 Not Between 1 AND 1) OR (JJ496=1 AND JJ637=1) OR (JJ496=1 AND JJ637 is Null AND JJ189 is Null AND JJ192 is Null)
JJ497	SKJEMA7W	1	1	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ497	SKJEMA7C	1	1	Select JJ638, JJ194, JJ497, JJ197 From SKJEMA7_TBL1 T1 Where (JJ497 Not Between 1 AND 1) OR (JJ497=1 AND JJ638=1) OR (JJ497=1 AND JJ638 is Null AND JJ194 is Null AND JJ197 is Null)
JJ498	SKJEMA7W	1	1	
JJ498	SKJEMA7C	1	1	Select JJ639, JJ199, JJ498, JJ202 From SKJEMA7_TBL1 T1 Where (JJ498 Not Between 1 AND 1) OR (JJ498=1 AND JJ639=1) OR (JJ498=1 AND JJ639 is Null AND JJ199 is Null AND JJ202 is Null)
JJ499	SKJEMA7W	1	1	
JJ499	SKJEMA7C	1	1	Select JJ640, JJ204, JJ499, JJ207 From SKJEMA7_TBL1 T1 Where (JJ499 Not Between 1 AND 1) OR (JJ499=1 AND JJ640=1) OR (JJ499=1 AND JJ640 is Null AND JJ204 is Null AND JJ207 is Null)
JJ501	SKJEMA7W	1	1	Select JJ641, JJ501, JJ502, JJ503 From SKJEMA7_TBL1 T1 Where (JJ501 Not Between 1 AND 1) OR (JJ501=1 AND JJ641=1) OR (JJ501=1 AND JJ641 is Null AND JJ502 is Null AND JJ503 is Null)
JJ502	SKJEMA7W	1	1	
JJ502	SKJEMA7C	1	1	Select JJ641, JJ501, JJ502, JJ503 From SKJEMA7_TBL1 T1 Where (JJ502 Not Between 1 AND 1) OR (JJ502=1 AND JJ641=1) OR (JJ502=1 AND JJ641 is Null AND JJ501 is Null AND JJ503 is Null)
JJ503	SKJEMA7W	0	25	
JJ503	SKJEMA7C	0	9	Select JJ641, JJ501, JJ502, JJ503 From SKJEMA7_TBL1 T1 Where ((JJ503 Not Between 0 AND 9) OR (JJ503>0 AND JJ641=1) OR (JJ503>0 AND JJ641 is Null AND JJ501 is Null AND JJ502 is Null))
JJ504	SKJEMA7W	1	1	
JJ504	SKJEMA7C	1	1	Select JJ642, JJ209, JJ504, JJ212 From SKJEMA7_TBL1 T1 Where (JJ504 Not Between 1 AND 1) OR (JJ504=1 AND JJ642=1) OR (JJ504=1 AND JJ642 is Null AND JJ209 is Null AND JJ212 is Null)
JJ505	SKJEMA7W	1	1	
JJ505	SKJEMA7C	1	1	Select JJ643, JJ214, JJ505, JJ217 From SKJEMA7_TBL1 T1 Where (JJ505 Not Between 1 AND 1) OR (JJ505=1 AND JJ643=1) OR (JJ505=1 AND JJ643 is Null AND JJ214 is Null AND JJ217 is Null)
JJ506	SKJEMA7W	1	1	
JJ506	SKJEMA7C	1	1	Select JJ644, JJ219, JJ506, JJ222 From SKJEMA7_TBL1 T1 Where (JJ506 Not Between 1 AND 1) OR (JJ506=1 AND JJ644=1) OR (JJ506=1 AND JJ644 is Null AND JJ219 is Null AND JJ222 is Null)
JJ508	SKJEMA7W	1	1	Select JJ645, JJ508, JJ509, JJ510 From SKJEMA7_TBL1 T1 Where (JJ508 Not Between 1 AND 1) OR (JJ508=1 AND JJ645=1) OR (JJ508=1 AND JJ645 is Null AND JJ509 is Null AND JJ510 is Null)
JJ509	SKJEMA7W	1	1	
JJ509	SKJEMA7C	1	1	Select JJ645, JJ508, JJ509, JJ510 From SKJEMA7_TBL1 T1 Where (JJ509 Not Between 1 AND 1) OR (JJ509=1 AND JJ645=1) OR (JJ509=1 AND JJ645 is Null AND JJ508 is Null AND JJ510 is Null)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ510	SKJEMA7C	0	10	Select JJ645, JJ508, JJ509, JJ510 From SKJEMA7_TBL1 T1 Where ((JJ510 Not Between 0 AND 10) OR (JJ510>0 AND JJ645=1) OR (JJ510>0 AND JJ645 Is Null AND JJ508 Is Null AND JJ509 Is Null))
JJ510	SKJEMA7W	0	9	
JJ512	SKJEMA7W	1	1	Select JJ646, JJ512, JJ513, JJ514 From SKJEMA7_TBL1 T1 Where (JJ512 Not Between 1 AND 1) OR (JJ512=1 AND JJ646=1) OR (JJ512=1 AND JJ646 is Null AND JJ513 is Null AND JJ514 is Null)
JJ513	SKJEMA7W	1	1	
JJ513	SKJEMA7C	1	1	Select JJ646, JJ512, JJ513, JJ514 From SKJEMA7_TBL1 T1 Where (JJ513 Not Between 1 AND 1) OR (JJ513=1 AND JJ646=1) OR (JJ513=1 AND JJ646 is Null AND JJ512 is Null AND JJ514 is Null)
JJ514	SKJEMA7W	0	9	
JJ514	SKJEMA7C	0	9	Select JJ646, JJ512, JJ513, JJ514 From SKJEMA7_TBL1 T1 Where ((JJ514 Not Between 0 AND 9) OR (JJ514>0 AND JJ646=1) OR (JJ514>0 AND JJ646 Is Null AND JJ512 Is Null AND JJ513 Is Null))
JJ515	SKJEMA7W	1	1	
JJ515	SKJEMA7C	1	1	Select JJ647, JJ239, JJ515, JJ242 From SKJEMA7_TBL1 T1 Where (JJ515 Not Between 1 AND 1) OR (JJ515=1 AND JJ647=1) OR (JJ515=1 AND JJ647 is Null AND JJ239 is Null AND JJ242 is Null)
JJ517	SKJEMA7W	1	1	Select JJ648, JJ517, JJ518, JJ519 From SKJEMA7_TBL1 T1 Where (JJ517 Not Between 1 AND 1) OR (JJ517=1 AND JJ648=1) OR (JJ517=1 AND JJ648 is Null AND JJ518 is Null AND JJ519 is Null)
JJ518	SKJEMA7W	1	1	
JJ518	SKJEMA7C	1	1	Select JJ648, JJ517, JJ518, JJ519 From SKJEMA7_TBL1 T1 Where (JJ518 Not Between 1 AND 1) OR (JJ518=1 AND JJ648=1) OR (JJ518=1 AND JJ648 is Null AND JJ517 is Null AND JJ519 is Null)
JJ519	SKJEMA7W	0	3	Select JJ519, JJ516, JJ517, JJ518 From SKJEMA7_TBL1 T1 Where ((JJ519 Not Between 0 AND 3) OR (JJ519 > 0 AND JJ516 Is Null AND JJ517 Is Null AND JJ518 Is Null))
JJ519	SKJEMA7C	0	9	Select JJ648, JJ517, JJ518, JJ519 From SKJEMA7_TBL1 T1 Where ((JJ519 Not Between 0 AND 9) OR (JJ519>0 AND JJ648=1) OR (JJ519>0 AND JJ648 Is Null AND JJ517 Is Null AND JJ518 Is Null))
JJ520	SKJEMA7W	1	1	
JJ520	SKJEMA7C	1	1	Select JJ649, JJ254, JJ520, JJ257 From SKJEMA7_TBL1 T1 Where (JJ520 Not Between 1 AND 1) OR (JJ520=1 AND JJ649=1) OR (JJ520=1 AND JJ649 is Null AND JJ254 is Null AND JJ257 is Null)
JJ521	SKJEMA7W	1	1	
JJ521	SKJEMA7C	1	1	Select JJ650, JJ274, JJ521, JJ277 From SKJEMA7_TBL1 T1 Where (JJ521 Not Between 1 AND 1) OR (JJ521=1 AND JJ650=1) OR (JJ521=1 AND JJ650 is Null AND JJ274 is Null AND JJ277 is Null)
JJ522	SKJEMA7W	1	5	
JJ523	SKJEMA7W	1	3	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ524	SKJEMA7W	1	5	
JJ525	SKJEMA7W	1	3	
JJ527	SKJEMA7W	1	5	
JJ528	SKJEMA7W	1	3	
JJ529	SKJEMA7W	1	5	
JJ530	SKJEMA7W	1	3	
JJ532	SKJEMA7W	1	5	
JJ533	SKJEMA7W	1	3	
JJ535	SKJEMA7W	1	5	
JJ536	SKJEMA7W	1	3	
JJ537	SKJEMA7W	1	5	
JJ538	SKJEMA7W	1	3	
JJ539	SKJEMA7W	1	5	
JJ540	SKJEMA7W	1	3	
JJ541	SKJEMA7W	1	5	
JJ542	SKJEMA7W	1	3	
JJ543	SKJEMA7W	1	6	
JJ544	SKJEMA7W	1	6	
JJ545	SKJEMA7W	1	6	
JJ546	SKJEMA7W	1	6	
JJ547	SKJEMA7W	1	6	
JJ548	SKJEMA7W	1	6	
JJ549	SKJEMA7W	1	6	
JJ550	SKJEMA7W	1	6	
JJ551	SKJEMA7W	1	6	
JJ552	SKJEMA7W	1	6	
JJ553	SKJEMA7W	1	2	

Variable	Last version	Minimum value	Maximum value	Dependence
JJ554	SKJEMA7W	1	4	
JJ555	SKJEMA7W	1	3	
JJ556	SKJEMA7W	1	1	Select JJ556, JJ558, JJ559, JJ560 From SKJEMA7_TBL1 T1 Where ((JJ556 Not Between 1 AND 1) OR (JJ556 = 1 AND JJ558 Is Null AND (JJ559 = 1 OR JJ559 Is Null) AND JJ560 Is Null))
JJ557	SKJEMA7W	1	1	Select JJ557, JJ558, JJ559, JJ560 From SKJEMA7_TBL1 T1 Where ((JJ557 Not Between 1 AND 1) OR (JJ557 = 1 AND JJ558 Is Null AND (JJ559 Is Null OR JJ559 = 1) AND JJ560 Is Null))
JJ558	SKJEMA7W	0	45	Select JJ558, JJ556, JJ557 From SKJEMA7_TBL1 T1 Where ((JJ558 Not Between 0 AND 45) OR (JJ558 >= 0 AND JJ556 Is Null AND JJ557 Is Null))
JJ559	SKJEMA7W	1	2	Select JJ559, JJ556, JJ557, JJ558, JJ560 From SKJEMA7_TBL1 T1 Where ((JJ559 Not Between 1 AND 2) OR (JJ559 = 2 AND JJ556 Is Null AND JJ557 Is Null AND JJ558 Is Null))
JJ560	SKJEMA7W	1	1	Select JJ560, JJ556, JJ557, JJ558, JJ559 From SKJEMA7_TBL1 T1 Where ((JJ560 Not Between 1 AND 1) OR (JJ560 = 1 AND JJ556 Is Null AND JJ557 Is Null AND JJ558 Is Null AND (JJ559 = 1 OR JJ559 Is Null)))
JJ561	SKJEMA7W	1	1	Select JJ561, JJ562, JJ563, JJ564, JJ565 From SKJEMA7_TBL1 T1 Where ((JJ561 Not Between 1 AND 1) OR (JJ561 = 1 AND JJ563 Is Null AND (JJ564 = 1 OR JJ564 Is Null) AND JJ565 Is Null))
JJ562	SKJEMA7W	1	1	Select JJ562, JJ563, JJ564, JJ565 From SKJEMA7_TBL1 T1 Where ((JJ562 Not Between 1 AND 1) OR (JJ562 = 1 AND JJ563 Is Null AND (JJ564 Is Null OR JJ564 = 1) AND JJ565 Is Null))
JJ563	SKJEMA7W	0	45	Select JJ563, JJ561, JJ562 From SKJEMA7_TBL1 T1 Where ((JJ563 Not Between 0 AND 45) OR (JJ563 >= 0 AND JJ561 Is Null AND JJ562 Is Null))
JJ564	SKJEMA7W	1	2	Select JJ564, JJ561, JJ562, JJ563, JJ565 From SKJEMA7_TBL1 T1 Where ((JJ564 Not Between 1 AND 2) OR (JJ564 = 2 AND JJ561 Is Null AND JJ562 Is Null AND JJ563 Is Null))
JJ565	SKJEMA7W	1	1	Select JJ565, JJ561, JJ562, JJ563, JJ564 From SKJEMA7_TBL1 T1 Where ((JJ565 Not Between 1 AND 1) OR (JJ565 = 1 AND JJ561 Is Null AND JJ562 Is Null AND JJ563 Is Null AND (JJ564 = 1 OR JJ564 Is Null)))
JJ566	SKJEMA7W	1	1	Select JJ566, JJ568, JJ569, JJ570 From SKJEMA7_TBL1 T1 Where ((JJ566 Not Between 1 AND 1) OR (JJ566 = 1 AND JJ568 Is Null AND (JJ569 = 1 OR JJ569 Is Null) AND JJ570 Is Null))
JJ567	SKJEMA7W	1	1	Select JJ567, JJ568, JJ569, JJ570 From SKJEMA7_TBL1 T1 Where ((JJ567 Not Between 1 AND 1) OR (JJ567 = 1 AND JJ568 Is Null AND (JJ569 Is Null OR JJ569 = 1) AND JJ570 Is Null))
JJ568	SKJEMA7W	0	45	Select JJ568, JJ566, JJ567 From SKJEMA7_TBL1 T1 Where ((JJ568 Not Between 0 AND 45) OR (JJ568 >= 0 AND JJ566 Is Null AND JJ567 Is Null))
JJ569	SKJEMA7W	1	2	Select JJ569, JJ566, JJ567, JJ568, JJ570 From SKJEMA7_TBL1 T1 Where ((JJ569 Not Between 1 AND 2) OR (JJ569 = 2 AND JJ566 Is Null AND JJ567 Is Null AND JJ568 Is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ570	SKJEMA7W	1	1	Select JJ570, JJ566, JJ567, JJ568, JJ569 From SKJEMA7_TBL1 T1 Where ((JJ570 Not Between 1 AND 1) OR (JJ570 = 1 AND JJ566 Is Null AND JJ567 Is Null AND JJ568 Is Null AND (JJ569 = 1 OR JJ569 Is Null)))
JJ571	SKJEMA7W	1	3	Select JJ571, JJ572, JJ576, JJ580, JJ584, JJ588, JJ592, JJ596, JJ600 From SKJEMA7_TBL1 T1 Where (JJ571 Not Between 1 AND 3) OR (JJ571 = 1 AND JJ576 + JJ580 + JJ584 + JJ588 + JJ592 + JJ596 + JJ600 > 0) OR (JJ571 = 1 AND JJ577 + JJ581 + JJ585 + JJ589 + JJ593 + JJ597 + JJ601 > 0) OR (JJ571 = 1 AND (JJ575 = 2 OR JJ579 = 2 OR JJ583 = 2 OR JJ587 = 2 OR JJ591 = 2 OR JJ595 = 2 OR JJ599 = 2 OR JJ603 = 2))
JJ572	SKJEMA7W	1	1	Select JJ571, JJ572, JJ573, JJ575 From SKJEMA7_TBL1 T1 Where (JJ572 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ572 = 1) OR (JJ572 is Null AND (JJ573 Between 1 AND 2 OR JJ575 = 2))
JJ573	SKJEMA7W	1	2	Select JJ571, JJ572, JJ573 From SKJEMA7_TBL1 T1 Where (JJ573 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ573 Between 1 AND 2) OR (JJ572 is Null AND JJ573 Between 1 AND 2)
JJ574	SKJEMA7W	1	2	
JJ575	SKJEMA7W	1	2	Select JJ571, JJ572, JJ575 From SKJEMA7_TBL1 T1 Where (JJ575 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ575 = 2) OR (JJ572 is Null AND JJ575 = 2)
JJ576	SKJEMA7W	1	1	Select JJ571, JJ576, JJ577, JJ579 From SKJEMA7_TBL1 T1 Where (JJ576 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ576 = 1) OR (JJ576 is Null AND (JJ577 Between 1 AND 2 OR JJ579 = 2))
JJ577	SKJEMA7W	1	2	Select JJ571, JJ576, JJ577 From SKJEMA7_TBL1 T1 Where (JJ577 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ577 Between 1 AND 2) OR (JJ576 is Null AND JJ577 Between 1 AND 2)
JJ578	SKJEMA7W	1	2	
JJ579	SKJEMA7W	1	2	Select JJ571, JJ576, JJ579 From SKJEMA7_TBL1 T1 Where (JJ579 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ579 = 2) OR (JJ576 is Null AND JJ579 = 2)
JJ580	SKJEMA7W	1	1	Select JJ571, JJ580, JJ581, JJ583 From SKJEMA7_TBL1 T1 Where (JJ580 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ580 = 1) OR (JJ580 is Null AND (JJ581 Between 1 AND 2 OR JJ583 = 2))
JJ581	SKJEMA7W	1	2	Select JJ571, JJ580, JJ581 From SKJEMA7_TBL1 T1 Where (JJ581 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ581 Between 1 AND 2) OR (JJ580 is Null AND JJ581 Between 1 AND 2)
JJ582	SKJEMA7W	1	2	
JJ583	SKJEMA7W	1	2	Select JJ571, JJ580, JJ583 From SKJEMA7_TBL1 T1 Where (JJ583 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ583 = 2) OR (JJ580 is Null AND JJ583 = 2)
JJ584	SKJEMA7W	1	1	Select JJ571, JJ584, JJ585, JJ587 From SKJEMA7_TBL1 T1 Where (JJ584 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ584 = 1) OR (JJ584 is Null AND (JJ585 Between 1 AND 2 OR JJ587 = 2))
JJ585	SKJEMA7W	1	2	Select JJ571, JJ584, JJ585 From SKJEMA7_TBL1 T1 Where (JJ585 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ585 Between 1 AND 2) OR (JJ584 is Null AND JJ585 Between 1 AND 2)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ586	SKJEMA7W	1	2	
JJ587	SKJEMA7W	1	2	Select JJ571, JJ584, JJ587 From SKJEMA7_TBL1 T1 Where (JJ587 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ587 = 2) OR (JJ584 is Null AND JJ587 = 2)
JJ588	SKJEMA7W	1	1	Select JJ571, JJ588, JJ589, JJ591 From SKJEMA7_TBL1 T1 Where (JJ588 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ588 = 1) OR (JJ588 is Null AND (JJ589 Between 1 AND 2 OR JJ591 = 2))
JJ589	SKJEMA7W	1	2	Select JJ571, JJ588, JJ589 From SKJEMA7_TBL1 T1 Where (JJ589 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ589 Between 1 AND 2) OR (JJ588 is Null AND JJ589 Between 1 AND 2)
JJ590	SKJEMA7W	1	2	
JJ591	SKJEMA7W	1	2	Select JJ571, JJ588, JJ591 From SKJEMA7_TBL1 T1 Where (JJ591 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ591 = 2) OR (JJ588 is Null AND JJ591 = 2)
JJ592	SKJEMA7W	1	1	Select JJ571, JJ592, JJ593, JJ595 From SKJEMA7_TBL1 T1 Where (JJ592 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ592 = 1) OR (JJ592 is Null AND (JJ593 Between 1 AND 2 OR JJ595 = 2))
JJ593	SKJEMA7W	1	2	Select JJ571, JJ592, JJ593 From SKJEMA7_TBL1 T1 Where (JJ593 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ593 Between 1 AND 2) OR (JJ592 is Null AND JJ593 Between 1 AND 2)
JJ594	SKJEMA7W	1	2	
JJ595	SKJEMA7W	1	2	Select JJ571, JJ592, JJ595 From SKJEMA7_TBL1 T1 Where (JJ595 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ595 = 2) OR (JJ592 is Null AND JJ595 = 2)
JJ596	SKJEMA7W	1	1	Select JJ571, JJ596, JJ597, JJ599 From SKJEMA7_TBL1 T1 Where (JJ596 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ596 = 1) OR (JJ596 is Null AND (JJ597 Between 1 AND 2 OR JJ599 = 2))
JJ597	SKJEMA7W	1	2	Select JJ571, JJ596, JJ597 From SKJEMA7_TBL1 T1 Where (JJ597 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ597 Between 1 AND 2) OR (JJ596 is Null AND JJ597 Between 1 AND 2)
JJ598	SKJEMA7W	1	2	
JJ599	SKJEMA7W	1	2	Select JJ571, JJ596, JJ599 From SKJEMA7_TBL1 T1 Where (JJ599 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ599 = 2) OR (JJ596 is Null AND JJ599 = 2)
JJ600	SKJEMA7W	1	1	Select JJ571, JJ600, JJ601, JJ603 From SKJEMA7_TBL1 T1 Where (JJ600 Not Between 1 AND 1) OR (JJ571 = 1 AND JJ600 = 1) OR (JJ600 is Null AND (JJ601 Between 1 AND 2 OR JJ603 = 2))
JJ601	SKJEMA7W	1	2	Select JJ571, JJ600, JJ601 From SKJEMA7_TBL1 T1 Where (JJ601 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ601 Between 1 AND 2) OR (JJ600 is Null AND JJ601 Between 1 AND 2)
JJ602	SKJEMA7W	1	2	
JJ603	SKJEMA7W	1	2	Select JJ571, JJ600, JJ603 From SKJEMA7_TBL1 T1 Where (JJ603 Not Between 1 AND 2) OR (JJ571 = 1 AND JJ603 = 2) OR (JJ600 is Null AND JJ603 = 2)

Variable	Last version	Minimum value	Maximum value	Dependence
JJ604	SKJEMA7W	1	1	Select JJ604, JJ571, JJ600 From SKJEMA7_TBL1 T1 Where (JJ604 Not Between 1 AND 1) OR (JJ604 = 1 AND (JJ600 is Null OR JJ571 = 1))
JJ605	SKJEMA7W	1	1	Select JJ605, JJ571, JJ600 From SKJEMA7_TBL1 T1 Where (JJ605 Not Between 1 AND 1) OR (JJ605 = 1 AND (JJ600 is Null OR JJ571 = 1))
JJ606	SKJEMA7W	1	1	Select JJ606, JJ571, JJ600 From SKJEMA7_TBL1 T1 Where (JJ606 Not Between 1 AND 1) OR (JJ606 = 1 AND (JJ600 is Null OR JJ571 = 1))
JJ607	SKJEMA7W	1	1	Select JJ607, JJ571, JJ600 From SKJEMA7_TBL1 T1 Where (JJ607 Not Between 1 AND 1) OR (JJ607 = 1 AND (JJ600 is Null OR JJ571 = 1))
JJ615	SKJEMA7W	1	3	Select JJ615, JJ306 From SKJEMA7_TBL1 T1 Where (JJ615 Not Between 1 AND 3) OR (JJ615 > 0 AND JJ306 = 1)
JJ616	SKJEMA7W	1	2	Select JJ616, JJ51, JJ48, JJ443, JJ49 From SKJEMA7_TBL1 T1 Where (JJ616 Not Between 1 AND 2) OR (JJ616 = 1 AND (JJ51 = 1 OR JJ48 > 0 OR JJ443 = 2 OR JJ49 > 0))
JJ617	SKJEMA7W	1	2	Select JJ617, JJ101, JJ98, JJ444, JJ99 From SKJEMA7_TBL1 T1 Where (JJ617 Not Between 1 AND 2) OR (JJ617 = 1 AND (JJ101 = 1 OR JJ98 > 0 OR JJ444 = 2 OR JJ99 > 0))
JJ618	SKJEMA7W	1	2	Select JJ618, JJ111, JJ108, JJ445, JJ109 From SKJEMA7_TBL1 T1 Where (JJ618 Not Between 1 AND 2) OR (JJ618 = 1 AND (JJ111 = 1 OR JJ108 > 0 OR JJ445 = 2 OR JJ109 > 0))
JJ619	SKJEMA7W	1	2	Select JJ619, JJ116, JJ113, JJ446, JJ114 From SKJEMA7_TBL1 T1 Where (JJ619 Not Between 1 AND 2) OR (JJ619 = 1 AND (JJ116 = 1 OR JJ113 > 0 OR JJ446 = 2 OR JJ114 > 0))
JJ620	SKJEMA7W	1	2	Select JJ620, JJ136, JJ133, JJ447, JJ134 From SKJEMA7_TBL1 T1 Where (JJ620 Not Between 1 AND 2) OR (JJ620 = 1 AND (JJ136 = 1 OR JJ133 > 0 OR JJ447 = 2 OR JJ134 > 0))
JJ621	SKJEMA7W	1	2	Select JJ621, JJ141, JJ138, JJ448, JJ139 From SKJEMA7_TBL1 T1 Where (JJ621 Not Between 1 AND 2) OR (JJ621 = 1 AND (JJ141 = 1 OR JJ138 > 0 OR JJ448 = 2 OR JJ139 > 0))
JJ622	SKJEMA7W	1	2	Select JJ622, JJ41, JJ38, JJ449, JJ39 From SKJEMA7_TBL1 T1 Where (JJ622 Not Between 1 AND 2) OR (JJ622 = 1 AND (JJ41 = 1 OR JJ38 > 0 OR JJ449 = 2 OR JJ39 > 0))
JJ623	SKJEMA7W	1	2	Select JJ623, JJ16, JJ13, JJ450, JJ14 From SKJEMA7_TBL1 T1 Where (JJ623 Not Between 1 AND 2) OR (JJ623 = 1 AND (JJ16 = 1 OR JJ13 > 0 OR JJ450 = 2 OR JJ14 > 0))
JJ624	SKJEMA7W	1	2	Select JJ624, JJ452, JJ453, JJ454, JJ455 From SKJEMA7_TBL1 T1 Where (JJ624 Not Between 1 AND 2) OR (JJ624 = 1 AND (JJ452 = 1 OR JJ453 > 0 OR JJ454 = 2 OR JJ455 > 0))
JJ625	SKJEMA7W	1	2	Select JJ625, JJ457, JJ458, JJ459, JJ460 From SKJEMA7_TBL1 T1 Where (JJ625 Not Between 1 AND 2) OR (JJ625 = 1 AND (JJ457 = 1 OR JJ458 > 0 OR JJ459 = 2 OR JJ460 > 0))
JJ626	SKJEMA7W	1	2	Select JJ626, JJ26, JJ23, JJ461, JJ24 From SKJEMA7_TBL1 T1 Where (JJ626 Not Between 1 AND 2) OR (JJ626 = 1 AND (JJ26 = 1 OR JJ23 > 0 OR JJ461 = 2 OR JJ24 > 0))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ627	SKJEMA7W	1	2	Select JJ627, JJ146, JJ143, JJ462, JJ144 From SKJEMA7_TBL1 T1 Where (JJ627 Not Between 1 AND 2) OR (JJ627 = 1 AND (JJ146 = 1 OR JJ143 > 0 OR JJ462 = 2 OR JJ144 > 0))
JJ628	SKJEMA7W	1	2	Select JJ628, JJ151, JJ148, JJ463, JJ149 From SKJEMA7_TBL1 T1 Where (JJ628 Not Between 1 AND 2) OR (JJ628 = 1 AND (JJ151 = 1 OR JJ148 > 0 OR JJ463 = 2 OR JJ149 > 0))
JJ629	SKJEMA7W	1	2	Select JJ629, JJ465, JJ466, JJ467, JJ468 From SKJEMA7_TBL1 T1 Where (JJ629 Not Between 1 AND 2) OR (JJ629 = 1 AND (JJ465 = 1 OR JJ466 > 0 OR JJ467 = 2 OR JJ468 > 0))
JJ630	SKJEMA7W	1	2	Select JJ630, JJ470, JJ471, JJ472, JJ473 From SKJEMA7_TBL1 T1 Where (JJ630 Not Between 1 AND 2) OR (JJ630 = 1 AND (JJ470 = 1 OR JJ471 > 0 OR JJ472 = 2 OR JJ473 > 0))
JJ631	SKJEMA7W	1	2	Select JJ631, JJ156, JJ153, JJ474, JJ154 From SKJEMA7_TBL1 T1 Where (JJ631 Not Between 1 AND 2) OR (JJ631 = 1 AND (JJ156 = 1 OR JJ153 > 0 OR JJ474 = 2 OR JJ154 > 0))
JJ632	SKJEMA7W	1	2	Select JJ632, JJ476, JJ477, JJ478, JJ479 From SKJEMA7_TBL1 T1 Where (JJ632 Not Between 1 AND 2) OR (JJ632 = 1 AND (JJ476 = 1 OR JJ477 > 0 OR JJ478 = 2 OR JJ479 > 0))
JJ633	SKJEMA7W	1	2	Select JJ633, JJ481, JJ482, JJ483, JJ484 From SKJEMA7_TBL1 T1 Where (JJ633 Not Between 1 AND 2) OR (JJ633 = 1 AND (JJ481 = 1 OR JJ482 > 0 OR JJ483 = 2 OR JJ484 > 0))
JJ634	SKJEMA7W	1	2	Select JJ634, JJ161, JJ158, JJ485, JJ159 From SKJEMA7_TBL1 T1 Where (JJ634 Not Between 1 AND 2) OR (JJ634 = 1 AND (JJ161 = 1 OR JJ158 > 0 OR JJ485 = 2 OR JJ159 > 0))
JJ635	SKJEMA7W	1	2	Select JJ635, JJ492, JJ493, JJ494 From SKJEMA7_TBL1 T1 Where (JJ635 Not Between 1 AND 2) OR (JJ635 = 1 AND (JJ492 = 1 OR JJ493 = 1 OR JJ494 > 0)) OR (JJ635 = 2 AND (JJ492 is Null AND JJ493 is Null AND JJ494 is Null))
JJ636	SKJEMA7W	1	2	Select JJ636, JJ184, JJ495, JJ187 From SKJEMA7_TBL1 T1 Where (JJ636 Not Between 1 AND 2) OR (JJ636 = 1 AND (JJ184 = 1 OR JJ495 = 1 OR JJ187 > 0)) OR (JJ636 = 2 AND (JJ184 is Null AND JJ495 is Null AND JJ187 is Null))
JJ637	SKJEMA7W	1	2	Select JJ637, JJ189, JJ496, JJ192 From SKJEMA7_TBL1 T1 Where (JJ637 Not Between 1 AND 2) OR (JJ637 = 1 AND (JJ189 = 1 OR JJ496 = 1 OR JJ192 > 0)) OR (JJ637 = 2 AND (JJ189 is Null AND JJ496 is Null AND JJ192 is Null))
JJ638	SKJEMA7W	1	2	Select JJ638, JJ194, JJ497, JJ197 From SKJEMA7_TBL1 T1 Where (JJ638 Not Between 1 AND 2) OR (JJ638 = 1 AND (JJ194 = 1 OR JJ497 = 1 OR JJ197 > 0)) OR (JJ638 = 2 AND (JJ194 is Null AND JJ497 is Null AND JJ197 is Null))
JJ639	SKJEMA7W	1	2	Select JJ639, JJ199, JJ498, JJ202 From SKJEMA7_TBL1 T1 Where (JJ639 Not Between 1 AND 2) OR (JJ639 = 1 AND (JJ199 = 1 OR JJ498 = 1 OR JJ202 > 0)) OR (JJ639 = 2 AND (JJ199 is Null AND JJ498 is Null AND JJ202 is Null))
JJ640	SKJEMA7W	1	2	Select JJ640, JJ204, JJ499, JJ207 From SKJEMA7_TBL1 T1 Where (JJ640 Not Between 1 AND 2) OR (JJ640 = 1 AND (JJ204 = 1 OR JJ499 = 1 OR JJ207 > 0)) OR (JJ640 = 2 AND (JJ204 is Null AND JJ499 is Null AND JJ207 is Null))

Variable	Last version	Minimum value	Maximum value	Dependence
JJ641	SKJEMA7W	1	2	Select JJ641, JJ501, JJ502, JJ503 From SKJEMA7_TBL1 T1 Where (JJ641 Not Between 1 AND 2) OR (JJ641 = 1 AND (JJ501 = 1 OR JJ502 = 1 OR JJ503 > 0)) OR (JJ641 = 2 AND (JJ501 is Null AND JJ502 is Null AND JJ503 is Null))
JJ642	SKJEMA7W	1	2	Select JJ642, JJ209, JJ504, JJ212 From SKJEMA7_TBL1 T1 Where (JJ642 Not Between 1 AND 2) OR (JJ642 = 1 AND (JJ209 = 1 OR JJ504 = 1 OR JJ212 > 0)) OR (JJ642 = 2 AND (JJ209 is Null AND JJ504 is Null AND JJ212 is Null))
JJ643	SKJEMA7W	1	2	Select JJ643, JJ214, JJ505, JJ217 From SKJEMA7_TBL1 T1 Where (JJ643 Not Between 1 AND 2) OR (JJ643 = 1 AND (JJ214 = 1 OR JJ505 = 1 OR JJ217 > 0)) OR (JJ643 = 2 AND (JJ214 is Null AND JJ505 is Null AND JJ217 is Null))
JJ644	SKJEMA7W	1	2	Select JJ644, JJ219, JJ506, JJ222 From SKJEMA7_TBL1 T1 Where (JJ644 Not Between 1 AND 2) OR (JJ644 = 1 AND (JJ219 = 1 OR JJ506 = 1 OR JJ222 > 0)) OR (JJ644 = 2 AND (JJ219 is Null AND JJ506 is Null AND JJ222 is Null))
JJ645	SKJEMA7W	1	2	Select JJ645, JJ508, JJ509, JJ510 From SKJEMA7_TBL1 T1 Where (JJ645 Not Between 1 AND 2) OR (JJ645 = 1 AND (JJ508 = 1 OR JJ509 = 1 OR JJ510 > 0)) OR (JJ645 = 2 AND (JJ508 is Null AND JJ509 is Null AND JJ510 is Null))
JJ646	SKJEMA7W	1	2	Select JJ646, JJ512, JJ513, JJ514 From SKJEMA7_TBL1 T1 Where (JJ646 Not Between 1 AND 2) OR (JJ646 = 1 AND (JJ512 = 1 OR JJ513 = 1 OR JJ514 > 0)) OR (JJ646 = 2 AND (JJ512 is Null AND JJ513 is Null AND JJ514 is Null))
JJ647	SKJEMA7W	1	2	Select JJ647, JJ239, JJ515, JJ242 From SKJEMA7_TBL1 T1 Where (JJ647 Not Between 1 AND 2) OR (JJ647 = 1 AND (JJ239 = 1 OR JJ515 = 1 OR JJ242 > 0)) OR (JJ647 = 2 AND (JJ239 is Null AND JJ515 is Null AND JJ242 is Null))
JJ648	SKJEMA7W	1	2	Select JJ648, JJ517, JJ518, JJ519 From SKJEMA7_TBL1 T1 Where (JJ648 Not Between 1 AND 2) OR (JJ648 = 1 AND (JJ517 = 1 OR JJ518 = 1 OR JJ519 > 0)) OR (JJ648 = 2 AND (JJ517 is Null AND JJ518 is Null AND JJ519 is Null))
JJ649	SKJEMA7W	1	2	Select JJ649, JJ254, JJ520, JJ257 From SKJEMA7_TBL1 T1 Where (JJ649 Not Between 1 AND 2) OR (JJ649 = 1 AND (JJ254 = 1 OR JJ520 = 1 OR JJ257 > 0)) OR (JJ649 = 2 AND (JJ254 is Null AND JJ520 is Null AND JJ257 is Null))
JJ650	SKJEMA7W	1	2	Select JJ650, JJ274, JJ521, JJ277 From SKJEMA7_TBL1 T1 Where (JJ650 Not Between 1 AND 2) OR (JJ650 = 1 AND (JJ274 = 1 OR JJ521 = 1 OR JJ277 > 0)) OR (JJ650 = 2 AND (JJ274 is Null AND JJ521 is Null AND JJ277 is Null))