Bio Image Operation script operations (v1.6.440.2 / 2020-11-21)

```
SetPath (Path)
Set path for relative file paths (by default path of current script file)
 • Path:
             File path ("path")
CreateImage (Width, Height, ColorMode, Red, Green, Blue)
Create a new image
 • Width:
             Width in pixels (numeric value)
             Height in pixels (numeric value)
 Height:
 • ColorMode:Color mode (GrayScale, Color, ColorAlpha)
             Red color component (numeric value between 0 and 1)
 • Red:
 • Green:
             Green color component (numeric value between 0 and 1)
 • Blue:
             Blue color component (numeric value between 0 and 1)
OpenImage (Path, Start, Length, Interval)
Open image file(s) for processing, accepts file name pattern
             File path ("path")
 Path:
             Start (time reference as (hours:)minutes:seconds, or frame number)
 • Start:
 Length:
             Length (time reference as (hours:)minutes:seconds, or frame number)
 • Interval: Interval in number of frames (numeric value)
OpenVideo (Path, API, Start, Length, Interval)
Open video file(s) and process frames, accepts file name pattern (ffmpeg formats supported)
 • Path:
             File path ("path")
             OpenCV API code (See OpenCV API codes) (numeric value)
 • API:
 • Start:
             Start (time reference as (hours:)minutes:seconds, or frame number)
             Length (time reference as (hours:)minutes:seconds, or frame number)
 • Interval: Interval in number of frames (numeric value)
OpenCapture (API, Path, Source, Width, Height, Interval)
Open capturing from video (IP) path or camera source
 • API:
             OpenCV API code (See OpenCV API codes) (numeric value)
 • Path:
             File path ("path")
             Camera source (#) (numeric value)
 • Source:
             Width in pixels (numeric value)
 Width:
 • Height:
             Height in pixels (numeric value)
 • Interval: Interval in number of frames (numeric value)
SaveImage (Path, Label, Start, Length)
Save image to file
```

```
Path:
            File path ("path")
            Label id (string)
 • Label:
             Start (time reference as (hours:)minutes:seconds, or frame number)
 Start:
             Length (time reference as (hours:)minutes:seconds, or frame number)
 Length:
SaveVideo (Path, Label, Start, Length, Fps, Codec)
Create video file and save image to video file (supports installed encoders)
 • Path:
            File path ("path")
 Label:
            Label id (string)
            Start (time reference as (hours:)minutes:seconds, or frame number)
 Start:
 • Length: Length (time reference as (hours:)minutes:seconds, or frame number)
 Fps:
            Frames per second (numeric value)
            Video encoding codec (4 character codec reference (FOURCC))
 Codec:
ShowImage (Label, Display)
Show image on screen (low priority screen updates)
 • Label:
            Label id (string)
 • Display: Display id (number 1 - 4)
StoreImage (Label)
Store current image in memory
 • Label:
            Label id (string)
GetImage (Label)
Get specified stored image from memory
 • Label:
            Label id (string)
Grayscale (Label)
Convert image to gray scale
 • Label:
            Label id (string)
Color (Label)
Convert image to color
 • Label:
            Label id (string)
ColorAlpha (Label)
Convert image to color with alpha channel
            Label id (string)
 • Label:
```

```
GetSaturation (Label)
Extract saturation from image
             Label id (string)
 • Label:
GetHsValue (Label)
Extract (HSV) Value from image
 • Label:
             Label id (string)
GetHsLightness (Label)
Extract (HSL) Lightness from image
 • Label:
             Label id (string)
Scale (Width, Height, Label)
Scale image
             Width in pixels (numeric value)
 • Width:
             Height in pixels (numeric value)
 • Height:
             Label id (string)
 • Label:
Crop (X, Y, Width, Height, Label)
Crop image
 • X: X position in pixels (numeric value)
 • Y: Y position in pixels (numeric value)
             Width in pixels (numeric value)
 Width:
             Height in pixels (numeric value)
 • Height:
 • Label:
             Label id (string)
Mask (Label)
Perform mask on current image
 • Label:
             Label id (string)
Threshold (Label, Level)
Convert image to binary using threshold level, or in case not provided using automatic Otsu method
             Label id (string)
 • Label:
 • Level:
             Threshold value (numeric value between 0 and 1)
Difference (Label)
Perform difference of current image and specified image
 • Label:
             Label id (string)
```

```
DifferenceAbs (Label)
Perform absolute difference of current image and specified image
 • Label:
             Label id (string)
Add (Label)
Adds specified image to current image
             Label id (string)
 • Label:
Multiply (Factor)
Perform multiplication of all color channels by specified factor
             Multiplication factor (numeric value)
 • Factor:
Invert (Label)
Invert image
 • Label:
             Label id (string)
UpdateBackground (Label, Weight)
Add image to the adaptive background buffer
 • Label:
             Label id (string)
             Weight value (numeric value between 0 and 1)
 • Weight:
UpdateAverage (Label, Weight)
Add image to the average buffer
 • Label:
             Label id (string)
             Weight value (numeric value between 0 and 1)
 • Weight:
ClearSeries ()
Clear image series buffer
AddSeries (Label, Maximum)
Add image to image series buffer
 • Label:
             Label id (string)
 Maximum:
             Maximum number of images to keep (numeric value)
GetSeriesMedian ()
```

```
AddAccum (Label, AccumMode)
Add image to the accumulative buffer
 • Label:
             Label id (string)
 • AccumMode: Accumulation mode (Age, Usage)
GetAccum (Power, Palette)
Retrieve the accumulative buffer and convert to image
 • Power:
             Exponential power of value range (1E-[power] ... 1) (numeric value)
 • Palette: Palette (GrayScale, Heat, Rainbow)
CreateClusters (Tracker, MinArea, MaxArea)
Create clusters; auto calibrate using initial images if no parameters specified
 • Tracker:
            Tracker id (string)
 • MinArea: Minimum area in number of pixels (numeric value)
 • MaxArea: Maximum area in number of pixels (numeric value)
CreateTracks (Tracker, MaxMove, MinActive, MaxInactive)
Create cluster tracking; auto calibrate using initial images if no parameters specified
 • Tracker: Tracker id (string)
 • MaxMove: Maximum movement distance (single frame) (numeric value)
 • MinActive: Minimum number of frames being active before state is active (numeric value)
                   Maximum number of frames being inactive before state is inactive (numeric value)
CreatePaths (Tracker, Distance)
Create common path usage
 • Tracker: Tracker id (string)
 • Distance: Maximum path distance (numeric value)
DrawClusters (Label, Tracker, DrawMode)
Draw clusters
 • Label:
             Label id (string)
 • Tracker: Tracker id (string)
 • DrawMode: (Combination of) draw mode(s) (None, Point, Circle, Box, Angle, Label, Labeln, Track,
Tracks, Fill, ClusterDefault, TracksDefault)
DrawTracks (Label, Tracker, DrawMode)
Draw tracked clusters
```

```
• Label:
             Label id (string)
 • Tracker: Tracker id (string)
 • DrawMode: (Combination of) draw mode(s) (None, Point, Circle, Box, Angle, Label, Labeln, Track,
Tracks, Fill, ClusterDefault, TracksDefault)
DrawPaths (Label, Tracker, PathDrawMode, Power, Palette)
Draw common paths
 • Label:
             Label id (string)
 • Tracker: Tracker id (string)
                   Path draw mode (Age, Usage, Usage2, Links, LinksMove)
 • PathDrawMode:
             Exponential power of value range (1E-[power] ... 1) (numeric value)
 • Palette: Palette (GrayScale, Heat, Rainbow)
SaveClusters (Path, Tracker, Format, Contour)
Save clusters to CSV file
 • Path:
             File path ("path")
 • Tracker: Tracker id (string)
 • Format:
             Output format (ByTime, ByLabel, Split)
 • Contour: Extract contours (true / false)
SaveTracks (Path, Tracker, Format, Contour)
Save cluster tracking to CSV file
             File path ("path")
 • Path:
 • Tracker: Tracker id (string)
             Output format (ByTime, ByLabel, Split)
 Format:
 • Contour: Extract contours (true / false)
SavePaths (Path, Tracker)
Save paths to CSV file
             File path ("path")
 • Path:
 • Tracker: Tracker id (string)
ShowTrackInfo (Tracker, Display)
Show tracking information on screen
 • Tracker: Tracker id (string)
 • Display: Display id (number 1 - 4)
DrawTrackInfo (Label, Tracker)
Draw tracking stats on image
 • Label:
             Label id (string)
```

Tracker: Tracker id (string)

```
SaveTrackInfo (Path, Tracker)
Save tracking information to CSV file
 • Path:
             File path ("path")
 • Tracker: Tracker id (string)
SaveTrackLog (Path, Tracker)
Save tracking log to CSV file
 • Path:
             File path ("path")
 • Tracker: Tracker id (string)
DrawLegend (Label, Display, Position)
Draw legend
             Label id (string)
 • Label:
 • Display: Display id (number 1 - 4)
 • Position: Draw position (Full, TopLeft, BottomLeft, TopRight, BottomRight)
Wait (MS)
Pause execution for a period (1000 ms default)
 • MS: Time in milliseconds (numeric value)
Debug ()
Debug mode
```

Arguments:

Required

Optional