

Nombre	Clase	Escenario
setupEscena ry1	Minimarket	<pre>sequenceDiagram     participant M as :Minimarket     participant N as      M-&gt;&gt;N: clients     activate N     N--&gt;&gt;C:      participant C as :Client&lt;br/&gt;documentType = "CC"&lt;br/&gt;Id = "1234567"     deactivate N     deactivate C</pre>
setupEscena ry2	Minimarket	<pre>sequenceDiagram     participant M as :Minimarket     participant N as      M-&gt;&gt;N: clients     activate N     N--&gt;&gt;C:      participant C as :Client&lt;br/&gt;documentType = "TI"&lt;br/&gt;Id = "1234567"     deactivate N     deactivate C</pre>
setupEscena ry3	Minimarket	<pre>sequenceDiagram     participant M1 as :Minimarket     participant N1 as      M1-&gt;&gt;N1: clients     activate N1     N1--&gt;&gt;C1:      participant C1 as :Client&lt;br/&gt;documentType = "PP"&lt;br/&gt;Id = "1234567"     deactivate N1     deactivate C1      Note over M1,N1: O      participant M2 as :Minimarket     participant N2 as      M2-&gt;&gt;N2: clients     activate N2     N2--&gt;&gt;C2:      participant C2 as :Client&lt;br/&gt;documentType = "CE"&lt;br/&gt;Id = "1234576"     deactivate N2     deactivate C2</pre> <p>Dependiendo si el día es par o impar (Para que no importe el día en que se prueba)</p>

Objetivo de la prueba: Verificar que se estén registrando bien los clientes.				
Clase	Método	Escenario	Valores de entrada	Resultado
Minimarket	register	setupEscenary1	documentType = "CC"	True. Se registró correctamente el cliente con cédula número "1234567". El ArrayList de clientes ahora tiene tamaño 1.
			id = "1234567"	
Objetivo de la prueba: Verificar que no se está agregando los clientes con TI				
Clase	Método	Escenario	Valores de entrada	Resultado
Minimarket	register	setupEscenary2	documentType = "TI"	True. La excepción se atrapó correctamente, evitando que se agregue el cliente con tarjeta de identidad. El ArrayList de clientes siguió de tamaño 0.
			id = "1234567"	
Objetivo de la prueba: Verificar que no se están agregando los clientes que no cumplen con el penúltimo dígito que corresponde a su día				
Clase	Método	Escenario	Valores de entrada	Resultado
Minimarket	register	setupEscenary3	documentType = "PP" documentType = "CE"	True. La excepción se atrapó correctamente, evitando que se agregue el cliente con el penúltimo número de su documento inválido. (Hay dos para cubrir los días calendario que sean pares e impares). El ArrayList de clientes siguió de
			id = "1234567" id = "1234576"	