

To do:

- V-JEPA 1:
 - Run model on all datasets and collect activations:
 - MVP
 - Intphys
 - Something something V2
 - Train/eval probes at different encoding levels 25%, 50%, 75%, 100%
 - Linear
 - MLP
 - Attention (Wait, check definition)
- V-JEPA 2:
 - Run model on all datasets and collect activations:
 - MVP
 - Intphys
 - Something something V2
 - Train/eval probes at different encoding levels 25%, 50%, 75%, 100%
 - Linear
 - MLP
 - Attention (Wait, check definition)
- V-JEPA 2.1:
 - Run model on all datasets and collect activations:
 - MVP
 - Intphys
 - Something something V2
 - Train/eval probes at different encoding levels 25%, 50%, 75%, 100%
 - Linear
 - MLP
 - Attention (Wait, check definition)
- Video MAE v1:
 - Run model on all datasets and collect activations:
 - MVP
 - Intphys
 - Something something V2
 - Train/eval probes at different encoding levels 25%, 50%, 75%, 100%
 - Linear
 - MLP
 - Attention (Wait, check definition)
- Video MAE v2:
 - Run model on all datasets and collect activations:
 - MVP
 - Intphys
 - Something something V2
 - Train/eval probes at different encoding levels 25%, 50%, 75%, 100%
 - Linear
 - MLP
 - Attention (Wait, check definition)

- Diffuser (special procedure):
 - Run model on all datasets and collect activations:
 - MVP
 - Intphys
 - Something something V2
 - Train/eval probes at different encoding levels 25%, 50%, 75%, 100%
 - Linear
 - MLP
 - Attention (Wait, check definition)