



Rating - Package

Web Service Developer Guide

July 11, 2016



Important Information

UPS Developer Kit APIs

Your development of an application using UPS Developer Kit APIs is governed by the UPS Technology Agreement you entered into with UPS. The following are key legal requirements from these agreements for the UPS Developer Kit APIs. For more information on all requirements for the UPS Developer Kit APIs, please refer to the UPS Technology Agreement.

Defined terms used but not defined in this document have the meaning set forth in the UPS Technology Agreement.

Key Legal Requirements for UPS Developer APIs

Permitted Territories

This document can only be used in the countries of the Permitted Territory as defined in the UPS Technology Agreement, as applicable.

Use

The application must not be designed to allow distribution of information received through the UPS Developer Kit APIs to third parties, other than to persons having a bona fide interest in such information (e.g., the shipper, receiver, or the third party payer, or to your service providers authorized by UPS).

Consent to Use of UPS Mark

- All screens or forms generated by your application including information received through the UPS Developer Kit APIs must include (1) the UPS Mark positioned in reasonable proximity to the Information and of an appropriate size to readily identify the source of the Information as UPS and (2) the following language at the bottom of every screen that displays the UPS Mark: "UPS, the UPS brand mark, and the Color Brown are trademarks of United Parcel Service of America, Inc. All Rights Reserved." Except as set forth in the preceding sentence, you have no right to use the UPS Mark without the prior written approval of UPS.
- You shall not use the UPS Mark in association with any third party trademarks in a manner that might suggest co-branding or otherwise create potential confusion as to source or sponsorship of the application, or ownership of the UPS Mark.
- The UPS Mark shall be used only as provided by UPS electronically or in hard copy form. The UPS Mark may not be altered in any manner, including proportions, colors, elements, etc., or animated, morphed or otherwise distorted in perspective or dimensional appearance.
- The UPS Mark may not be combined with any other symbols, including words, logos, icons, graphics, photos, slogans, numbers, or other design elements. A minimum amount of empty space must surround the UPS Mark separating it from any other object, such as type, photography, borders, edges, etc. The required area of empty space around the UPS Mark must be $\frac{1}{3}x$, where x equals the height of the UPS Mark.

Copyright and Proprietary Notice

In your application and any POD Letters you prepare, you must include a prominent reproduction of UPS's copyright and proprietary notices in a form and format specified by UPS (See the [Copyright](#) section of this document).

Display of Information

The application must not display information concerning any other provider of shipping services or such other shipping services on any page, whether comprising one or more frames, displaying information your application receives from the UPS Developer Kit APIs. Your application must present all data within each field received through the UPS Developer Kit APIs without amendment, deletion, or modification of any type.

Notice

In all communications with UPS concerning this document, please refer to the document date located on the cover.

Copyright

© 2016 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

The use, disclosure, reproduction, modification, transfer, or transmittal of this work for any purpose in any form or by any means without the written permission of United Parcel Service is strictly prohibited.

Trademarks

Some of the UPS corporate applications use United States city, state, and postal code information obtained by United Parcel Service of America, Inc. under a non-exclusive license from the United States Postal Service.

Table of Contents

Chapter 1: Introduction	7
Release Features	8
Chapter 2: Understanding the Rating API	13
Business Process and Rules	13
Negotiated Rates	13
Rate Types Table	14
Chapter 3: Customer Integration Environment (CIE)	15
Using Negotiated Rates in CIE	15
Integration Testing	15
Production	15
Server Availability Check	15
Chapter 4: Rating API Elements and Details	16
Accessing the Rating Package Web Service API	16
Element Constraints	16
RateRequest Top Level Containers	17
RateRequest XPath Tables	18
Request	18
RequestOption	18
Subversion	18
TransactionReference	19
Pickup Type	20
Code	20
Description	20
CustomerClassification	21
Code	21
Description	21
Shipment	22
Shipper	22
ShipTo	23
AlternateDeliveryAddress	24
ShipmentIndicationType	25
FRSPaymentInformation	26
FreightShipmentInformation	27
Service	29
NumOfPieces	30
DocumentsOnlyIndicator	31
Package	31
ShipFrom	41
ShipmentServiceOptions	42
ShipmentRatingOptions	49

InvoiceLineTotal	49
RatingMethodRequestIndicator	51
TaxInformation Indicator	51
RateResponse Top Level Containers	52
RateResponse XPath Tables	53
Response	53
ResponseStatus	53
Alert	53
TransactionReference	54
RatedShipment	55
Disclaimer	55
Service	55
RateChart	56
RatedShipmentAlert	56
BillableWeightCalculationMethod	57
RatingMethod	57
BillingWeight	57
TransportationCharges	58
Itemized Charges	58
FRSShipmentData	59
ServiceOptionsCharges	63
TaxCharges	63
TotalCharges	64
TotalChargesWithTaxes	64
NegotiatedRateCharges	65
GuaranteedDelivery	67
RatedPackage	68
Chapter 5: Rating Web Service Examples	73
Published Rates RateRequest	73
Published Rates RateResponse	74
Negotiated Rates RateRequest	76
Negotiated Rates RateResponse	78
Chapter 6: Rating Package API FAQs	80
Appendices	84
Error Codes (WS)	85
Common Error Codes	85
Rating Package Web Service Error Codes	86
10001 - 111295	86
111300 - 112129	90
112130 - 190003	94
9110001 +	97
Accessorial / Surcharge Codes	99

Accessorial & Surcharge Subtypes	101
COD Supported Countries	102
Country Codes	103
Currency Codes	111
Delivery Confirmation Origin-Destination Pairs	118
Disclaimer Codes and Messages	119
Service Codes	120
United States	120
Canada	121
European Union	121
Mexico	121
Poland	122
Puerto Rico	122
Undefined Countries	122
All Countries	122
Tax Type Values / Abbreviations	123

Chapter 1: Introduction

In this document, you will find guidance and instructions for integrating the Rating Package Web Service into your application, service, or system.

In this guide, you will find:

- New release features
- Rating Package Web Service API functionality and business rules
- Web service API request and response schema
- FAQs for the Rating API
- Rating error response code descriptions
- Service code references

This guide applies to the following API:

- SOAP API for the Rating Package Web Service

This guide does not apply to the following APIs:

- Rating Package XML API
- Rating Ground Freight or Air Freight API

Intended Audience

This guide is intended for developers who will be integrating the Rating Package Web Service API into their application, service, or system.

Required Knowledge & Skills

This guide assumes you have a basic understanding of the following:

- Concepts and instructions in the *Introduction to the UPS Developer Kit* guide
- XML syntax and structure
- Web services
- Software development

How to Use this Guide

- If this is your first time working with the UPS Developer Kit, begin with the *Introduction to the UPS Developer Kit* guide. This guide serves as the foundation for all API-specific developer guides.
- If you are experienced with the UPS Developer Kit but have not yet worked with the Rating API, continue with [Chapter 2: Understanding the Rating API](#). There you will find an overview of the Rating functionality and business rules.
- [Chapter 3: Customer Integration Environment \(CIE\)](#) contains information on UPS integration environments.
- [Chapter 4: Rating API Elements and Details](#) contains an overview of the top-level containers and elements that comprise the Rating request and response.
- Request and response examples are located in [Chapter 5: Rating Web Service Examples](#).
- Reference tables, services codes, and error codes are located in the [Appendices](#).

Release Features

July 2016

Description
Expanded COD Service <ul style="list-style-type: none"> • Shipment level: Russia and United Arab Emirates • Package Level: Argentina, Brazil, Chile, Mexico <p>For additional information refer to the topic: COD Supported Countries</p>
Residential Surcharge Expansion <ul style="list-style-type: none"> • Expand existing capabilities to charge a residential surcharge on worldwide forward and return shipments. • Currently billed only on worldwide shipments to the US and Canada, intra-Europe shipments, and domestic Canada shipments. • Expanded countries: <ul style="list-style-type: none"> • Mexico, Puerto Rico, Austria, Belgium, Switzerland, Czech Republic, Germany, Denmark, Canary Islands, Ceuta, Melilla, Spain, Aland Islands, Finland, France, England, Northern Ireland, Scotland, United Kingdom, Wales, Hungary, Republic of Ireland, Italy, Holland, Netherlands, Norway, Poland, Azores, Madeira, Portugal, Sweden.
UPS Ground with Freight Pricing Enhancements <ul style="list-style-type: none"> • UPS Ground with Freight Pricing (GFP) is currently a contract service available to and from the US48. This enhancement will offer GFP shipping without a contract. <ul style="list-style-type: none"> • Offer GFP as a General Service offering
International Rate, Zone & Service <ul style="list-style-type: none"> • Ensures that all US and International UPS Regions are able to respond to customer needs and marketplace changes more quickly and effectively. • Countries in scope: <ul style="list-style-type: none"> • Argentina, Belgium, Brazil, Canada, Chile, Hong Kong, Indonesia, Italy, Japan, Kosovo, Malaysia, Morocco, New Singapore, Netherlands, Nigeria, Russia, South Korea, Spain, Taiwan, Thailand, Tunisia, United Arab Emirates, Vietnam, and Zealand.
Granularity of charges at package level <p>Provides the breakdown of published and incented/negotiated charges at the package level for GFP shipments if SubVersion is 1607.</p>

Description**New Shipment Request Containers and Elements**

/FreightShipmentInformation

- FreightDensityInfo
 - AdjustedHeightIndicator
 - AdjustedHeight
 - Value
 - UnitOfMeasurement
 - ▲ Code
 - ▲ Description
 - HandlingUnits
 - Quantity
 - Type
 - ▲ Code
 - ▲ Description
 - Dimensions
 - ▲ UnitOfMeasurement
 - Code
 - Description
 - ▲ Length
 - ▲ Width
 - ▲ Height
- DensityEligibleIndicator

New RatedPackage Response Containers and Elements

/ItemizedCharges

/NegotiatedCharges/ItemizedCharges

ItemizedCharges Elements:

- Code
- Description
- CurrencyCode
- MonetaryValue
- SubType

Description
New RatedShipment Response Containers and Elements /FRSShipmentData/FreightDensityRate <ul style="list-style-type: none"> Density TotalCubicFeet /FRSShipmentData/HandlingUnits <ul style="list-style-type: none"> Quantity Type <ul style="list-style-type: none"> Code Description Dimensions <ul style="list-style-type: none"> UnitOfMeasurement <ul style="list-style-type: none"> Code Description Length Width Height AdjustedHeight <ul style="list-style-type: none"> Value UnitOfMeasurement <ul style="list-style-type: none"> Code Description
New Error Codes 9110043, 50-61

January 2016

Description
Emerging Market Priority Countries <ul style="list-style-type: none"> Expansion of supported countries <ul style="list-style-type: none"> Algeria, Angola, Azerbaijan, Bahrain, Burundi, Cameroon, DR of Congo, Djibouti, Ethiopia, Estonia, Ghana, Ivory Coast, Malawi, Mauritius, Mozambique, Rwanda, Serbia, Slovenia, Sri Lanka, Tanzania, Uganda, Zambia, and Zimbabwe Updates noted in the Country Code appendix Refer to UPS.com for additional information
International Rate Type <ul style="list-style-type: none"> Support new General List and Regional Rate charts New value returned in response
Rating Granularity <ul style="list-style-type: none"> Return itemized published rates for transportation, surcharges and accessorials
New RateRequest Element <ul style="list-style-type: none"> /RateRequest/Request/SubVersion

Description
New RateResponse Containers/Elements <ul style="list-style-type: none">• /RateResponse/RatedShipment/ItemizedCharges<ul style="list-style-type: none">■ Code■ Description■ CurrencyCode■ MonetaryValue■ SubType• /RateResponse/RatedShipment/NegotiatedRateCharges/ItemizedCharges<ul style="list-style-type: none">■ Code■ Description■ CurrencyCode■ MonetaryValue■ SubType
UPS Access Point Lite <ul style="list-style-type: none">• Expansion of supported countries<ul style="list-style-type: none">■ Austria, Denmark, Finland, Norway, Sweden, and Switzerland

July 2015

Description
Emerging Market Priority Countries <ul style="list-style-type: none"> • Expansion of supported countries: <ul style="list-style-type: none"> ■ Bangladesh, Bulgaria, Croatia, Egypt, Jordan, Kenya, Kuwait, Latvia, Lithuania, Morocco, Nigeria, Oman, Pakistan, Qatar, Saudi Arabia, Slovakia, South Africa, Tunisia, and United Arab Emirates ■ Updates noted in the Country Code appendix • Refer to UPS.com for additional information
Satellite Country Compliance <ul style="list-style-type: none"> • Expansion of satellite countries: <ul style="list-style-type: none"> ■ Canary Islands, Ceuta, Melilla, and Aland Islands ■ Updates noted in the Country Code appendix • Refer to UPS.com for additional information
UPS Access Point™ Network <ul style="list-style-type: none"> • New services: <ul style="list-style-type: none"> ■ UPS Access Point Economy™ for forward Hold at Pick-up (Contract service) ■ Access Point Delivery (General Service) ■ UPS Return service (Contract service) for Domestic shipments within Access Point countries • New Package Release code accessorial <ul style="list-style-type: none"> ■ Authorization code provided by shipper used by the receiver for Hold for Pick-up packages • UPS Access Point™ addresses listed on the label instructions for ERL and PRL's • Account level support for Direct Delivery Only (DDO)
New Request Element <ul style="list-style-type: none"> • /RateRequest/Shipment/ShipmentServiceOptions/EPRAIndicator
New Error Codes

Chapter 2: Understanding the Rating API

The Rating API is used when rating or shopping a shipment. The Rating API for packages allows you to submit two types of rate requests to UPS:

- A rate request to return the rate for a specific UPS service, for example, UPS Next Day Air
- A shop request to return all available services and their rates for a shipment

In this way, you and your customers are able to estimate their shipping costs prior to requesting a specific shipping service or service option.



WARNING: UPS restricts the usage of the Rating API to users who plan to ship packages manifested, tendered, and delivered by UPS. Any customers or developers abusing the API or data mining the API will have their access revoked.

Business Process and Rules

- UPS expects schema elements/tags as defined in the XPath and presented in the schema structure without spelling or structural deviations. Elements/tags that are not defined in the schema or do not conform to the schema structure will be ignored by UPS.
- Only users that plan to ship packages manifested, tendered, and delivered by UPS can use the Rating API.
- Any customers/developers abusing or data mining the Rating API will have their access revoked.
- To access API documentation the user must have or create a My UPS profile.
- To access testing and production sites the user must have an Access Key. To get an Access Key you must have a My UPS profile and an associated shipping account. For additional information, refer to the [UPS Developer Kit User Guide](#).
- The Rating Package API provides published and negotiated rates.
- For shipments with Ground Freight Pricing, Ground Freight Pricing's grand total can be calculated by adding NetCharge from FRSShipmentData container with ServiceOptionsCharges from ShipmentCharges container.

Negotiated Rates

The Rating API provides access to Published Rates as well as Negotiated Rates. A negotiated rate is established by contract between the customer and UPS.

If you have a pricing contract with UPS please contact your sales representative for proper setup.

Once your UPS sales rep has verified your setup you need to do the following:

1. Add your account to your My UPS profile using one of your most recent three invoices.
 - If you have never generated an invoice or have not generated an invoice in the past 90 days add the account using the pickup location postal code for the account.
 - Since you have not generated an invoice you will need to contact your sales representative a second time to enable negotiated rates in UPS systems.
2. When transacting with UPS API servers include the correct My UPS ID/PW + Account + Access Key.
3. Include the 'NegotiatedRatesIndicator' element within your XML request. The element is an empty tag.



IMPORTANT NOTES:

- ▲ Negotiated rates in the CIE are for test purposes only and are not representative of actual negotiated rates. A 1% discount is applied when requested.
- ▲ Post-shipment charges, such as address corrections, dimensional weight adjustments, and other adjustments will affect the actual rate billed which may differ from the rates returned by the Rating API.
- ▲ Make sure that all requests are identical when comparing shipping charges between applications and APIs that provide UPS Negotiated Rates.
- ▲ Working through discrepancies requires knowledge of all parameters posted, defaults, numeric rounding, and the rate table used by the applications being compared.

You can check your results against the UPS Calculate Time and Cost program: <https://wwwapps.ups.com/ctc>

Rate Types Table

The following table displays the Rate Chart that is returned by the Rating API based on the combination of CustomerClassification code, Pickup Type code, and Account Number.

Customer Classification	Pickup Type	Account Number	Rate Returned
00	Valid/Missing/Invalid	Valid	Rate associated with account number
00	Valid/Missing/Invalid	Missing/Invalid	Rate Type based on the shipper's country
01	Valid/Missing/Invalid	Valid/Missing/Invalid	Daily Rates
04	Valid/Missing/Invalid	Valid/Missing/Invalid	Retail Rates
53	Valid/Missing/Invalid	Valid/Missing/Invalid	Standard List Rates
Missing/Invalid	01	Valid/Missing/Invalid	Daily Rates
Missing/Invalid	03/06/07/19/20	Valid/Missing/Invalid	Rate Type based on the shipper's country
Missing/Invalid	Missing/Invalid	Valid	Rate associated with account number
Missing/Invalid	Missing/Invalid	Container provided but account number Invalid/Missing	Rate Type based on the shipper's country
Missing/Invalid	Missing/Invalid	Not Provided	Rate Type based on the shipper's country

Chapter 3: Customer Integration Environment (CIE)

The Customer Integration Environment allows customers to test their application prior to launch. This environment is intended for integration testing of customer applications with the UPS servers.

Once your application has been thoroughly tested, you should redirect the application to the UPS Production Environment.



No stress testing should ever be performed by customers against any UPS systems.

To access testing and production sites the user must have an Access Key. You can request an Access Key after establishing a UPS profile and associating your shipping account.

Test your Rate and Service selections using valid and invalid data elements including postal codes, weights, and package types. This will ensure that your application has the ability to process success and error responses correctly.

System Availability

The Customer Integration Environment is available 24 hours a day, 7 days a week. Note, the system is occasionally down for server maintenance.

Using Negotiated Rates in CIE

Negotiated rates are available in the UPS Customer Integration Environment (CIE) and are returned when the Negotiated Rate indicator is provided in the rate request.

- The negotiated rates returned do not reflect the contractual rate and may vary. Typically, they are 1% off the published rate.
- Also in the Customer Integration Environment, the shipper eligibility for negotiated rates is not fully verified.
- Negotiated Itemized Charges for UPS Worldwide Express Freight are not returned in CIE.
- 1% of tax charges and total charges with taxes are returned as negotiated rates in CIE mode if the TaxInformationIndicator is present in the request and if taxes are applicable.

Integration Testing

For integration testing, direct your Rating Package Web Service to: <https://wwwcie.ups.com/webservices/Rate>

Production

Once testing is complete, direct your Rating Package Web Service API to the production URL:

<https://onlinetools.ups.com/webservices/Rate>

Server Availability Check

All of the UPS services work using HTTPS POST. If the server is available, it will reply with the service name, remote user, server port, server name, and servlet path.

To see this in action, type the following URL in your web browser: <https://wwwcie.ups.com/webservices/Rate>

Server Name:	RateWS
Remote User:	Null
Server Port:	443
Server Name:	wwwcie.ups.com
Servlet Path:	/Rate

Chapter 4: Rating API Elements and Details

Accessing the Rating Package Web Service API

Access the Service at:	http://onlinetools.ups.com/webservices/Rate
Service Operation:	Rate
Rate Operation:	Type: Request-Response (client sends a request to UPS and the UPS server replies with a response) SOAPAction Header: http://onlinetools.ups.com/webservices/RateBinding

Element Constraints

The Request and Response XPath tables contain the full hierarchy of the API elements.



UPS expects schema elements/tags as defined in the XPath and presented in the schema structure i.e., no spelling or structural deviations. Elements/tags that are not defined in the schema or do not conform to the schema structure will be ignored by UPS.

Element constraints are defined as follows:

Required

- Yes - indicates the element must be present in the request or response.
- Yes* - indicates the element must be present in the request if the parent container is present in the request.
- No - indicates the element is optional and may be used if it applies to the request .
- Cond – indicates the element is required under certain conditions.

Type

- Container - holds a group of related elements.
- String - consists of alphanumeric characters, spaces, and decimals.


Length

- The maximum number of characters that can be present in a String. Length is not applicable (N/A) to Containers.

Max Allowed

- The maximum number of elements or containers that can be present in the parent container.

RateRequest Top Level Containers



RateRequest XPath Tables

Note: Not all containers/elements are reflected separately in the table of contents.

Name	Constraint	Description	Validation
/RateRequest			
RateRequest	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Rate Request container.	N/A

Request

Name	Constraint	Description	Validation
/RateRequest/Request			
Request	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Request container.	

RequestOption

Name	Constraint	Description	Validation
/RateRequest/Request/RequestOption			
RequestOption	Required: Yes Type: String Max Allowed: UNB Length: 1...15	Used to define the request type as either Rate or Shop.	Rate - validates and returns the rate for the shipment. Shop - validates the shipment then returns the rates for all available UPS services for the origin and destination addresses Rate is the only valid request option for UPS Ground Freight Pricing requests.

Subversion

Name	Constraint	Description	Validation
/RateRequest/Request/Subversion			
Subversion	Required: No Type: String Max Allowed: 1 Length: 4	Indicates Rate API to display the new release features in Rate API response based on Rate release. See the Release Features section for the latest Rate release. Supported values: 1601, 1607 Format: YYMM = Year and month of the release. Example: 1607 = 2016 July	

TransactionReference

Name	Constraint	Description	Validation
/RateRequest/Request/TransactionReference			
TransactionReference	Required: No Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	N/A
/RateRequest/Request/TransactionReference/CustomerContext			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1...512	May be used to synchronize request/response pairs. Information in the request element is echoed back in the response. Must contain valid XML.	N/A

Pickup Type

Name	Constraint	Description	Validation
/RateRequest/PickupType			
PickupType	Required: No Type: Container Max Allowed: 1 Length: N/A	Pickup Type container tag.	N/A

Code

Name	Constraint	Description	Validation
/RateRequest/PickupType/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2		Default value is 01. Valid values: <ul style="list-style-type: none"> • 01 - Daily Pickup • 03 - Customer Counter • 06 - One Time Pickup • 19 - Letter Center • 20 - Air Service Center If invalid value is provided, default will be used. Length is not validated.

Description

Name	Constraint	Description	Validation
/RateRequest/PickupType/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Pickup Type Description.	Ignored if provided in the Request.

CustomerClassification

Name	Constraint	Description	Validation
/RateRequest/CustomerClassification			
CustomerClassification	Required: No Type: Container Max Allowed: 1 Length: N/A	Customer classification container. Valid if ShipFrom country is "US"	

Code

Name	Constraint	Description	Validation
/RateRequest/CustomerClassification/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Customer classification code.	Valid values: 00 - Rates Associated with Shipper Number 01 - Daily Rates 04 - Retail Rates 05 - Regional Rates 06 - General List Rates 53 - Standard List Rates Length is not validated. If customer classification code is not provided or it is provided with an invalid value, UPS would use rate chart (customer classification code) associated with a shipper country to rate the shipments.

Description

Name	Constraint	Description	Validation
/RateRequest/CustomerClassification/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Customer classification Description.	Ignored if provided in the Request. Length is not validated.

Shipment

Name	Constraint	Description	Validation
/RateRequest/Shipment			
Shipment	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Shipment Information.	N/A

Shipper

Name	Constraint	Description	Validation
/RateRequest/Shipment/Shipper			
Shipper	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Shipper container. Information associated with the UPS account number.	
/RateRequest/Shipment/Shipper/Name			
Name	Required: No Type: String Max Allowed: 1 Length: 1...35	Shipper's Name or company Name.	Length is not validated.
/RateRequest/Shipment/Shipper/ShipperNumber			
ShipperNumber	Required: Cond Type: String Max Allowed: 1 Length: 6	Shipper's UPS account number.	A valid account number is required to receive negotiated rates. Optional otherwise.
/RateRequest/Shipment/Shipper/Address			
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Address Container.	If the ShipFrom container is not present then this address will be used as the ShipFrom. If this address is used as the ShipFrom, the shipment will be rated from this origin address.
/RateRequest/Shipment/Shipper/Address/AddressLine			
AddressLine	Required: No Type: String Max Allowed: 3 Length: 1...35	Shipper's street address including Name and number (when applicable).	Maximum Occurrence should be three. Length is not validated.
/RateRequest/Shipment/Shipper/Address/City			
City	Required: Cond Type: String Max Allowed: 1 Length: 1...30	Shipper's city.	Required if country does not utilize postal codes. Length is not validated.
/RateRequest/Shipment/Shipper/Address/StateProvinceCode			
StateProvinceCode	Required: No Type: String Max Allowed: 1 Length: 2	Shipper's state code.	Length is not validated.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Shipper/Address/PostalCode			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...9	Shipper's postal code.	Length is not validated.
/RateRequest/Shipment/Shipper/Address/CountryCode			
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	Country code. Refer to the Supported Country Tables located in Appendix.	

ShipTo

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipTo			
ShipTo	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Ship To Container	N/A
/RateRequest/Shipment/ShipTo/Name			
Name	Required: No Type: String Max Allowed: 1 Length: 1...35	Destination attention Name or company Name.	Length is not validated.
/RateRequest/Shipment/ShipTo/Address			
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Address Container.	N/A
/RateRequest/Shipment/ShipTo/Address/AddressLine			
AddressLine	Required: No Type: String Max Allowed: 3 Length: 1...35	Destination street address including Name and number (when applicable).	Max Occurrence can be 3. Length is not validated.
/RateRequest/Shipment/ShipTo/Address/City			
City	Required: Cond Type: String Max Allowed: 1 Length: 1...30	Destination city.	Required if country does not utilize postal codes. Length is not validated.
/RateRequest/Shipment/ShipTo/Address/StateProvinceCode			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 2	Destination state code.	
/RateRequest/Shipment/ShipTo/Address/PostalCode			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...9	Destination postal code.	Required if country utilizes postal codes (i.e. US and PR).

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipTo/Address/CountryCode			
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	Destination Country code. Refer to the Supported Country Tables located in the Appendix.	
/RateRequest/Shipment/ShipTo/Address/ResidentialAddressIndicator			
ResidentialAddressIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Residential Address flag. This field is a flag to indicate if the destination is a residential location. True if ResidentialAddressIndicator tag exists; false otherwise. This element does not require a value and if one is entered it will be ignored.	Empty Tag.

AlternateDeliveryAddress

Name	Constraint	Description	Validation
/RateRequest/Shipment/AlternateDeliveryAddress/Name			
Name	Required: No Type: String Max Allowed: 1 Length: 1...35	UPS Access Point™ location Name.	
/RateRequest/Shipment/AlternateDeliveryAddress/Address			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Address container for Alternate Delivery Address.	
/RateRequest/Shipment/AlternateDeliveryAddress/Address/AddressLine			
AddressLine	Required: Yes* Type: String Max Allowed: 3 Length: 1...35	The UPS Access Point's street address, including Name and number (when applicable).	Max Occurrence can be 3. Length is not validated.
/RateRequest/Shipment/AlternateDeliveryAddress/Address/City			
City	Required: Cond Type: String Max Allowed: 1 Length: 1...30	UPS Access Point city.	
/RateRequest/Shipment/AlternateDeliveryAddress/Address/StateProvinceCode			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 2	UPS Access Point State or Province code.	

Name	Constraint	Description	Validation
/RateRequest/Shipment/AlternateDeliveryAddress/Address/PostalCode			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...9	UPS Access Point Postal code.	
/RateRequest/Shipment/AlternateDeliveryAddress/Address/CountryCode			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	UPS Access Point Country code.	
/RateRequest/Shipment/AlternateDeliveryAddress/Address/ResidentialAddressIndicator			
ResidentialAddressIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. This field is a flag to indicate if the Alternate Delivery location is a residential location. True if ResidentialAddressIndicator tag exists; false otherwise.	For future use.
/RateRequest/Shipment/AlternateDeliveryAddress/Address/POBoxIndicator			
POBoxIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. This field is a flag to indicate if the Alternate Delivery location is a PO box location. True if POBoxIndicator tag exists; false otherwise.	Not valid with Shipment Indication Types: "01" (Hold for Pickup at UPS Access Point) or "02" (UPS Access Point™ Delivery).

ShipmentIndicationType

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentIndicationType/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code for Shipment Indication Type. The Valid values: 01 = Hold for Pickup at UPS Access Point 02 = UPS Access Point™ Delivery.	
/RateRequest/Shipment/ShipmentIndicationType/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description for Shipment Indication Type.	Length is not Validated.

FRSPaymentInformation

Name	Constraint	Description	Validation
/RateRequest/Shipment/FRSPaymentInformation			
FRSPaymentInformation	Required: Cond Type: Container Max Allowed: 1 Length: N/A	UPS Ground Freight Pricing (GFP) Payment Information container.	Required only for GFP and when the FRSIndicator is present.
/RateRequest/Shipment/FRSPaymentInformation/Type			
Type	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	GFP Payment Information Type container.	GFP only.
/RateRequest/Shipment/FRSPaymentInformation/Type/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Payer Type code for FRS Rate request.	Valid values: 01 = Prepaid 02 = FreightCollect 03 = BillThirdParty
/RateRequest/Shipment/FRSPaymentInformation/Type/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Text Description of the code representing the GFP payment type.	
/RateRequest/Shipment/FRSPaymentInformation/AccountNumber			
AccountNumber	Required: Yes* Type: String Max Allowed: 1 Length: 6	UPS Account Number.	Account Number should be a valid UPS account number that is enabled for GFP.
/RateRequest/Shipment/FRSPaymentInformation/Address			
Address	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Payer Address Container.	Address container may be present for FRS Payment Information type = 02 and required when the FRS Payment Information type = 03.
/RateRequest/Shipment/FRSPaymentInformation/Address/PostalCode			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...9	Postal Code for UPS accounts billing address.	Postal Code may be present when the FRS Payment Information type = 02 and 03.
/RateRequest/Shipment/FRSPaymentInformation/Address/CountryCode			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Country code for the UPS accounts & billing address.	Country Code is required when the FRS Payment Information type = 02 and 03.

FreightShipmentInformation

Name	Constraint	Description	Validation
/RateRequest/Shipment/FreightShipmentInformation			
FreightShipmentInformation	Required: No Type: Container Max Allowed: 1 Length: N/A	Container to hold Freight Shipment information.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo			
FreightDensityInfo	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Freight Density Info container.	Required if DensityEligibleIndicator is present.
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/AdjustedHeightIndicator			
AdjustedHeightIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the AdjustedHeightIndicator allows UPS to do height reduction adjustment for density based rate request.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/AdjustedHeight			
AdjustedHeight	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container to hold Adjusted Height information.	Required if AdjustedHeightIndicator is present.
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/AdjustedHeight/Value			
Value	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Adjusted Height value for the handling unit.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/AdjustedHeight/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Unit of Measurement container for the Adjusted height.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/AdjustedHeight/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code associated with Unit of Measurement for the Adjusted height. Valid value: IN	Unit of measurement code for Adjusted height is validated only when Handling unit type is SKD = Skid or PLT = Pallet.
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/AdjustedHeight/UnitOfMeasurement/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description for Code associated with Unit of Measurement for the Adjusted height.	

Name	Constraint	Description	Validation
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits			
HandlingUnits	Required: Yes* Type: Container Max Allowed: 50 Length: N/A	Handling Unit for Density based rating container.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Quantity			
Quantity	Required: Yes* Type: String Max Allowed: 1 Length: 8	Handling Unit Quantity for Density based rating.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Type			
Type	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Handling Unit Type for Density based rating.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Type/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	The code associated with Handling Unit Type.	Valid values: SKD = Skid CBY = Carboy PLT = Pallet TOT = Totes LOO = Loose OTH = Other
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Type/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	A description of the code for the Handling Unit type.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Dimensions			
Dimensions	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Dimension of the HandlingUnit container for density based pricing.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Dimensions/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement container.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Dimensions/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code for UnitOfMeasurement for the line item dimension. Valid value: IN = Inches	

Name	Constraint	Description	Validation
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Dimensions/UnitOfMeasurement/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description for UnitOfMeasurement for the line item dimension.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Dimensions/Length			
Length	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	The length of the line item used to determine dimensional weight.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Dimensions/Width			
Width	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	The width of the line item used to determine dimensional weight.	
/RateRequest/Shipment/FreightShipmentInformation/FreightDensityInfo/HandlingUnits/Dimensions/Height			
Height	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	The height of the line item used to determine dimensional weight.	
/RateRequest/Shipment/FreightShipmentInformation/DensityEligibleIndicator			
DensityEligibleIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag indicates that the rate request is density based. For Density Based Rating (DBR), the customer must have DBR Contract Service.	

Service

Name	Constraint	Description	Validation
/RateRequest/Shipment/Service/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	<p>The code for the UPS Service associated with the shipment.</p> <p>For a complete listing of values, refer to Service Codes in the Appendix.</p> <p>Valid domestic values:</p> <ul style="list-style-type: none"> • 01 = Next Day Air • 02 = 2nd Day Air • 03 = Ground • 12 = 3 Day Select • 13 = Next Day Air Saver • 14 = UPS Next Day Air Early • 59 = 2nd Day Air A.M. <p>Valid international values:</p> <ul style="list-style-type: none"> • 07 = Worldwide Express • 08 = Worldwide Expedited • 11 = Standard • 54 = Worldwide Express Plus • 65 = Saver • 96 = UPS Worldwide Express Freight. <p>Required for Rating and ignored for Shopping.</p>	
/RateRequest/Shipment/Service/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	A text Description of the UPS Service associated with the shipment.	Length is not validated.

NumOfPieces

Name	Constraint	Description	Validation
/RateRequest/Shipment/NumOfPieces			
NumOfPieces	Required: No Type: String Max Allowed: 1 Length: 1...5	Total number of pieces in all pallets. Required for UPS Worldwide Express Freight shipments.	

DocumentsOnlyIndicator

Name	Constraint	Description	Validation
/RateRequest/Shipment/DocumentsOnlyIndicator			
DocumentsOnlyIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Valid values are Document and Non-document. If the indicator is present then the value is Document else Non-Documents. Note: Not applicable for FRS rating requests.	Empty Tag.

Package

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package			
Package	Required: Yes Type: Container Max Allowed: 200 Length: N/A	Package Container.	N/A
/RateRequest/Shipment/Package/PackagingType			
PackagingType	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Packaging Type Container.	N/A
/RateRequest/Shipment/Package/PackagingType/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	The code for the UPS packaging type associated with the package.	Valid values: 00 = UNKNOWN 01 = UPS Letter 02 = Package 03 = Tube 04 = Pak 21 = Express Box 24 = 25KG Box 25 = 10KG Box 30 = Pallet 2a = Small Express Box 2b = Medium Express Box 2c = Large Express Box For FRS rating requests the only valid value is customer supplied packaging "02".

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackagingType/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	A text Description of the code for the UPS packaging type associated with the shipment.	Length is not validated.
/RateRequest/Shipment/Package/Dimensions			
Dimensions	Required: No Type: Container Max Allowed: 1 Length: N/A	Dimensions Container. This container is not applicable for GFP Rating request.	N/A
/RateRequest/Shipment/Package/Dimensions/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement Container.	N/A
/RateRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Package dimensions unit of measurement code. Codes are: 'IN' = Inches, 'CM' = Centimeters.	Valid codes are: 'IN' or 'CM'.
/RateRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Text Description of the code representing the UnitOfMeasurement associated with the package.	This element is not validated.
/RateRequest/Shipment/Package/Dimensions/Length			
Length	Required: Cond Type: String Max Allowed: 1 Length: 6	Length of the package used to determine dimensional weight.	Required for GB to GB and Poland to Poland shipments.
/RateRequest/Shipment/Package/Dimensions/Width			
Width	Required: Cond Type: String Max Allowed: 1 Length: 6	Width of the package used to determine dimensional weight.	Required for GB to GB and Poland to Poland shipments.
/RateRequest/Shipment/Package/Dimensions/Height			
Height	Required: Cond Type: String Max Allowed: 1 Length: 6	Height of the package used to determine dimensional weight.	Required for GB to GB and Poland to Poland shipments.
/RateRequest/Shipment/Package/PackageWeight			
PackageWeight	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Package Weight Container.	Required for a GFP Rating request. Otherwise optional.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageWeight/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement Container.	N/A
/RateRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code representing the unit of measure associated with the package weight. Codes are: LBS = Pounds, KGS = Kilograms.	Valid values: "LBS" = Pounds (default) and "KGS" = Kilograms.
/RateRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Text Description of the code representing the unit of measure associated with the package weight.	Length and value are not validated.
/RateRequest/Shipment/Package/PackageWeight/Weight			
Weight	Required: Yes* Type: String Max Allowed: 1 Length: 6	Actual package weight.	Weight accepted for letters/envelopes.
/RateRequest/Shipment/Package/Commodity			
Commodity	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Commodity Container.	Required only for GFP rating when FRSShipmentIndicator is requested.
/RateRequest/Shipment/Package/Commodity/FreightClass			
FreightClass	Required: Yes* Type: String Max Allowed: 1 Length: 10	Freight Classification. Freight class partially determines the freight rate for the article.	See the Appendix of the Rating Ground Freight Web Services Developers Guide for list of Freight classes. For GFP Only.
/RateRequest/Shipment/Package/Commodity/NMFC			
NMFC	Required: No Type: Container Max Allowed: 1 Length: N/A	NMFC Commodity container.	For GFP Only.
/RateRequest/Shipment/Package/Commodity/NMFC/PrimeCode			
PrimeCode	Required: Yes* Type: String Max Allowed: 1 Length: 4..6	Value of NMFC Prime. Contact your service representative if you need information concerning NMFC Codes.	Required if NMFC Container is present. For GFP Only.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/Commodity/NMFC/SubCode			
SubCode	Required: Cond Type: String Max Allowed: 1 Length: 2	Value of NMFC Sub. Contact your service representative if you need information concerning NMFC Codes.	Needs to be provided when the SubCode associated with the PrimeCode is other than 00. API defaults the sub value to 00 if not provided. If provided the Sub Code should be associated with the PrimeCode of the NMFC.
/RateRequest/Shipment/Package/LargePackageIndicator			
LargePackageIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This element does not require a value and if one is entered it will be ignored.	If present, it indicates the shipment will be categorized as a Large Package.
/RateRequest/Shipment/Package/PackageServiceOptions			
PackageServiceOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	PackageServiceOptions container.	N/A
/RateRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation			
DeliveryConfirmation	Required: No Type: Container Max Allowed: 1 Length: N/A	Delivery Confirmation Container. Refer to Delivery Confirmation Origin-Destination Pairs in the Appendix for valid values.	DeliveryConfirmation and COD are mutually exclusive.
/RateRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation/DCIStype			
DCIStype	Required: Yes* Type: String Max Allowed: 1 Length: 1	Type of delivery confirmation.	Valid values: 1 - Delivery Confirmation 2 - Delivery Confirmation Signature Required 3 - Delivery Confirmation Adult Signature Required
/RateRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD			
AccessPointCOD	Required: No Type: Container Max Allowed: 1 Length: N/A	Access Point COD indicates Package COD is requested for a shipment.	Valid only for : 01 - Hold For Pickup At UPS Access Point, Shipment Indication type. Package Access Point COD is valid only for shipment without return service from US/PR to US/PR and CA to CA. Not valid with (Package) COD.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Access Point COD Currency Code.	Required if Access Point COD container is present. UPS does not support all international currency codes. Refer to the appendix for a list of valid codes.
/RateRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8	Access Point COD Monetary Value.	Required if Access Point COD container is present.
/RateRequest/Shipment/Package/PackageServiceOptions/COD			
COD	Required: No Type: Container Max Allowed: 1 Length: N/A	COD Container. Indicates COD is requested.	Valid for the following country combinations: US/PR to US/PR CA to CA CA to US Not allowed for CA to US for packages that are designated as Letters or Envelopes.
/RateRequest/Shipment/Package/PackageServiceOptions/COD/CODFundsCode			
CODFundsCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	Indicates the type of funds that can be used for the C.O.D. payment.	For valid values, refer to COD Supported Countries in the Appendix.
/RateRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount			
CODAmount	Required: Yes* Container Max Allowed: 1 Length: N/A	CODAmount Container.	N/A
/RateRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Currency Code.	Required if a value for the COD amount exists in the MonetaryValue tag. Must match one of the IATA currency codes. UPS does not support all international currency codes. Refer to the appendix for a list of valid codes.
/RateRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8	The COD value for the package.	Required if COD option is present. The maximum amount allowed is 50,000 USD.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageServiceOptions/DeclaredValue			
DeclaredValue	Required: No Type: Container Max Allowed: 1 Length: N/A	Declared Value Container.	N/A
/RateRequest/Shipment/Package/PackageServiceOptions/DeclaredValue/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the declared value amount for the package.	Required if a value for the package declared value amount exists in the MonetaryValue tag. Must match one of the IATA currency codes. Length is not validated. UPS does not support all international currency codes. Refer to the appendix for a list of valid codes.
/RateRequest/Shipment/Package/PackageServiceOptions/DeclaredValue/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8	The monetary value for the declared value amount associated with the package.	Max value of 5,000 USD for Local and 50,000 USD for Remote. Absolute maximum value is 21474836.47
/RateRequest/Shipment/Package/PackageServiceOptions/ShipperDeclaredValue			
ShipperDeclaredValue	Required: No Type: Container Max Allowed: 1 Length: N/A	Shipper Paid Declared Value Charge at Package level.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/ShipperDeclaredValue/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the amount for the package.	UPS does not support all international currency codes. Refer to the appendix for a list of valid codes.
/RateRequest/Shipment/Package/PackageServiceOptions/ShipperDeclaredValue/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	The monetary value for the amount associated with the package.	

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageServiceOptions/ProactiveIndicator			
ProactiveIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Any value associated with this element will be ignored. If present, the package is rated for proactive package tracking. Contractual accessorial for health care companies to allow package monitoring throughout the UPS system.	Valid only for UPS Worldwide Express.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance			
Insurance	Required: No Type: Container Max Allowed: 1 Length: N/A	Insurance Accessorial. Only one type of insurance can exist at a time on the shipment.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/BasicFlexibleParcelIndicator			
BasicFlexibleParcelIndicator	Required: No Type: Container Max Allowed: 1 Length: N/A	Container to hold Basic Flexible Parcel Indicator information.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/BasicFlexibleParcelIndicator/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the amount for the package.	UPS does not support all international currency codes. Refer to the appendix for a list of valid codes. Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/BasicFlexibleParcelIndicator/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8.2	The monetary value associated with the package.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/ExtendedFlexibleParcelIndicator			
ExtendedFlexibleParcelIndicator	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for Extended Flexible Parcel Indicator	Valid for UPS World Wide Express Freight shipments.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/ExtendedFlexibleParcelIndicator/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the amount for the package.	UPS does not support all international currency codes. Refer to the appendix for a list of valid codes. Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/ExtendedFlexibleParcelIndicator/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8	The monetary value associated with the package.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/TimeInTransitFlexibleParcelIndicator			
TimeInTransitFlexibleParcelIndicator	Required: No Type: Container Max Allowed: 1 Length: N/A	Container to hold Time In Transit Flexible Parcel Indicator information.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/TimeInTransitFlexibleParcelIndicator/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the amount for the package.	UPS does not support all international currency codes. Valid for UPS World Wide Express Freight shipments Refer to Currency Codes in the Appendix for valid values.
/RateRequest/Shipment/Package/PackageServiceOptions/Insurance/TimeInTransitFlexibleParcelIndicator/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8	The monetary value associated with the package.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmationIndicator			
VerbalConfirmationIndicator	Required: No Type: String Max Allowed: 1 Length: 0	A flag indicating if the packages require Verbal Confirmation. True if VerbalConfirmationIndicator tag exists; false otherwise.	Empty Tag.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageServiceOptions/UPSPremiumCareIndicator			
UPSPremiumCareIndicator	Required: No Type: String Max Allowed: 1 Length: 0	A UPSPremiumCareIndicator indicates special handling is required for shipment having controlled substances.	<p>Empty Tag means indicator is present.</p> <p>Valid only for Canada to Canada movements.</p> <p>Available for the following Return Services:</p> <ul style="list-style-type: none"> • Returns Exchange (available with a contract) • Print Return Label • Print and Mail • Electronic Return Label • Return Service Three Attempt <p>May be requested with following UPS services:</p> <ul style="list-style-type: none"> • UPS Express Early • UPS Express • UPS Express Saver • UPS Standard <p>Not available for packages with the following:</p> <ul style="list-style-type: none"> • Delivery Confirmation - Signature Required • Delivery Confirmation - Adult Signature Required
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce			
DryIce	Required: No Type: Container Max Allowed: 1 Length: N/A	Container to hold Dry Ice information.	
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/RegulationSet			
RegulationSet	Required: Yes* Type: String Max Allowed: 1 Length: 3...4	<p>Regulation set for DryIce Shipment. Valid values:</p> <p>CFR = For HazMat regulated by US Dept of Transportation within the U.S. or ground shipments to Canada</p> <p>IATA = For Worldwide Air movement</p>	The following values are valid: CFR, IATA.

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight			
DryIceWeight	Required: Yes* Container Max Allowed: 1 Length: N/A	Container for Weight information for Dry Ice.	
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Container Max Allowed: 1 Length: N/A	Container for Unit Of Measurement for Dry Ice.	
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	DryIce weight unit of measurement code. Valid values: 00 = KG (Metric Unit of Measurements) or KGS 01 = LB (English Unit of Measurements) or LBS	The following values are valid : 00 , 01
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...20	Text Description of the code representing the unit of measure associated with the package.	
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/Weight			
Weight	Required: Yes* Type: String Max Allowed: 1 Length: 1...5	Weight for Dry Ice.	Cannot be more than package weight. Should be more than 0.0. Valid characters are 0-9 and "." (Decimal point). Limit to 1 digit after the decimal. The maximum length of the field is 5 including "." and can hold up to 1 decimal place.
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/MedicalUseIndicator			
MedicalUseIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. Relevant only in CFR regulation set. If present it is used to designate the Dry Ice is for any medical use and rates are adjusted for DryIce weight more than 2.5 KGS or 5.5 LBS.	

Name	Constraint	Description	Validation
/RateRequest/Shipment/Package/PackageServiceOptions/DryIce/AuditRequired			
AuditRequired	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. Indicates a Dry Ice audit will be performed per the Regulation Set requirements. Empty tag means indicator is present.	
/RateRequest/Shipment/Package/AdditionalHandlingIndicator			
AdditionalHandlingIndicator	Required: No Type: String Max Allowed: 1 Length: 0	A flag indicating if the packages require additional handling. True if AdditionalHandlingIndicator tag exists; false otherwise.	Empty Tag.

ShipFrom

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipFrom			
ShipFrom	Required: No Type: Container Max Allowed: 1 Length: N/A	Ship From Container.	N/A
/RateRequest/Shipment/ShipFrom/Name			
Name	Required: No Type: String Max Allowed: 1 Length: 1...35	Origin attention Name or company Name.	Length is not validated.
/RateRequest/Shipment/ShipFrom/Address			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Address container for Ship From.	Address Container
/RateRequest/Shipment/ShipFrom/Address/AddressLine			
AddressLine	Required: No Type: String Max Allowed: 3 Length: 1...35	The origin street address including Name and number (when applicable).	Max Occurrence can be 3. Length is not validated.
/RateRequest/Shipment/ShipFrom/Address/City			
City	Required: Cond Type: String Max Allowed: 1 Length: 1...30	Origin city.	Required if country does not utilize postal codes. Length is not validated.

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipFrom/Address/StateProvinceCode			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 2	Origin state code.	A StateProvinceCode and valid account number are required when requesting negotiated rates. Otherwise the StateProvinceCode is optional. If the TaxInformationIndicator flag is present in the request, a StateProvinceCode must be entered for tax charges to be accurately calculated in the response.
/RateRequest/Shipment/ShipFrom/Address/PostalCode			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...9	Origin postal code.	Required if country utilizes postal codes (e.g. US and PR).
/RateRequest/Shipment/ShipFrom/Address/CountryCode			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Origin Country code. Refer to the Supported Country Tables located in the Appendix.	Required, but defaults to US.

ShipmentServiceOptions

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentServiceOptions			
ShipmentServiceOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	Shipment level Accessorials are included in this container.	N/A
/RateRequest/Shipment/ShipmentServiceOptions/SaturdayPickupIndicator			
SaturdayPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	A flag indicating if the shipment requires a Saturday pickup. True if SaturdayPickupIndicator tag exists; false otherwise. Not available for GFP rating requests.	Empty Tag.
/RateRequest/Shipment/ShipmentServiceOptions/SaturdayDeliveryIndicator			
SaturdayDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	A flag indicating if a shipment must be delivered on a Saturday. True if SaturdayDeliveryIndicator tag exists; false otherwise	Empty Tag.

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentServiceOptions/AccessPointCOD			
AccessPointCOD	Required: No Type: Container Max Allowed: 1 Length: N/A	Access Point COD indicates Shipment level Access Point COD is requested for a shipment.	Valid only for "01 - Hold For Pickup At UPS Access Point" Shipment Indication type. Shipment Access Point COD is valid only for countries within E.U. Not valid with (Shipment) COD. Not available to shipment with return service.
/RateRequest/Shipment/ShipmentServiceOptions/AccessPointCOD/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Access Point COD Currency Code.	Required if Access Point COD container is present. UPS does not support all international currency codes. Refer to the appendix for a list of valid codes.
/RateRequest/Shipment/ShipmentServiceOptions/AccessPointCOD/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8...2	Access Point COD Monetary Value.	Required if Access Point COD container is present.
/RateRequest/Shipment/ShipmentServiceOptions/DeliverToAddresseeOnlyIndicator			
DeliverToAddresseeOnlyIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. DeliverToAddresseeOnlyIndicator or is shipper specified restriction that requires the addressee to be the one who takes final delivery of the "Hold For Pickup at UPS Access Point" package. Presence of indicator means shipper restriction will apply to the shipment.	Only valid for Shipment Indication type "01 - Hold For Pickup at UPS Access Point".
/RateRequest/Shipment/ShipmentServiceOptions/DirectDeliveryOnlyIndicator			
DirectDeliveryOnlyIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. Direct Delivery Only (DDO) accessorial in a request would ensure that delivery is made only to the Ship To address on the shipping label.	This accessorial is not valid with: Shipment Indication Type "01 - Hold For Pickup At UPS Access Point" "02 - UPS Access Point™ Delivery".

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentServiceOptions/COD			
COD	Required: No Type: Container Max Allowed: 1 Length: N/A	If present, indicates C.O.D. is requested for the shipment.	Shipment level C.O.D. is only available for EU origin countries. C.O.D. shipments are only available for Shippers with Daily Pickup and Drop Shipping accounts.
/RateRequest/Shipment/ShipmentServiceOptions/COD/CODFundsCode			
CODFundsCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	Indicates the type of funds that can be used for the C.O.D. payment.	For valid values, refer to COD Supported Countries in the Appendix.
/RateRequest/Shipment/ShipmentServiceOptions/COD/CODAmount			
CODAmount	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	CODAmount Container.	UPS does not support all international currency codes. Refer to the appendix for a list of valid codes.
/RateRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	COD amount currency code type.	N/A
/RateRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 8	COD Amount.	
/RateRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation			
DeliveryConfirmation	Required: No Type: Container Max Allowed: 1 Length: N/A	Delivery Confirmation Container.	DeliveryConfirmation and C.O.D. are mutually exclusive. Refer to the Appendix for a list of valid origin-destination country pairs associated with each confirmation type.

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation/DCISType			
DCISType	Required: Yes* Type: String Max Allowed: 1 Length: 1	Type of delivery confirmation.	Valid values: 1 - Delivery Confirmation Signature Required 2 - Delivery Confirmation Adult Signature Required.
/RateRequest/Shipment/ShipmentServiceOptions/ReturnOfDocumentIndicator			
ReturnOfDocumentIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Return of Documents Indicator - If the flag is present, the shipper has requested the ReturnOfDocument accessorial be added to the shipment	Valid for Poland to Poland shipment.
/RateRequest/Shipment/ShipmentServiceOptions/UPScarbonneutralIndicator			
UPScarbonneutralIndicator	Required: No Type: String Max Allowed: 1 Length: 0	UPS carbon neutral indicator. Indicates the shipment will be rated as carbon neutral.	
/RateRequest/Shipment/ShipmentServiceOptions/CertificateOfOriginIndicator			
CertificateOfOriginIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The empty tag in request indicates that customer would be using UPS prepared SED form.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/PickupOptions			
PickupOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	Shipment Service Pickup Options Container.	Valid for UPS Worldwide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/PickupOptions/LiftGateAtPickupIndicator			
LiftGateAtPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag LiftGatePickupRequiredIndicator indicates that the shipment requires a lift gate for pickup.	
/RateRequest/Shipment/ShipmentServiceOptions/PickupOptions/HoldForPickupIndicator			
HoldForPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag HoldForPickupIndicator indicates that the user opted to hold the shipment at UPS location for pickup.	
/RateRequest/Shipment/ShipmentServiceOptions/DeliveryOptions			
DeliveryOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	Shipment Service Delivery Options Container.	Valid for UPS Worldwide Express Freight shipments.

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentServiceOptions/DeliveryOptions/LiftGateAtDeliveryIndicator			
LiftGateAtDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag LiftGateAtDeliveryIndicator indicates that the shipment requires a lift gate for delivery.	
/RateRequest/Shipment/ShipmentServiceOptions/DeliveryOptions/DropOffAtUPSFacilityIndicator			
DropOffAtUPSFacilityIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag DropOffAtUPSFacilityIndicator indicates the package will be dropped at a UPS facility for shipment.	
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles			
RestrictedArticles	Required: No Type: Container Max Allowed: 1 Length: N/A	Restricted Articles container.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/AlcoholicBeveragesIndicator			
AlcoholicBeveragesIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the package has Alcohol. True if present; false otherwise.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/DiagnosticSpecimensIndicator			
DiagnosticSpecimensIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the package has Biological substances. True if present; false otherwise.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/PerishablesIndicator			
PerishablesIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the package has Perishables. True if present; false otherwise.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/PlantsIndicator			
PlantsIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the package has Plants. True if present; false otherwise.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/SeedsIndicator			
SeedsIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the package has Seeds. True if present; false otherwise.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/SpecialExceptionsIndicator			
SpecialExceptionsIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the package has Special Exceptions Restricted Materials. True if present; false otherwise.	Valid for UPS World Wide Express Freight shipments.

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentServiceOptions/RestrictedArticles/TobaccoIndicator			
TobaccoIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the package has Tobacco. True if present; false otherwise.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/ShipperExportDeclarationIndicator			
ShipperExportDeclarationIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The empty tag in request indicates that customer would be using UPS prepared SED form.	Valid for UPS World Wide Express Freight shipments.
/RateRequest/Shipment/ShipmentServiceOptions/CommercialInvoiceRemovalIndicator			
CommercialInvoiceRemovalIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. CommercialInvoiceRemovalIndicator - empty tag means indicator is present. CommercialInvoiceRemovalIndicator allows a shipper to dictate that UPS remove the Commercial Invoice from the user's shipment before the shipment is delivered to the ultimate consignee.	
/RateRequest/Shipment/ShipmentServiceOptions/ImportControl			
ImportControl	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for type of Import Control shipments.	
/RateRequest/Shipment/ShipmentServiceOptions/ImportControl/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code for type of Import Control shipment. Valid values: <ul style="list-style-type: none"> • '01' = ImportControl Print and Mail • '02' = ImportControl One-Attempt, • '04' = ImportControl Electronic Label • '05' = ImportControl Print Label. 	
/RateRequest/Shipment/ShipmentServiceOptions/ImportControl/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Text Description of the code representing the Import Control associated with the shipment.	

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentServiceOptions/ReturnService			
ReturnService	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for type of Return Services.	
/RateRequest/Shipment/ShipmentServiceOptions/ReturnService/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1...2	Code for type of Return shipment. Valid values: <ul style="list-style-type: none"> • 2 = UPS Print and Mail Return Label • 3 = UPS One-Attempt Return Label • 8 = UPS Electronic Return Label • 9 = UPS Print Return Label • 10 = UPS Exchange Print Return Label • 5 = UPS Three Attempt Return Label 	10 = UPS Exchange Print Return Label and 5 = UPS Three Attempt Return Label are not valid for UPS WorldWide Express Freight Services. 3 = UPS One-Attempt Return Label is not valid return service with UPS Premium Care accessorial.
/RateRequest/Shipment/ShipmentServiceOptions/ReturnService/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description for type of Return Service.	
/RateRequest/Shipment/ShipmentServiceOptions/SDLShipmentIndicator			
SDLShipmentIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Empty Tag means the indicator is present. This field is a flag to indicate if the receiver needs SDL rates in response. True if SDLShipmentIndicator tag exists; false otherwise.	If present, the State Department License (SDL) rates will be returned in the response. This service requires that the account number is enabled for SDL.
/RateRequest/Shipment/ShipmentServiceOptions/EPRAIndicator			
EPRAIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. This field is a flag to indicate Package Release Code is requested for shipment. This accessorial is only valid with ShipmentIndicationType '01' - Hold for Pickup at UPS Access Point™.	

ShipmentRatingOptions

Name	Constraint	Description	Validation
/RateRequest/Shipment/ShipmentRatingOptions			
ShipmentRatingOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	Shipment Rating Options container.	N/A
/RateRequest/Shipment/ShipmentRatingOptions/NegotiatedRatesIndicator			
NegotiatedRatesIndicator	Required: Cond Type: String Max Allowed: 1 Length: 0	<p>Required to display two types of discounts:</p> <p>1) Bids or Account Based Rates and</p> <p>2) Web/Promotional Discounts Bids.</p> <p>Account Based Rates:</p> <p>If the indicator is present, the Shipper is authorized, and the Rating API XML Request is configured to return Negotiated Rates, then Negotiated Rates should be returned in the response.</p> <p>Web/Promotional Discounts:</p> <p>If the indicator is present, the Shipper is authorized for Web/Promotional Discounts then Negotiated Rates should be returned in the response.</p>	
/RateRequest/Shipment/ShipmentRatingOptions/FRSShipmentIndicator			
FRSShipmentIndicator	Required: Cond Type: String Max Allowed: 1 Length: 0	FRS Indicator. The indicator is required to obtain rates for UPS Ground Freight Pricing (GFP).	The account number must be enabled for GFP.

InvoiceLineTotal

Name	Constraint	Description	Validation
/RateRequest/Shipment/InvoiceLineTotal			
InvoiceLineTotal	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container to hold InvoiceLineTotal Information.	Required if the shipment is from US/PR Outbound to non US/PR destination with the PackagingType of UPS PAK(04).

Name	Constraint	Description	Validation
/RateRequest/Shipment/InvoiceLineTotal/CurrencyCode			
CurrencyCode	Required: No Type: String Max Allowed: 1 Length: 3	Invoice Line Total Currency type. Defaults to the rating currency used in the shipper's country. If entered, the Currency code should match the origin country's currency code, otherwise the currency code entered will be ignored.	Note: UPS doesn't support all international currency codes. Please check the developer guides for Supported Currency codes.
/RateRequest/Shipment/InvoiceLineTotal/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Total amount of the invoice accompanying the shipment. Required when the InvoiceLineTotal container exists in the rate request.	Valid values are from 1 to 99999999.

RatingMethodRequestIndicator


Name	Constraint	Description	Validation
/RateRequest/Shipment/RatingMethodRequestedIndicator			
RatingMethodRequestedIndicator	Required: No Type: String Max Allowed: 1 Length: 0	<p>Presence/Absence Indicator. Any value inside is ignored.</p> <p>RatingMethodRequestedIndicator is an indicator.</p> <p>If present, Billable Weight Calculation method and Rating Method information would be returned in response.</p>	

TaxInformation Indicator

Name	Constraint	Description	Validation
/RateRequest/Shipment/TaxInformationIndicator			
TaxInformationIndicator	Required: No Type: String Max Allowed: 1 Length: 0	<p>Presence/Absence Indicator. Any value inside is ignored.</p> <p>TaxInformationIndicator is an indicator.</p> <p>If present, any taxes that may be applicable to a shipment would be returned in response.</p> <p>If this indicator is requested with NegotiatedRatesIndicator, Tax related information, if applicable, would be returned only for Negotiated Rates and not for Published Rates.</p> <p>The Tax related information includes any type of Taxes, corresponding Monetary Values, Total Charges with Taxes and disclaimers (if applicable) would be returned in response.</p>	

RateResponse Top Level Containers

The diagram below shows the top-level containers and elements that may be returned in a rating response. In practice, each response will vary based on the requested service, service options, and accessories.



RateResponse XPath Tables

Note: Not all containers/elements are reflected separately in the table of contents.

Name	Constraint	Description	Validation
/RateResponse			
RateResponse	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Rate Response Container.	

Response

Name	Constraint	Description	Validation
/RateResponse/Response			
Response	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Response Container.	

ResponseStatus

Name	Constraint	Description	Validation
/RateResponse/Response/ResponseStatus			
ResponseStatus	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Response Status Container.	
/RateResponse/Response/ResponseStatus/Code			
Code	Required: Yes Type: String Max Allowed: 1 Length: 1	Identifies the success or failure of the transaction.	1 = Successful
/RateResponse/Response/ResponseStatus/Description			
Description	Required: Yes Type: String Max Allowed: 1 Length: 1...35	Describes Response Status Code. Returns text of "Success" for a valid request.	

Alert

Name	Constraint	Description	Validation
/RateResponse/Response/Alert			
Alert	Required: No Type: Container Max Allowed: UNB Length: N/A	Alert container. There can be zero to many alert containers with code and Description.	

Name	Constraint	Description	Validation
/RateResponse/Response/Alert/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1...10	Warning code returned by the system.	
/RateResponse/Response/Alert/Description			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...150	Warning messages returned by the system.	

TransactionReference

Name	Constraint	Description	Validation
/RateResponse/Response/TransactionReference			
TransactionReference	Required: No Type: Container Max Allowed: 1 Length: N/A	Transaction Reference Container.	
/RateResponse/Response/TransactionReference/CustomerContext			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1...512	The CustomerContext Information which will be echoed during response.	

RatedShipment

Name	Constraint	Description	Validation
/RateResponse/RatedShipment			
RatedShipment	Required: Yes Type: Container Max Allowed: 1 Length: N/A	RatedShipment Container.	

Disclaimer

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/Disclaimer			
Disclaimer	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Disclaimer is used to provide more information to the shipper regarding the processed shipment. It is used to notify the shipper about possible taxes and duties that might have been added or might apply to the shipment. Refer to Disclaimer Codes and Messages in the Appendix for valid values. This field may be returned only if TaxInformationIndicator is present in the request.	
/RateResponse/RatedShipment/Disclaimer/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code representing type of Disclaimer. Refer to Disclaimer Codes and Messages in the Appendix for valid values.	
/RateResponse/RatedShipment/Disclaimer/Description			
Description	Required: Yes* Type: String Max Allowed: 1 Length: Unbounded	Disclaimer Description. Refer to Disclaimer Codes and Messages in the Appendix for valid values.	

Service

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/Service			
Service	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Service Container.	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/Service/Code			
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The UPS service code.	
/RateResponse/RatedShipment/Service/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	The UPS service Description.	

RateChart

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/RateChart			
RateChart	Required: No Type: String Max Allowed: 1 Length: 1	<p>Rate Type with which Shipment is rated.</p> <p>Possible RateChart values for different regions will be:</p> <p>US 48 origin:</p> <ul style="list-style-type: none"> • 1 – Daily Rates • 3 – Standard List Rates • 4 – Retail Rates <p>Alaska/Hawaii origin:</p> <ul style="list-style-type: none"> • 1 – Daily Rates • 3 – Standard List Rates • 4 – Retail Rates <p>All Other origins:</p> <ul style="list-style-type: none"> • 1 – Rates • 5 - Regional Rates • 6 - General List Rates • 3 and 4 do not apply 	

RatedShipmentAlert

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/RatedShipmentAlert			
RatedShipmentAlert	Required: No Type: Container Max Allowed: UNB Length: N/A	Rated Shipment Alert container. There can be zero to many RatedShipmentAlert containers with code and Description.	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/RatedShipmentAlert/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1...10	The rated shipments warning code returned by the system.	
/RateResponse/RatedShipment/RatedShipmentAlert/Description			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...150	The rated shipment warning Description returned by the system.	

BillableWeightCalculationMethod

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/BillableWeightCalculationMethod			
BillableWeightCalculationMethod	Required: Cond Type: String Max Allowed: 1 Length: 2	Indicates whether the billable weight calculation method is utilized at the package or shipment level. This information will be returned only if RatingMethodRequestedIndicator is present in the request.	Possible values: 01 = Shipment Billable Weight 02 = Package Billable Weight.

RatingMethod

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/RatingMethod			
RatingMethod	Required: Cond Type: String Max Allowed: 1 Length: 2	Indicates whether the Shipment was rated at the shipment-level or the package-level. This information will be returned only if RatingMethodRequestedIndicator is present in the request.	Possible values: 01 = Shipment level 02 = Package level

BillingWeight

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/BillingWeight			
BillingWeight	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Billing Weight Container.	
/RateResponse/RatedShipment/BillingWeight/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Unit Of Measurement Container.	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/BillingWeight/UnitOfMeasurement/Code			
Code	Required: Yes Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the billable weight of a shipment. Possible values are KGS or LBS.	
/RateResponse/RatedShipment/BillingWeight/UnitOfMeasurement/Description			
Description	Required: Yes Type: String Max Allowed: 1 Length: 1...35	The Description for the billable weight associated with the shipment.	
/RateResponse/RatedShipment/BillingWeight/Weight			
Weight	Required: Yes Type: String Max Allowed: 1 Length: 5	The value for the billable weight associated with the shipment.	

TransportationCharges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/TransportationCharges			
TransportationCharges	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Transportation Charges Container.	
/RateResponse/RatedShipment/TransportationCharges/CurrencyCode			
CurrencyCode	Required: Yes Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the transportation costs for the shipment.	
/RateResponse/RatedShipment/TransportationCharges/MonetaryValue			
MonetaryValue	Required: Yes Type: String Max Allowed: 1 Length: 16	The value for the transportation costs associated with the shipment.	

Itemized Charges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/ItemizedCharges			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'.	
/RateResponse/RatedShipment/ItemizedCharges/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/ItemizedCharges/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been charged.	
/RateResponse/RatedShipment/ItemizedCharges/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the Itemized Charge costs for the shipment.	
/RateResponse/RatedShipment/ItemizedCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for Itemized Charge costs associated with the shipment.	
/RateResponse/RatedShipment/ItemizedCharges/SubType			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of Itemized Charge type.	

FRSShipmentData

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/FRSShipmentData			
FRSShipmentData	Required: Cond Type: Container Max Allowed: 1 Length: N/A	FRSShipmentData container.	Only returned when the FRSShipmentIndicator is used. UPS Ground Freight Pricing Only.
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges			
TransportationCharges	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Transportation Charges Container	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/GrossCharge			
GrossCharge	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Gross Transportation Charges Container	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/GrossCharge/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the transportation costs for the shipment.	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/GrossCharge/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Total charges Monetary value. Valid values are from 0 to 9999999999999999.99	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/DiscountAmount			
DiscountAmount	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Discount Container	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/DiscountAmount/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the transportation costs for the shipment.	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/DiscountAmount/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Total charges Monetary value. Valid values are from 0 to 9999999999999999.99	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/DiscountPercentage			
DiscountPercentage	Required: Yes* Type: String Max Allowed: 1 Length: 2	Discount Percentage	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/NetCharge			
NetCharge	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Net Transportation Rate Container	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/NetCharge/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the transportation costs for the shipment.	
/RateResponse/RatedShipment/FRSShipmentData/TransportationCharges/NetCharge/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Total charges Monetary value. Valid values are from 0 to 9999999999999999.99	

FreightDensityRate

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/FRSShipmentData/FreightDensityRate			
FreightDensityRate	Required: No Type: Container Max Allowed: 1 Length: N/A	FreightDensityRate container for Density based rating.	
/RateResponse/RatedShipment/FRSShipmentData/FreightDensityRate/Density			
Density	Required: Yes* Type: String Max Allowed: 1 Length: 1...5	Density is returned if the Shipper is eligible for Density based rate. Valid values are 0 to 999.9	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/FRSShipmentData/FreightDensityRate/TotalCubicFeet			
TotalCubicFeet	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	TotalCubic feet is returned if the Shipper is eligible for Density based rate. Valid values are 0 to 99999.999	

HandlingUnits

Name	Constraints	Description	Validation
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits			
HandlingUnits	Required: No Type: Container Max Allowed: 50 Length: N/A	Handling Unit for Density based rating container.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Quantity			
Quantity	Required: Yes* Type: String Max Allowed: 1 Length: 8	Handling Unit Quantity for Density based rating.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Type			
Type	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Handling Unit Type for Density based rating.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Type/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	The code associated with Handling Unit Type.	Valid values: SKD = Skid CBY = Carboy PLT = Pallet TOT = Totes LOO = Loose OTH = Other
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Type/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	A description of the code for the Handling Unit type.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Dimensions			
Dimensions	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Dimension of the HandlingUnit container for density based pricing.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Dimensions/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	UnitOfMeasurement container.	

Name	Constraints	Description	Validation
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Dimensions/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code for UnitOfMeasurement for the line item dimension. Valid value: IN = Inches	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Dimensions/UnitOfMeasurement/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description for UnitOfMeasurement for the line item dimension.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Dimensions/Length			
Length	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	The length of the line item used to determine dimensional weight.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Dimensions/Width			
Width	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	The width of the line item used to determine dimensional weight.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/Dimensions/Height			
Height	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	The height of the line item used to determine dimensional weight.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/AdjustedHeight			
AdjustedHeight	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container to hold Adjusted Height information.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/AdjustedHeight/Value			
Value	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Adjusted Height value for the handling unit.	Adjusted Height is done only when Handling unit type is SKD = Skid or PLT = Pallet..
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/AdjustedHeight/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Unit of Measurement container for the Adjusted height.	
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/AdjustedHeight/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code associated with Unit of Measurement for the Adjusted height.	

Name	Constraints	Description	Validation
/RateResponse/RatedShipment/FRSShipmentData/HandlingUnits/AdjustedHeight/UnitOfMeasurement/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description for Code associated with Unit of Measurement for the Adjusted height.	

ServiceOptionsCharges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/ServiceOptionsCharges			
ServiceOptionsCharges	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Service Options Charges Container.	
/RateResponse/RatedShipment/ServiceOptionsCharges/CurrencyCode			
CurrencyCode	Required: Yes Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the accessorial charges for the shipment.	
/RateResponse/RatedShipment/ServiceOptionsCharges/MonetaryValue			
MonetaryValue	Required: Yes Type: String Max Allowed: 1 Length: 16	The value for the accessorial charges associated with the shipment.	

TaxCharges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/TaxCharges			
TaxCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	TaxCharges container are returned only when TaxInformationIndicator is present in request and when Negotiated Rates are not applicable. TaxCharges container contains Tax information for a given shipment.	
/RateResponse/RatedShipment/TaxCharges/Type			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	Tax Type code. The code represents the type of Tax applied to a shipment. Refer to Tax Type Values / Abbreviations in the Appendix for valid values.	
/RateResponse/RatedShipment/TaxCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	Tax Monetary Value represent the Tax amount.	Valid values are from 0 to 99999999999999.99

TotalCharges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/TotalCharges			
TotalCharges	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Total Charges Container.	
/RateResponse/RatedShipment/TotalCharges/CurrencyCode			
CurrencyCode	Required: Yes Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the total charges for the shipment.	
/RateResponse/RatedShipment/TotalCharges/MonetaryValue			
MonetaryValue	Required: Yes Type: String Max Allowed: 1 Length: 16	The value for the total charges associated with the shipment.	

TotalChargesWithTaxes

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/TotalChargesWithTaxes			
TotalChargesWithTaxes	Required: Cond Type: Container Max Allowed: 1 Length: N/A	TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in request and when Negotiated Rates are not applicable. TotalChargesWithTaxes contains total charges including total taxes applied to a shipment.	
/RateResponse/RatedShipment/TotalChargesWithTaxes/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	TotalChargesWithTaxes currency code type. The currency code used in the Shipment request is returned.	
/RateResponse/RatedShipment/TotalChargesWithTaxes/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	TotalChargesWithTaxes monetary value amount.	Valid values are from 0 to 99999999999999.99

NegotiatedRateCharges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/NegotiatedRateCharges			
NegotiatedRateCharges	Required: No Type: Container Max Allowed: 1 Length: N/A	Negotiated Rate Charges Container.	For tiered rates and promotional discounts, if a particular shipment based on zone, origin, destination or even shipment size doesn't qualify for the existing discount then no negotiated rates container will be returned. Published rates will be the applicable rate.

ItemizedCharges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/NegotiatedRateCharges/ItemizedCharges			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'.	
/RateResponse/RatedShipment/NegotiatedRateCharges/ItemizedCharges/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
/RateResponse/RatedShipment/NegotiatedRateCharges/ItemizedCharges/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been charged.	
/RateResponse/RatedShipment/NegotiatedRateCharges/ItemizedCharges/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the Itemized Charge costs for the shipment.	
/RateResponse/RatedShipment/NegotiatedRateCharges/ItemizedCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for Itemized Charge costs associated with the shipment.	
/RateResponse/RatedShipment/NegotiatedRateCharges/ItemizedCharges/SubType			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of Itemized Charge type.	

TaxCharges

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/NegotiatedRateCharges/TaxCharges			
TaxCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	TaxCharges container are returned only when TaxInformationIndicator is present in request. TaxCharges container contains Tax information for a given shipment.	
/RateResponse/RatedShipment/NegotiatedRateCharges/TaxCharges/Type			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	Tax Type code. The code represents the type of Tax applied to a shipment. Refer to Tax Type Values / Abbreviations in the Appendix for valid values.	
/RateResponse/RatedShipment/NegotiatedRateCharges/TaxCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	Tax Monetary Value represent the Tax amount.	Valid values are from 0 to 99999999999999.99

TotalCharge

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/NegotiatedRateCharges/TotalCharge			
TotalCharge	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Total Charges Container.	
/RateResponse/RatedShipment/NegotiatedRateCharges/TotalCharge/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the Negotiated Rate total charges for the shipment.	
/RateResponse/RatedShipment/NegotiatedRateCharges/TotalCharge/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for the Negotiated Rate total charges associated with the shipment.	

TotalChargesWithTaxes

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/NegotiatedRateCharges/TotalChargesWithTaxes			
TotalChargesWithTaxes	Required: Cond Type: Container Max Allowed: 1 Length: N/A	TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in request. TotalChargesWithTaxes contains total charges including total taxes applied to a shipment.	
/RateResponse/RatedShipment/NegotiatedRateCharges/TotalChargesWithTaxes/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	TotalChargesWithTaxes currency code type. The currency code used in the Shipment request is returned.	
/RateResponse/RatedShipment/NegotiatedRateCharges/TotalChargesWithTaxes/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	TotalChargesWithTaxes monetary value amount.	Valid values are from 0 to 99999999999999.99

GuaranteedDelivery

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/GuaranteedDelivery			
GuaranteedDelivery	Required: No Type: Container Max Allowed: 1 Length: N/A	Guaranteed Delivery Container.	
/RateResponse/RatedShipment/GuaranteedDelivery/BusinessDaysInTransit			
BusinessDaysInTransit	Required: No Type: String Max Allowed: 1 Length: 1...8	The rated shipments guaranteed delivery date. Denotes UPS published guarantee times. (i.e. 3DaySelect = 3)	
/RateResponse/RatedShipment/GuaranteedDelivery/DeliveryByTime			
DeliveryByTime	Required: No Type: String Max Allowed: 1 Length: 1...6	The rated shipments committed delivery time.	

RatedPackage

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/RatedPackage			
RatedPackage	Required: Yes Type: Container Max Allowed: UNB Length: N/A	Rated Package Container.	
/RateResponse/RatedShipment/RatedPackage/TransportationCharges			
TransportationCharges	Required: No Type: Container Max Allowed: 1 Length: N/A	Transportation Charges Container.	
/RateResponse/RatedShipment/RatedPackage/TransportationCharges/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 1...3	The IATA currency code associated with the transportation costs for the package.	
/RateResponse/RatedShipment/RatedPackage/TransportationCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for the transportation costs associated with the package.	
/RateResponse/RatedShipment/RatedPackage/ServiceOptionsCharges			
ServiceOptionsCharges	Required: No Type: Container Max Allowed: 1 Length: N/A	Service Options Charges Container.	
/RateResponse/RatedShipment/RatedPackage/ServiceOptionsCharges/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the accessorial charges for the package.	
/RateResponse/RatedShipment/RatedPackage/ServiceOptionsCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for the accessorial charges associated with the package.	
/RateResponse/RatedShipment/RatedPackage/TotalCharges			
TotalCharges	Required: No Type: Container Max Allowed: 1 Length: N/A	Total Charges Container.	
/RateResponse/RatedShipment/RatedPackage/TotalCharges/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the total charges for the package.	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/RatedPackage/TotalCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for the total charges associated with the package.	
/RateResponse/RatedShipment/RatedPackage/Weight			
Weight	Required: No Type: String Max Allowed: 1 Length: 5	The weight of the package in the rated Package.	
/RateResponse/RatedShipment/RatedPackage/BillingWeight			
BillingWeight	Required: No Type: Container Max Allowed: 1 Length: N/A	Billing Weight Container.	
/RateResponse/RatedShipment/RatedPackage/BillingWeight/UnitOfMeasurement			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Unit Of Measurement Container.	
/RateResponse/RatedShipment/RatedPackage/BillingWeight/UnitOfMeasurement/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	The code associated with the unit of measure for the billable weight of a package.	
/RateResponse/RatedShipment/RatedPackage/BillingWeight/UnitOfMeasurement/Description			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	The Description for the Unit Of Measurement.	
/RateResponse/RatedShipment/RatedPackage/BillingWeight/Weight			
Weight	Required: Yes* Type: String Max Allowed: 1 Length: 5	The value for the billable weight associated with the package.	
/RateResponse/RatedShipment/RatedPackage/Accessorial			
Accessorial	Required: Cond Type: Container Max Allowed: UNB Length: N/A	The container for Accessorial indicators. This information would be returned only if ItemizedChargesRequested was present during Rate request. This is valid only for UPS Worldwide Express Freight Service.	This is valid only for UPS Worldwide Express Freight Service.
/RateResponse/RatedShipment/RatedPackage/Accessorial/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code for Accessorial Indicator.	

Name	Constraint	Description	Validation
/RateResponse/RatedShipment/RatedPackage/Accessorial/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description for Accessorial Indicator.	

ItemizedCharges

Description	Constraints	Description	Validation
/RateResponse/RatedShipment/RatedPackage/ItemizedCharges			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1607'.	These charges would be returned only when subversion is greater than or equal to 1607
/RateResponse/RatedShipment/RatedPackage/ItemizedCharges/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
/RateResponse/RatedShipment/RatedPackage/ItemizedCharges/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been charged.	
/RateResponse/RatedShipment/RatedPackage/ItemizedCharges/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the Itemized Charge costs for the shipment.	
/RateResponse/RatedShipment/RatedPackage/ItemizedCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for Itemized Charge costs associated with the shipment.	
/RateResponse/RatedShipment/RatedPackage/ItemizedCharges/SubType			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of Itemized Charge type.	
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges			
NegotiatedCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Negotiated Rates container.	These charges would be returned only when - 1) subversion is greater than or equal to 1607 2) if negotiated rates were requested for GFP shipments and account number is eligible to receive negotiated rates.

Description	Constraints	Description	Validation
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Negotiated Itemized Accessorial and Sur Charges.	These charges would be returned only when subversion is greater than or equal to 1607

NegotiatedCharges

Description	Constraints	Description	Validation
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges			
NegotiatedCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Negotiated Rates container.	These charges would be returned only when - 1) subversion is greater than or equal to 1607 2) if negotiated rates were requested for GFP shipments and account number is eligible to receive negotiated rates.
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Negotiated Itemized Accessorial and Sur Charges.	These charges would be returned only when subversion is greater than or equal to 1607
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/Code			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/Description			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been charged.	
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the Itemized Charge costs for the shipment.	
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16	The value for Itemized Charge costs associated with the shipment.	
/RateResponse/RatedShipment/RatedPackage/NegotiatedCharges/ItemizedCharges/SubType			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of Itemized Charge type.	

Chapter 5: Rating Web Service Examples

Published Rates RateRequest

```
<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:upss="http://www.ups.com/XMLSchema/XOLTWS/UPSS/v1.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:common="http://www.ups.com/XMLSchema/XOLTWS/Common/v1.0">
  <env:Header>
    <upss:UPSSecurity>
      <upss:UsernameToken>
        <upss:Username>Your User Id</upss:Username>
        <upss:Password>Your Password</upss:Password>
      </upss:UsernameToken>
      <upss:ServiceAccessToken>
        <upss:AccessLicenseNumber>Your Access License</upss:AccessLicenseNumber>
      </upss:ServiceAccessToken>
    </upss:UPSSecurity>
  </env:Header>
  <env:Body>
    <rate:RateRequest xmlns:rate="http://www.ups.com/XMLSchema/XOLTWS/Rate/v1.1"
xmlns:common="http://www.ups.com/XMLSchema/XOLTWS/Common/v1.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
      <common:Request>
        <common:RequestOption>Rate</common:RequestOption>
        <common:TransactionReference>
          <common:CustomerContext>Your Customer Context</common:CustomerContext>
        </common:TransactionReference>
      </common:Request>
      <rate:Shipment>
        <rate:Shipper>
          <rate:Name>Shipper Name</rate:Name>
          <rate:ShipperNumber>Your Shipper Number</rate:ShipperNumber>
          <rate:Address>
            <rate:AddressLine>Address Line</rate:AddressLine>
            <rate:City>City</rate:City>
            <rate:StateProvinceCode>StateProvinceCode</rate:StateProvinceCode>
            <rate:PostalCode>PostalCode</rate:PostalCode>
            <rate:CountryCode>CountryCode</rate:CountryCode>
          </rate:Address>
        </rate:Shipper>
        <rate:ShipTo>
          <rate:Name>Ship To Name</rate:Name>
          <rate:Address>
            <rate:AddressLine>Address Line</rate:AddressLine>
            <rate:City>City</rate:City>
            <rate:StateProvinceCode>StateProvinceCode</rate:StateProvinceCode>
            <rate:PostalCode>PostalCode</rate:PostalCode>
            <rate:CountryCode>CountryCode</rate:CountryCode>
          </rate:Address>
        </rate:ShipTo>
        <rate:ShipFrom>
          <rate:Address>
            <rate:AddressLine>Address Line</rate:AddressLine>
            <rate:City>City</rate:City>
```

```

        <rate:StateProvinceCode>StateProvinceCode</rate:StateProvinceCode>
        <rate:PostalCode>PostalCode</rate:PostalCode>
        <rate:CountryCode>CountryCode</rate:CountryCode>
    </rate:Address>
</rate:ShipFrom>
<rate:Service>
    <rate:Code>03</rate:Code>
    <rate:Description>Service Code</rate:Description>
</rate:Service>
<rate:Package>
    <rate:PackagingType>
        <rate:Code>02</rate:Code>
        <rate:Description>Rate</rate:Description>
    </rate:PackagingType>
    <rate:Dimensions>
        <rate:UnitOfMeasurement>
            <rate:Code>IN</rate:Code>
            <rate:Description>inches</rate:Description>
        </rate:UnitOfMeasurement>
        <rate:Length>5</rate:Length>
        <rate:Width>4</rate:Width>
        <rate:Height>10</rate:Height>
    </rate:Dimensions>
    <rate:PackageWeight>
        <rate:UnitOfMeasurement>
            <rate:Code>LBS</rate:Code>
            <rate:Description>pounds</rate:Description>
        </rate:UnitOfMeasurement>
        <rate:Weight>1</rate:Weight>
    </rate:PackageWeight>
</rate:Package>
</rate:Shipment>
</rate:RateRequest>
</env:Body>
</env:Envelope>

```

Published Rates RateResponse

```

<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
    <soapenv:Header/>
    <soapenv:Body>
        <rate:RateResponse xmlns:rate="http://www.ups.com/XMLSchema/XOLTWS/Rate/v1.1">
            <common:Response
                xmlns:common="http://www.ups.com/XMLSchema/XOLTWS/Common/v1.0">
                <common:ResponseStatus>
                    <common:Code>1</common:Code>
                    <common:Description>Success</common:Description>
                </common:ResponseStatus>
                <common:Alert>
                    <common:Code>110971</common:Code>
                    <common:Description>Your invoice may vary from the displayed reference
                        rates</common:Description>
                </common:Alert>
                <common:TransactionReference>
                    <common:CustomerContext>Your Customer Context</common:CustomerContext>
                </common:TransactionReference>
            </common:Response>
        </rate:RateResponse>
    </soapenv:Body>
</soapenv:Envelope>

```

```

        </common:TransactionReference>
    </common:Response>
    <rate:RatedShipment>
        <rate:Service>
            <rate:Code>03</rate:Code>
            <rate:Description/>
        </rate:Service>
        <rate:RatedShipmentAlert>
            <rate:Code>110971</rate:Code>
            <rate:Description>Your invoice may vary from the displayed reference
            rates</rate:Description>
        </rate:RatedShipmentAlert>
        <rate:BillingWeight>
            <rate:UnitOfMeasurement>
                <rate:Code>LBS</rate:Code>
                <rate:Description>Pounds</rate:Description>
            </rate:UnitOfMeasurement>
            <rate:Weight>2.0</rate:Weight>
        </rate:BillingWeight>
        <rate:TransportationCharges>
            <rate:CurrencyCode>USD</rate:CurrencyCode>
            <rate:MonetaryValue>9.86</rate:MonetaryValue>
        </rate:TransportationCharges>
        <rate:ServiceOptionsCharges>
            <rate:CurrencyCode>USD</rate:CurrencyCode>
            <rate:MonetaryValue>0.00</rate:MonetaryValue>
        </rate:ServiceOptionsCharges>
        <rate:TotalCharges>
            <rate:CurrencyCode>USD</rate:CurrencyCode>
            <rate:MonetaryValue>9.86</rate:MonetaryValue>
        </rate:TotalCharges>
        <rate:RatedPackage>
            <rate:TransportationCharges>
                <rate:CurrencyCode>USD</rate:CurrencyCode>
                <rate:MonetaryValue>9.86</rate:MonetaryValue>
            </rate:TransportationCharges>
            <rate:ServiceOptionsCharges>
                <rate:CurrencyCode>USD</rate:CurrencyCode>
                <rate:MonetaryValue>0.00</rate:MonetaryValue>
            </rate:ServiceOptionsCharges>
            <rate:TotalCharges>
                <rate:CurrencyCode>USD</rate:CurrencyCode>
                <rate:MonetaryValue>9.86</rate:MonetaryValue>
            </rate:TotalCharges>
            <rate:Weight>1.0</rate:Weight>
            <rate:BillingWeight>
                <rate:UnitOfMeasurement>
                    <rate:Code>LBS</rate:Code>
                    <rate:Description>Pounds</rate:Description>
                </rate:UnitOfMeasurement>
                <rate:Weight>2.0</rate:Weight>
            </rate:BillingWeight>
        </rate:RatedPackage>
    </rate:RatedShipment>
</rate:RateResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Negotiated Rates RateRequest

```

<env:Envelope xmlns:env="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:upss="http://www.ups.com/XMLSchema/XOLTWS/UPSS/v1.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:common="http://www.ups.com/XMLSchema/XOLTWS/Common/v1.0">
  <env:Header>
    <upss:UPSSecurity>
      <upss:UsernameToken>
        <upss:Username>Your User Id</upss:Username>
        <upss:Password>Your Password</upss:Password>
      </upss:UsernameToken>
      <upss:ServiceAccessToken>
        <upss:AccessLicenseNumber>Your Access License</upss:AccessLicenseNumber>
        <upss:ServiceAccessToken>
      </upss:ServiceAccessToken>
    </upss:UPSSecurity>
  </env:Header>
  <env:Body>
    <rate:RateRequest xmlns:rate="http://www.ups.com/XMLSchema/XOLTWS/Rate/v1.1"
xmlns:common="http://www.ups.com/XMLSchema/XOLTWS/Common/v1.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
      <common:Request>
        <common:RequestOption>Rate</common:RequestOption>
        <common:TransactionReference>
          <common:CustomerContext>Your Customer Context</common:CustomerContext>
        </common:TransactionReference>
      </common:Request>
      <rate:Shipment>
        <rate:Shipper>
          <rate:Name>Shipper Name</rate:Name>
          <rate:ShipperNumber>Shipper Number</rate:ShipperNumber>
          <rate:Address>
            <rate:AddressLine>Address Line </rate:AddressLine>
            <rate:AddressLine>Address Line </rate:AddressLine>
            <rate:AddressLine>Address Line </rate:AddressLine>
            <rate:City>City</rate:City>
            <rate:StateProvinceCode>State Province Code</rate:StateProvinceCode>
            <rate:PostalCode>Postal Code</rate:PostalCode>
            <rate:CountryCode>US</rate:CountryCode>
          </rate:Address>
        </rate:Shipper>
        <rate:ShipTo>
          <rate:Name>Ship To Name</rate:Name>
          <rate:Address>
            <rate:AddressLine>Address Line </rate:AddressLine>
            <rate:AddressLine>Address Line </rate:AddressLine>
            <rate:AddressLine>Address Line </rate:AddressLine>
            <rate:City>City</rate:City>
            <rate:StateProvinceCode>State Province Code</rate:StateProvinceCode>
            <rate:PostalCode>Postal Code</rate:PostalCode>
            <rate:CountryCode>US</rate:CountryCode>
          </rate:Address>
        </rate:ShipTo>
        <rate:ShipFrom>
          <rate:Name>Ship From Name</rate:Name>
          <rate:Address>

```

```
<rate:AddressLine>Address Line </rate:AddressLine>
<rate:AddressLine>Address Line </rate:AddressLine>
<rate:AddressLine>Address Line </rate:AddressLine>
<rate:City>City</rate:City>
<rate:StateProvinceCode>State Province Code</rate:StateProvinceCode>
<rate:PostalCode>Postal Code</rate:PostalCode>
<rate:CountryCode>US</rate:CountryCode>
</rate:Address>
</rate:ShipFrom>
<rate:Service>
  <rate:Code>03</rate:Code>
  <rate:Description>Service Code Description</rate:Description>
</rate:Service>
<rate:Package>
  <rate:PackagingType>
    <rate:Code>02</rate:Code>
    <rate:Description>Rate</rate:Description>
  </rate:PackagingType>
  <rate:Dimensions>
    <rate:UnitOfMeasurement>
      <rate:Code>IN</rate:Code>
      <rate:Description>inches</rate:Description>
    </rate:UnitOfMeasurement>
    <rate:Length>5</rate:Length>
    <rate:Width>4</rate:Width>
    <rate:Height>3</rate:Height>
  </rate:Dimensions>
  <rate:PackageWeight>
    <rate:UnitOfMeasurement>
      <rate:Code>Lbs</rate:Code>
      <rate:Description>pounds</rate:Description>
    </rate:UnitOfMeasurement>
    <rate:Weight>1</rate:Weight>
  </rate:PackageWeight>
</rate:Package>
<rate:ShipmentRatingOptions>
  <rate:NegotiatedRatesIndicator/>
</rate:ShipmentRatingOptions>
</rate:Shipment>
</rate:RateRequest>
```

Negotiated Rates RateResponse

```

<rate:RateResponse xmlns:rate="http://www.ups.com/XMLSchema/XOLTWS/Rate/v1.1">
  <common:Response xmlns:common="http://www.ups.com/XMLSchema/XOLTWS/Common/v1.0">
    <common:ResponseStatus>
      <common:Code>1</common:Code>
      <common:Description>Success</common:Description>
    </common:ResponseStatus>
    <common:Alert>
      <common:Code>110971</common:Code>
      <common:Description>Your invoice may vary from....</common:Description>
    </common:Alert>
    <common:TransactionReference>
      <common:CustomerContext>YourCustomerContext</common:CustomerContext>
    </common:TransactionReference>
  </common:Response>
  <rate:RatedShipment>
    <rate:Service>
      <rate:Code>03</rate:Code>
      <rate:Description/>
    </rate:Service>
    <rate:RatedShipmentAlert>
      <rate:Code>110971</rate:Code>
      <rate:Description>Your invoice may vary....</rate:Description>
    </rate:RatedShipmentAlert>
    <rate:BillingWeight>
      <rate:UnitOfMeasurement>
        <rate:Code>LBS</rate:Code>
        <rate:Description>Pounds</rate:Description>
      </rate:UnitOfMeasurement>
      <rate:Weight>1.0</rate:Weight>
    </rate:BillingWeight>
    <rate:TransportationCharges>
      <rate:CurrencyCode>USD</rate:CurrencyCode>
      <rate:MonetaryValue>8.60</rate:MonetaryValue>
    </rate:TransportationCharges>
    <rate:ServiceOptionsCharges>
      <rate:CurrencyCode>USD</rate:CurrencyCode>
      <rate:MonetaryValue>0.00</rate:MonetaryValue>
    </rate:ServiceOptionsCharges>
    <rate:TotalCharges>
      <rate:CurrencyCode>USD</rate:CurrencyCode>
      <rate:MonetaryValue>8.60</rate:MonetaryValue>
    </rate:TotalCharges>
    <rate:NegotiatedRateCharges>
      <rate:TotalCharge>
        <rate:CurrencyCode>USD</rate:CurrencyCode>
        <rate:MonetaryValue>7.92</rate:MonetaryValue>
      </rate:TotalCharge>
    </rate:NegotiatedRateCharges>
    <rate:RatedPackage>
      <rate:TransportationCharges>
        <rate:CurrencyCode>USD</rate:CurrencyCode>
        <rate:MonetaryValue>8.60</rate:MonetaryValue>
      </rate:TransportationCharges>
      <rate:ServiceOptionsCharges>
        <rate:CurrencyCode>USD</rate:CurrencyCode>

```

```
        <rate:MonetaryValue>0.00</rate:MonetaryValue>
      </rate:ServiceOptionsCharges>
    <rate:TotalCharges>
      <rate:CurrencyCode>USD</rate:CurrencyCode>
      <rate:MonetaryValue>8.60</rate:MonetaryValue>
    </rate:TotalCharges>
    <rate:Weight>1.0</rate:Weight>
    <rate:BillingWeight>
      <rate:UnitOfMeasurement>
        <rate:Code>LBS</rate:Code>
        <rate:Description>Pounds</rate:Description>
      </rate:UnitOfMeasurement>
      <rate:Weight>1.0</rate:Weight>
    </rate:BillingWeight>
  </rate:RatedPackage>
</rate:RatedShipment>
</rate:RateResponse>
```

Chapter 6: Rating Package API FAQs

Category	Question	Answer
3rd Party Billing	Does the Rating Package API support 3rd Party billing requests?	No, it does not support 3rd Party Billing.
Account Number Limitation	How do I associate more than 99 account numbers with the Shipping/Rating APIs?	Contact your UPS Account Representative for assistance.
Accessorials	What accessorials does the Rating API support?	Refer to the XPath section for a listing of supported accessorials.
Choosing a service	Can a customer compare services for a shipment using the Rating API?	<p>Yes. Use the “Shop” value, instead of the “Rate” value, in the RequestOption element of the ../Request container to retrieve the rates for all services for the stated lane pair. The API response will return a rate for each of the available services. This is known as the Shop option.</p> <p>The Rate option is used to request the rate for a specific UPS service. The service must be defined in the request. The API response will return the rate for the defined lane pairs for that UPS service.</p> <p>If a service is not valid for the defined lane pair, an error response will be returned.</p>
Currencies	Does the Rating API return any currency other than USD? If so, what currencies are supported?	Yes. A list of currencies and currency codes are available in the appendix of this guide. The currency returned in the response is based on the shipper’s country of origin.
Customer Classification Code	Are the rates that a customer gets via the Rating Package API the same as the rates they receive at The UPS Store® locations or UPS Customer Centers?	<p>The rate returned is determined by the Customer Classification Code selected in API.</p> <p>Refer to the Rate Types Table and XPath for additional information.</p>
Delivery Area Surcharge	Does the Rating Package API support Delivery Area Surcharge?	Yes. However, it is included within the total transportation charge in the rate response.
Extended Area Surcharge	Is Extended Area Surcharge included within the rating response?	<p>Yes. The Extended Area Surcharge (EAS) is returned with the transportation charges.</p> <p>If EAS is applied to a shipment, a warning will be returned in the XML response stating that an EAS has been added.</p> <p>International extended area surcharges are not supported.</p>
Freight LTL/Air Freight	Does Rating Package API support UPS Freight LTL or UPS Air Freight services?	No.
Fuel Surcharge	Does the Rating Package API include fuel surcharge?	Yes, however it is not broken out separately, it is returned with other charges.
Ground Freight Pricing	Does Rating API support Ground Freight Pricing (GFP)?	ONLY the Rating Package Web Service version supports Ground Freight Pricing.
Hundredweight (CWT)	Does Rating API support UPS Hundredweight® Service contracts?	No.

Category	Question	Answer
International Extended Area Surcharge	Does the Rating Package API support international extended area surcharges?	Yes.
International Rates	Does the Rating Package API support international rates?	Yes. Requests are validated if the shipper number is from the origin country.
Maximum Packages Rated	What is the maximum number of packages that can be rated through the Rating Package API?	When using the Rate option, there is a 200-package maximum allowed for each API request. Each package container in the request can contain 1 package. When using the Shop option, there is a 50-package maximum limit allowed for each API request.
Negotiated Rates	Can a customer with a US account number rate a package being shipped from another country?	Yes. However, the response will not return any negotiated or account-based rates. Negotiated and account-based rates require the shipper's country and the shipment country of origin to be the same. If you require negotiated or account-based rates from a country outside the US, consider setting up an account in the non-US country.
Negotiated Rates	How do I get negotiated rates?	Contact your Account Representative.
Negotiated Rates/ABR	Does Rating API support Account Based Rating (ABR)?	Yes.
Negotiated Rates or Account Based Rates (ABR)	Is there a delay in activating a new or modified account in ABR for Rating or Shipping APIs?	The availability of negotiated rates is dependent on the setup of your account. If you have a pricing contract with UPS, please contact your sales representative for proper setup. For additional information, refer to Using Negotiated Rates in CIE .

Category	Question	Answer
Negotiated Rates or Account Based Rates (ABR)	What do negotiated rates include?	<p>Negotiated rates include:</p> <ul style="list-style-type: none"> • Basic incentives • Performance tiered incentives • Adjustments to performance tiered incentives are automatically updated each week in each solution that supports ABR. • Ramp-ups on new contracts • Multiple contracts (example: a shipper is attached to two or more contracts). • Custom rate charts (cell by cell) • by weight • by lane or zone • Letter / Document rates • Minimum billable weight for multi-piece shipments • Per piece or per shipment • Shipment pricing minimums • Rate caps • Import rates for international returns. <p>Note: Import rates are not available for Inbound shipments that were shipped using Freight Collect billing.</p>
Published & Negotiated Rates (ABR) Response	Can the Rating API provide both published and negotiated rates, assuming ABR has been activated, within the same response?	Yes.
Rate versus Shop	What is the difference between a "Rate" request and a "Shop" request?	A "Rate" request returns the rate for a single service for each package, while a "Shop" request returns the rates for all services available between a given origin/destination pair for each package.
Rating for Web applications	Are rates across all UPS Web applications always the same?	<p>Yes. The rates for other Web applications should not differ from the Rating API. The only time rates would be different is if there is a defect within the applications.</p> <p>If a user questions rates returned by the Rating API, he could generate the exact rate request on Calculate Time and Cost on UPS.com, to confirm if rates are accurate.</p> <p>Rates will differ if the user has negotiated rates set up with their account number and is not sending a negotiated rates indicator via the Rating API or does not have negotiated rates approved to be used with the Rating API</p>
Rating Scheduled Time	Does the Rating API return the time of day in its response?	Yes.

Category	Question	Answer
Residential versus Commercial	Does Rating API automatically validate Residential versus Commercial addresses?	<p>UPS only classifies residential and commercial address classification for U.S. and Canada.</p> <p>If the residential indicator is included in the rate request, then the shipment will be classified as residential. Upon processing, if the address is classified by UPS differently than what is provided in the request then a warning will be provided in the response indicating that the classification was changed.</p>
Return Services	Does the Rating API support Return Services?	Yes.
Saturday Delivery	Will the Rating allow a customer to know if Saturday delivery is available if they are shipping on a Thursday?	<p>Since Saturday delivery is an accessorial, the customer must input this information in the Rating API rate request. If it is available then the response will specify that the delivery will be on Saturday.</p> <p>The Rating API does not specify guaranteed delivery times. Time in Transit API guarantees delivery times.</p>
Shipping/ Labeling	Can you ship and/or print labels via the Rating Package API?	No.
Suppression of Service Types	Why does Rating API, Time in Transit API and Calculate Time and Cost on UPS.com provide different results?	<p>The Time in Transit API uses logic in its calculations and will suppress services that are more expensive if they will not deliver the shipment any quicker than those shown in the Rating API.</p> <p>There is a rule that states if ground service is as fast as or faster than an air service, i.e., UPS 2nd Day Air®, then that air service will be suppressed in the Time in Transit API response.</p> <p>While the unlisted service is still a valid shipping option, the customer could save money choosing from the listed services.</p>
Testing and Production environments	Are separate test IDs necessary to access the test versus production environment?	No.
Time in Transit	Does the Rating API support Time in Transit results?	No. Time in Transit information can be obtained from the Time in Transit API.

Appendices

Error Codes (WS)

When the UPS system is unable to respond to a request, be it from a malformed request, an illegal or invalid value, or other issues, the API generates an error response. For examples and additional information on error responses, refer to *Chapter 3: Error Responses*, in the *Introduction to the UPS Developer Kit* guide.

- Successful responses may or may not include warnings.
 - Without warnings - Indicates the request has been processed as anticipated.
 - With warnings - Indicates the request has been processed with potentially unanticipated results. The warning contains information in the response that should be passed to the end user.
- The severity of an error may be transient or hard.
 - Transient error - Indicates an error that is temporary in nature. Such errors may be caused by response timeouts due to high server loads or scheduled maintenance in progress. The request may be issued successfully at a later time.
 - Hard error - Indicates the request has a problem that the system is not able to resolve. These errors are critical and prevent requests from processing.



Do not resubmit requests with Hard Errors until the problems causing the error have been resolved.

Common Error Codes

The following error codes can apply to all Web Services and APIs.

Code	Severity	Description
10001	Hard	The XML document is not well formed.
10002	Hard	The XML document is well formed but the document is not valid.
10003	Hard	The XML document is either empty or null.
10006	Hard	Although the document is well formed and valid, the element content contains values which do not conform to the rules and constraints contained in this specification.
10013	Hard	The message is too large to be processed by the Application.
20001	Transient	General process failure.
20002	Hard	The specified service name, {0}, and version number, {1}, combination is invalid.
20003	Hard	Please check the server environment for the proper J2EE ws apis.
20006	Hard	Invalid request action.
20007	Hard	Missing Required field, {0}.
20008	Hard	The field, {0}, contains invalid data, {1}.
20012	Hard	The Client Information exceeds its Maximum Limit of {0}.
250000	Hard	No XML declaration in the XML document.
250001	Hard	Invalid Access License for the tool. Please re-license.
250002	Hard	Invalid UserId/Password.
250003	Hard	Invalid Access License number.
250004	Hard	Incorrect UserId or Password.
250005	Hard	No Access and Authentication Credentials provided.
250006	Hard	The maximum number of user access attempts was exceeded.
250007	Hard	The UserId is currently locked out; please try again in 24 hours.
250009	Hard	License Number not found in the UPS database.
250019	Hard	Invalid Field value.
250050	Transient	License system not available.

Rating Package Web Service Error Codes

10001 - 111295

Error Code	Severity	Description
10001	Hard	The XML document is not well formed
10002	Hard	The XML document is well formed but the document is not valid
10003	Hard	The XML document is either empty or null
10006	Hard	Although the document is well formed and valid, the element content contains values which do not conform to the rules and constraints contained in this specification
10013	Hard	The message is too large to be processed by the Application
20001	Hard	General process failure
20002	Hard	The specified service name, {0}, and version number, {1}, combination is invalid
20003	Hard	Please check the server environment for the proper J2EE ws apis
20004	Hard	Cannot access the high level business components, {0}
20005	Hard	Cannot access the low level business components, {0}
20006	Hard	Invalid request action
20007	Hard	Missing required field, {0}
20008	Hard	The field, {0}, contains invalid data, {1}
20010	Hard	The phone number contains invalid characters
20011	Hard	The Integration Indicator is no longer supported
20012	Hard	The Client Information exceeds its Maximum Limit of {0}
110000	Hard	XML Rating and Service Selection Service Unavailable
110001	Transient	XML Rating and Service Selection Service Unavailable
110002	Hard	No packages in shipment.
110003	Hard	Maximum number of packages exceeded ({0})
110099	Hard	RATING_FAILURE.Rating failure, no more specific reason available.
110208	Hard	Missing/Illegal ShipTo/Address/CountryCode
110308	Hard	Invalid or unsupported origin country code
110500	Hard	RATING_NO_SERVICE_SELECTED. Null service sent into Rater
110527	Hard	Cannot use multiple types of currency in a shipment.
110528	Hard	A shipment can have only one type of UnitOfMeasurement for Dimensions.
110529	Hard	A shipment can have only one type of UnitOfMeasurement for a Weight.
110548	Hard	A shipment cannot have a KGS/IN or LBS/CM as its unit of measurements
110601	Hard	Missing or invalid package weight for package {0}.
110604	Hard	Invalid package declared monetary value for package {0}. Valid length is 0 to 8 numeric and can hold up to 2 decimal places.
110609	Hard	All package dimensions are required and each must be greater than 0 for package {0}.
110610	Hard	Missing or invalid COD monetary value for {0}. Valid length is 0 to 8 numeric and can hold up to 2 decimal places
110626	Hard	Invalid COD Funds Code for {0}.
110646	Hard	Package Level COD is not valid for the shipment origin and/or destination

Error Code	Severity	Description
110647	Hard	Invalid COD currency code. Please use the destination country currency code.
110710	Hard	Invalid package Delivery Confirmation type for package {0}.
110720	Hard	The Account Number for FRS Payment is not FRS Enabled.
110920	Warning	When user indicated Residential indicator is different from AMS Classification.
110921	Hard	UPS account number that was provided as the payment method is missing or invalid.
110950	Hard	Customer Classification Code is required with the requested Pickup Type
110971	Warning	For all successful response it will return message as Your invoice may vary from the displayed reference rates
111000	Hard	Verify that the supplied country code for the ship from and/or ship to is correct and is in uppercase (Cannot locate site).
111000	Hard	Only one type of LargePackage can be set on a package.
111005	Hard	COD and Call Tags cannot be applied to the same package.
111010	Hard	Hazardous materials cannot be shipped using Call Tags.
111015	Hard	Saturday Delivery and Call Tags cannot be applied to the same package.
111020	Hard	Delivery Confirmation and Call Tags cannot be applied to the same package.
111025	Hard	The maximum declared amount was exceeded.
111030	Hard	Packages must weigh more than zero pounds.
111031	Hard	Packages must weigh more than zero kg.
111035	Hard	The maximum per package weight for that service from the selected country is %country.maxPkgWeight% pounds.
111036	Hard	The maximum per package weight for that service from the selected country is %country.maxPkgWeight% kg.
111040	Hard	The Return Services accessories are unavailable with the requested service.
111045	Hard	The Saturday Delivery option is unavailable with the requested service.
111047	Hard	Saturday Delivery may not be combined with this product and container type.
111050	Hard	Package exceeds the maximum size total constraints of %maxLengthGirth% (length + girth where girth is 2 x width plus 2 x height).
111055	Hard	Package exceeds the maximum length constraint of 108 inches.
111056	Hard	This package exceeds the maximum length constraint of 270 cm.
111057	Hard	This measurement system is not valid for the selected country.
111060	Hard	Hazardous materials cannot be shipped in a UPS Letter.
111063	Hard	The requested accessory cannot be combined with the selected service.
111065	Hard	The shipment of Hazardous Materials to the selected location is unavailable.
111070	Hard	The requested accessory is not allowed with this pickup method.
111075	Hard	The International Declared Value accessory is not valid with a domestic service.
111080	Hard	The Domestic Declared Value accessory is not valid with an international service.
111085	Hard	The requested accessory cannot be added to this shipment.
111086	Hard	Only one Authorized Return Service option is allowed.
111087	Hard	The Authorized Return Service option is not allowed for shipments.
111090	Hard	The requested billing zone is invalid for the selected product.
111091	Hard	The selected service is unavailable to an extended area.

Error Code	Severity	Description
111100	Hard	The requested service is invalid from the selected origin.
111105	Hard	The requested accessory key is invalid for the selected site.
111106	Hard	Unsupported country specified.
111107	Hard	An origin postal code must be specified.
111108	Hard	Shipments must have at least 1 package.
111109	Hard	Delivery Area Surcharge Tier is invalid.
111115	Hard	The COD amount must be greater than zero.
111116	Hard	The declared value amount must be greater than zero.
111120	Hard	The COD amount cannot exceed \$1,000 when a cashiers check or money order is requested.
111121	Hard	The COD value entered exceeds the maximum allowed for cash of %COD.CashMax% (%COD.CurrencyCode %).
111125	Hard	The COD amount cannot exceed 50,000 (%COD.CurrencyCode %).
111126	Hard	The COD value entered exceeds the maximum allowed for check of %COD.CheckMax% (%COD.CurrencyCode %).
111128	Hard	The Access Point COD amount cannot exceed %COD.APAmountMax% %COD.APCurrencyDest%.
111129	Hard	The currency of the Access Point COD amount must be the same as the Destination country's currency: %COD.APCurrencyDest%.
111130	Hard	The Saturday Pickup option cannot be combined with the Return Services option.
111135	Hard	The Saturday Pickup option cannot be combined with the Saturday Delivery option.
111140	Hard	The Saturday Pickup option is unavailable with the selected service.
111145	Hard	Only one Delivery Confirmation option is allowed.
111150	Hard	The Delivery Confirmation option is unavailable with the selected service.
111155	Hard	The COD option is unavailable with the selected service.
111160	Hard	The requested accessory option is unavailable with the selected billing option.
111165	Hard	The Verbal Confirmation of Delivery option cannot be combined with the Return Services option.
111170	Hard	The Delivery Confirmation option cannot be combined with the Verbal Confirmation of Delivery option.
111175	Hard	The Verbal Confirmation of Delivery option is unavailable with the selected service.
111190	Hard	Only one Return Services option is allowed.
111195	Hard	The requested billing option is unavailable with the selected service.
111196	Hard	The requested billing option is unavailable with UPS Letters.
111200	Hard	The requested service with Saturday Delivery is unavailable to the selected location.
111205	Hard	The Additional Handling option is unavailable with the selected service.
111206	Hard	The Additional Handling option is unavailable with UPS envelopes.
111208	Hard	UPS Next Day Air Early service is not available to the requested destination. Please select UPS Next Day Air service as an alternative.
111209	Hard	RATING_INVALID_SERVICE_TYPE
111210	Hard	The requested service is unavailable between the selected locations.

Error Code	Severity	Description
111211	Hard	The requested accessory option is unavailable between the selected locations.
111212	Hard	The requested Package Type is unavailable for the selected service between the selected locations.
111213	Hard	The requested billing option is unavailable between the selected locations.
111214	Hard	Cannot ship between the selected locations.
111215	Hard	The requested service is unavailable to residential destinations.
111219	Hard	The requested service is unavailable between the selected locations. Please check your Documents Only, Letter/Envelope, and Saturday Delivery settings as these may affect service availability.
111220	Hard	The Ship Notification option cannot be combined with the Return Services option.
111222	Hard	A shipment using the Return Services Electronic Return Label option must contain only Goods in Free Circulation.
111225	Hard	The Return Services option is unavailable to the selected location.
111230	Hard	Next Day Air Early is unavailable with the selected service.
111235	Hard	No more than %acsGrp.grpLimit% of the following may be combined: %acsGrp.grpMembers%.
111240	Hard	The requested accessory may not be applied to a package more than %accs.limit% time(s).
111245	Hard	The Saturday Pickup option cannot be combined with the Shipper Duty Fees option.
111250	Hard	The Saturday Delivery option cannot be combined with the Shipper Duty Fees option.
111255	Hard	The Shipper Duty Fee option is unavailable with the selected service.
111260	Hard	The Shipper Duty Fee option is unavailable with the selected billing option.
111261	Hard	The requested option is unavailable with the selected service.
111262	Hard	The accessory is not valid with the selected option.
111265	Hard	The requested billing option is unavailable to the selected location.
111266	Hard	The requested currency is not a legal tender in this country.
111275	Hard	Cannot create attribute %attrName%.
111280	Hard	Cannot remove attribute %attrName%.
111285	Hard	The postal code %postal% is invalid for %state% %country%.
111286	Hard	%state% is not a valid state abbreviation for %country%.
111290	Hard	The requested billing option is invalid.
111295	Hard	Package %child.index% failed validation in shipment.

111300 - 112129

Error Code	Severity	Description
111300	Hard	The Shipper Pays Duty - VAT Unpaid option is unavailable with the selected option.
111305	Hard	The Shipper Pays Duty - VAT Unpaid option is unavailable with the selected service.
111310	Hard	The Shipper Pays Duty - VAT Unpaid option is unavailable with the selected billing options
111315	Hard	The Authorized Return Service option is unavailable with the selected accessory.
111320	Hard	The Authorized Return Service option is unavailable with the selected service.
111325	Hard	The Authorized Return Service is unavailable with the selected billing option.
111330	Hard	The Certificate of Origin is unavailable with the selected accessory.
111335	Hard	The Certificate of Origin is unavailable with the selected service.
111340	Hard	The Certificate of Origin is unavailable with the selected billing option.
111343	Hard	The Certificate of Origin is unavailable from the selected origin.
111345	Hard	The Shipper Export Declaration is unavailable with the selected accessory.
111350	Hard	The Shipper Export Declaration is unavailable with the selected service.
111355	Hard	The Shipper Export Declaration is unavailable with the selected billing option.
111360	Hard	UPS Express Plus is unavailable with the selected service.
111363	Hard	The One Time Pickup is unavailable with the selected service.
111365	Hard	The requested service is not available through the selected acquisition type.
111370	Hard	Unsupported acquisition type.
111375	Hard	The requested service is not valid for shipments with more than 1 package.
111380	Hard	The requested Package service may not be consolidated with the selected shipment service.
111385	Hard	The requested Package billing option does not match the selected shipment billing option.
111390	Hard	The requested Package billing tier does not match the selected shipment billing tier.
111395	Hard	Package consignee %pkg.dest.company% does not match the shipment consignee %ship.dest.company%.
111400	Hard	Package consignee street address %pkg.dest.street1% does not match the shipment consignee street address %ship.dest.street1%.
111405	Hard	Package consignee street address %pkg.dest.street2% does not match the shipment consignee street address %ship.dest.street2%.
111410	Hard	Package consignee street address %pkg.dest.street3% does not match the shipment consignee street address %ship.dest.street3%.
111415	Hard	Package consignee city %pkg.dest.city% does not match the shipment consignee city %ship.dest.city%.
111420	Hard	Package consignee state %pkg.dest.state% does not match the shipment consignee state %ship.dest.state%.
111425	Hard	Package consignee postal code does not match the shipment consignee postal code.
111430	Hard	Package consignee country does not match the shipment consignee country.
111431	Hard	All packages in the shipment must have the same UPS shipper number as the shipment.

Error Code	Severity	Description
111435	Hard	All packages in the shipment must have the Saturday Delivery option if 1 package has it.
111440	Hard	All packages in the shipment must have the Saturday Pickup option if 1 package has it.
111445	Hard	UPS does not allow Hazardous Materials in shipments consisting of more than one piece.
111450	Hard	Only one type of Return Service option is allowed per package.
111455	Hard	All packages in the shipment must have the Return Services option if 1 package has it.
111456	Hard	All packages in the shipment must have the Residential option if 1 package has it.
111457	Hard	Shipments with the Residential option set must have the Residential option set on all packages.
111460	Hard	Shipments cannot exceed a COD amount of \$5,000 when requesting a cashiers check or money order.
111465	Hard	The selected Package access method does not match the shipment access method.
111500	Hard	The selected service is not valid with the selected packaging.
111501	Hard	The selected packaging is not valid with the requested accessory option.
111510	Hard	Unsupported packaging requested.
111511	Hard	Unsupported accessory requested.
111512	Hard	Unsupported billing option requested.
111513	Hard	Unsupported service requested.
111515	Hard	Weight of %weight.actual% exceeds maximum for rating the requested packaging. Using standard package rates.
111519	Hard	The selected Package rating category does not match the shipment rating category.
111526	Hard	UPS Access Point Economy Service shipments must have a ShipmentIndicationType of 01 or 02 or must be a Return shipment.
111582	Hard	Missing/Invalid InvoiceLineTotal Monetary Value
111630	Hard	The requested accessorial is valid only for Hold for Pickup at UPS Access Point shipment indication type.
111655	Hard	The requested billing option/payment option is unavailable with the selected shipment indication type for a shipment to a UPS Access Point.
112002	Hard	Missing or Invalid Commodity Freight Class for Package {0}.
112031	Hard	Missing or Invalid FRS payment Type code.
112045	Hard	The payer of transportation's country is not valid for Carbon Neutral shipments..
112051	Hard	Shipment total weight has exceeded the maximum shipment weight limit of 99,999.9 kgs or 99,999.9 pounds.
112052	Hard	Total pieces in the shipment have exceeded the maximum allowed of 99,999 for a shipment.
112053	Hard	The number of pieces was not provided – Number of pieces in a shipment is required to process the shipment.
112054	Hard	Missing elements - Length, width and height are required for the pallet %package.index% to process the shipment.
112055	Hard	Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service from the selected origin is %maxWeightOrig% pounds.

Error Code	Severity	Description
112056	Hard	Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service from the selected origin is %maxWeightOrig% kgs.
112057	Hard	Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service to the selected destination is %maxWeightDest% pounds.
112058	Hard	Exceeded maximum per pallet weight – The maximum per pallet weight for the selected service to the selected destination is %maxWeightDest% kgs.
112059	Hard	Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% cm by %width% cm by %height% cm for the selected origin.
112060	Hard	Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% in by %width% in by %height% in for the selected origin.
112061	Hard	Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% cm by %width% cm by %height% cm for the selected destination.
112062	Hard	Exceeded maximum dimensions for a pallet - The maximum dimensions for a pallet are %length% in by %width% in by %height% in for the selected destination.
112063	Warning	Please contact customer service center for capacity authorization.
112064	Hard	Lift Gate Accessorial for Pick Up and Delivery are not allowed when both Hold For Pick Up and Drop off At UPS Facility is requested.
112065	Hard	Lift Gate for Pick Up accessorial is not allowed with Drop Off At UPS Facility accessorial.
112066	Hard	Lift Gate for Delivery accessorial is not allowed with Hold For Pick Up accessorial.
112067	Hard	More than one type of insurance is not allowed for a shipment - only one type can exist per shipment
112068	Hard	The maximum declared amount was exceeded. Maximum value per pallet: %maxDeclVal% %currencyCode%.
112082	Hard	The maximum Dry Ice for a pallet/shipment is 200 kg or 440 lbs.
112083	Hard	Invalid pallet dimensions, the length must be longer than the width.
112084	Hard	Shipper is not eligible to ship Dry Ice.
112085	Hard	Missing or Invalid Return Type.
112086	Hard	Missing or Invalid Import Type.
112090	Hard	Commercial Invoice Removal is valid only for Import Control shipments.
112091	Hard	Missing or Invalid Regulation Set.
112095	Hard	DryIceWeight container with Dry Ice weight and UOM information is required for Dry Ice.
112096	Hard	Missing or Invalid Dry Ice Weight.
112097	Hard	Missing or Invalid code for Dry Ice Unit of Measurement.
112098	Hard	UnitOfMeasurement container with UOM code is required for Dry Ice.
112099	Hard	Invalid Regulation Set. All packages with Dry Ice accessorial must contain the same Regulation Set.
112100	Hard	Invalid regulation set. The regulation set for non-US/PR origins/destinations should be IATA.
112101	Hard	Invalid weight. The Dry Ice weight is greater than the actual package weight.
112105	Hard	Return and Import Shipment accessorial cannot be requested together in a shipment.
112106	Hard	The Saturday Delivery option cannot be combined with the Return Services option.

Error Code	Severity	Description
112107	Hard	The Saturday Delivery option cannot be combined with the UPS Import Control option.
112109	Hard	Itemized Charges are not valid for this service.
112110	Hard	Account is not authorized for UPS Exchange service.
112111	Hard	Missing or Invalid Shipper Number.
112113	Hard	UPS Account is not authorized for Hold for Pickup at UPS Access Point.
112114	Hard	Alternate Delivery Address information is required for Hold for Pickup at UPS Access Point.
112115	Hard	The maximum declared value for Flexible Parcel Insurance has been exceeded. Maximum value per package: %maxDeclVal% %currencyCode%.
112116	Hard	The requested billing option is unavailable between the selected locations with the selected options.
112117	Hard	Package exceeds the maximum length constraint of %rave.DTR_NAP_maxLength_IN% inches. Length is the longest side of a package.
112118	Hard	Package exceeds the maximum length constraint of %rave.DTR_NAP_maxLength_CM% cm. Length is the longest side of a package.
112119	Hard	The maximum per package weight for the selected option is %country.maxPkgWeight% pounds.
112120	Hard	The maximum per package weight for the selected option is %country.maxPkgWeight% kg.
112121	Hard	Missing or Invalid Alternate Delivery Address Name.
112122	Hard	Missing or Invalid Alternate Delivery Address Address Line 1.
112123	Hard	Missing or Invalid Alternate Delivery Address Address Line 2.
112124	Hard	Missing or Invalid Alternate Delivery Address Address Line 3.
112125	Hard	Missing or Invalid Alternate Delivery Address City.
112126	Hard	Missing or Invalid Alternate Delivery Address State/Province.
112127	Hard	Missing or Invalid Alternate Delivery Address Postal Code.
112128	Hard	Missing or Invalid Alternate Delivery Address Country Code.
112129	Hard	Missing or Invalid Shipment Indication Type.

112130 - 190003

Error Code	Severity	Description
112130	Hard	No more than 3 address lines are allowed for Alternate Delivery Address.
112131	Hard	Only 1 Shipment Indication Type allowed in a request.
112132	Hard	Missing or Invalid Monetary value for Access point COD.
112133	Hard	Missing or Invalid Currency code for Access point COD.
112134	Hard	Alternate Delivery Address information is required for UPS Access Point Delivery.
112135	Hard	The customs value entered exceeds the maximum allowed amount of \$2300 USD or \$2500 CAD.
112136	Hard	The Shipment Level Access Point COD option is unavailable with the selected service and/or with the shipments origin/destination.
112137	Hard	The Package Level Access Point COD is not valid for the shipment origin and/or destination.
112138	Warning	UPS Access Point Delivery Rates were applied to a shipment.
112139	Hard	Request contains invalid data e.g. special characters etc. Please correct.
112140	Hard	Your UPS Account number is not authorized for UPS Access Point Economy service when selecting Hold for Pickup at UPS Access Point Shipment Indication Type.
112141	Hard	Your UPS Account number is not authorized for UPS Access Point Economy service when selecting Returns.
112142	Warning	The account used to create this shipment has Direct Delivery Only preference selected.
113005	Hard	The selected service may not guarantee early AM arrival to the requested location.
113010	Warning	Package(s) within the shipment contain warnings.
113020	Hard	The Origin postal code is invalid for the selected location.
113021	Hard	The Ship To postal code is invalid for the selected location.
113060	Warning	The weight exceeds the limit for the UPS Letter/Envelope rate and will be rated using the weight.
113109	Warning	Packages not dropped off at a UPS Access Point location may incur additional cost and/or transit time.
113138	Warning	Shipper Number is not qualified to receive negotiated rates.
115582	Hard	Invalid Customer Classification Code
118400	Hard	The destination postal code %dest.postal% is not a valid %dest.country% postal code. Verify your postal code, or select %dest.AdjCountry% as your destination country.
118401	Hard	The Pickup From postal code %orig.postal% is not a valid %orig.country% postal code. Verify your postal code, or select %orig.AdjCountry% as your Pickup From country.
118402	Hard	The destination postal code %dest.postal% in %dest.country% can also be %dest.AdjCityName% in %dest.AdjCountry%. If you want to ship to %dest.AdjCityName%, select %dest.AdjCountry% and enter the postal code %dest.AdjPostal%. If you are shipping to a city within %dest.country%, enter the correct city.

Error Code	Severity	Description
118403	Hard	The Pickup From postal code %orig.postal% in %orig.country% can also be %orig.AdjCityName% in %orig.AdjCountry%. If you want to pickup from %orig.AdjCityName%, select %orig.AdjCountry% and enter the postal code %orig.AdjPostal%. If you are picking up from a city within %orig.country%, enter the correct city.
119000	Hard	Oversize 1 indicator has automatically been set on Package %package.index%.
119001	Warning	Additional Handling has automatically been set on Package %package.index%.
119002	Hard	Extended Area surcharge applied.
119003	Warning	The requested service may not guarantee Next Day arrival to the selected location.
119004	Warning	Check the UPS Service Guide for supported Saturday delivery destinations within the selected country.
119005	Warning	The requested service may not guarantee Second Day arrival to the selected location.
119006	Warning	The Second Day Air service may not guarantee Second Day arrival to the selected location.
119007	Hard	Oversize 2 indicators have automatically been set on Package %package.index%.
119008	Hard	Weight is greater than or equal to %localOverSize1MinWeight% lbs. and less than %localOverSize2MinWeight% lbs., Oversize 2 has automatically been set on Package %package.index%.
119009	Hard	Oversize 1 does not apply, and has automatically been removed from Package %package.index%.
119010	Hard	Oversize 2 does not apply, and has automatically been removed from Package %package.index%.
119011	Warning	The maximum declared value amount for the 1-Attempt option is \$1,000.
119012	Warning	The maximum declared value amount for the Print and Mail option is \$1,000.
119013	Warning	The maximum declared value amount for the Print Return Label option is \$1,000.
119014	Warning	The maximum declared value amount for the Electronic Delivery option is \$1,000.
119015	Warning	The maximum declared value amount for the 3-Attempt option is \$50,000.
119016	Hard	Weight is greater than or equal to %localOverSize2MinWeight% lbs., Oversize 3/Large Package has automatically been set on Package %package.index%.
119017	Warning	Large Package indicator has automatically been set on Package %package.index%.
119018	Warning	Large Package does not apply, and has automatically been removed from Package %package.index%.
119020	Warning	Large Package and Additional Handling both cannot exist on a Package
119070	Warning	Large Package Surcharge has been added to Package %package.index%.
119071	Warning	Large Package indicator has been set and Large Package Surcharge has been added to Package %package.index%.
119072	Warning	Additional Handling has been removed. Large Package Surcharge has been added to Package %package.index%.
119076	Hard	All package types must be pallets.
119077	Warning	A dimensional surcharge has been added to pallet {0}.
119078	Hard	The maximum dimensions for a pallet are 200 cm by 160 cm by 120 cm.
119079	Hard	The requested service is not valid with pallets with a weight greater than 1000kg. Please select Dedicated Package Courier Same Day Service.

Error Code	Severity	Description
119083	Hard	Pallet {0} exceeds maximum weight.
119084	Warning	Missing or Invalid Shipper Number. Returned rates are Retail Rates.
120001	Hard	XML Shipping System is unavailable, please try again later.
120902	Warning	Negotiated rates cannot be returned without a valid account number.
126098	Warning	Account authentication is required to be completed to get negotiated rates.
150000	Hard	Tracking service unavailable
190003	Warning	Published rates are unavailable at this time

9110001 +

Error Code	Severity	Description
9110001	Hard	Missing pickup type Code.
9110002	Hard	Missing customer classification code.
9110003	Hard	Missing shipment information.
9110004	Hard	Missing shipper information.
9110005	Hard	Missing shipper number.
9110006	Hard	Missing shipper address information.
9110007	Hard	No more than 3 address line information can be given for shipper address.
9110008	Hard	Missing shipper country code.
9110009	Hard	Missing ship to information.
9110010	Hard	Missing ship to address information.
9110011	Hard	No more than 3 address line information can be given for ship to address.
9110012	Hard	Missing ship to state province code.
9110013	Hard	Missing ship to country code.
9110014	Hard	Missing Ship From address information.
9110015	Hard	No more than 3 address line information can be given for ship from address.
9110016	Hard	Missing ship from state province code.
9110017	Hard	Missing ship from country code.
9110018	Hard	Missing shipment service code.
9110019	Hard	Missing package type code for package {0}.
9110020	Hard	Missing package dimensions unit of measurement information for package {0}.
9110021	Hard	Missing or invalid package dimensions unit of measurement code for package {0}. Valid values: IN or CM.
9110022	Hard	Missing package weight unit of measurement information for package {0}.
9110023	Hard	Missing or invalid package weight unit of measurement code for package {0}. Valid values: KGS or LBS
9110024	Hard	Delivery confirmation option cannot be combined with the cod information under package service options for package {0}.
9110028	Hard	At least one shipment rating option either negotiated or FRS rates or RateChart indicator is required.
9110029	Hard	Missing COD Funds Code Information for {0}.
9110030	Hard	Missing COD Amount Information for {0}.
9110031	Hard	Missing COD currency Code for {0}.
9110032	Hard	Missing package declared currency code for package {0}.
9110033	Hard	Missing package declared monetary value for package {0}.
9110034	Hard	Missing or invalid request option.
9110035	Hard	FRS Indicator is not allowed with Rate request option as Shop
9110036	Hard	Missing FRS Payment Information
9110037	Hard	Missing FRS payment Type.

Error Code	Severity	Description
9110039	Hard	Missing Account Number for FRS Payment Information.
9110040	Hard	Missing Address for FRS Payment Information.
9110041	Hard	Missing Country Code for FRS Payment Information Address.
9110042	Hard	Missing Commodity for package {0}.
9110043	Hard	FreightDensityInfo container is required for Density Based Rating request.
9110044	Hard	Missing NMFC Prime Code for package {0}.
9110045	Hard	Missing Ship To Postal Code.
9110046	Hard	Missing Ship From Postal Code
9110047	Hard	Missing Package Weight container information for package {0}.
9110048	Hard	Missing Packaging Type for package {0}.
9110049	Hard	Missing Service Information.
9110050	Hard	Missing HandlingUnits container for Density Based Rating request.
9110051	Hard	Missing or Invalid Quantity for HandlingUnits {0}.
9110052	Hard	Missing or Invalid Type for HandlingUnits {0}.
9110053	Hard	Missing Dimensions container for HandlingUnits {0}.
9110054	Hard	Missing or Invalid Height for HandlingUnits {0}.
9110055	Hard	Missing or Invalid Length for HandlingUnits {0}.
9110056	Hard	Missing or Invalid Width for HandlingUnits {0}.
9110057	Hard	Missing or Invalid UnitOfMeasurement for Dimensions in HandlingUnits {0}.
9110058	Hard	AdjustedHeight container is required if AdjustedHeightIndicator is requested.
9110059	Hard	Missing or Invalid Value for AdjustedHeight.
9110060	Hard	Missing or Invalid UnitOfMeasurement for AdjustedHeight.
9110061	Hard	Invalid number of handling units.
911062	Hard	Please contact UPS Freight Customer Service for Rates at 800-333-7400.
9110721	Hard	Invalid Shipment Delivery Confirmation Type
9111000	Hard	Invalid RSS Request Document

Accessorial / Surcharge Codes

Code	Accessorial / Surcharge
100	ADDITIONAL HANDLING
110	COD
120	DELIVERY CONFIRMATION
121	SHIP DELIVERY CONFIRMATION
190	EXTENDED AREA
200	DRY ICE
201	ISC SEEDS
202	ISC PERISHABLES
203	ISC TOBACCO
204	ISC PLANTS
205	ISC ALCOHOLIC BEVERAGES
206	ISC BIOLOGICAL SUBSTANCES
207	ISC SPECIAL EXCEPTIONS
220	HOLD FOR PICKUP
240	ORIGIN CERTIFICATE
250	PRINT RETURN LABEL
258	EXPORT LICENSE VERIFICATION
260	PRINT N MAIL
270	RESIDENTIAL ADDRESS
280	RETURN SERVICE 1ATTEMPT
290	RETURN SERVICE 3ATTEMPT
300	SATURDAY DELIVERY
310	SATURDAY PICKUP
350	ELECTRONIC RETURN LABEL
374	UPS PREPARED SED FORM
375	FUEL SURCHARGE
376	DELIVERY AREA
377	LARGE PACKAGE
378	SHIPPER PAYS DUTY TAX
379	SHIPPER PAYS DUTY TAX UNPAID
400	INSURANCE
401	SHIP ADDITIONAL HANDLING
402	SHIPPER RELEASE
403	CHECK TO SHIPPER
404	PROACTIVE MONITORING
405	GERMAN PICKUP
406	GERMAN ROAD TAX

Code	Accessorial / Surcharge
407	EXTENDED AREA PICKUP
410	RETURN OF DOCUMENT
430	PEAK SEASON
440	SHIP LARGE PACKAGE
441	CARBON NEUTRAL
444	IMPORT CONTROL
445	COMMERCIAL INVOICE REMOVAL
446	IMPORT CONTROL ELECTRONIC LABEL
447	IMPORT CONTROL PRINT LABEL
448	IMPORT CONTROL PRINT AND MAIL LABEL
449	IMPORT CONTROL ONE PICK UP ATTEMPT LABEL
450	IMPORT CONTROL THREE PICK UP ATTEMPT LABEL
452	REFRIGERATION
464	EXCHANGE PRINT RETURN LABEL
470	COMMITTED DELIVERY WINDOW
480	SECURITY SURCHARGE
492	CUSTOMER TRANSACTION FEE
500	SHIPMENT COD
510	LIFT GATE FOR PICKUP
511	LIFT GATE FOR DELIVERY
512	DROP OFF AT UPS FACILITY
515	UPS PREMIUM CARE
520	OVERSIZE PALLET
530	FREIGHT DELIVERY SURCHARGE
531	FREIGHT PICKUP SURCHARGE
540	DIRECT TO RETAIL
541	DIRECT DELIVERY ONLY
541	NO ACCESS POINT
542	DELIVER TO ADDRESSEE ONLY
543	DIRECT TO RETAIL COD
544	RETAIL ACCESS POINT
546	ELECTRONIC PACKAGE RELEASE AUTHENTICATION
547	PAY AT STORE

Accessorial & Surcharge Subtypes

Accessorial/Surcharge	SubType
Freight Delivery Area Surcharge	<ul style="list-style-type: none">• Freight Delivery Area Surcharge• Freight Delivery Area Surcharge Extended• Freight Remote Area Surcharge• Freight Remote Area Surcharge Extended
Freight Pickup Area Surcharge	<ul style="list-style-type: none">• Freight Pickup Area Surcharge• Freight Pickup Area Surcharge Extended• Freight Remote Pickup Area Surcharge• Freight Remote Pickup Area Surcharge Extended
Insurance Accessorial	<ul style="list-style-type: none">• BPI• DVS• EVS• TNT
Ship Delivery Confirmation Accessorial	<ul style="list-style-type: none">• Adult Signature Required• Signature Required

COD Supported Countries

Rating and Shipping Package COD supported countries

Shipment Level

Country	1 Cash	9 Check Cashier's Check Money Order
All European Union (EU) Countries supported by the API, exceptions noted below. For additional information, refer to Country Codes in the Appendix.	Yes	Yes
Russia	Yes	No
United Arab Emirates	Yes	No

Package Level

NOTE: No EU countries currently support Package level COD.

Country	0 Check, Cash Cashier's Check Money Order	8 Cashier's Check Money Order	9 Personal Check
Argentina (AR)			Yes
Brazil (BR)			Yes
Canada (CA)	Yes	Yes	
Chile (CL)			Yes
Mexico (MX)	Yes		
Puerto Rico (PR)	Yes	Yes	
United States (US)	Yes	Yes	

Country Codes

Rating and Shipping Package API Supported Countries

UPS country code abbreviations generally follow the recommendations of the International Standards Organization (ISO), which publishes a list of country abbreviations in ISO Standard 3166.

The following table lists the country codes defined by ISO at the time of this publication. The latest information is available from the ISO web site: <http://www.iso.org/>.



NOTE: Not all UPS services are available in every country. Refer to the [UPS Rate and Service Guide](#) at UPS.com for more information on UPS services.

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Afghanistan	AF	X	
Aland Islands	AX	X	
Albania	AL	X	X
Algeria	DZ	X	X
American Samoa	AS		
Andorra	AD		
Angola	AO	X	
Anguilla	AI		
Antarctica	AQ		
Antigua and Barbuda	AG	X	X
Argentina	AR	X	X
Armenia	AM	X	X
Aruba	AW	X	X
Australia	AU	X	X
Austria	AT	X	X
Azerbaijan	AZ	X	X
Bahamas	BS	X	X
Bahrain	BH	X	X
Bangladesh	BD	X	X
Barbados	BB	X	X
Belarus	BY	X	X
Belgium	BE	X	X
Belize	BZ		
Benin	BJ		
Bermuda	BM	X	X
Bhutan	BT		
Bolivia (Plurinational State of)	BO	X	X
Bonaire, St. Eustatius, Saba	BQ	X	X
Bosnia and Herzegovina	BA	X	X
Botswana	BW		

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Bouvet Island	BV		
Brazil	BR	X	X
British Indian Ocean Territory	IO		
Brunei Darussalam	BN	X	X
Bulgaria	BG	X	X
Burkina Faso	BF		
Burundi	BI	X	X
Cambodia	KH	X	X
Cameroon	CM	X	
Canada	CA	X	X
Canary Islands	IC	X	
Cabo Verde	CV		
Cayman Islands	KY	X	X
Central African Republic	CF		
Ceuta	XC		
Chad	TD		
Chile	CL	X	X
China	CN	X	X
Christmas Island	CX		
Cocos (Keeling) Islands	CC		
Colombia	CO	X	X
Comoros	KM		
Congo	CG		
Congo, The Democratic Republic of	CD	X	
Cook Islands	CK		
Costa Rica	CR	X	X
Cote d' Ivoire (Ivory Coast)	CI	X	
Croatia	HR	X	X
Cuba	CU		
Curacao	CW	X	X
Cyprus	CY	X	X
Czech Republic	CZ	X	X
Denmark	DK	X	X
Djibouti	DJ	X	X
Dominica	DM		
Dominican Republic	DO	X	X
Ecuador	EC	X	X
Egypt	EG	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
El Salvador	SV	X	X
England	EN	X	
Equatorial Guinea	GQ		
Eritrea	ER		
Estonia	EE	X	X
Ethiopia	ET	X	X
Falken Islands (Malvinas)	FK		
Faroe Islands	FO		
Fiji	FJ	X	X
Finland	FI	X	X
France	FR	X	X
French Guiana	GF		
French Polynesia	PF		
French Southern Territories	TF		
Gabon	GA		
Gambia	GM		
Georgia	GE	X	X
Germany	DE	X	X
Ghana	GH	X	X
Gibraltar	GI	X	X
Greece	GR	X	X
Greenland	GL		
Grenada	GD		
Guadeloupe	GP		
Guam	GU	X	X
Guatemala	GT	X	X
Guernsey	GG	X	X
Guinea	GN	X	X
Guinea-Bissau	GW		
Guyana	GY		
Haiti	HT	X	X
Heard Island and McDonald Islands	HM		
Holland	HO	X	
Holy See (See Vatican)			
Honduras	HN	X	X
Hong Kong	HK	X	X
Hungary	HU	X	X
Iceland	IS	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
India	IN	X	X
Indonesia	ID	X	X
Iran (Islamic Republic of)	IR		
Iraq	IQ	X	X
Ireland	IE	X	X
Isle of Man	IM		
Israel	IL	X	X
Italy	IT	X	X
Jamaica	JM	X	X
Japan	JP	X	X
Jersey	JE	X	X
Jordan	JO	X	X
Kazakhstan	KZ	X	X
Kenya	KE	X	X
Kiribati	KI		
Korea (Democratic People's Republic of)	KP		
Korea, South	KR	X	X
Kosrae	KO		
Kuwait	KW	X	X
Kyrgyzstan	KG	X	
Lao People's Democratic Republic (Laos)	LA	X	X
Latvia	LV	X	X
Lebanon	LB	X	X
Lesotho	LS		
Liberia	LR		
Libya	LY	X	X
Liechtenstein	LI	X	X
Lithuania	LT	X	X
Luxembourg	LU	X	X
Macau (also Macao)	MO	X	X
Macedonia (FYROM)	MK	X	X
Madagascar	MG	X	X
Malawi	MW	X	X
Malaysia	MY	X	X
Maldives	MV		
Mali	ML	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Malta	MT	X	X
Marshall Islands	MH		
Martinique	MQ		
Mauritania	MR	X	X
Mauritius	MU	X	X
Mayotte	YT		
Mexico	MX	X	X
Micronesia (Federated States of)	FM		
Moldova (Republic of)	MD	X	
Monaco	MC	X	X
Mongolia	MN		
Montenegro	ME	X	X
Montserrat	MS		
Morocco	MA	X	X
Mozambique	MZ	X	
Myanmar	MM		
Namibia	NA		
Nauru	NR		
Nepal	NP	X	
Netherlands	NL	X	X
New Caledonia	NC		
New Zealand	NZ	X	X
Nicaragua	NI	X	X
Niger	NE		
Nigeria	NG	X	X
Norfolk Island	NF		
Northern Ireland	NB	X	
Northern Mariana Islands	MP		
Norway	NO	X	X
Oman	OM	X	X
Pakistan	PK	X	X
Palau	PW		
Palestine, State of	PS		
Panama	PA	X	X
Papua New Guinea	PG		
Paraguay	PY	X	X
Peru	PE	X	X
Philippines	PH	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Pitcairn	PN		
Poland	PL	X	X
Ponape	PO		
Portugal	PT	X	X
Puerto Rico	PR	X	X
Qatar	QA	X	X
Reunion	RE	X	X
Romania	RO	X	X
Russia (Russian Federation)	RU	X	X
Rwanda	RW	X	X
Saint Barthelemy	BL		
Saint Christopher	SW	X	
Saint Croix (see Virgin Islands)			
Saint John	UV	X	
Saint Kitts and Nevis	KN	X	X
Saint Lucia	LC	X	X
Saint Maarten and St. Martin	SX	X	X
Saint Thomas	VL	X	
Saint Vincent and the Grenadines	VC		
Saipan	SP		
Samoa	WS		
San Marino	SM		
Sao Tome and Principe	ST		
Saudi Arabia	SA	X	X
Scotland	SF	X	
Senegal	SN	X	X
Serbia	RS	X	X
Seychelles	SC		
Sierra Leone	SL		
Singapore	SG	X	X
Slovakia	SK	X	X
Slovenia	SI	X	X
Solomon Islands	SB		
South Africa	ZA	X	X
Spain	ES	X	X
Sri Lanka	LK	X	X
Suriname	SR		
Swaziland	SZ		

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Sweden	SE	X	X
Switzerland	CH	X	X
Tahiti	TA		
Taiwan (Province of China)	TW	X	X
Tajikistan	TJ		
Tanzania (United Republic of)	TZ	X	X
Thailand	TH	X	X
Timor-Leste	TL		
Tinian	TI		
Togo	TG		
Tonga	TO		
Tortola	ZZ		
Trinidad and Tobago	TT	X	X
Truk	TU		
Tunisia	TN	X	X
Turkey	TR	X	X
Turkmenistan	TM		
Turks and Caicos Islands	TC		
Tuvalu	TV		
Uganda	UG	X	
Ukraine	UA	X	X
Union Island	UI		
United Arab Emirates	AE	X	X
United Kingdom	GB	X	X
United States	US		
Uruguay	UY	X	X
Uzbekistan	UZ	X	X
Vanuatu	VU		
Vatican City State	VA	X	X
Venezuela(Bolvarian Republic of)	VE	X	X
Vietnam (Viet Nam)	VN	X	X
Virgin Islands, British	VG		
Virgin Islands, US	VI	X	X
Wales	WL	X	
Wallis and Futuna Islands	WF		
Yap	YA		
Yemen	YE		
Zambia	ZM	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Zimbabwe	ZW	X	

Currency Codes

UPS currency code abbreviations generally follow the recommendations of the International Standards Organization (ISO), which publishes a list of currency abbreviations in ISO Standard 4217. The following table lists the currency codes defined by ISO at the time of this publication. The latest information is available from the ISO web site: <http://www.iso.org/>.

Countries may sometimes change their official currency. UPS does require time after the introduction of a new currency before it can fully support that currency. In addition, UPS may continue to support the older currency for an interim period in order to provide backwards compatibility.

UPS may also require the use of currencies other than the official currency for some countries.

Country/Region	Currency Name	Currency Code
Afghanistan	Afghani	AFN
Albania	Lek	ALL
Algeria	Algerian Dinar	DZD
American Samoa	US Dollar	USD
Andorra	Euro	EUR
Angola	Kwanza	AOA
Anguilla	East Caribbean Dollar	XCD
Antigua And Barbuda	East Caribbean Dollar	XCD
Argentina	Argentine Peso	ARS
Armenia	Armenian Dram	AMD
Aruba	Aruban Guilder	AWG
Australia	Australian Dollar	AUD
Austria	Euro	EUR
Azerbaijan	Azerbaijani Manat	AZN
Bahamas	Bahamian Dollar	BSD
Bahrain	Bahraini Dinar	BHD
Bangladesh	Taka	BDT
Barbados	Barbados Dollar	BBD
Belarus	Belarussian Ruble	BYR
Belgium	Euro	EUR
Belize	Belize Dollar	BZD
Benin	CFA Franc BCEAO	XOF
Bermuda	Bermudian Dollar	BMD
Bhutan	Indian Rupee	INR
Bhutan	Ngultrum	BTN
Bolivia	Boliviano	BOB
Bolivia	Mvdol	BOV
Bosnia and Herzegovina	Convertible Marks	BAM
Botswana	Pula	BWP
Bouvet Island	Norwegian Krone	NOK
Brazil	Brazilian Real	BRL

Country/Region	Currency Name	Currency Code
British Indian Ocean Territory	US Dollar	USD
Brunei Darussalam	Brunei Dollar	BND
Bulgaria	Bulgarian Lev	BGN
Burkina Faso	CFA Franc BCEAO	XOF
Burundi	Burundi Franc	BIF
Cambodia	Riel	KHR
Cameroon	US Dollar	USD
Canada	Canadian Dollar	CAD
Cape Verde	Cape Verde Escudo	CVE
Cayman Islands	Cayman Islands Dollar	KYD
Central African Republic	CFA Franc BEAC	XAF
Chad	CFA Franc BEAC	XAF
Chile	Chilean Peso	CLP
Chile	Unidades de formento	CLF
China	Yuan Renminbi	RMB
Christmas Island	Australian Dollar	AUD
Cocos (Keeling) Islands	Australian Dollar	AUD
Colombia	Colombian Peso	COP
Colombia	Unidad de Valor Real	COU
Comoros	Comoro Franc	KMF
Congo	CFA Franc BEAC	XAF
Congo, The Democratic Republic of	Franc Congolais	CDF
Cook Islands	New Zealand Dollar	NZD
Costa Rica	Costa Rican Colon	CRC
Côte Divoire	CFA Franc BCEAO	XOF
Croatia	Croatian Kuna	HRK
Cuba	Cuban Peso	CUP
Cyprus	Euro	EUR
Czech Republic	Czech Koruna	CZK
Denmark	Danish Krone	DKK
Djibouti	Djibouti Franc	DJF
Dominica	East Caribbean Dollar	XCD
Dominican Republic	Dominican Peso	DOP
Ecuador	US Dollar	USD
Egypt	Egyptian Pound	EGP
El Salvador	El Salvador Colon	SVC
El Salvador	US Dollar	USD
Equatorial Guinea	CFA Franc BEAC	XAF

Country/Region	Currency Name	Currency Code
Eritrea	Nakfa	ERN
Estonia	Euro	EUR
Ethiopia	Ethiopian Birr	ETB
Falkland Islands (Malvinas)	Falkland Islands Pound	FKP
Faroe Islands	Danish Krone	DKK
Fiji	Fiji Dollar	FJD
Finland	Euro	EUR
France	Euro	EUR
French Guiana	Euro	EUR
French Polynesia	CFP Franc	XPF
French Southern Territories	Euro	EUR
Gabon	CFA Franc BEAC	XAF
Gambia	Dalasi	GMD
Georgia	Lari	GEL
Germany	Euro	EUR
Ghana	Cedi	GHS
Gibraltar	Gibraltar Pound	GIP
Greece	Euro	EUR
Greenland	Danish Krone	DKK
Grenada	East Caribbean Dollar	XCD
Guadeloupe	Euro	EUR
Guam	US Dollar	USD
Guatemala	Quetzal	GTQ
Guernsey	Pound Sterling	GBP
Guinea	Guinea Franc	GNF
Guinea-Bissau	Guinea-Bissau Peso	GWP
Guinea-Bissau	CFA Franc BCEAO	XOF
Guyana	Guyana Dollar	GYD
Haiti	Gourde	HTG
Haiti	US Dollar	USD
Heard Island and McDonald Islands	Australian Dollar	AUD
Holy See (Vatican City State)	Euro	EUR
Honduras	Lempira	HNL
Hong Kong	Hong Kong Dollar	HKD
Hungary	Forint	HUF
Iceland	Iceland Krona	ISK
India	Indian Rupee	INR
Indonesia	Rupiah	IDR

Country/Region	Currency Name	Currency Code
Iran (Islamic Republic of)	Iranian Rial	IRR
Iraq	Iraqi Dinar	IQD
Ireland	Euro	EUR
Israel	New Israeli Sheqel	ILS
Italy	Euro	EUR
Jamaica	Jamaican Dollar	JMD
Japan	Yen	JPY
Jersey	Pound Sterling	GBP
Jordan	Jordanian Dinar	JOD
Kazakhstan	Tenge	KZT
Kenya	Kenyan Shilling	KES
Kiribati	Australian Dollar	AUD
Korea, Democratic Peoples Republic of	North Korean Won	KPW
Korea, Republic of	Won	KRW
Kuwait	Kuwaiti Dinar	KWD
Kyrgyzstan	Som	KGS
Lao Peoples Democratic Republic	Kip	LAK
Latvia	Euro	EUR
Lebanon	Lebanese Pound	LBP
Lesotho	Rand	ZAR
Lesotho	Loti	LSL
Liberia	Liberian Dollar	LRD
Libyan Arab Jamahiriya	Libyan Dinar	LYD
Liechtenstein	Swiss Franc	CHF
Lithuania	Euro	EUR
Luxembourg	Euro	EUR
Macao	Pataca	MOP
Macedonia, The Former Yugoslav Republic of	Denar	MKD
Madagascar	Malagascy Ariary	MGA
Malawi	Kwacha	MWK
Malaysia	Malaysian Ringgit	MYR
Maldives	Rufiyaa	MVR
Mali	CFA Franc BCEAO	XOF
Malta	Euro	EUR
Marshall Islands	US Dollar	USD
Martinique	Euro	EUR
Mauritania	Ouguiya	MRO
Mauritius	Mauritius Rupee	MUR

Country/Region	Currency Name	Currency Code
Mayotte	Euro	EUR
Mexico	Mexican Peso	MXN
Mexico	Mexican Unidad de Inversion (UID)	MXV
Micronesia (Federated States of)	US Dollar	USD
Moldova, Republic of	Moldovan Leu	MDL
Monaco	Euro	EUR
Mongolia	Tugrik	MNT
Montenegro	Euro	EUR
Montserrat	East Caribbean Dollar	XCD
Morocco	Moroccan Dirham	MAD
Mozambique	Metical	MZN
Myanmar	Kyat	MMK
Namibia	Rand	ZAR
Namibia	Namibian Dollar	NAD
Nauru	Australian Dollar	AUD
Nepal	Nepalese Rupee	NPR
Netherlands	Euro	EUR
Netherlands Antilles	Netherlands Antillian Guilder	ANG
New Caledonia	CFP Franc	XPF
New Zealand	New Zealand Dollar	NZD
Nicaragua	Cordoba Oro	NIO
Niger	CFA Franc BCEAO	XOF
Nigeria	Naira	NGN
Niue	New Zealand Dollar	NZD
Norfolk Island	Australian Dollar	AUD
Northern Mariana Islands	US Dollar	USD
Norway	Norwegian Krone	NOK
Oman	Rial Omani	OMR
Pakistan	Pakistan Rupee	PKR
Palau	US Dollar	USD
Panama	Balboa	PAB
Panama	US Dollar	USD
Papua New Guinea	Kina	PGK
Paraguay	Guarani	PYG
Peru	Nuevo Sol	PEN
Philippines	Philippine Peso	PHP
Pitcairn	New Zealand Dollar	NZD
Poland	Zloty	PLN

Country/Region	Currency Name	Currency Code
Portugal	Euro	EUR
Puerto Rico	US Dollar	USD
Qatar	Qatari Rial	QAR
Réunion	Euro	EUR
Romania	New Leu	RON
Russian Federation	Russian Ruble	RUB
Rwanda	Rwanda Franc	RWF
Saint Helena	Saint Helena Pound	SHP
Saint Kitts and Nevis	East Caribbean Dollar	XCD
Saint Lucia	East Caribbean Dollar	XCD
Saint Pierre and Miquelon	Euro	EUR
Saint Vincent and The Grenadines	East Caribbean Dollar	XCD
Samoa	Tala	WST
San Marino	Euro	EUR
São Tome and Principe	Dobra	STD
Saudi Arabia	Saudi Riyal	SAR
Senegal	CFA Franc BCEAO	XOF
Serbia	Serbian Dinar	RSD
Seychelles	Seychelles Rupee	SCR
Sierra Leone	Leone	SLL
Singapore	Singapore Dollar	SGD
Slovakia	Euro	EUR
Slovenia	Euro	EUR
Solomon Islands	Solomon Islands Dollar	SBD
Somalia	Somali Shilling	SOS
South Africa	Rand	ZAR
Spain	Euro	EUR
Sri Lanka	Sri Lanka Rupee	LKR
Sudan	Sudanese Dinar	SDD
Suriname	Surinam Dollar	SRD
Svalbard and Jan Mayen	Norwegian Krone	NOK
Swaziland	Lilangeni	SZL
Sweden	Swedish Krona	SEK
Switzerland	Swiss Franc	CHF
Switzerland	WIR Franc	CHW
Switzerland	WIR Euro	CHE
Syrian Arab Republic	Syrian Pound	SYF
Taiwan, Province of China	New Taiwan Dollar	TWD

Country/Region	Currency Name	Currency Code
Tajikistan	Somoni	TJS
Tanzania, United Republic of	Tanzanian Shilling	TZS
Thailand	Baht	THB
Timor-Leste	US Dollar	USD
Togo	CFA Franc BCEAO	XOF
Tokelau	New Zealand Dollar	NZD
Tonga	Paanga	TOP
Trinidad And Tobago	Trinidad and Tobago Dollar	TTD
Tunisia	Tunisian Dinar	TND
Turkey	New Turkish Lira	TRY
Turkmenistan	Manat	TMM
Turks And Caicos Islands	US Dollar	USD
Tuvalu	Australian Dollar	AUD
Uganda	Uganda Shilling	UGX
Ukraine	Hryvnia	UAH
United Arab Emirates	UAE Dirham	AED
United Kingdom	Pound Sterling	GBP
United States	US Dollar	USD
United States Minor Outlying Islands	US Dollar	USD
Uruguay	Peso Uruguayo	UYU
Uruguay	Uruguay Peso en Unidades Indexadas	UYI
Uzbekistan	Uzbekistan Sum	UZS
Vanuatu	Vatu	VUV
Venezuela	Bolivar	VEB
Viet Nam	Dong	VND
Virgin Islands (British)	US Dollar	USD
Virgin Islands (US)	US Dollar	USD
Wallis And Futuna	CFP Franc	XPF
Western Sahara	Moroccan Dirham	MAD
Yemen	Yemeni Rial	YER
Zambia	Kwacha	ZMK
Zimbabwe	Zimbabwe Dollar	ZWD

Delivery Confirmation Origin-Destination Pairs

The Origin-Destination table defines valid origin and destination combinations for the delivery confirmation accessorial. These accessorial may be applied at the package-level (P) or at the shipment-level (S). They are valid for forward shipments only.

Delivery confirmation types are as follows:

- Delivery confirmation (DC)
- Delivery confirmation with signature required (DC-SR)
- Delivery confirmation with adult signature required (DC-ASR)

Origin	Destination	DC	DC-SR	DC-ASR
US50	US50, PR	P	P	P
US50	CA, VI		S	S
US50	Intl other than CA, PR, VI		S	S
CA	US50, PR	P	P	P
CA	CA, VI		S	S
CA	Intl other than CA, PR, VI		S	S
PR	US50, PR	P	P	P
PR	CA, VI		S	S
PR	Intl other than CA, PR, VI		S	S
International-supported origin countries (not US, PR, CA, VI) *	International (national, trans border, worldwide)		S	S

*Refer to Country Codes in the Appendix.

Disclaimer Codes and Messages

Disclaimer Codes	Disclaimer Message
01	Taxes are included in the shipping cost and apply to the transportation charges but additional duties/taxes may apply and are not reflected in the total amount due.
02	Additional duties/taxes may apply and are not reflected in the total amount due.
03	Additional duties/taxes may apply and are not reflected in the total amount due.
04	Taxes were unable to be determined and may apply to the shipment.
05	Rate excludes VAT. Rate includes a fuel Surcharge, but excludes taxes, duties and other charges that may apply to the shipment.

Service Codes

UPS offers a wide variety of package delivery services. The following tables list the service code values for these services; they are ordered by the origin of the shipment.

For additional information on UPS services, refer to the latest [UPS Rate and Service Guide](http://www.ups.com) available at: <http://www.ups.com>.

- [United States](#)
- [Canada](#)
- [European Union](#)
- [Mexico](#)
- [Poland](#)
- [Puerto Rico](#)
- [Undefined Countries](#)
- [All Countries](#)

United States

Shipments originating in United States

Description	Shipping	Rating
UPS 2nd Day Air	02	02
UPS 2nd Day Air A.M.	59	59
UPS 3 Day Select	12	12
UPS Ground	03	03
UPS Next Day Air	01	01
UPS Next Day Air Early	14	14
UPS Standard	11	11
UPS Worldwide Express	07	07
UPS Worldwide Expedited	08	08
UPS Worldwide Express Plus	54	54
UPS Worldwide Saver	65	65

United States domestic shipments

Description	Shipping	Rating
UPS 2nd Day Air	02	02
UPS 2nd Day Air A.M.	59	59
UPS 3 Day Select	12	12
UPS Ground	03	03
UPS Next Day Air	01	01
UPS Next Day Air Early	14	14
UPS Next Day Air Saver	13	13

Canada

Description	Category	Shipping	Rating
UPS Access Point Economy	Canadian domestic shipments	70	70
UPS 3 Day Select	Shipments originating in Canada	12	12
UPS Expedited	Shipments originating in Canada to CA, US, and MX	08	08
UPS Express	Shipments originating in Canada	01	01
UPS 2nd Day Air	Shipments originating in Canada to Canada	02	02
UPS Next Day Air Saver	Shipments originating in Canada to Canada	13	13
UPS Express Early	Shipments originating in Canada	14	14
UPS Express Saver	Shipment originating in Canada (Domestic & Int'l)	65	65
UPS Standard	Shipments originating in Canada	11	11
UPS Worldwide Expedited	International shipments originating in Canada	08	08
UPS Worldwide Express	International shipments originating in Canada to the US and MX	07	07
UPS Worldwide Express Plus	International shipments originating in Canada	54	54

European Union

Description		Shipping	Rating
UPS Access Point Economy	Shipments within the European Union	70	70
UPS Expedited	Shipments originating in the European Union	08	08
UPS Express	Shipments originating in the European Union	07	07
UPS Standard	Shipments originating in the European Union	11	11
UPS Worldwide Express Plus	Shipments originating in the European Union	54	54
UPS Worldwide Saver	Shipments originating in the European Union	65	65

Mexico

Description		Shipping	Rating
UPS Access Point Economy	Mexican domestic shipments	70	70
UPS Expedited	Shipments originating in Mexico	08	08
UPS Express	Shipments originating in Mexico	07	07
UPS Standard	Shipments originating in Mexico	11	11
UPS Worldwide Express Plus	Shipments originating in Mexico	54	54
UPS Worldwide Saver	Shipments originating in Mexico	65	65

Poland

Description		Shipping	Rating
UPS Access Point Economy	Polish domestic shipments	70	70
UPS Today Dedicated Courier	Polish domestic shipments	83	83
UPS Today Express	Polish domestic shipments	85	85
UPS Today Express Saver	Polish domestic shipments	86	86
UPS Today Standard	Polish domestic shipments	82	82
UPS Expedited	Shipments originating in Poland	08	08
UPS Express	Shipments originating in Poland	07	07
UPS Express Plus	Shipments originating in Poland	54	54
UPS Express Saver	Shipments originating in Poland	65	65
UPS Standard	Shipments originating in Poland	11	11

Puerto Rico

Shipments originating in Puerto Rico

Description	Shipping	Rating
UPS 2nd Day Air	02	02
UPS Ground	03	03
UPS Next Day Air	01	01
UPS Next Day Air Early	14	14
UPS Worldwide Expedited	08	08
UPS Worldwide Express	07	07
UPS Worldwide Express Plus	54	54
UPS Worldwide Saver	65	65

Undefined Countries

Use for all countries other than United States, Canada, European Union, Mexico, Poland, and Puerto Rico

Description	Shipping	Rating
UPS Express	07	07
UPS Standard	11	11
UPS Worldwide Expedited	08	08
UPS Worldwide Express Plus	54	54
UPS Worldwide Saver	65	65

All Countries

Shipments originating in All Countries

Description	Shipping	Rating
UPS Worldwide Express Freight	96	96

Tax Type Values / Abbreviations

• ALV	• GST	• MOMS	• PVN
• BTW	• HST	• MVA	• QST
• DDS	• IVA	• MWST	• TVA
• DDV	• IVA1	• PDV	• VAT
• DPH	• IVA2	• PST	• VSK
• FPA	• IVA3	• PVM	

