



# Shipping - Package

## XML Developer Guide

July 11, 2016



## Important Information

### UPS Developer Kit APIs

Your development of an application using UPS Developer Kit APIs is governed by the UPS Technology Agreement you entered into with UPS. The following are key legal requirements from these agreements for the UPS Developer Kit APIs. For more information on all requirements for the UPS Developer Kit APIs, please refer to the UPS Technology Agreement.

Defined terms used but not defined in this document have the meaning set forth in the UPS Technology Agreement.

### Key Legal Requirements for UPS Developer APIs

#### *Permitted Territories*

This document can only be used in the countries of the Permitted Territory as defined in the UPS Technology Agreement, as applicable.

#### *Use*

The application must not be designed to allow distribution of information received through the UPS Developer Kit APIs to third parties, other than to persons having a bona fide interest in such information (e.g., the shipper, receiver, or the third party payer, or to your service providers authorized by UPS).

#### *Consent to Use of UPS Mark*

- All screens or forms generated by your application including information received through the UPS Developer Kit APIs must include (1) the UPS Mark positioned in reasonable proximity to the Information and of an appropriate size to readily identify the source of the Information as UPS and (2) the following language at the bottom of every screen that displays the UPS Mark: "UPS, the UPS brand mark, and the Color Brown are trademarks of United Parcel Service of America, Inc. All Rights Reserved". Except as set forth in the preceding sentence, you have no right to use the UPS Mark without the prior written approval of UPS.
- You shall not use the UPS Mark in association with any third party trademarks in a manner that might suggest co-branding or otherwise create potential confusion as to source or sponsorship of the application, or ownership of the UPS Mark.
- The UPS Mark shall be used only as provided by UPS electronically or in hard copy form. The UPS Mark may not be altered in any manner, including proportions, colors, elements, etc., or animated, morphed or otherwise distorted in perspective or dimensional appearance.
- The UPS Mark may not be combined with any other symbols, including words, logos, icons, graphics, photos, slogans, numbers, or other design elements. A minimum amount of empty space must surround the UPS Mark separating it from any other object, such as type, photography, borders, edges, etc. The required area of empty space around the UPS Mark must be  $\frac{1}{3}x$ , where x equals the height of the UPS Mark.

#### *Copyright and Proprietary Notice*

In your application and any POD Letters you prepare, you must include a prominent reproduction of UPS's copyright and proprietary notices in a form and format specified by UPS (See the [Copyright](#) section of this document).

#### *Display of Information*

The application must not display information concerning any other provider of shipping services or such other shipping services on any page, whether comprising one or more frames, displaying information your application receives from the UPS Developer Kit APIs. Your application must present all data within each field received through the UPS Developer Kit APIs without amendment, deletion, or modification of any type.

## Notice

In all communications with UPS concerning this document, please refer to the document date located on the cover.

## Copyright

© 2016 United Parcel Service of America, Inc. All Rights Reserved. Confidential and Proprietary

The use, disclosure, reproduction, modification, transfer, or transmittal of this work for any purpose in any form or by any means without the written permission of United Parcel Service is strictly prohibited.

## Trademarks

Some of the UPS corporate applications use United States city, state, and postal code information obtained by United Parcel Service of America, Inc. under a non-exclusive license from the United States Postal Service.

# Table of Contents

<b>Chapter 1: Introduction</b>	<b>1</b>
<b>Release Features</b>	<b>2</b>
<b>Chapter 2: Understanding the Shipping API</b>	<b>5</b>
<b>Business Processes and Rules</b>	<b>5</b>
<b>Negotiated Rates</b>	<b>5</b>
<b>What Shipping Services Can Do</b>	<b>6</b>
Shipments	6
Voids (Cancellations)	6
Returns	6
<b>How Shipping Services Work</b>	<b>7</b>
Two-Stage Shipping Process	7
Voiding Shipments	8
Label Recovery Services	8
<b>Chapter 3: Customer Integration Environment (CIE)</b>	<b>9</b>
<b>Using Negotiated Rates in CIE</b>	<b>9</b>
<b>Shipping (XML)</b>	<b>10</b>
Integration Testing URL	10
Production URL	10
Server Availability Check	10
<b>Void Package (XML)</b>	<b>11</b>
Integration Testing for Void	11
Production Testing for Void	11
Server Availability Check for Void	11
Shipping and Tracking Numbers for Testing Void	12
<b>Label Recovery (XML)</b>	<b>14</b>
Integration Testing for Label Recovery	14
Production Testing for Label Recovery	14
Server Availability Check for Label Recovery	14
<b>Chapter 4: Shipment Confirm API Elements and Details</b>	<b>15</b>
<b>Element Constraints</b>	<b>15</b>
<b>ShipmentConfirmRequest Top Level Containers</b>	<b>16</b>
<b>ShipmentConfirmRequest XPath Tables</b>	<b>18</b>
Request	18
RequestAction	18
RequestOption	19
SubVersion	19
TransactionReference	19
Shipment	20
Description	20

ReturnService .....	20
DocumentsOnly .....	21
Shipper .....	22
ShipTo .....	25
AlternateDeliveryAddress .....	28
ShipFrom .....	30
SoldTo .....	34
PaymentInformation .....	36
ItemizedPaymentInformation .....	43
GoodsNotInFreeCirculationIndicator .....	50
RateInformation .....	50
MovementReferenceNumber .....	51
ReferenceNumber .....	52
Service .....	52
InvoiceLineTotal .....	54
NumOfPiecesInShipment .....	54
USPSEndorsement .....	55
MILabelCN22Indicator .....	55
SubClassification .....	55
CostCenter .....	55
ShipmentServiceOptions .....	56
PackageID .....	104
IrregularIndicator .....	104
Package .....	104
RatingMethodRequestedIndicator .....	117
TaxInformationIndicator .....	117
ShipmentIndicationType .....	117
LabelSpecification .....	118
LabelPrintMethod .....	118
HTTPUserAgent .....	118
LabelStockSize .....	119
LabelImageFormat .....	119
Instruction .....	120
ReceiptSpecification .....	121
ImageFormat .....	121
<b>ShipmentConfirmResponse Top Level Containers (XML) .....</b>	<b>122</b>
<b>ShipmentConfirmResponse XPath Tables .....</b>	<b>123</b>
Response .....	123
TransactionReference .....	123
ResponseStatusCode .....	123
ResponseStatusDescription .....	124
Error .....	124
ShipmentCharges .....	126
RateChart .....	126

TransportationCharges .....	126
ServiceOptionsCharges .....	126
ItemizedCharges .....	127
TaxCharges .....	128
TotalCharges .....	128
TotalChargesWithTaxes .....	128
BillingWeight .....	130
UnitOfMeasurement .....	130
Weight .....	130
ShipmentIdentificationNumber .....	131
BillableWeightCalculationMethod .....	131
RatingMethod .....	131
Disclaimer .....	132
Code .....	132
Description .....	132
ShipmentDigest .....	132
NegotiatedRates .....	133
ItemizedCharges .....	133
TaxCharges .....	134
NetSummaryCharges .....	134
<b>Chapter 5: Shipment Accept API Elements and Details .....</b>	<b>136</b>
<b>ShipmentAcceptRequest Top Level Containers .....</b>	<b>136</b>
<b>ShipmentAcceptRequest XPath Tables .....</b>	<b>137</b>
Request .....	137
RequestAction .....	137
SubVersion .....	137
TransactionReference .....	138
ShipmentDigest .....	139
<b>ShipAcceptResponse Top Level Containers .....</b>	<b>140</b>
<b>ShipmentAcceptResponse XPath Tables .....</b>	<b>141</b>
Response .....	141
TransactionReference .....	141
ResponseStatusCode .....	141
ResponseStatusDescription .....	142
Error .....	142
ShipmentResults .....	144
ShipmentCharges .....	144
Negotiated Rates .....	147
BillingWeight .....	150
Disclaimer .....	150
ShipmentIdentificationNumber .....	151
RatingMethod .....	151
ControlLogReceipt .....	152

PackageResults .....	152
Form .....	159
CODTurnInPage .....	160
HighValueReport .....	161
LabelURL .....	162
LocalLanguageLabelURL .....	162
ReceiptURL .....	162
LocalLanguageReceiptURL .....	162
<b>Chapter 6: Label Recovery Elements and Details .....</b>	<b>163</b>
<b>LabelRecoveryRequest Top Level Containers .....</b>	<b>163</b>
<b>LabelRecoveryRequest XPath Tables .....</b>	<b>164</b>
Request .....	164
LabelSpecification .....	165
Translate .....	166
LabelDelivery .....	168
TrackingNumber .....	168
ReferenceNumber .....	169
ShipperNumber .....	169
<b>LabelRecoveryResponse Top Level Containers .....</b>	<b>170</b>
<b>LabelRecoveryResponse XPath Tables .....</b>	<b>171</b>
Response .....	171
ShipmentIdentificationNumber .....	173
LabelResults .....	174
TrackingCandidate .....	177
<b>Chapter 7: Void Shipment Elements and Details .....</b>	<b>179</b>
<b>VoidShipmentRequest Top Level Containers .....</b>	<b>179</b>
<b>VoidShipmentRequest XPath Tables .....</b>	<b>180</b>
Request .....	180
ShipmentIdentificationNumber .....	180
ExpandedVoidShipment .....	181
<b>VoidShipmentResponse Top Level Containers .....</b>	<b>182</b>
<b>VoidShipmentResponse XPath Tables .....</b>	<b>183</b>
Response .....	183
Status .....	186
PackageLevelResults .....	187
<b>Chapter 8: Shipping XML API Examples .....</b>	<b>188</b>
<b>ShipmentConfirmRequest Example .....</b>	<b>188</b>
<b>ShipmentConfirmResponse Example .....</b>	<b>190</b>
<b>ShipmentAcceptRequest Example .....</b>	<b>190</b>
<b>ShipmentAcceptResponse Example .....</b>	<b>191</b>

<b>LabelRecoveryRequest Example</b>	<b>193</b>
<b>LabelRecoveryResponse Example</b>	<b>193</b>
<b>VoidShipmentRequest Example</b>	<b>195</b>
<b>VoidShipmentResponse Example</b>	<b>195</b>
<b>Chapter 9: Shipping Package API FAQs</b>	<b>196</b>
<b>Appendices</b>	<b>204</b>
<b>Error Codes (XML)</b>	<b>205</b>
Common Error Codes	205
Shipping Error Codes	207
120001 - 120318	207
120400 - 120619	210
120620 - 121116	213
121120 - 125000	217
126000 - 128042	220
128043 - 128240	223
128241 - 129204	227
1270092 - 1270125	230
9126004 +	231
Label Recovery Error Codes	232
Void Error Codes	233
<b>Accessorial / Surcharge Codes</b>	<b>234</b>
Accessorial & Surcharge Subtypes	237
<b>COD Supported Countries</b>	<b>238</b>
<b>Country Codes</b>	<b>239</b>
<b>Currency Codes</b>	<b>247</b>
<b>Delivery Confirmation Origin-Destination Pairs</b>	<b>254</b>
<b>Disclaimer Codes and Messages</b>	<b>255</b>
<b>EEL License Codes</b>	<b>256</b>
Department of Commerce/Bureau of Industry and Security (BIS)	256
Department of Energy/National Nuclear Security Administration (DOE/NNSA)	265
Nuclear Regulatory Commission (NRC)	265
Department of State/ Directorate of Defense Trade Control (DDTC)	266
Department of Treasury/Office of Foreign Assets Control (OFAC)	267
Other Partnership Agency	267
<b>EEL License Types and Exemptions</b>	<b>268</b>
<b>Export License Exception Codes</b>	<b>269</b>
<b>Hong Kong District Codes</b>	<b>270</b>
<b>International Forms Preference Criteria</b>	<b>273</b>
<b>Label Examples</b>	<b>274</b>
Shipping Label Sample	274
Return Label Sample	275



<b>Language / Dialect Combinations</b> .....	<b>276</b>
<b>License Exception Codes</b> .....	<b>277</b>
<b>Mail Innovations Package Detail Information</b> .....	<b>278</b>
<b>Paperless Invoice Support Countries</b> .....	<b>279</b>
North American Free Trade Agreement (NAFTA) Supported Countries .....	279
<b>Reference Number Codes</b> .....	<b>280</b>
<b>Service Codes</b> .....	<b>281</b>
United States .....	281
Canada .....	282
European Union .....	282
Mexico .....	282
Poland .....	283
Puerto Rico .....	283
Undefined countries .....	283
All Countries .....	284
<b>Tax Type Values / Abbreviations</b> .....	<b>285</b>

# Chapter 1: Introduction

---

In this document, you will find guidance and instructions for integrating the Shipping Package XML API into your application, service, or system.

## In this guide, you will find:

- New release features
- Shipping Package XML API functionality and business rules
- XML API request and response schema
- FAQs for the Shipping API
- Shipping error response code descriptions
- Service code references

## This guide applies to the following API:

- Shipping Package XML API

## This guide does not apply to the following APIs:

- Shipping Package Web Service API
- Shipping Ground Freight or Air Freight API

## Intended Audience

This guide is intended for developers who will be integrating the Shipping Package XML API into their application, service, or system.

## Required Knowledge & Skills

This guide assumes you have a basic understanding of the following:

- Concepts and instructions in the *Introduction to the UPS Developer Kit* guide.
- XML syntax and structure
- Software development

## How to Use this Guide

- If this is your first time working with the UPS Developer Kit, begin with the *Introduction to the UPS Developer Kit* guide. This guide serves as the foundation for all API-specific developer guides.
- If you are experienced with the UPS Developer Kit but have not yet worked with the Shipping API, continue with [Chapter 2: Understanding the Shipping API](#). There you will find an overview of the Rating functionality and business rules.
- [Chapter 3: Customer Integration Environment \(CIE\)](#) contains information on UPS integration environments.
- The [Shipment Confirm](#), [Shipment Accept](#), [Label Recovery](#), and [Void Shipment](#) API Elements and Details chapters contain an overview of the top-level containers and elements that comprise requests and responses.
- Request and response examples are located in [Chapter 8: Shipping XML API Examples](#).
- Reference tables, services codes, and error codes are located in the [Appendices](#).

## Release Features

### July 2016

Description
<b>Expanded COD Service</b> <ul style="list-style-type: none"> <li>• Shipment level: Russia and United Arab Emirates</li> <li>• Package Level: Argentina, Brazil, Chile, Mexico</li> </ul> <p>For additional information refer to the topic: <a href="#">COD Supported Countries</a></p>
<b>New PackageResults Response Containers/Elements</b> <ul style="list-style-type: none"> <li>• /ShipmentAcceptResponse/ShipmentResults/PackageResults           <ul style="list-style-type: none"> <li>• ItemizedCharges</li> <li>• NegotiatedRates/ItemizedCharges</li> </ul> </li> </ul> <b>ItemizedCharges Elements:</b> <ul style="list-style-type: none"> <li>• Code</li> <li>• Description</li> <li>• CurrencyCode</li> <li>• MonetaryValue</li> <li>• SubType</li> </ul>

### April 2016

Description
<p>Added support for additional credit card types:</p> <p>13=Dankort, 14=Hipercard, 15=JCB, 17=Postepay, 18=UnionPay/ExpressPay, 19=Visa Electron, 20=VPAY, 21=Carte Bleue</p>

### January 2016

Description
<b>Emerging Market Priority Countries</b> <ul style="list-style-type: none"> <li>• Expansion of supported countries           <ul style="list-style-type: none"> <li>■ Algeria, Angola, Azerbaijan, Bahrain, Burundi, Cameroon, DR of Congo, Djibouti, Ethiopia, Estonia, Ghana, Ivory Coast, Malawi, Mauritius, Mozambique, Rwanda, Serbia, Slovenia, Sri Lanka, Tanzania, Uganda, Zambia, Zimbabwe</li> <li>■ Updates noted in the Country Code appendix</li> </ul> </li> <li>• Refer to UPS.com for additional information</li> </ul>
<b>International Rate Type</b> <ul style="list-style-type: none"> <li>• Support for new General List and Regional Rate charts</li> <li>• New value returned in response</li> </ul>
<b>Expand Customer Payment Options</b> <ul style="list-style-type: none"> <li>• Support PayPal for all forward movements</li> </ul>

Description
<b>Rating Granularity</b> <ul style="list-style-type: none"> <li>Return itemized published rates for transportation, surcharges and accessorials</li> </ul>
<b>New Shipping Request Elements</b> <ul style="list-style-type: none"> <li>/Request/SubVersion</li> </ul>
<b>New Shipping Response Containers/Elements</b> <ul style="list-style-type: none"> <li>/ShipmentCharges/ItemizedCharges/code</li> <li>/NegotiatedRates/ItemizedCharges</li> </ul> <b>ItemizedCharges Elements:</b> <ul style="list-style-type: none"> <li>Code</li> <li>Description</li> <li>CurrencyCode</li> <li>MonetaryValue</li> <li>SubType</li> </ul>
<b>UPS Access Point Lite</b> <ul style="list-style-type: none"> <li>Extend currently available UPS Access Point functionality to new countries <ul style="list-style-type: none"> <li>Austria, Denmark, Finland, Norway, Sweden, and Switzerland.</li> </ul> </li> </ul>
<b>New Error Codes</b> <ul style="list-style-type: none"> <li>124078 - Hard - The Notification Media Type is invalid for the given country.</li> <li>124079 - Hard - The Notification Language is invalid for the given Notification Media Type Code.</li> </ul>

## July 2015

New Features
<b>Emerging Market Priority Countries</b> <ul style="list-style-type: none"> <li>Expansion of supported countries <ul style="list-style-type: none"> <li>Bangladesh, Bulgaria, Croatia, Egypt, Jordan, Kenya, Kuwait, Latvia, Lithuania, Morocco, Nigeria, Oman, Pakistan, Qatar, Saudi Arabia, Slovakia, South Africa, Tunisia &amp; United Arab Emirates</li> <li>Updates noted in the Country Code appendix</li> </ul> </li> <li>Refer to UPS.com for additional information</li> </ul>
<b>Satellite Country Compliance</b> <ul style="list-style-type: none"> <li>Expansion of satellite countries <ul style="list-style-type: none"> <li>Canary Islands, Ceuta, Melilla and Aland Islands</li> <li>Updates noted in the Country Code appendix</li> </ul> </li> <li>Refer to UPS.com for additional information</li> </ul>
<b>UPS Access Point™ Network enhancements</b> <ul style="list-style-type: none"> <li>New service “UPS Access Point™ Economy” for forward Hold at Pick-up (Contract service), Access Point Delivery (General Service ) and UPS Return service (Contract service) for Domestic shipments within Access Point countries</li> <li>New accessory - Package Release code <ul style="list-style-type: none"> <li>Authorization code provided by shipper used by the receiver for Hold for Pick-up packages</li> </ul> </li> <li>New UPS Access Point™ addresses listed on the label instructions for ERL &amp; PRL’s <ul style="list-style-type: none"> <li>Support account level Direct Delivery Only (DDO)</li> </ul> </li> </ul>

**New Features****New Request Element**

- /Shipment/ShipmentServiceOptions/EPRAReleaseCode

**New Error Codes**

# Chapter 2: Understanding the Shipping API

---

## Business Processes and Rules

- UPS expects schema elements/tags as defined in the XPath and presented in the schema structure without spelling or structural deviations. Elements/tags that are not defined in the schema or do not conform to the schema structure will be ignored by UPS.
- To access API documentation the user must have or create a My UPS profile.
- To access testing and production sites the user must have an Access Key. To get an Access Key you must have a My UPS profile and an associated shipping account. For additional information, refer to the [UPS Developer Kit User Guide](#).
- To bill package shipments, your My UPS profile must have a UPS six digit (package shipping) account number. To add an account number to your My UPS ID for the US and CA, you must have your Invoice Level Control ID and a Plan level Control ID, UPS Account Number, Country, Amount due and date of invoice for authentication.

## Shipping Rules

- UPS Worldwide Express Freight shipments require a minimum of five labels to be printed for each pallet. The API itself will only produce one label.
- You can void a shipment from the following origin countries: US, PR and CA.
- Only the first AddressLine is printed on the ShipFrom section of the label. Address Line 1, 2 and 3 will be printed on the label for the ShipTo Address if provided in the request.
- For shipments with Ground Freight Pricing, Ground Freight Pricing's grand total can be calculated by adding NetCharge from FRSShipmentData container with ServiceOptionsCharges from ShipmentCharges container.

## Negotiated Rates

The Shipping API provides access to Published Rates and Negotiated Rates. A negotiated rate is established by contract between the customer and UPS.

If you have a pricing contract with UPS, please contact your sales representative for proper setup.

Once your UPS sales rep has verified your setup you need to do the following:

1. Add your account to your My UPS profile using one of your most recent three invoices.
  - If you have never generated an invoice or have not generated an invoice in the past 90 days, add the account using the pickup location postal code for the account.
  - Because you have not generated an invoice, you will need to contact your sales representative a second time to enable negotiated rates in UPS systems.
2. When transacting with UPS API servers include the correct My UPS ID/PW + Account + Access Key.
3. Include the 'NegotiatedRatesIndicator' element within your XML request. The element is an empty tag.



### IMPORTANT NOTES:

- ▲ Negotiated rates in the CIE are for test purposes only and are not representative of actual negotiated rates. A 1% discount is applied when requested.
- ▲ Post-shipment charges, such as address corrections, dimensional weight adjustments, and other adjustments will affect the actual rate billed which may differ from the rates returned by the Shipping API.
- ▲ Make sure that all requests are identical when comparing shipping charges between applications and APIs that provide UPS Negotiated Rates.
- ▲ Working through discrepancies requires knowledge of all parameters posted, defaults, numeric rounding, and the rate table used by the applications being compared.

You can check your results against the UPS Calculate Time and Cost program: <https://wwwapps.ups.com/ctc>

## What Shipping Services Can Do

The Shipping Package API makes UPS shipping services available to client applications that communicate with UPS using the Internet. With this API, applications can prepare or schedule package shipments, manage returns, or cancel previously scheduled shipments.

### Shipments

The Shipping Package API gives your applications many ways to manage the shipment of packages to their destination. UPS offers a range of delivery time frames from same day to standard ground transportation. Shipments may be within the United States or international, and they may range from documents to large packages.

UPS also supports many valued added services for shipments, including collect on delivery (COD), declared value, delivery confirmation, and automatic notification of delivery status.

For full details on all UPS shipping services, please consult the latest *UPS Rate and Service Guide* available at <http://www.ups.com>.



NOTE: Shipments are sometimes called forward shipments or outbound shipments to distinguish them from returns.

### Voids (Cancellations)

If you need to void/cancel a previously scheduled shipment, the UPS Void API can be used to void the shipment.

### Returns

The Shipping Package API also supports UPS return services. With return services, you can:

- Include a label in an outbound shipment
- Ask UPS to email or mail the return label to your customer
- Request a UPS driver to pick up the package at the your customer's location




NOTE: UPS can provide a label for a return shipment even if it did not provide a label for the forward shipment.

## How Shipping Services Work

Because forward and return shipments share many of the same characteristics (they have an origin, destination, service type, etc.), UPS APIs use the same procedure for both services. Canceling or voiding a shipment requires its own procedure.

### Two-Stage Shipping Process

The process to use the Shipping API consists of two stages, the ship confirm stage followed by the ship accept stage. A request/response pair is exchanged between the client and server in each stage.



#### Stage I. Confirm

##### 1. ShipmentConfirmRequest

The procedure begins when a client application sends a (1) ShipmentConfirmRequest to UPS. This request provides details of the shipment and the desired UPS services.

- After the ShipmentConfirmRequest message is created, it must be sent to the Shipping API ShipmentConfirm URL address, using a HTTP POST.

##### 2. ShipmentConfirmResponse

- After the ShipmentConfirmRequest message is received by the server it is preprocessed and validated. If the request passes all validation tests, a (2) ShipmentConfirmResponse is returned containing estimated rate information, the shipment Id, and the shipment digest.
- If the ShipmentConfirmRequest message fails validation, a ShipmentConfirmResponse message is returned containing error information. The majority of the validation is performed in this stage. *The actual shipment has not been created at this point.*

#### Stage II. Accept

##### 3. ShipmentAcceptRequest

If the rates and services are acceptable to the client, it sends a (3) ShipmentAcceptRequest to UPS. This message authorizes UPS to charge for the shipment and process the shipment data.

- In order to create a shipment and receive the shipping label(s), a ShipAcceptRequest message must be created and sent to the Shipping API ShipAccept connection address URL, using a HTTP POST.
- The ShipAcceptRequest message must contain the shipment digest returned in the ShipmentConfirmResponse message.

##### 4. ShipmentAcceptResponse

UPS acknowledges the request by returning a (4) ShipmentAcceptResponse. For forward shipments and for preprinted return labels, this response includes a label for the shipment.

- After the ShipmentAcceptRequest message is received in the server, additional processing validation is performed. If the ShipmentAcceptRequest message passes all validation tests, a ShipmentAcceptResponse message is returned containing detailed rate information, the Shipment Id, package tracking numbers and the shipping label(s).
- If the ShipmentAcceptRequest message fails validation, a ShipmentAcceptResponse message is returned containing error information.




## Preprinted Labels

Clients that want to include preprinted labels as part of forward shipments must perform this four-step procedure twice. One time processes the forward shipment, and the second time retrieves the return label.

## Voiding Shipments

To void a previously scheduled shipment, the client applications send a (1) VoidShipmentRequest to UPS. As the figure below illustrates, UPS replies to the request with a (2) VoidShipmentResponse.



Applications may void forward shipments up to 28 days after initially processing them. Return shipments can be voided until 2 a.m. Eastern Time the following night.

## Label Recovery Services

For up to 30 days after customers schedule return shipments, UPS maintains a copy of the shipping labels for the returned package. If customers need to print additional copies of return labels, the Label Recovery Shipping API can retrieve those labels.

Merchants typically provide this functionality on their own web site. Their customers access the merchant's web site, which acts as an intermediary on their behalf to retrieve the label from UPS.

## Chapter 3: Customer Integration Environment (CIE)

---

The Customer Integration Environment allows customers to test their application prior to launch. This environment is intended for integration testing of customer applications with the UPS servers.

Once your application has been thoroughly tested, you should redirect the application to the UPS Production Environment.



No stress testing should ever be performed by customers against any UPS systems.

To access testing and production sites the user must have an Access Key. You can request an Access Key after establishing a UPS profile and associating your shipping account.

Test your Rate and Shipping selections using valid and invalid data elements including postal codes, weights, and package types. This will ensure that your application has the ability to process success and error responses correctly.

Verify that your XML can produce the following:

- Void Request
- High Value Report
- Label Recovery
- A proportional UPS Address label

Behavior of the Shipping API in CIE mode is as follows:

- Shipments created in CIE mode would have “Sample” watermark across the barcode in labels.
- All international forms in CIE mode would have “Sample” watermark across the forms.
- All credit cards are checked for the right format but the credit cards are not authorized in CIE mode.
- All other functionality is similar to production mode.

### System Availability

The Customer Integration Environment is available 24 hours a day, 7 days a week. Note, the system is occasionally down for server maintenance.

### Using Negotiated Rates in CIE

Negotiated rates are available in the UPS Customer Integration Environment (CIE) and are returned when the Negotiated Rate indicator is provided in the ship request.

- The negotiated rates returned do not reflect the contractual rate and may vary. Typically, they are 1% off the published rate.
- Also in the Customer Integration Environment, the shipper eligibility for negotiated rates is not fully verified.
- Negotiated Itemized Charges for UPS Worldwide Express Freight are not returned in CIE.
- 1% of tax charges and total charges with taxes are returned as negotiated rates in CIE mode if the TaxInformationIndicator is present in the request and if taxes are applicable.

## Shipping (XML)

Test your Shipping application using valid and invalid date elements including postal codes, weights and package types. This will ensure that your application has the ability to process success and error responses correctly.

### Integration Testing URL

For integration testing, direct your test Shipping Package XML to:

<https://wwwcie.ups.com/ups.app/xml/ShipConfirm>

<https://wwwcie.ups.com/ups.app/xml/ShipAccept>

### Production URL

Once testing is complete, direct your Shipping Package XML to the Production URL:

<https://onlinetools.ups.com/ups.app/xml/ShipConfirm>

<https://onlinetools.ups.com/ups.app/xml/ShipAccept>

### Server Availability Check

All of the UPS services work using HTTPS POST. If the server is available, it will reply with the service name, remote user, server port, server name, and servlet path.

To see this in action, type the following URL in your web browser:

<https://wwwcie.ups.com/ups.app/xml/ShipConfirm>

<b>Service Name:</b>	ShipConfirm
<b>Remote User:</b>	null
<b>Server Port:</b>	443
<b>Server Name:</b>	wwwcie.ups.com
<b>Servlet Path:</b>	/ShipConfirm

<https://wwwcie.ups.com/ups.app/xml/ShipAccept>

<b>Service Name:</b>	ShipAccept
<b>Remote User:</b>	null
<b>Server Port:</b>	443
<b>Server Name:</b>	wwwcie.ups.com
<b>Servlet Path:</b>	/ShipAccept

## Void Package (XML)

### Integration Testing for Void

For integration testing, direct your test Void Package Shipment XML to:

<https://wwwcie.ups.com/ups.app/xml/Void>

Test your Void application using the set of 1Zs listed below:

### Production Testing for Void

Once testing is complete, direct your Void Package Shipment XML to the production URL:

<https://onlinetools.ups.com/ups.app/xml/Void>

### Server Availability Check for Void

All of the UPS services work using HTTPS POST. If the server is available, it will reply with the service name, remote user, server port, server name, and servlet path.

To see this in action, type the following URL in your web browser: <https://wwwcie.ups.com/ups.app/xml/Void>

<b>Service Name:</b>	Void
<b>Remote User:</b>	null
<b>Server Port:</b>	443
<b>Server Name:</b>	wwwcie.ups.com
<b>Servlet Path:</b>	/Void

## Shipping and Tracking Numbers for Testing Void

UPS has set aside several shipping identification and tracking numbers to help developers test their applications. These special numbers are only valid in the Customer Integration Environment at [www.cie.ups.com](http://www.cie.ups.com).

The following table lists those special numbers and describes the results that developers should expect when attempting a VoidShipmentRequest. For each test case, the first number listed is a shipment identification number; additional numbers, if present, are tracking numbers.



Note that only these numbers may be used in the Customer Integration Environment when voiding shipments.

NUMBER(S)	SCENARIO	EXPECTED RESULT
1Z12345E0390817264	Single package shipment sent via UPS Ground.	Request is processed, and shipment is voided.
NUMBER(S) SCENARIO EXPECTED RESULT 1Z12345E0193075279	Single package shipment sent via Next Day Air.	Request is processed, and shipment is voided.
1Z12345E0392508488	Single package shipment sent via UPS Ground for which the allotted time period for voiding the shipment has expired.	Error 190101, Time for voiding has expired.
1Z12345E1290420899	Shipment that has already been picked up by the UPS service provider.	Error 190103, A completed order cannot be voided.
1Z12345E0390856432	Shipment that can be voided at the shipment level.	A successful shipment voided XML response will be returned for a shipment level void request.
1Z12345E0193081456	Shipment that can be voided at the shipment level.	A successful shipment voided XML response will be returned for a shipment level void request.
1Z12345E1234567890, 1Z12345E1234567890	PLEASE NOTE: The two 1Zs are intentionally the same value. The first one is the Shipment Identifier. The second one is the Package Identifier.  The intention of this test case is to prove one can void the lead package in a shipment and the Shipment ID will survive the void of the lead package.	A successful shipment partially voided XML response will be returned for a package level void request. The request will void only one of multiple packages in the shipment. The shipment will be "partially" voided.
1Z12345E2318693258, 1Z12345E0193072168	Multi-package shipment with all, save one, of the packages already voided. The request will void the remaining package.	A successful shipment voided XML response will be returned for a package level void request. The request will void the only remaining package in the shipment. The shipment will be completely voided.
NUMBER(S) SCENARIO EXPECTED RESULT 1Z12345E1234567890, 1Z12345E8635481269, 1Z12345E1593518308	Multi-package shipment with a package that cannot be voided.	A successful shipment partially voided XML response will be returned for a package level void request. Tracking number 1Z12345E1593518308 will not be voided.

NUMBER(S)	SCENARIO	EXPECTED RESULT
1Z12345E2318693258, 1Z12345E0390819985, 1Z12345E0193078563	Multi-package shipment with two packages that remain un-voided.	A successful shipment voided XML response will be returned for a package level void request. The request will void all of the remaining packages in the shipment. The shipment will be completely voided.
1Z12345E8793628675	A shipment uploaded more than 28 days previously.	A failed XML response will be returned. Error Code 190101, Time for voiding has expired.
1Z12345E1234567890, 1Z12345E0392508253	This tracking number does not belong to the shipment.	Package void will fail to void any packages when an invalid package tracking number is provided. A failed XML response will be returned. Error Code 190110, Invalid Package Void.
1Z12345E2318693258, 1Z12345E0392506486	Return shipment.	Return shipments cannot be voided at the package level. A failed XML response will be returned. Error Code 190112, Return Service Shipments cannot be Voided at the Package Level.

## Label Recovery (XML)

To ensure that your application has the ability to process PDF and html responses correctly test your Label Recovery application using the set similar to 1Zs listed below:

NUMBER(S)	SCENARIO	EXPECTED RESULT
1Z12345E8791315509	Label returned in PDF format	Request is processed, label returned in PDF format
1Z12345E8791315413	Label returned in html format	Request is processed, label returned in html format

## Integration Testing for Label Recovery

For integration testing, direct your test test Label Recovery XML to:

<https://wwwcie.ups.com/ups.app/xml/LabelRecovery>

## Production Testing for Label Recovery

Once testing is complete, direct your Label Recovery XML to the production URL:

<https://onlinetools.ups.com/ups.app/xml/LabelRecovery>

## Server Availability Check for Label Recovery

All of the UPS services work using HTTPS POST. If the server is available, it will reply with the service name, remote user, server port, server name, and servlet path.

To see this in action, type the following URL in your web browser:

<https://wwwcie.ups.com/ups.app/xml/LabelRecovery>

<b>Service Name</b>	LabelRecovery
<b>Remote User:</b>	null
<b>Server Port:</b>	443
<b>Server Name:</b>	wwwcie.ups.com
<b>Servlet Path:</b>	/LabelRecovery

## Chapter 4: Shipment Confirm API Elements and Details

---

### Element Constraints

The Request and Response XPath tables contain the full hierarchy of the API elements.



UPS expects schema elements/tags as defined in the XPath and presented in the schema structure i.e., no spelling or structural deviations. Elements/tags that are not defined in the schema or do not conform to the schema structure will be ignored by UPS.

Element constraints are defined as follows:

#### Required

- Yes - indicates the element must be present in the request or response.
- Yes\* - indicates the element must be present in the request if the parent container is present in the request.
- No - indicates the element is optional and may be used if it applies to the request .
- Cond – indicates the element is required under certain conditions.

#### Type

- Container - holds a group of related elements.
- String - consists of alphanumeric characters, spaces, and decimals.

#### Length


- The maximum number of characters that can be present in a String. Length is not applicable (N/A) to Containers.


#### Max Allowed

- The maximum number of elements or containers that can be present in the parent container.



## ShipmentConfirmRequest Top Level Containers





## ShipmentConfirmRequest XPath Tables

Note: Not all containers/elements are reflected separately in the table of contents.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest</a>			
ShipmentConfirmRequest	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Shipment Confirm request.	

### Request

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Request</a>			
Request	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Request container.	

### RequestAction

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Request/RequestAction</a>			
RequestAction	Required: Yes Type: String Max Allowed: 1 Length: 11	Indicates the action to be taken by the XML service.	Must be 'ShipConfirm'.

## RequestOption

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Request/RequestOption</a>			
RequestOption	Required: Yes Type: String Max Allowed: 1 Length: 1..256	Optional Processing. nonvalidate = No street level address validation would be performed, but Postal Code/State combination validation would still be performed.  validate = No street level address validation would be performed, but City/State/Postal Code combination validation would still be performed.  Note: Full address validation is not performed.  Therefore, it is the responsibility of the Shipping API User to ensure the address entered is correct to avoid an address correction fee.	Valid values are validate and nonvalidate.

## SubVersion

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Request/SubVersion</a>			
SubVersion	Required: No Type: String Max Allowed: 1 Length: 4	Indicates Ship API to display the new release features in Ship API response based on Ship release.  See the Release Features section for the latest Ship release.  Supported values: 1601, 1607  Format: YYMM = Year and month of the release.  Example: 1607 = 2016 July	

## TransactionReference

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Request/TransactionReference</a>			
TransactionReference	Required: No Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	
<a href="#">/ShipmentConfirmRequest/Request/TransactionReference/CustomerContext</a>			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1..512	Customer context	

## Shipment

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment</a>			
Shipment	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Shipment.	

## Description

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Description</a>			
Description	Required: Cond Type: String Max Allowed: 1 Length: 1..35	The Description of Goods for the shipment. Applies to international and domestic shipments.  Provide a detailed description of items being shipped for documents and non-documents. Provide specific descriptions, such as "annual reports" and "9 mm steel screws".	

## ReturnService

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ReturnService</a>			
ReturnService	Required: No Type: Container Max Allowed: 1 Length: N/A	Type of Return service. When this container exists, the shipment is a return shipment.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ReturnService/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1	Return Service types:  2 = UPS Print and Mail (PNM)  3 = UPS Return Service 1-Attempt (RS1)  5 = UPS Return Service 3-Attempt (RS3)  8 = UPS Electronic Return Label (ERL)  9 = UPS Print Return Label (PRL)  10 = UPS Exchange Print Return Label  11 = UPS Pack & Collect Service 1-Attempt Box 1  12 = UPS Pack & Collect Service 1-Attempt Box 2  13 = UPS Pack & Collect Service 1-Attempt Box 3  14 = UPS Pack & Collect Service 1-Attempt Box 4  15 = UPS Pack & Collect Service 1-Attempt Box 5  16 = UPS Pack & Collect Service 3-Attempt Box 1  17 = UPS Pack & Collect Service 3-Attempt Box 2  18 = UPS Pack & Collect Service 3-Attempt Box 3  19 = UPS Pack & Collect Service 3-Attempt Box 4,  20 = UPS Pack & Collect Service 3-Attempt Box 5	

## DocumentsOnly

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/DocumentsOnly</a>			
DocumentsOnly	Required: No Type: String Max Allowed: 1 Length: 0	Indicates a shipment contains written, typed, or printed communication of no commercial value.  If DocumentsOnly is not specified then it implies that the shipment contains non documents or documents of commercial value. Default is a shipment contains non- documents or documents of commercial value.	Valid only for shipments with different origin and destination countries.  The origin country is not US, and the destination country is not CA, PR or MX.

## Shipper

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper</a>			
Shipper	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container tag for Shipper's information	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Name</a>			
Name	Required: Yes Type: String Max Allowed: 1 Length: 1..35	Shipper's company name. For forward Shipment 35 characters are accepted, but only 30 characters will be printed on the label.	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/AttentionName</a>			
AttentionName	Required: Cond Type: String Max Allowed: 1 Length: 1..35	Shipper's Attention Name. For forward Shipment 35 characters are accepted, but only 30 characters will be printed on the label.	Required if destination is international. Required if Invoice and CO International forms are requested and the ShipFrom address is not present.
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/CompanyDisplayableName</a>			
CompanyDisplayableName	Required: No Type: String Max Allowed: 1 Length: 1..35	Shipper's CompanyDisplayableName	This is available for Shipper accounts enabled by UPS and applies to Forward Shipments.  The CompanyDisplayableName will be displayed in tracking results and notification messages in place of the name associated with the shipper account.  The original shipper account name will be displayed for all Return Services and Import Control Shipments.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/ShipperNumber</a>			
ShipperNumber	Required: Yes Type: String Max Allowed: 1 Length: 6	Shipper's six digit account number.	Size must be six alphanumeric characters. Must be associated with the UserId specified in the AccessRequest XML.  The account must be a valid UPS account number that is active.  For US, PR and CA accounts, the account must be either a daily pickup account, an occasional account, or a customer B.I.N account.  Drop Shipper accounts are valid for return service shipments only if the account is Trade Direct (TD) enabled.  All other accounts must be either a daily pickup account or an occasional account.
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/TaxIdentificationNumber</a>			
TaxIdentificationNumber	Required: Cond Type: String Max Allowed: 1 Length: 1..15	Shipper's Tax Identification Number	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/PhoneNumber</a>			
PhoneNumber	Required: Cond Type: String Max Allowed: 1 Length: 1..15	Shipper's Phone Number	Valid values are 0 - 9.  If Shipper country is US, PR, CA, and VI, the layout is area code, 7 digit PhoneNumber or area code, 7 digit PhoneNumber, 4 digit extension number.  Other countries: the layout is CountryCode, area code, 7 digit number A phone number is required if destination is international.
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/FaxNumber</a>			
FaxNumber	Required: No Type: String Max Allowed: 1 Length: 1..14	Shipper's Fax Number.	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/EmailAddress</a>			
EmailAddress	Required: No Type: String Max Allowed: 1 Length: 1..50	Shipper's email address.	



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address</a>			
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Address of the shipper.	The package should be returned to this address if the package is undeliverable. This address appears on the upper left hand corner of the label.  Note: If the ShipFrom container is not present then this address will be used as the ShipFrom address. If this address is used as the ShipFrom, the shipment will be rated from this origin address.
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address/AddressLine1</a>			
AddressLine1	Required: Yes Type: String Max Allowed: 1 Length: 1..35	Address Line 1 of the shipper. For forward Shipment 35 characters are accepted, but only 30 characters will be printed on the label.	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address/AddressLine2</a>			
AddressLine2	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 2 of the shipper. Usually Room/Floor information. For forward Shipment 35 characters are accepted.	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address/AddressLine3</a>			
AddressLine3	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 3 of the shipper. Usually department information. For forward Shipment 35 characters are accepted.	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address/City</a>			
City	Required: Yes Type: String Max Allowed: 1 Length: 1..30	Shipper's city. For forward Shipment 30 characters are accepted, but only 15 characters will be printed on the label.	
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 2..5	Shipper's state or province code. For forward Shipment 5 characters are accepted, but only 2 characters will be printed on the label.	Required if shipper is in the US or CA. If Shipper country is US or CA, then the value must be a valid US State/Canadian Province code. If the country is Ireland, the StateProvinceCode will contain the county.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1..10	Shipper's postal code.	<p>If Shipper country is US or Puerto Rico, 5 or 9 digits is required. The character - may be used to separate the first five digits and the last four digits.</p> <p>If the Shipper country is CA, then the postal code is required and must be 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit.</p> <p>For all other countries, the postal code is optional and must be no more than 9 alphanumeric characters long.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/Shipper/Address/CountryCode</a>			
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	Shipper's country code. Refer to Origin Country Information table for valid origin countries and their UPS Billing codes.	<p>Must be a valid UPS Billing country code. For Forward shipments it must also be an allowable UPS origin country. For Return Shipment the country code must meet the following conditions:</p> <p>1) At least two of the following country codes are the same: ShipTo, ShipFrom, and Shipper.</p> <p>2) None of the following country codes are the same and are a member of the EU: ShipTo, ShipFrom, and Shipper.</p> <p>3) If any of the two following country codes: ShipTo/ ShipFrom/ Shipper are members in EU otherwise check if the shipper has Third Country Contract.</p>

## ShipTo

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo</a>			
ShipTo	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for ShipTo.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/CompanyName</a>			
CompanyName	Required: Yes Type: String Max Allowed: 1 Length: 1..35	Consignee's company name.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/AttentionName</a>			
AttentionName	Required: Cond Type: String Max Allowed: 1 Length: 1..35	Contact name at the consignee's location.	Required for: UPS Next Day Air® Early service, and when ShipTo country is different than ShipFrom country.  Required if Invoice International form is requested.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/TaxIdentificationNumber</a>			
TaxIdentificationNumber	Required: No Type: String Max Allowed: 1 Length: 1..15	Consignee's tax identification number.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/PhoneNumber</a>			
PhoneNumber	Required: Cond Type: String Max Allowed: 1 Length: 1..15	Consignee's phone number.	Required for: UPS Next Day Air® Early service, and when Ship To country is different than the ShipFrom country.  If ShipTo country is US, PR, CA, and VI, the layout is area code, 7 digit PhoneNumber or area code, 7 digit PhoneNumber, 4 digit extension number.  For other countries, the layout is CountryCode, area code, 7 digit number .
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/FaxNumber</a>			
FaxNumber	Required: No Type: String Max Allowed: 1 Length: 1..15	Consignee's fax number.	If ShipTo country is US 10 digits allowed, otherwise 1...15 digits allowed.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/EmailAddress</a>			
EmailAddress	Required: No Type: String Max Allowed: 1 Length: 1..50	Ship To email address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address</a>			
Address	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for ShipTo address.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/AddressLine1</a>			
AddressLine1	Required: Yes Type: String Max Allowed: 1 Length: 1..35	Address Line 1 of the consignee.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/AddressLine2</a>			
AddressLine2	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 2 of the consignee. Usually Room/Floor information.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/AddressLine3</a>			
AddressLine3	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 3 of the consignee. Usually department information.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/City</a>			
City	Required: Yes Type: String Max Allowed: 1 Length: 1..30	Consignee's city. 30 characters are accepted, but only 15 will be printed on Label.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 2..5	Consignee's state or province code. Required for US or Canada. 5 characters are accepted, but only 2 characters will be printed on Label.	If destination is US or CA, then the value must be a valid US State/Canadian Province code.  If the country is Ireland, the StateProvinceCode will contain the county.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1..10	Consignee's postal code.	If the ShipTo country is US or Puerto Rico, 5 or 9 digits is required.  If the ShipTo country is CA, then the postal code is required and must be 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit. Otherwise optional.  For all other countries the postal code is optional and must be no more than 9 alphanumeric characters long.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/CountryCode</a>			
CountryCode	Required: Yes Type: String Max Allowed: 1 Length: 2	Consignee's country code.	Must be a valid UPS Billing country code. For Return Shipment the country code must meet the following conditions:  1) At least two of the following country codes are the same: ShipTo, ShipFrom, and Shipper.  2) None of the following country codes are the same and are a member of the EU: ShipTo, ShipFrom, and Shipper.  3) If any of the two following country codes: ShipTo/ ShipFrom/ Shipper are members in EU, otherwise check if the shipper has Third Country Contract.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/Address/ResidentialAddress</a>			
ResidentialAddress	Required: No Type: String Max Allowed: 1 Length: 0	Consignee's Residential address indicator. The presence indicates residential address; the absence indicates a business address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipTo/LocationID</a>			
LocationID	Required: No Type: String Max Allowed: 1 Length: 3...10	Location ID is a unique identifier referring to a specific shipping/receiving location.	Location ID must be alphanumeric characters. All letters must be capitalized.

### AlternateDeliveryAddress

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress</a>			
AlternateDeliveryAddress	Required: Cond Type: Container Max Allowed: 1 Length: N/A	AlternateDeliveryAddress Container.	Alternate Delivery Address (UPS Access Point Address) is required if ShipmentIndicationType is '01' or '02'.
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Name</a>			
Name	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Retail Location Name	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/AttentionName</a>			
AttentionName	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Attention Name	
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/UPSAccessPointID</a>			
UPSAccessPointID	Required: No Type: String Max Allowed: 1 Length: 9	UPS Access Point ID	
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Address container	
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed:3 Length: 1...35	Address Line 1 of the Retail location	Max Occurrence can be 3
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/AddressLine2</a>			
AddressLine2	Required: No Type: String Max Allowed:3 Length: 1...35	Address Line 2 of the Retail location	Max Occurrence can be 3
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/AddressLine3</a>			
AddressLine3	Required: No Type: String Max Allowed:3 Length: 1...35	Address Line 3 of the Retail location	Max Occurrence can be 3
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1...30	Retail Location City.	
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 2...5	Retail Location state or province code. Required for US or Canada.	If destination is US or CA, then the value must be a valid US State/ Canadian Province code. If the country is Ireland, the StateProvinceCode will contain the county.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...10	Retail Location postal code.	<p>If the Alternate Delivery Address country is US or Puerto Rico, 5 or 9 digits are required. The character - may be used to separate the first five digits and the last four digits.</p> <p>If the Alternate Delivery Address country is CA, then the postal code is required and must be 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit. Otherwise optional.</p> <p>For all other countries the postal code is optional and must be no more than 9 alphanumeric characters long.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Retail Location country code.	
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/ResidentialAddressIndicator</a>			
ResidentialAddressIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the receiver is a residential location. True if ResidentialAddressIndicator tag exists; false otherwise.	Empty Tag.
<a href="#">/ShipmentConfirmRequest/Shipment/AlternateDeliveryAddress/Address/POBoxIndicator</a>			
POBoxIndicator	Required: No Type: String Max Allowed: 1 Length: 0	This field is a flag to indicate if the receiver address has PO box indicator. True if POBoxIndicator tag exists; false otherwise.	POBoxIndicator is not valid for AlternateDeliveryAddresses.

## ShipFrom

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom</a>			
ShipFrom	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Required if pickup location is different from the shipper's address.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/CompanyName</a>			
CompanyName	Required: Yes* Type: String Max Allowed: 1 Length: 1..35	Origin location's company name. 35 characters are accepted, but for return Shipment only 30 characters will be printed on the label.	Required if ShipFrom tag is in the XML.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/AttentionName</a>			
AttentionName	Required: Yes* Type: String Max Allowed: 1 Length: 1..35	Contact name at the pickup location. 35 characters are accepted, but for return Shipment only 30 characters will be printed on the label.	Required if ShipFrom tag is in the XML and Invoice or CO International forms is requested. If not present, will default to the Shipper Attention Name.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/TaxIdentificationNumber</a>			
TaxIdentificationNumber	Required: Cond Type: String Max Allowed: 1 Length: 1..15	Company's Tax Identification Number at the pick up location	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/TaxIDType</a>			
TaxIDType	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Tax Identification Container. Applies to EEI form only.	Valid for EEI form only
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/TaxIDType/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 6	Company's tax Identification type.	Valid values: EIN, DNS, and FGN.  Applies to EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/TaxIDType/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of TaxID submitted.	Applies to EEI form only
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/PhoneNumber</a>			
PhoneNumber	Required: Yes* Type: String Max Allowed: 1 Length: 1..15	Origin location's phone number.	If ShipFrom country is US, PR, CA, and VI, the layout is area code, 7 digit phone number or area code, 7 digit phone number, 4 digit extension number.  For other countries, the layout is CountryCode, area code, 7 digit number.  Required if ShipFrom tag is in the XML and International forms is requested.



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/FaxNumber</a>			
FaxNumber	Required: No Type: String Max Allowed: 1 Length: 1..15	Origin location's fax number.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Address of the pickup location.	The package will be originating from or being shipped from this address. The shipment will be rated from this origin address to the destination ship to address.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1..35	Address Line 1 of the pickup location. 35 characters are accepted, but for a return Shipment only 30 characters will be printed on the label.	Required if ShipFrom tag is in the XML.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address/AddressLine2</a>			
AddressLine2	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 2 of the pickup location. Usually Room/Floor information. This line is not printed on the label.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address/AddressLine3</a>			
AddressLine3	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 3 of the pickup location. Usually Room/Floor information. This line is not printed on the label.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1..30	Origin location's city. 30 characters are accepted, but for return Shipment only 15 characters will be printed on the label.	Required if ShipFrom tag is in the XML.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 2..5	Origin location's state or province code. Only 2 Characters will be printed on the Label.	Required if ShipFrom tag is in the XML, and ShipFrom/Country is US. If ShipFrom country is US or CA, then the value must be a valid US State/Canadian Province code.  If the country is Ireland, the StateProvinceCode will contain the county.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1..10	Origin location's postal code. 10 characters are accepted.	<p>Required if ShipFrom tag is in the XML and the ShipFrom country is the US, Puerto Rico.</p> <p>For US, Puerto Rico must be valid 5 or 9 digit postal codes. The character - may be used to separate the first five digits and the last four digits.</p> <p>If the ShipFrom country is CA, then the postal code must be 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit.</p> <p>For all other countries the postal code is optional and must be no more than 9 alphanumeric characters long.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/ShipFrom/Address/CountryCode</a>			
CountryCode	Required: Cond Type: String Max Allowed: 1 Length: 2	Origin location's country code.	<p>Required if ShipFrom tag is in the XML. For Return Shipment the country code must meet the following conditions:</p> <p>1) At least two of the following country codes are the same: ShipTo, ShipFrom and Shipper.</p> <p>2) None of the following country codes are the same and are a member of the EU: ShipTo, ShipFrom, and Shipper.</p> <p>3) 3If any of the two following country codes: ShipTo/ ShipFrom/ Shipper are members in EU otherwise check if the shipper has Third Country Contract.</p>

## SoldTo

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo</a>			
SoldTo	Required: Cond Type: Container Max Allowed: 1 Length: N/A	The person or company who imports and pays any duties due on the current shipment.	Applies to Invoice and NAFTA CO Forms.  Required if Invoice or NAFTA CO (International Form) is requested
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Option</a>			
Option	Required: No Type: String Max Allowed: 1 Length: 1...10	The text associated with the code will be printed in the sold to section of the NAFTA CO form. The values indicate the following: 01 - Unknown; 02 - Various.	Applies to NAFTA CO form.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/CompanyName</a>			
CompanyName	Required: Cond Type: String Max Allowed: 1 Length: 1..35	Company name.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.  Required for Invoice. Required for NAFTA CO if sold to option is not provided.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/AttentionName</a>			
AttentionName	Required: Cond Type: String Max Allowed: 1 Length: 1..35	Contact name.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.  Required for Invoice. Required for NAFTA CO if sold to option is not provided.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/TaxIdentificationNumber</a>			
TaxIdentificationNumber	Required: No Type: String Max Allowed: 1 Length: 1..15	SoldTo Tax Identification number.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/PhoneNumber</a>			
PhoneNumber	Required: Cond Type: String Max Allowed: 1 Length: 1..15	Sold To contact's phone number.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.  Required for Invoice.  Required for NAFTA CO if sold to option is not provided.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address</a>			
Address	Required: No Type: Container Max Allowed: 1 Length: N/A	Address of the Sold to location.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.  Required for Invoice.  Required for NAFTA CO if sold to option is not provided.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1..35	Address Line 1 of the Sold to location.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.  Required for Invoice.  Required for NAFTA CO if sold to option is not provided.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address/AddressLine2</a>			
AddressLine2	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 2 of the pickup location. Usually Room/Floor information.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address/AddressLine3</a>			
AddressLine3	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 3 of the pickup location. Usually department information.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1..30	SoldTo location's city.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.  Required for Invoice.  Required for NAFTA CO if sold to option is not provided.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 1..5	SoldTo location's state or province code.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present. Required for certain countries.
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1..9	SoldTo location's postal code.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present. Required for certain countries. The length of the postal code depends on the country code.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/SoldTo/Address/CountryCode</a>			
CountryCode	Required: Cond Type: String Max Allowed: 1 Length: 2	SoldTo location's country code.	Applies to Invoice form. Applies to NAFTA CO form if sold to option is empty or not present.  Required for Invoice  Required for NAFTA CO if sold to option is not provided.

## PaymentInformation

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation</a>			
PaymentInformation	Required: Cond  Type: Container  Max Allowed: 1  Length: N/A	Payment information.	This element or its sibling element, ItemizedPaymentInformation, must be present but no more than one can be present.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid</a>			
Prepaid	Required: Cond  Type: Container  Max Allowed: 1  Length: N/A	Prepaid container for a billing option.	Required for the Bill Shipper billing option.  This element or its sibling element, BillThirdParty or FreightCollect must be present, but no more than one can be present.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper</a>			
BillShipper	Required: Cond  Type: Container  Max Allowed: 1  Length: N/A	Container for the BillShipper billing option. The three payment methods that are available for the Bill Shipper billing option are alternate payment method, account number or credit card.	A payment method must be specified for the Bill Shipper billing option. Therefore, either the AlternatePaymentMethod child element or AccountNumber child element or the CreditCard child element must be provided, but not all of them.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/AccountNumber</a>			
AccountNumber	Required: Cond  Type: String  Max Allowed: 1  Length: 6	UPS Account number.	Must be the same UPS account number as the one provided in Shipper/ShipperNumber. Either this element or the sibling elements CreditCard or AlternatePaymentMethod must be provided, but all may not be provided.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard</a>			
CreditCard	Required: Cond  Type: Container  Max Allowed: 1  Length: N/A	Credit card information container.	Required if neither of the following is present: /ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/AccountNumber or /ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/AlternatePaymentMethod. Credit card payment is valid for shipments without return service only.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Type</a>			
Type	Required: Yes*  Type: String  Max Allowed: 1  Length: 2	Values are: 01 = American Express 03 = Discover 04 = MasterCard 05 = Optima 06 = VISA 07 = Bravo 08 = Diners Club 13 = Dankort 14 = Hipercard 15 = JCB 17 = Postepay 18 = UnionPay/ExpressPay 19 = Visa Electron 20 = VPAY 21 = Carte Bleue	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Number</a>			
Number	Required: Yes*  Type: String  Max Allowed: 1  Length: 9..16	Credit Card number.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/ExpirationDate</a>			
ExpirationDate	Required: Yes*  Type: String  Max Allowed: 1  Length: 6	Format is MMYYYY where MM is the 2 digit month and YYYY is the 4 digit year.	Valid month values: 01-12  Valid year values: Present Year – (Present Year + 10 years)

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/SecurityCode</a>			
SecurityCode	Required: Cond Type: String Max Allowed: 1 Length: 3..4	Three or four digits that can be found either on front of credit card or on the back of credit card. Number of digits varies by credit card type.	Valid values are 3 or 4 digit.  It is recommended to provide the security code if credit card information is provided and when the ShipFrom countries are other than the below mentioned countries:  Argentina, Bahamas, Costa Rica, Dominican Rep, Guatemala, Panama, Puerto Rico and Russia.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address</a>			
Address		Container to hold the Credit card Billing Address.	It is required to provide the billing address if credit card information is provided and when the ShipFrom country is the US, PR, and CA.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1..35	Address Line 1 of the credit card billing address. Usually Street address information.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address/AddressLine2</a>			
AddressLine2	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 2 of the credit card billing Address. Usually Room/Floor information.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address/AddressLine3</a>			
AddressLine3	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 3 of the credit card billing address. Usually department information.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1..30	City of the credit card billing address.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Yes* Type: String Max Allowed: 1 Length: 2..5	State or province code of the credit card billing address.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address/PostalCode</a>			
PostalCode	Required: Yes* Type: String Max Allowed: 1 Length: 1..10	Credit card billing addressee postal code.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/CreditCard/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Credit card billing address country code.	Must be a valid UPS Billing country code.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/AlternatePaymentMethod</a>			
AlternatePaymentMethod	Required: Cond Type: String Max Allowed: 1 Length: 2	Valid value for Alternate Payment Method is "01" - PayPal	Paypal 01 : It is valid only for forward shipments. It is not valid for Return or Import Control shipments.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/BillThirdParty</a>			
BillThirdParty	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the third party billing option.	This element or its sibling element Prepaid or FreightCollect must be present, but no more than one can be present.



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/BillThirdParty/BillThirdPartyShipper</a>			
BillThirdPartyShipper	Required: Con d Type: Container Max Allowed: 1 Length: N/A	Container for the third party shipper billing option.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/BillThirdParty/BillThirdPartyShipper/AccountNumber</a>			
AccountNumber	Required: Yes* Type: String Max Allowed: 1 Length: 6	The UPS account number of the third party shipper.	The account must be a valid UPS account number that is active.  For US, PR and CA accounts, the account must be either a daily pickup account, an occasional account, or a customer B.I.N account, or a drop shipper account.  All other accounts must be either a daily pickup account, an occasional account, a drop shipper account, or a non-shipping account.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/BillThirdParty/BillThirdPartyShipper/ThirdParty</a>			
ThirdParty	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for additional information for the third party shipper's UPS account.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/BillThirdParty/BillThirdPartyShipper/ThirdParty/Addresses</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for additional information for the third party shipper's UPS account address.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/BillThirdParty/BillThirdPartyShipper/ThirdParty/Addresses/PostalCode</a>			
PostalCode	Required: Cond  Type: String  Max Allowed: 1  Length: 1..10	The postal code for the UPS account's pickup address. The pickup postal code was entered in the UPS system when the account was set-up.	The postal code must be the same as the UPS account pickup address' postal code. Required if United States and Canadian UPS accounts and/or if the UPS account pickup address has a postal code.  If the UPS account's pickup country is US or Puerto Rico, the postal code is 5 or 9 digits. The character '-' may be used to separate the first five digits and the last four digits.  If the UPS account's pickup country is CA, the postal code is 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/BillThirdParty/BillThirdPartyShipper/ThirdParty/Addresses/CountryCode</a>			
CountryCode	Required: Yes*  Type: String  Max Allowed: 1  Length: 2	The country code for the UPS account's pickup address.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/FreightCollect</a>			
FreightCollect	Required: Cond  Type: Container  Max Allowed: 1  Length: N/A	Container for the Freight Collect billing option.	This element or its sibling element Prepaid or BillThirdParty must be present, but no more than one can be present. Only allowed for shipment without return service.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/FreightCollect/BillReceiver</a>			
BillReceiver	Required: Cond  Type: Container  Max Allowed: 1  Length: N/A	Container for billing the consignee all freight charges option.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/FreightCollect/BillReceiver/AccountNumber</a>			
AccountNumber	Required: Yes*  Type: String  Max Allowed: 1  Length: 6	The UPS account number of Freight Collect.	The account must be a valid UPS account number that is active.  For US, PR and CA accounts, the account must be either a daily pickup account, or an occasional account, a customer B.I.N account, or a dropper shipper account.  All other accounts must be either a daily pickup account, an occasional account, a drop shipper account, or a non-shipping account.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/FreightCollect/BillReceiver/Address</a>			
Address	Required: No  Type: Container  Max Allowed: 1  Length: N/A	Container for additional information for the bill receiver's UPS account address.	
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/FreightCollect/BillReceiver/Address/PostalCode</a>			
PostalCode	Required: Cond  Type: String  Max Allowed: 1  Length: 1..10	The postal code for the UPS account's pickup address. The pickup postal code was entered in the UPS system when the account was set-up.	The postal code must be the same as the UPS account pickup address postal code. Required for United States and Canadian UPS accounts and/or if the UPS account pickup address has a postal code.  If the UPS account's pickup country is US or Puerto Rico, the postal code is 5 or 9 digits.  If the UPS account's pickup country is CA, the postal code is 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit.
<a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/ConsigneeBilled</a>			
ConsigneeBilled	Required: Cond  Type: String  Max Allowed: 1  Length: 0	Consignee Billing payment option indicator. The presence indicates consignee billing option is selected. The absence indicates one of the other payment options is selected.	This element or its sibling element Prepaid or FreightCollect or BillThirdParty must be present, but no more than one can be present.  Only applies to US/PR and PR/US shipment origins and destination.

## ItemizedPaymentInformation

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation</a>			
ItemizedPaymentInformation	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Payment information container for detailed shipment charges. The two shipment charges that are available for specification are Transportation charges and Duties and Taxes.	This element or its sibling element, PaymentInformation, must be present but no more than one can be present.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge</a>			
ShipmentCharge	Required: Yes* Type: Container Max Allowed: 2 Length: N/A	Shipment charge container.	If Duty and Tax charges are applicable to a shipment and a payer is not specified, the default payer of Duty and Tax charges is Bill to Receiver.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/Type</a>			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 2	Values are: <ul style="list-style-type: none"> <li>01 = Transportation</li> <li>02 = Duties and Taxes</li> </ul>	<p>A shipment charge type of 01 = Transportation is required.</p> <p>A shipment charge type of 02 = Duties and Taxes is not required; however, this charge type is invalid for Qualified Domestic Shipments.</p> <p>A Qualified Domestic Shipment is any shipment in which one of the following applies:</p> <ol style="list-style-type: none"> <li>1) The origin and destination country is the same,</li> <li>2) US to PR shipment,</li> <li>3) PR to US shipment,</li> <li>4) The origin and destination country are both European Union Countries and the GoodsNotInFreeCirculation indicator is not present,</li> <li>5) The origin and destination IATA code is the same.</li> </ol>
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper</a>			
BillShipper	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the BillShipper billing option. The three payment methods that are available for the Bill Shipper billing option are alternate payment method, account number, or credit card.	This element or its sibling element, BillReceiver, BillThirdParty or ConsigneeBilled, must be present but no more than one can be present.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/AccountNumber</a>			
AccountNumber	Required: Cond Type: String Max Allowed: 1 Length: 6	UPS account number.	Must be the same UPS account number as the one provided in Shipper/ShipperNumber. Either this element or the sibling elements CreditCard or AlternatePaymentMethod must be provided, but all may not be provided.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard</a>			
CreditCard	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Credit card information container.	Required if neither of the following is present: <a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/AccountNumber</a> or <a href="#">/ShipmentConfirmRequest/Shipment/PaymentInformation/Prepaid/BillShipper/AlternatePaymentMethod</a> . Credit card payment is valid for shipments without return service only.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Type</a>			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 2	Values are: <ul style="list-style-type: none"> <li>• 01 = American Express</li> <li>• 03 = Discover</li> <li>• 04 = MasterCard</li> <li>• 05 = Optima</li> <li>• 06 = VISA</li> <li>• 07 = Bravo</li> <li>• 08 = Diners Club</li> <li>• 13 = Dankort</li> <li>• 14 = Hipercard</li> <li>• 15 = JCB</li> <li>• 17 = Postepay</li> <li>• 18 = UnionPay/ExpressPay</li> <li>• 19 = Visa Electron</li> <li>• 20 = VPAY</li> <li>• 21 = Carte Bleue</li> </ul>	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Number</a>			
Number	Required: Yes* Type: String Max Allowed: 1 Length: 9..16	Credit Card number.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/ExpirationDate</a>			
ExpirationDate	Required: Yes* Type: String Max Allowed: 1 Length: 6	Format is MMYYYY where MM is the 2 digit month and YYYY is the 4 digit year.	Valid month values are 01-12 and valid year values are Present Year – (Present Year + 10 years)
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/SecurityCode</a>			
SecurityCode	Required: Cond Type: String Max Allowed: 1 Length: 3..4	Three or four digits that can be found either on top of credit card number or on the back of credit card. Number of digits varies for different type of credit card.	Valid values are 3 or 4 digit.  It is recommended to provide the security code if credit card information is provided and when the ShipFrom countries are other than the below mentioned countries:  Argentina, Bahamas, Costa Rica, Dominican Rep, Guatemala, Panama, Puerto Rico and Russia.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address</a>			
Address	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container to hold the Credit card Billing Address.	Required if credit card information is provided and ShipFrom countries are US, CA and PR.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1..35	Address Line 1 of the credit card billing address. Usually Street address information.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address/AddressLine2</a>			
AddressLine2	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 2 of the credit card billing Address. Usually Room/Floor information.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address/AddressLine3</a>			
AddressLine3	Required: No Type: String Max Allowed: 1 Length: 1..35	Address Line 3 of the credit card billing address. Usually department information.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1..30	City of the credit card billing address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Yes* Type: String Max Allowed: 1 Length: 2..5	State or province code of the credit card billing address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address/PostalCode</a>			
PostalCode	Required: Yes* Type: String Max Allowed: 1 Length: 1..10	Credit card billing addressee postal code.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/CreditCard/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Credit card billing address country code.	Must be a valid UPS Billing country code. For Discover card it should be US.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillShipper/AlternatePaymentMethod</a>			
AlternatePaymentMethod	Required: Cond Type: String Max Allowed: 1 Length: 2	Valid value for Alternate Payment Method is "01" - PayPal	Paypal 01: It is valid only for forward shipments. It is not valid for Return or Import Control shipments.  Either this element or one of the sibling elements CreditCard or AccountNumber must be provided, but all of them may not be provided.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillReceiver</a>			
BillReceiver	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the BillReceiver billing option.	This element or its sibling element, BillShipper, BillThirdParty or ConsigneeBilled, must be present but no more than one can be present.  For a return shipment, BillReceiver is invalid for Transportation charges.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillReceiver/AccountNumber</a>			
AccountNumber	Required: Yes* Type: String Max Allowed: 1 Length: 6	The UPS account number.	The account must be a valid UPS account number that is active. For US, PR and CA accounts, the account must be either a daily pickup account, an occasional account, a customer B.I.N account, or a dropper shipper account.  All other accounts must be either a daily pickup account, an occasional account, a drop shipper account, or a non-shipping account.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillReceiver/Address</a>			
Address	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for additional information for the bill receiver's UPS account address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillReceiver/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1..10	The postal code for the UPS account's pickup address. The pickup postal code was entered in the UPS system when the account was set-up.	The postal code must be the same as the UPS account pickup address postal code. Required for United States and Canadian UPS accounts and/or if the UPS account pickup address has a postal code.  If the UPS account's pickup country is US or Puerto Rico, the postal code is 5 or 9 digits. The character - may be used to separate the first five digits and the last four digits.  If the UPS account's pickup country is CA, the postal code is 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty</a>			
BillThirdParty	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the third party billing option.	This element or its sibling element, BillShipper, BillReceiver or ConsigneeBilled, must be present but no more than one can be present.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyShipper</a>			
BillThirdPartyShipper	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the shipper third party billing option.	This element or its sibling element, BillThirdPartyConsignee, must be present but no more than one can be present.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyShipper/AccountNumber</a>			
AccountNumber	Required: Yes* Type: String Max Allowed: 1 Length: 6	The UPS account number of the third party shipper.	The account must be a valid UPS account number that is active.  For US, PR and CA accounts, the account must be either a daily pickup account, an occasional account, or a customer B.I.N account, or a drop shipper account.  All other accounts must be either a daily pickup account, an occasional account, a drop shipper account, or a non-shipping account.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyShipper/ThirdParty</a>			
ThirdParty	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for additional information for the third party shipper's UPS account.	



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyShipper/ThirdParty/Address</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for additional information for the third party shipper's UPS account address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyShipper/ThirdParty/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1..10	The postal code for the UPS account's pickup address. The pickup postal code was entered in the UPS system when the account was set-up.	<p>The postal code must be the same as the UPS account pickup address postal code.</p> <p>Required if United States and Canadian UPS accounts and/or if the UPS account pickup address has a postal code.</p> <p>If the UPS account's pickup country is US or Puerto Rico, the postal code is 5 or 9 digits. The character - may be used to separate the first five digits and the last four digits.</p> <p>If the UPS account's pickup country is CA, the postal code is 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyShipper/ThirdParty/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	The country code for the UPS account's pickup address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyConsignee</a>			
BillThirdPartyConsignee	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the consignee third party billing option.	This element or its sibling element, BillThirdPartyShipper, must be present but no more than one can be present.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyConsignee/AccountNumber</a>			
AccountNumber	Required: Yes* Type: String Max Allowed: 1 Length: 6	The UPS account number of the third party consignee.	<p>The account must be a valid UPS account number that is active.</p> <p>For US, PR and CA accounts, the account must be either a daily pickup account, an occasional account, or a customer B.I.N account, or a drop shipper account.</p> <p>All other accounts must be either a daily pickup account, an occasional account, a drop shipper account, or a non-shipping account.</p>

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyConsignee/ThirdParty</a>			
ThirdParty	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for additional information for the third party consignee's UPS account.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyConsignee/ThirdParty/Address</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for additional information for the third party consignee's UPS account address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyConsignee/ThirdParty/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1..10	The postal code for the UPS account's pickup address. The pickup postal code was entered in the UPS system when the account was set-up.	The postal code must be the same as the UPS account pickup address postal code.  Required for United States and Canadian UPS accounts and/or if the UPS account pickup address has a postal code.  If the UPS account's pickup country is US or Puerto Rico, the postal code is 5 or 9 digits. The character - may be used to separate the first five digits and the last four digits.  If the UPS account's pickup country is CA, the postal code is 6 alphanumeric characters whose format is A#A#A# where A is an uppercase letter and # is a digit.
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/BillThirdParty/BillThirdPartyConsignee/ThirdParty/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	The country code for the UPS account's pickup address.	
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/ShipmentCharge/ConsigneeBilled</a>			
ConsigneeBilled	Required: Cond Type: String Max Allowed: 1 Length: 0	Consignee Billing payment option indicator. The presence indicates consignee billing option is selected. The absence indicates one of the other payment options is selected.	This element or its sibling element, BillShipper, BillReceiver or BillThirdParty, must be present but no more than one can be present.  This billing option is valid for a shipment charge type of Transportation only. Only applies to US/PR and PR/US shipment origins and destination.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ItemizedPaymentInformation/SplitDutyVATIndicator</a>			
SplitDutyVATIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Split Duty VAT Indicator. The presence indicates the payer specified for Transportation Charges will pay transportation charges and any duties that apply to the shipment. The payer specified for Duties and Taxes will pay the VAT (Value-Added Tax) only.	The payment method for Transportation charges must be UPS account. The UPS account must be a daily pickup account or an occasional account.

## GoodsNotInFreeCirculationIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/GoodsNotInFreeCirculationIndicator</a>			
GoodsNotInFreeCirculationIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Goods Not In Free Circulation indicator.	This indicator is invalid for a package type of UPS Letter and DocumentsOnly.

## RateInformation

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/RateInformation</a>			
RateInformation	Required: No Type: Container Max Allowed: 1 Length: N/A	Rate information container.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/RateInformation/NegotiatedRatesIndicator</a>			
NegotiatedRatesIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Negotiated Rates option indicator. If the indicator is present and the Shipper is authorized then Negotiated Rates should be returned in the response.	<p>Negotiated Rates are of two types Account Based Rates (ABR) and Web Discount Rates. Negotiated Rates are only returned for qualified Shipper Account Numbers.</p> <p>Eligibility is determined using the combination of Userid and the Shipper's Shipper Account Number.</p> <p>If the user is qualified, both Published rates and Negotiated rates are returned to the user.</p> <p>If the Userid and Shipper Account Number are not qualified for Negotiated rates, a warning message is returned that indicates ineligibility and only the Published rates are returned in the response.</p> <p>As per discount eligibility of user, negotiated rates in the response may contain ABR or Web discount rates. Conditionally required for SDS shipment.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/RateInformation/RateChartIndicator</a>			
RateChartIndicator	Required: No Type: String Max Allowed: 1 Length: 0	RateChartIndicator, if present in request, response will contain RateChart element.	

## MovementReferenceNumber

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/MovementReferenceNumber</a>			
MovementReferenceNumber	Required: No Type: String Max Allowed: 1 Length: 18	Movement Reference Number (MRN) information.	Must contain alphanumeric characters only. Must be a length of 18 characters. The 3rd and 4th Characters must be the Shipper country ISO Code.

## ReferenceNumber

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ReferenceNumber</a>			
ReferenceNumber	Required: No Type: Container Max Allowed: 2 Length: N/A	Reference Number information container.	For Mail Innovation shipments reference number is not supported.
<a href="#">/ShipmentConfirmRequest/Shipment/ReferenceNumber/BarCodeIndicator</a>			
BarCodeIndicator	Required: No Type: String Max Allowed: 1 Length: 0	If the indicator is present then the reference number's value will be bar coded on the label.	Allowed for shipment with return service only. Only one shipment-level or package-level reference number can be bar coded per shipment.  In order to barcode a reference number, its value must be no longer than 14 alphanumeric characters or 24 numeric characters and cannot contain spaces.
<a href="#">/ShipmentConfirmRequest/Shipment/ReferenceNumber/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Shipment Reference number type code. The code specifies the Reference name.	Valid if the origin/destination pair is not US/US or PR/PR, 2 character alpha-numeric.
<a href="#">/ShipmentConfirmRequest/Shipment/ReferenceNumber/Value</a>			
Value	Required: Yes* Type: String Max Allowed: 1 Length: 1..35	Customer supplied reference number.	Valid if the origin/destination pair is not US/US or PR/PR.

## Service

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Service</a>			
Service	Required: Yes Type: Container Max Allowed: 1 Length: N/A	UPS service type.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Service/Code</a>			
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	Values are: <ul style="list-style-type: none"> <li>• 01 = Next Day Air</li> <li>• 02 = 2nd Day Air</li> <li>• 03 = Ground</li> <li>• 07 = Express</li> <li>• 08 = Expedited</li> <li>• 11 = UPS Standard</li> <li>• 12 = 3 Day Select</li> <li>• 13 = Next Day Air Saver</li> <li>• 14 = UPS Next Day Air® Early</li> <li>• 54 = Express Plus</li> <li>• 59 = 2nd Day Air A.M.</li> <li>• 65 = UPS Saver</li> <li>• 70 = UPS Access Point™ Economy</li> <li>• M2= First Class Mail</li> <li>• M3 = Priority Mail</li> <li>• M4 = Expedited Mail Innovations</li> <li>• M5 = Priority Mail Innovations</li> <li>• M6 = Economy Mail Innovations</li> <li>• 82 = UPS Today Standard</li> <li>• 83 = UPS Today Dedicated Courier</li> <li>• 84 = UPS Today Intercity</li> <li>• 85 = UPS Today Express</li> <li>• 86 = UPS Today Express Saver</li> <li>• 96 = UPS Worldwide Express Freight.</li> </ul>	The following Services are not available to return shipment: <ul style="list-style-type: none"> <li>• 13 - Next Day Air Saver</li> <li>• 59 - 2nd Day Air A.M.</li> <li>• 82 = UPS Today Standard</li> <li>• 83 = UPS Today Dedicated Courier</li> <li>• 84 = UPS Today Intercity</li> <li>• 85 = UPS Today Express</li> <li>• 86 = UPS Today Express Saver</li> </ul>
<a href="#">/ShipmentConfirmRequest/Shipment/Service/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1..35	Description of the service code. Examples are Next Day Air, Worldwide Express, and Ground.	

## InvoiceLineTotal

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/InvoiceLineTotal</a>			
InvoiceLineTotal	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for Invoice Line Total.	Required for forward shipments whose origin is the US and destination is Puerto Rico or Canada. Not available for any other shipments.  FOR OTHER DESTINATIONS the InvoiceLineTotal in the International Forms Container must be used.
<a href="#">/ShipmentConfirmRequest/Shipment/InvoiceLineTotal/CurrencyCode</a>			
CurrencyCode	Required: No Type: String Max Allowed: 1 Length: 3	Invoice Line Total currency type. Defaults to the currency used in the shipper's country.	Refer to Origin Country Information table.
<a href="#">/ShipmentConfirmRequest/Shipment/InvoiceLineTotal/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Invoice Line Total amount for the entire shipment.	Valid values are from 1 to 99999999

## NumOfPiecesInShipment

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/NumOfPiecesInShipment</a>			
NumOfPiecesInShipment	Required: Cond Type: String Max Allowed: 1 Length: 1...5	Total number of pieces in all pallets in a UPS World Wide Express Freight Shipment.  It is required for UPS World Wide Express Freight Shipment.	Valid values are 1 to 99999.

## USPSEndorsement

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/USPSEndorsement</a>			
USPSEndorsement	Required: Cond Type: String Max Allowed: 1 Length: 1	USPS Endorsement valid value: <ul style="list-style-type: none"> <li>• 1 = Return Service Requested</li> <li>• 2 = Forwarding Service Requested</li> <li>• 3 = Address Service Requested</li> <li>• 4 = Change Service Requested</li> <li>• 5 = No Service Selected.</li> </ul> Note: For International Mail Innovations shipments use No Service Selected. International Mail Innovations shipments are applicable for Priority Mail Innovations and Mail Innovations Economy Mail Innovations services only.	Required for Mail Innovations forward shipments.

## MILabelCN22Indicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/MILabelCN22Indicator</a>			
MILabelCN22Indicator	Required: No Type: String Max Allowed: 1 Length: 0	Indicates single label with both MI label and CN22 form.	International CN22 form is required.

## SubClassification

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/SubClassification</a>			
SubClassification	Required: Cond Type: String Max Allowed: 1 Length: 2	A component encoded on the barcode of the Mail Innovations label. Supported values are:  IR = Irregular  MA = Machineable	SubClass is only required if the customer's contract have them subclass the package not UPS.

## CostCenter

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/CostCenter</a>			
CostCenter	Required: Cond Type: String Max Allowed: 1 Length: 1...30	Customer assigned identifier for report and billing summarization, it is displayed to the right of the Cost Center title.	Required only for Mail Innovations forward shipments. Alpha numeric values only.



## ShipmentServiceOptions

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions</a>			
ShipmentServiceOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for Shipment Service Options.	

## SaturdayDelivery

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/SaturdayDelivery</a>			
SaturdayDelivery	Required: No Type: String Max Allowed: 1 Length: 0	Saturday delivery indicator. The presence indicates Saturday delivery, the absence indicates not Saturday delivery.	Available to all shipment types.

## COD

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/COD</a>			
COD	Required: No Type: Container Max Allowed: 1 Length: N/A	COD container.	Indicates COD is requested. Shipment COD is only available for EU origin countries and for shipper's account type Daily Pickup and Drop Shipping. Not available to shipment with return service.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/COD/CODCode</a>			
CODCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	COD type value.  Valid value: 3 = Tagless COD	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/COD/CODFundsCode</a>			
CODFundsCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	For valid values, refer to <a href="#">COD Supported Countries</a> in the Appendix.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/COD/CODAmount</a>			
CODAmount	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	COD Amount container.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/CurrencyCode</a>			
CurrencyCode	Required: No Type: String Max Allowed: 1 Length: 3	COD amount currency code type. Defaults to the currency used in the destination country.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/COD/CODAmount/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..8	COD Amount.	

## AccessPointCOD

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/AccessPointCOD</a>			
AccessPointCOD	Required: No Type: Container Max Allowed: 1 Length: N/A	Access Point COD indicates Access point COD is requested for a shipment.	Valid only for "01 - Hold For Pickup At UPS Access Point" Shipment Indication type.  Access Point Shipment COD is valid only for countries within E.U. Not valid with (Shipment) COD.  Not available to shipment with return service.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/AccessPointCOD/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Access Point COD Currency Code.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/AccessPointCOD/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...8	Access Point COD Monetary Value.	

## DeliverToAddresseeOnlyIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/DeliverToAddresseeOnlyIndicator</a>			
DeliverToAddresseeOnlyIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. DeliverToAddresseeOnlyIndicator is shipper specified restriction that requires the addressee to be the one who takes final delivery of the "Hold For Pickup at UPS Access Point" package.  Presence of indicator means shipper restriction will apply to the shipment.	Only valid for Shipment Indication type "01 - Hold For Pickup at UPS Access Point".

## DirectDeliveryOnlyIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/DirectDeliveryOnlyIndicator</a>			
DirectDeliveryOnlyIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored.  Direct Delivery Only (DDO) accessorial in a request would ensure that delivery is made only to the ship to address on the shipping label.	This accessorial is not valid with Shipment Indication Type:  "01 - Hold For Pickup At UPS Access Point" and  "02 - UPS Access Point™ Delivery".

## Notification

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification</a>			
Notification	Required: No Type: Container Max Allowed: Many (up to 3) Length: N/A	Container for the Quantum View Notification (QVN) is valid for all shipments including Return service, Import Control and Returns Flexible Access.  Valid return service types are: ERL, PRL, PNM, RS1, or RS3.	The shipment level notification is valid for forward and return international shipments as well as for domestic shipments (for US and PR).
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/NotificationCode</a>			
NotificationCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	The type of notification requested. Valid Value: <ul style="list-style-type: none"> <li>• 2 - Return Notification or Label Creation Notification,</li> <li>• 5 - QV In-transit Notification</li> <li>• 6 - QV Ship Notification</li> <li>• 7 - QV Exception Notification</li> <li>• 8 - QV Delivery Notification</li> <li>• 012 Alternate Delivery Location Notification</li> <li>• 013 -UAP Shipper Notification</li> </ul> Note: QVN Exception notification and return notification are not applicable to GFP.	Return Notification or Label Creation Notification is allowed for return shipments only.  QV In-transit Notification is allowed for return shipments only. QV Ship Notification is allowed for forward moving shipments only.  VoiceMessage phone number or Text message phone number or email address should be present for ADL notification and UAP Shipper Notification.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage</a>			
EMailMessage	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for the eMail message.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage/EMailAddress</a>			
EMailAddress	Required: Yes* Type: String Max Allowed: Many (up to 5) Length: 1..50	Email address where the notification is sent.	Up to five email addresses are allowed in the shipment for all the Quantum View TM notification. Up to two email address for return notification.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage/UndeliverableEMailAddress</a>			
UndeliverableEMailAddress	Required: No Type: String Max Allowed: 1 Length: 1..50	The address where an undeliverable eMail message is sent if the eMail with the notification is undeliverable.	The UndeliverableEMailAddress must occur only once in the shipment.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage/FromEMailAddress</a>			
FromEMailAddress	Required: Cond Type: String Max Allowed: 1 Length: 1..50	The e-mail address specifies the Reply To E-mail address. The "From" field of the message header contains pkginfo@ups.com.	Return Notification only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage/FromName</a>			
FromName	Required: No Type: String Max Allowed: 1 Length: 1..35	The name the email will appear to be from. Defaults to the Shipper Name.	The FromName must occur only once in the shipment.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage/Memo</a>			
Memo	Required: No Type: String Max Allowed: 1 Length: 1..150	User defined text that will be included in the eMail.	The Memo must occur only once in the shipment.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage/Subject</a>			
Subject	Required: No Type: String Max Allowed: 1 Length: 1...150	The eMail's subject. Defaults to text provided by UPS.	Return Notification only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/EMailMessage/SubjectCode</a>			
SubjectCode	Required: No Type: String Max Allowed: 1 Length: 2	Specifies a reference code and reference number to display in the subject of the Notification. The valid subject codes are: <ul style="list-style-type: none"> <li>• 01 - Shipment Reference Number 1</li> <li>• 02 - Shipment Reference Number 2</li> <li>• 03 - package Reference Number 1</li> <li>• 04 - package Reference Number 2</li> <li>• 08 - Subject Text (Return Notification only)</li> <li>• If a subject code is not provided or provided that refers to a nonexistent reference number, the subject will default to shipment Identification Number.</li> </ul>	For return notification: If the subject code tag is not provided and the subject text is provided, the subject of the notification will be the subject text;  If the subject text is provided and the subject code tag exists, then the subject code value must be 08.  If Subject code is 08, subject text must exist.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/VoiceMessage</a>			
VoiceMessage	Required: Cond Type: Container Max Allowed: 1 Length: N/A	VoiceMessage container is used for specifying phone number for receiving voice Alternate Delivery Location Notification or or UAP Shipper Notification.	Valid only for Alternate Delivery Location notification and UAP Shipper Notification.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/VoiceMessage/PhoneNumber</a>			
PhoneNumber	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Phone number for receiving Voice Alternate Delivery Location Notification or UAP Shipper Notification.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/TextMessage</a>			
TextMessage	Required: Cond Type: Container Max Allowed: 1 Length: N/A	TextMessage container is used for specifying phone number for receiving text Alternate Delivery Location notification or UAP Shipper Notification.	VoiceMessage phone number or Text message phone number or email address should be present for ADL notification and UAP Shipper Notification.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/TextMessage/PhoneNumber</a>			
PhoneNumber	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Phone number for receiving Text Alternate Delivery Location notification or UAP Shipper Notification.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/Locale</a>			
Locale	Required: Cond Type: Container Max Allowed: 1 Length: N/A	This container is used for providing Language and dialect details for Alternate Delivery Location Notifications or UAP Shipper Notification.	Valid only for Alternate Delivery Location notification and UAP Shipper Notification.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/Locale/Language</a>			
Language	Required: Yes* Type: String Max Allowed: 1 Length: 3	Valid Language.	Refer to <a href="#">Language / Dialect Combinations</a> in the Appendix for valid values.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/Notification/Locale/Dialect</a>			
Dialect	Required: Yes* Type: String Max Allowed: 1 Length: 2	Valid Dialect.	Refer to <a href="#">Language / Dialect Combinations</a> in the Appendix for valid values.

## LabelDelivery

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery</a>			
LabelDelivery	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for the Label Delivery accessorial.	Valid for shipments with an Electronic Return Label Return Service.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage</a>			
EMailMessage	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for the eMail message.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage/EMailAddress</a>			
EMailAddress	Required: Yes* Type: String Max Allowed: 1 Length: 1..50	The destination eMail address for the Label Delivery.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage/UndeliverableEMailAddress</a>			
UndeliverableEMailAddress	Required: No Type: String Max Allowed: 1 Length: 1..50	The address where an undeliverable eMail message is sent if the Label Delivery email is undeliverable.	Defaults to FromEMailAddress.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage/FromEmailAddress</a>			
FromEmailAddress	Required: Yes* Type: String Max Allowed: 1 Length: 1..50	The e-mail address specifies the Reply To E-mail address. The "From" field of the message header contains pkginfo@ups.com.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage/FromName</a>			
FromName	Required: No Type: String Max Allowed: 1 Length: 1..35	The name notification will appear to be from.  Defaults to the Shipper Name.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage/Memo</a>			
Memo	Required: No Type: String Max Allowed: 1 Length: 1..150	User defined text that will be included in the eMail.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage/Subject</a>			
Subject	Required: No Type: String Max Allowed: 1 Length: 1...150	The eMail's subject. Defaults to the 'Label Delivery Notification' plus the shipment ID. (Defaults to text provided by UPS).	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/EMailMessage/SubjectCode</a>			
SubjectCode	Required: No Type: String Max Allowed: 1 Length: 2	Specifies a reference code and reference number to display in the subject of the Label Delivery notification. When the subject code is provided, the subject will contain the following:  1. UPS Label Delivery 2. The reference code (the reference code will be mapped to the corresponding ANSI value) 3. Plus the reference number	If the subject code tag is not provided and the subject text is provided, the subject of the notification will be the subject text;  If the subject text is provided, and the subject code tag exists, then the subject code value must be 08;  If Subject code is 08, subject text must exist. If a subject code is provided that refers to a nonexistent reference number, the subject will default to the shipment identification number.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelDelivery/LabelLinksIndicator</a>			
LabelLinksIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Indicates the Label and Receipt URL's links that needs to be returned in the XML response.	

## InternationalForms

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms</a>			
InternationalForms	Required: No Type: Container Max Allowed: 1 Length: N/A	International Forms information.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/FormType</a>			
FormType	Required: Yes* Type: String Max Allowed: UNB Length: 2	Indicates the name of the International Form requested.	Valid values: <ul style="list-style-type: none"> <li>• 01 - Invoice</li> <li>• 03 - CO</li> <li>• 04 - NAFTA CO</li> <li>• 05 - Partial Invoice</li> <li>• 06 – Packing list</li> <li>• 07 - Customer Generated Forms</li> <li>• 08 – Air Freight Packing List</li> <li>• 09 - CN22 Form</li> <li>• 0 – UPS Premium Care Form</li> <li>1 - EEI. For shipment with return service</li> </ul> 01, 05 or 10 are the only valid values  Note: 01 and 05 are mutually exclusive and 05 are only valid for return shipments only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UserCreatedForm</a>			
UserCreatedForm	Required: Cond Type: Container Max Allowed: 1 Length: N/A	The data container for DocumentID(s).	Required if Form Type is 07.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UserCreatedForm/DocumentID</a>			
DocumentID	Required: Yes* Type: String Max Allowed: 13 Length: 26	DocumentID represents a document uploaded to Forms History.	



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form</a>			
CN22Form	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the CN22 form.	Required if the customer wants to use the UPS generated CN22.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/LabelSize</a>			
LabelSize	Required: Yes* Type: String Max Allowed: 1 Length: 2	Provide the legal values 6 = 4X6 or 1 = 8.5X11.	Required if the CN22 form container is present.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/PrintsPerPage</a>			
PrintsPerPage	Required: Yes* Type: String Max Allowed: 1 Length: 1	Number of label per page. Currently 1 per page is supported.	Required if the CN22 form container is present.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/LabelPrintType</a>			
LabelPrintType	Required: Yes* Type: String Max Allowed: 1 Length: 4	Legal Values are pdf, png, gif, zpl, star, epl2 and spl	Required if the CN22 form container is present
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Type</a>			
CN22Type	Required: Yes* Type: String Max Allowed: 1 Length: 1	Legal Values are 1 = GIFT 2 = DOCUMENTS 3 = COMMERCIAL SAMPLE 4 = OTHER	Required if the CN22 form container is present
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22OtherDescription</a>			
CN22OtherDescription	Required: Cond Type: String Max Allowed: 1 Length: 20	Required if CN22Type is OTHER	Required if the Cn22 type is selected as OTHER
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/FoldHereText</a>			
FoldHereText	Required: No Type: String Max Allowed: 1 Length: 1...35	String will replace default "Fold Here" text displayed on the label.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content</a>			
CN22Content	Required: Yes* Type: Container Max Allowed: 3 Length: N/A	Container for CN22 content.	Required if the CN22 form container is present.  Note: The maximum number of goods printed on the CN22 form when a combined MI package and CN22 form label is requested is one

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentQuantity</a>			
CN22ContentQuantity	Required: Yes* Type: String Max Allowed: 1 Length:	Total number of items associated with this content.	Required if the CN22 form container is present.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentDescription</a>			
CN22ContentDescription	Required: Yes* Type: String Max Allowed: 1 Length: 1...105	Detailed description of the content.	Required if the CN22 form container is present.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentWeight</a>			
CN22ContentWeight	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for CN22 content weight.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentWeight/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for UOM.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentWeight/UnitOfMeasurement/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Required if weight is provided, Legal values are lbs and ozs.	Required if weight is provided.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentWeight/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Short description for UnitOfMeasurement.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentWeight/Weight</a>			
Weight	Required: Yes* Type: String Max Allowed: 1 Length: 7	Total weight of the content. Pounds and Ounces are allowed up to 2 decimals.	Required if the CN22 form container is present.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentTotalValue</a>			
CN22ContentTotalValue	Required: Yes* Type: String Max Allowed: 1 Length: 9	Total value of the items associated with this content.	Required if the CN22 form container is present.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentCurrencyCode</a>			
CN22ContentCurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Currently only USD is supported.	Required if the CN22 form container is present.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentCountryOfOrigin</a>			
CN22ContentCountryOfOrigin	Required: No Type: String Max Allowed: 1 Length: 2	Country of Origin from where the CN22 contents originated.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CN22Form/CN22Content/CN22ContentTariffNumber</a>			
CN22ContentTariffNumber	Required: No Type: String Max Allowed: 1 Length: 40	The tariff number associated with the CN22 contents.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UPSPremiumCareForm</a>			
UPSPremiumCareForm	Required: Cond Type: Container Max Allowed: 1 Length: N/A	UPS Premium Care Form is required if UPSPremiumCareIndicator is present on a package.	Valid only for Canada to Canada movements.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UPSPremiumCareForm/ShipmentDate</a>			
ShipmentDate	Required: Yes* Type: String Max Allowed: 1 Length: N/A	Shipment Date associated with UPS Premium Care Shipment.  Valid Format: YYYYMMDD	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UPSPremiumCareForm/PageSize</a>			
PageSize	Required: Yes* Type: String Max Allowed: 1 Length: 2	Size of UPSPremiumCareForm.	Valid values: 01 = A4 Size, 02 = Letter Size.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UPSPremiumCareForm/PrintType</a>			
PrintType	Required: Yes* Type: String Max Allowed: 1 Length: 2	Format of UPSPremiumCareForm.	Valid values: 01 = PNG, 02 = PDF.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UPSPremiumCareForm/NumOfCopies</a>			
NumOfCopies	Required: Yes* Type: String Max Allowed: 1 Length: 2	Number of Copies of UPSPremiumCareForm.	Valid value is 02.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UPSPremiumCareForm/LanguageForUPSPremiumCare</a>			
LanguageForUPSPremiumCare	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container to hold languages in which UPSPremiumCareForm is required.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/UPSPremiumCareForm/LanguageForUPSPremiumCare/Language</a>			
Language	Required: Yes* Type: String Max Allowed: 2 Length: 3	Languages for UPSPremiumCareForm. Two languages are required for UPS Premium Care Form.	Valid values: eng = US English, fra = Canadian French.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/AdditionalDocumentIndicator</a>			
AdditionalDocumentIndicator	Required: Type: String Max Allowed: 1 Length:		
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/FormGroupIdName</a>			
FormGroupIdName	Required: No Type: String Max Allowed: 1 Length: 1...50	Contains description text that identifies the group of International forms. This element does not appear on the forms.	

InternationalForms continued, Contacts

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts</a>			
Contacts	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Holds the contact information of various parties.	Applicable for EEI and NAFTA CO only. Required for NAFTA CO and EEI.  Ultimate consignee contact information is required for EEI. Producer contact information is required for NAFTA CO
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent</a>			
ForwardAgent	Required: No Type: Container Max Allowed: 1 Length: N/A	The forwarding agent is the company or person acting as agent in the trans-shipping of freight to the destination country.	Applicable for EEI form only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/CompanyName</a>			
CompanyName	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Company Name or the Individual name of the Forwarding agent.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/TaxIdentificationNumber</a>			
TaxIdentificationNumber	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Tax ID of the Forwarding agent.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Address information of the Forwarding agent.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 1 of the Forwarding agent.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address/AddressLine2</a>			
AddressLine2	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 2 of the Forwarding agent. Usually Room/Floor information.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address/AddressLine3</a>			
AddressLine3	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 3 of the Forwarding agent. Usually department information.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1...30	City of the Forwarding agent.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 1...5	State of the Forwarding agent.	Applicable for EEI form only. Required for certain countries.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address/PostalCode</a>			
PostalCode	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	Postal code of the Forwarding agent.	Applicable for EEI form only. Required for certain countries. The length of the postal code depends on the country code.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/ForwardAgent/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Country code of the Forwarding agent.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee</a>			
UltimateConsignee	Required: Cond Type: Container Max Allowed: 1 Length: N/A	The ultimate consignee is the person or company who receives the goods for end-use or the person or company listed on the export license. This is the end-user of the goods.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/CompanyName</a>			
CompanyName	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Company Name or the Individual name of the Ultimate consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Address information of the Ultimate consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 1 of the Ultimate consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address/AddressLine2</a>			
AddressLine2	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 2 of the Ultimate consignee. Usually Room/Floor information.	Applicable for EEI form only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address/AddressLine3</a>			
AddressLine3	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 3 of the Ultimate consignee. Usually department information.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1...30	City of the Ultimate consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 1...5	State of the Ultimate consignee.	Applicable for EEI form only. Required for certain countries.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...9	Postal code of the Ultimate consignee.	Applicable for EEI form only. Required for certain countries. The length of the postal code depends on the country code.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Country code of the Ultimate consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/UltimateConsigneeType</a>			
UltimateConsigneeType	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for providing Ultimate consignee Type.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/UltimateConsigneeType/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1	Ultimate Consignee Type Code. Values are: 'D' = Direct Consumer; 'G'=Government Entity ; 'R'= Reseller ; 'O'=Other/Unknown	Applicable for EEI form only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/UltimateConsignee/UltimateConsigneeType/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...20	Ultimate Consignee Type Description.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee</a>			
IntermediateConsignee	Required: No Type: Container Max Allowed: 1 Length: N/A	The intermediate consignee is the person or company in the importing country that makes final delivery to the ultimate consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/CompanyName</a>			
CompanyName	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Company Name or the Individual name of the Intermediate consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address</a>			
Address	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Address information of the Intermediate Consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 1 of the Intermediate Consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address/AddressLine2</a>			
AddressLine2	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 2 of the Intermediate Consignee. Usually Room/Floor information.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address/AddressLine3</a>			
AddressLine3	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 3 of the Intermediate Consignee. Usually department information.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1...30	City of the Intermediate Consignee.	Applicable for EEI form only.



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 1...5	State of the Intermediate Consignee.	Applicable for EEI form only. Required for certain countries.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...9	Postal code of the Intermediate Consignee.	Applicable for EEI form only. Required for certain countries. The length of the postal code depends on the country code.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/IntermediateConsignee/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Country code of the Intermediate Consignee.	Applicable for EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer</a>			
Producer	Required: No Type: Container Max Allowed: 1 Length: N/A	Information of the producer. The NAFTA Certificate of Origin must be completed, signed, and dated by the exporter. When the Certificate is completed by the producer for use by the exporter, it must be completed, signed, and dated by the producer. The date must be the date the Certificate was completed and signed.	Applies to NAFTA CO. Required for NAFTA CO forms.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Option</a>			
Option	Required: No Type: String Max Allowed: 1 Length: 2	The text associated with the code will be printed in the producer section instead of producer contact information.  Use attached List if more than one producer's good is included on the Certificate, attach a list of additional producers, including the legal name, address (including country), and legal tax identification number, cross-referenced to the goods described in the Description of Goods field.	Applies to NAFTA CO. Possible Values are: 01 - AVAILABLE TO CUSTOMS UPON REQUEST 02 - SAME AS EXPORTER 03 - ATTACHED LIST 04 - UNKNOWN

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/CompanyName</a>			
CompanyName	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Company Name or the Individual name of the Producer.	Applies to NAFTA CO. Only applicable when producer option is empty or not present. Conditionally required for: NAFTA CO, when Producer option is not specified.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/TaxIdentificationNumber</a>			
TaxIdentificationNumber	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Tax ID of the Producer.	Applies to NAFTA CO. Only applicable when producer option is empty or not present.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address</a>			
Address	Required: No Type: Container Max Allowed: 1 Length: N/A	Address information of the Producer.	Applies to NAFTA CO. Only applicable if producer option is empty or not present. Conditionally required for: NAFTA CO, when Producer option is not specified.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address/AddressLine1</a>			
AddressLine1	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 1 of the Producer.	Applies to NAFTA CO.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address/AddressLine2</a>			
AddressLine2	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 2 of the Producer. Usually Room/Floor information.	Applies to NAFTA CO.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address/AddressLine3</a>			
AddressLine3	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Address line 3 of the Producer. Usually department information.	Applies to NAFTA CO.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address/City</a>			
City	Required: Yes* Type: String Max Allowed: 1 Length: 1...30	City of the Producer.	Applies to NAFTA CO. Conditionally required for: NAFTA CO, when Producer option is not specified.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address/StateProvinceCode</a>			
StateProvinceCode	Required: Cond Type: String Max Allowed: 1 Length: 1...5	State of the Producer.	Applies to NAFTA CO. Required for certain countries.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address/PostalCode</a>			
PostalCode	Required: Cond Type: String Max Allowed: 1 Length: 1...10	Postal code of the Producer.	Applies to NAFTA CO. Required for certain countries. The length of the postal code depends on the country code.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Address/CountryCode</a>			
CountryCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Country code of the Producer.	Applies to NAFTA CO.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/AttentionName</a>			
AttentionName	Required: No Type: String Max Allowed: 1 Length: 1...35	The contact name of the Producer.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Phone</a>			
Phone	Required: No Type: Container Max Allowed: 1 Length: N/A	Phone Container.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Phone/Number</a>			
Number	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Phone Number of the Producer.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/Phone/Extension</a>			
Extension	Required: No Type: String Max Allowed: 1 Length: 1...4	Phone Extension of the Producer.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Contacts/Producer/EmailAddress</a>			
EmailAddress	Required: No Type: String Max Allowed: 1 Length: 1...50	Email address of the Producer.	

## InternationalForms continued, Product

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product</a>			
Product	Required: Yes* Type: Container Max Allowed: 1...50 Length: N/A	Contains the commodity/product information.	Applies to EEI, Invoice, Partial Invoice, CO and NAFTA CO. When any International form is requested, at least one Product must be present. Maximum number of products allowed for different forms are: <ul style="list-style-type: none"> <li>• Commercial Invoice</li> <li>• NAFTA</li> <li>• CO</li> <li>• EEI – 100</li> <li>• package Packing List – 50</li> <li>• Air Freight packing list – 1000</li> </ul> Note: For Partial Invoice this container is optional.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/Description</a>			
Description	Required: Yes* Type: String Max Allowed:3 Length: 1...35	Description of the product.	Applies to all International Forms. Optional for Partial Invoice. Must be present at least once and can occur for a maximum of 3 times.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/Unit</a>			
Unit	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the unit's information of each product. (Also called as commodity)	Required for Invoice forms and optional for Partial Invoice.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/Unit/Number</a>			
Number	Required: Yes* Type: String Max Allowed: 1 Length: 1...7	Total quantity of each commodity to be shipped, measured in the units specified in the Unit of Measure field.	Required for Invoice forms and optional for Partial Invoice. Must be numeric. Valid characters are 0-9.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/Unit/Value</a>			
Value	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Monetary amount used to specify the worth or price of the commodity. Amount should be greater than zero.	<p>Applies to Invoice and Partial Invoice form. Required for Invoice forms and Partial Invoice forms.</p> <ul style="list-style-type: none"> <li>Amount should be greater than zero.</li> <li>Valid characters are 0-9 and. (Decimal point).</li> <li>Limit to 6 digits after the decimal.</li> <li>The maximum length of the field is 19 including. and can hold up to 6 decimal places.</li> </ul> <p>(#####.#####, #####.#####, #####.####, #####.###, #####.##.#####.#, #####)</p> <ul style="list-style-type: none"> <li>The value of this product and the other products should be such that the invoice line total which is the sum of (number*values) of all products should not exceed 9999999999999999.99</li> </ul>
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/Unit/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container tag for the Unit of measurement for the commodity.	Required for Invoice forms and optional for Partial Invoice.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/Unit/UnitOfMeasurement/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1...3	Code for the Unit of measurement of the commodity units.	<p>Applies to Invoice and partial invoice forms and is required.</p> <p>Refer to <a href="#">Unit of Measure Codes</a> in the Appendix for valid values.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/Unit/UnitOfMeasurement/Description</a>			
Description	Required: Cond Type: String Max Allowed: 1 Length: 1...3	The Unit of Measure if OTH (Other) is entered as the UnitOfMeasurement code.	Applies to Invoice and Partial Invoice forms. Conditionally Required for the Invoice and Partial Invoice form if OTH is entered as the units UnitOfMeasurement code.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/CommodityCode</a>			
CommodityCode	Required: Cond Type: String Max Allowed: 1 Length: 6...15	6-to-15-alphanumeric commodity code. Customs uses this code to determine what duties should be assessed on the commodity.	Applies to Invoice, Partial Invoice and NAFTA CO.  Required for NAFTA CO and optional for Partial Invoice.  Should be at least 6 alphanumeric.  For NAFTA CO: For each good described in Description of Goods field, identify the H.S. tariff classification to six digits.  If the good is subject to a specific rule of origin in Annex 401 that requires eight digits, identify to eight digits, using the H.S. tariff classification of the country into whose territory the good is imported.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/PartNumber</a>			
PartNumber	Required: No Type: String Max Allowed: 1 Length: 1...10	The part number or reference number for the product contained in the invoice line, as indicated on the customs invoice.	Applies to Invoice and Partial Invoice.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/OriginCountryCode</a>			
OriginCountryCode	Required: Cond Type: String Max Allowed: 1 Length: 2	<p>The country in which the good was manufactured, produced, or grown.</p> <p>For detailed information on country of origin, certificate of origin, rules of origin and any related matters, please refer to the U.S. Customs and Border Protection Web site at <a href="http://www.customs.gov">www.customs.gov</a> or contact your country's Customs authority.</p>	<p>Applies to Invoice, Partial Invoice, CO and NAFTA CO.</p> <ul style="list-style-type: none"> <li>• Required for Invoice and CO forms.</li> <li>• Optional for Partial Invoice.</li> <li>• Conditionally required for NAFTA CO if JointProductionIndicator is not present.</li> </ul> <p>For NAFTA CO, identify the name of the country (MX or US for agricultural and textile goods exported to Canada; US or CA for all goods exported to Mexico; or CA or MX for all goods exported to the United States) to which the preferential rate of customs duty applies, as set out in Annex 302.2, in accordance with the Marking Rules or in each party's schedule of tariff elimination.</p> <p>For all other originating goods exported to Canada, indicate appropriately MX or US if the goods originate in that NAFTA country, within the meaning of the NAFTA Rules of Origin Regulations, and any subsequent processing in the other NAFTA country does not increase the transaction value of the goods by more than seven percent; otherwise use the JointProductionIndicator for joint production.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/JointProductionIndicator</a>			
JointProductionIndicator	Required: No Type: String Max Allowed: 1 Length: 0	If present, JNT will be used as the origin of country code on the NAFTA form and the Product/OriginCountryCode tag will be ignored.	Applies to NAFTA CO only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/NetCostCode</a>			
NetCostCode	Required: Cond Type: String Max Allowed: 1 Length: 2	For each good described in the Description of Goods field, where the good is subject to a regional value content (RVC) requirement, indicate NC if the RVC is calculated according to the net cost method; otherwise, indicate NO.	Applies to NAFTA CO only. Required for NAFTA CO. Possible Values: NC and NO.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/NetCostDateRange</a>			
NetCostDateRange	Required: No Type: Container Max Allowed: 1 Length: N/A	Date Range for regional value content (RVC).	Applies to NAFTA CO only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/NetCostDateRange/BeginDate</a>			
BeginDate	Required: Yes* Type: String Max Allowed: 1 Length: 8	If the RVC is calculated over a period of time, it should be identified by the begin date (YYYYMMDD) of that period. (Reference: Articles 402.1, 402.5).	Applies to NAFTA CO only. Format is YYYYMMDD.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/NetCostDateRange/EndDate</a>			
EndDate	Required: Yes* Type: String Max Allowed: 1 Length: 8	If the RVC is calculated over a period of time, it should be identified by the End date (YYYYMMDD) of that period. (Reference: Articles 402.1, 402.5).	Applies to NAFTA CO only. Format is YYYYMMDD.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/PreferenceCriteria</a>			
PreferenceCriteria	Required: Cond Type: String Max Allowed: 1 Length: 1	Indicates the criterion (A through F) for each good described in the Description of Goods field if applicable.  The rules of origin are contained in Chapter Four and Annex 401.  Additional rules are described in Annex 703.2 (certain agricultural goods), Annex 300-B, Appendix 6 (certain textile goods) and Annex 308.1 (certain automatic data processing goods and their parts).	Applies to NAFTA CO only.



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ProducerInfo</a>			
ProducerInfo	Required: Cond Type: String Max Allowed: 1 Length: 3...5	Indicate the following:  Yes - If shipper is the producer of the good. If not, state 02, 03, and 04 depending on whether this certificate was based upon:  No [1] - Knowledge of whether the good qualifies as an originating good.  No [2] - Reliance on the producers written representation (other than a Certificate of Origin) that the good qualifies as an originating good.  No [3] - A completed and signed Certificate for the good voluntarily provided to the exporter by the producer.	Applicable for NAFTA CO and is required. Possible Values: Yes, No[1], No[2], No[3]
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/MarksAndNumbers</a>			
MarksAndNumbers	Required: No Type: String Max Allowed: 1 Length: 1...35	Any special marks, codes, and numbers that may appear on package.	Applies to CO Only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/NumberOfPackagesPerCommodity</a>			
NumberOfPackagesPerCommodity	Required: Cond Type: String Max Allowed: 1 Length: 1...3	The total number of packages, cartons or containers for the commodity.	Applicable for CO and is required. Should be numeric. Valid characters are 0 -9.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ProductWeight</a>			
ProductWeight	Required: Cond Type: Container Max Allowed: 1 Length: N/A	The shipping weight, including containers, for each commodity with a separate Harmonized Tariff Code / Schedule B Number. This weight does not include carrier equipment.	Applies to CO and EEI forms only. Required for CO and EEI forms.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ProductWeight/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container tag for the Unit of Measurement of weight.	Applies to CO and EEI forms only. Required for CO and EEI forms.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ProductWeight/UnitOfMeasurement/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code for unit of Measurement of weight.	Applies to CO and EEI forms only. Possible values: KGS/LBS.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ProductWeight/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...20	Description of the Unit of Measurement.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ProductWeight/Weight</a>			
Weight	Required: Yes* Type: String Max Allowed: 1 Length: 1...5	Weight of Product.	Applies to CO and EEI forms only.  Valid characters are 0-9 and. (Decimal point).  Limit to 1 digit after the decimal.  The maximum length of the field is 5 including "." and can hold up to 1 decimal place.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/VehicleID</a>			
VehicleID	Required: No Type: String Max Allowed: 1 Length: 1...25	Includes the following information for used self-propelled vehicles as defined in Customs regulations 19 CFR 192.1:  The unique Vehicle Identification Number (VIN) in the proper format. Or The Product Identification Number (PIN) for those used self-propelled vehicles for which there are no VINs. Or no Vehicle Title Number.	Applies to EEI forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ScheduleB</a>			
ScheduleB	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the schedule B information of a commodity.	Applies to EEI forms only. Required for EEI form.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ScheduleB/Number</a>			
Number	Required: Yes* Type: String Max Allowed: 1 Length: 10	A unique 10-digit commodity classification code for the item being exported. (To classify a commodity access the following Web page: <a href="http://www.census.gov/foreign-trade/schedules/b/#search">http://www.census.gov/foreign-trade/schedules/b/#search</a> ).	Applies to EEI forms only. Has to be 10 characters.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ScheduleB/Quantity</a>			
Quantity	Required: Cond Type: String Max Allowed: 1 Length: 1...10	The count of how many Schedule B units of the current good are in the shipment (EEI only).  For example, if the Schedule B unit of measure is dozens and eight dozen, is being shipped, indicate 8 in this field.	Applies to EEI forms only. Conditionally required for EEI forms if ScheduleB UnitOfMeasurement is not X. Should be Numeric. Valid characters are 0 -9.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ScheduleB/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	The unit of measure indicated on the Export License.	Applies to EEI forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ScheduleB/UnitOfMeasurement/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1...3	The unit of measure indicated on the Export License.  Enter an X if there is no unit of measure in the Schedule B Unit field.	Applies to EEI forms only. Required for the EEI form. Refer to <a href="#">EEI Unit of Measure Codes</a> in the Appendix for valid values.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ScheduleB/UnitOfMeasurement/Description</a>			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...20	Description of the Unit of Measure.	Applies to EEI forms only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ExportType</a>			
ExportType	Required: Cond Type: String Max Allowed: 1 Length: 1	Code indicating Domestic: Exports that have been produced, manufactured or grown in the United States or Puerto Rico.  This includes imported merchandise which has been enhanced in value or changed from the form in which imported by further manufacture or processing in the United States or Puerto Rico.  Foreign: Merchandise that has entered the United States and is being exported again in the same condition as when imported.	Applies to EEI forms only. Required for EEI form. Possible Values: D - Domestic, F - Foreign.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/SEDTotalValue</a>			
SEDTotalValue	Required: Cond Type: String Max Allowed: 1 Length: 1...15	This amount will always be USD. This attribute represents the LicenseLineValue for EEI.	Applies to EEI forms only. Required for EEI form. Valid characters are 0-9 and. (Decimal point). Limit to 2 digit after the decimal.  The maximum length of the field is 15 and can hold up to 2 decimal places.  Note: This value is calculated based on the Product/Unit/Value and /Product/Unit/Number (Number of Units * Price per Unit).  If the total value is incorrect it will be replaced by the actual calculated total value.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ExcludeFromForm</a>			
ExcludeFromForm	Required: No Type: Container Max Allowed: 1 Length: N/A	Container tag for determining whether or not to exclude product information from a particular form.	If this container is not present we assume that the DEFAULT is selected which is "none" and all products will appear on all forms.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/ExcludeFromForm/FormType</a>			
FormType	Required: Yes* Type: String Max Allowed: Unbounded Length: 1	Indicates the name of the International form requested to NOT have product information.	Possible Values are 04 – NAFTA CO.  Please note that if this is used and you DO NOT have the corresponding form type requested this will be IGNORED.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/PackingListInfo</a>			
PackingListInfo	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Data Container holding package related information.	Required for packaging list and Air Freight Packing list.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/PackingListInfo/PackageAssociated</a>			
PackageAssociated	Required: Yes* Type: Container Max Allowed: UNB Length: N/A	Data Container holding package/product related information that will break up the product into each package on the packing list.	Total product amount must equal the product unit value above. Required for packaging list and Air Freight Packing list.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/PackingListInfo/PackageAssociated/PackageNumber</a>			
PackageNumber	Required: Yes* Type: String Max Allowed: 1 Length: N/A	Package number the product should be allocated to on the packing list.	Required for packaging list and Air Freight Packing list.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/PackingListInfo/PackageAssociated/ProductAmount</a>			
ProductAmount	Required: Yes* Type: String Max Allowed: 1 Length: N/A	Amount of Product associated with a package.	Required for packaging list and Air Freight Packing list.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation</a>			
EEIInformation	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Required for EEI Form.	Applies to EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/ExportInformation</a>			
ExportInformation	Required: Cond Type: String Max Allowed: 1 Length: 2	Required for EEI form id it is a SDL product.  Valid values: LC, LV, SS, MS, GS, DP, HR, UG, IC, SC, DD, HH, SR, TE, TL, IS, CR, GP, RJ, TP, IP, IR, DB, CH, RS, OS.	Applies to EEI form only. Required if EEIFilingOption code 3 specified for EEI form.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/License</a>			
License	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Licence information for SDL commodity.	Applies to EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/License/Number</a>			
Number	Required: Cond Type: String Max Allowed: 1 Length: 7...13	Represents any one of the following values: export license number, exception code, CFR citation, KPC Number, ACM Number.  Refer to <a href="#">EEI License Codes</a> in the Appendix for valid values.	Applies to EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/License/Code</a>			
Code	Required: Cond Type: String Max Allowed: 1 Length: 3	The standard license code published by US government.  Refer to <a href="#">EEI License Codes</a> in the Appendix for valid values.	Applies to EEI form only.  It is required for EEIFilingOption code 3.  It is optionally required for all other filing types; however, it is used to categorize each product as SDL or non-SDL. It is also used to identify which piece of information is applicable.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/License/LicenseLineValue</a>			
LicenseLineValue	Required: Cond Type: String Max Allowed: 1 Length: 1...10	The export monetary amount allowed per license.  Required for a licensable product when the EEI form is selected.	Applies to EEI form only. Required if EEIFilingOption code 1A (only for SDL shipments) or 3.  Format: Whole numbers only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/License/ECCNNumber</a>			
ECCNNumber	Required: Cond Type: String Max Allowed: 1 Length: 5	Product ECCN Number issued by BIS (Bureau of Industry and Security).  If the license number is a commerce license, ECCN must be provided.  The format is #A### or EAR99	Applies to EEI forms only. It is required for EEIFilingOption code 3.  ECCN is required one of the following License Exception Codes is entered: CIV, CTP, ENC, GBS, KMI, LVS, TSR.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation</a>			
DDTCInformation	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Department of State/ Directorate of Defense Trade Control Information.  This element is a container for additional information that is applicable to SDL products. It will only be evaluated if the provided license code is an SDL code.	Applies to EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/ITARExemptionNumber</a>			
ITARExemptionNumber	Required: Cond Type: String Max Allowed: 1 Length: 3...10	The specific citation (exemption number) under the International Traffic in Arms Regulations (ITAR) from the Code of Federal Register (see 22 CFR 120-130) that exempts the shipment from the requirements for a license or other written authorization from the Directorate of Trade Controls (DDTC).  Refer to <a href="#">EEI License Codes</a> in the Appendix for valid values.	Applies to EEI Form only. This field is applicable for EEIFiling option 1A and 3.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/USMLCategoryCode</a>			
USMLCategoryCode	Required: Cond Type: String Max Allowed: 1 Length: 2	Digit numeric code (e.g. 01-18, 20 or 21). Indicates the U.S. Munitions List (USML) category article, service or related technical data as it applies to the article reported.	Applies to EEI form only. It is required for EEIFilingOption code 3.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/EligiblePartyIndicator</a>			
EligiblePartyIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absent indicator. Certification by the U.S. exporter that the exporter is an eligible party to participate in the defense trade.	Applies to EEI form only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/RegistrationNumber</a>			
RegistrationNumber	Required: Cond Type: String Max Allowed: 1 Length: 6	It is a unique registration code assigned to the registrant. The DDTC registration code consist of a letter prefix, M (assigned to a manufacturer and/or exporter) or K (assigned to a broker), followed by four or five digits (e.g. K-1234 or M12345).	It is required for EEIFilingOption code 3.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/Quantity</a>			
Quantity	Required: Cond Type: String Max Allowed: 1 Length: 1...7	Export Quantity.	Applies to EEI form only. It is required for EEIFilingOption code 3. Only positive integer value is valid.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for unit of measurement.	Applies to EEI form only. It is required for EEIFilingOption code 3.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/UnitOfMeasurement/Code</a>			
Code	Required: Cond Type: String Max Allowed: 1 Length: 2...3	Required for EEI form. Unit of measurement code. The two or three (3) alpha unit of measurement for the article being shipped. For example: BAG/BG - bags.	Applies to EEI form only. It is required for EEIFilingOption code 1A and 3.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...15	Unit of measurement description.	Applies to EEI form only. It is required for EEIFilingOption code 3.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/SignificantMilitaryEquipmentIndicator</a>			
SignificantMilitaryEquipmentIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator.	Applies to EEI form only.



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Product/EEIInformation/DDTCInformation/ACMNumber</a>			
ACMNumber	Required: Cond Type: String Max Allowed: 1 Length: 11	Approved Community Member Number (ACM). It is required to be provided along with ITARExemptionNumber for some License code (SGB and SAU).  The ACM# for the United Kingdom (License code SGB) must begin with UK followed by 9 numbers.  The ACM# for Australia (License Code SAU) must begin with DTT followed by 8 numbers.	Applies to EEI form only. It is required for EEIFilingOption code 1A and 3.

InternationalForms continued, starting with InvoiceNumber

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/InvoiceNumber</a>			
InvoiceNumber	Required: No Type: String Max Allowed: 1 Length: 1...35	Commercial Invoice number assigned by the exporter.	Applies to Invoice and Partial Invoice forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/InvoiceDate</a>			
InvoiceDate	Required: Cond Type: String Max Allowed: 1 Length: 8	Date when the Invoice is created. Ideally this is the same as the ship date.	Applies to Invoice and Partial Invoice forms only. Optional for Partial Invoice. Required for Invoice form for forward shipments.  For shipment with return service, the user input will be ignored, and the field will be blank on the invoice. Format is YYYYMMDD
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/PurchaseOrderNumber</a>			
PurchaseOrderNumber	Required: No Type: String Max Allowed: 1 Length: 1...35	The customer's order reference number.	Applies to Invoice and Partial Invoice forms.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/TermsOfShipment</a>			
TermsOfShipment	Required: No Type: String Max Allowed: 1 Length: 3	Indicates the rights to the seller from the buyer. Also, it refers to Terms of Sale.	Applies to Invoice and Partial Invoice forms only. Possible values are: <ul style="list-style-type: none"> <li>• CFR: Cost and Freight</li> <li>• CIF: Cost, Insurance and Freight</li> <li>• CIP: Carriage and Insurance Paid</li> <li>• CPT: Carriage Paid To</li> <li>• DAF: Delivered at Frontier</li> <li>• DDP: Delivery Duty Paid</li> <li>• DDU: Delivery Duty Unpaid</li> <li>• DEQ: Delivered Ex Quay</li> <li>• DES: Delivered Ex Ship</li> <li>• EXW: Ex Works, FAS: Free Alongside Ship</li> <li>• FCA: Free Carrier</li> <li>• FOB: Free On Board</li> </ul>
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/ReasonForExport</a>			
ReasonForExport	Required: Cond Type: String Max Allowed: 1 Length: 1...20	A reason to export the current international shipment. Possible values: SALE, GIFT, SAMPLE, RETURN, REPAIR, INTERCOMPANYDATA, Any other reason.	Applies to Invoice and Partial Invoice forms. Required for Invoice and Optional for Partial Invoice. No validation.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Comments</a>			
Comments	Required: No Type: String Max Allowed: 1 Length: 1...150	Any extra information about the current shipment.	Applies to Invoice and Partial Invoice forms only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/DeclarationStatement</a>			
DeclarationStatement	Required: No Type: String Max Allowed: 1 Length: 1...550	<p>This is the legal explanation, used by Customs, for the delivering of this shipment.</p> <p>It must be identical to the set of declarations actually used by Customs.</p> <p>Examples of declarations that might be entered in this field are:</p> <p>I hereby certify that the goods covered by this shipment qualify as originating goods for purposes of preferential tariff treatment under the NAFTA.</p> <p>I hereby certify that the information on this invoice is true and correct and the contents and value of this shipment is as stated above.</p> <p>EEA statement: The exporter of the products covered by this document declares that except where otherwise clearly indicated these products are of EEA preferential origin.</p>	<p>Applies to Invoice and Partial Invoice forms only. On the invoice for return shipment, the verbiage is as follows (user input is ignored):</p> <p>The exporter of the products covered by this document declares that except where otherwise clearly indicated these products are of EEA preferential origin.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Discount</a>			
Discount	Required: No Type: Container Max Allowed: 1 Length: N/A	Container tag that holds the discount.	Applies to Invoice and Partial Invoice forms only.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/Discount/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	The discount to be subtracted from the sum of the total value on the invoice.	Applies to Invoice and Partial Invoice forms only. Valid characters are 0-9 and. (Decimal point). Limit to 2 digit after the decimal.  The maximum length of the field is 15 including. And can hold up to 2 decimal places.  This value should be greater than or equal to zero or less than or equal to the value of all goods listed on the invoice.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/FreightCharges</a>			
FreightCharges	Required: No Type: Container Max Allowed: 1 Length: N/A	Container tag that holds the Freight Charges.	Applies to Invoice and Partial Invoice forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/FreightCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Cost to transport the shipment.	Applies to Invoice and Partial Invoice forms only. Valid characters are 0-9 and (Decimal point). Limit to 2 digit after the decimal.  The maximum length of the field is 15 including and can hold up to 2 decimal places.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/InsuranceCharges</a>			
InsuranceCharges	Required: No Type: Container Max Allowed: 1 Length: N/A	Container tag that holds the Insurance Charges.	Applies to Invoice and Partial Invoice forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/InsuranceCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	The amount the shipper or receiver pays to cover the cost of replacing the shipment if it is lost or damaged.	Applies to Invoice and Partial Invoice forms only. Valid characters are 0-9 and. (Decimal point). Limit to 2 digit after the decimal.  The maximum length of the field is 15 including. And can hold up to 2 decimal places.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/OtherCharges</a>			
OtherCharges	Required: No Type: Container Max Allowed: 1 Length: N/A	Container tag that holds the information of amount that covers additional charges not already listed on the invoice.	Applies to Invoice and Partial Invoice forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/OtherCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	The Monetary value of OtherCharges.	Applies to Invoice and Partial Invoice forms only. Valid characters are 0-9 and. (Decimal point). Limit to 2 digit after the decimal.  The maximum length of the field is 15 including "." and can hold up to 2 decimal places.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/OtherCharges/Description</a>			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...10	Description of what the other charges are for.	Applies to Invoice and Partial Invoice forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CurrencyCode</a>			
CurrencyCode	Required: Cond Type: String Max Allowed: 1 Length: 3	Currency code for all the monetary values of the Invoice form.	Applies to Invoice and Partial Invoice forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/BlanketPeriod</a>			
BlanketPeriod	Required: Cond Type: Container Max Allowed: 1 Length: N/A	This field should be entered if the NAFTA Certificate covers multiple shipments of identical goods as described in the Description of Goods field that are imported into a NAFTA country for a specified period of up to one year (the blanket period).  The importation of a good for which preferential treatment is claimed based on this certificate must occur between these dates.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/BlanketPeriod/BeginDate</a>			
BeginDate	Required: Yes* Type: String Max Allowed: 1 Length: 8	Begin date of the blanket period. It is the date upon which the Certificate becomes applicable to the good covered by the blanket Certificate (it may be prior to the date of signing this Certificate).	Applies to NAFTA CO form only. Required for NAFTA CO. Format is YYYYMMDD. This is not valid for a paperless shipment.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/BlanketPeriod/EndDate</a>			
EndDate	Required: Yes* Type: String Max Allowed: 1 Length: 8	End Date of the blanket period. It is the date upon which the blanket period expires.	Applies to NAFTA CO form only. Required for NAFTA CO. Format is YYYYMMDD. This is not valid for a paperless shipment.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/ExportDate</a>			
ExportDate	Required: Cond Type: String Max Allowed: 1 Length: 8	The date the goods will be exiting the country.	Applies to CO and EEI forms only. Required for CO and EEI forms. Format is YYYYMMDD
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/ExportingCarrier</a>			
ExportingCarrier	Required: Cond Type: String Max Allowed: 1 Length: 1...35	The name of the carrier that is exporting the shipment. The vessels flag number should also be entered, if the carrier is a vessel.	Applies to CO and EEI forms only. Required for CO and EEI forms.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/CarrierID</a>			
CarrierID	Required: No Type: String Max Allowed: 1 Length: 1...17	The four-character Standard Carrier Alpha Code (SCAC) for vessel, rail, and truck shipments. For air shipment, enter the two or three character International Air Transport Association (IATA) code.	Applies to EEI forms only. No Validations.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/InBondCode</a>			
InBondCode	Required: Cond Type: String Max Allowed: 1 Length: 2	The two-character In Bond Code.	Applies to EEI forms only. Required for EEI forms.  Valid values for EEI are:  70: Not in bond;  67: IE from a FTZ;  68: T&E from a FTZ.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EntryNumber</a>			
EntryNumber	Required: Cond Type: String Max Allowed: 1 Length: 1...25	The Import Entry Number when the export transaction is used as proof of export for import transactions (examples: In Bond, Temporary Import Bond or Drawbacks).	Applies to EEI forms only. Conditionally Required for EEI forms when In bond code value is other than 70 (Not In Bond).
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/PointOfOrigin</a>			
PointOfOrigin	Required: Cond Type: String Max Allowed: 1 Length: 1...5	Contains one of the following The two-digit U.S. Postal Service abbreviation for the state from which the goods were shipped to the port of export.  The state that is the source for the good with the highest value. The state of consolidation. The Foreign Trade Zone number of the zone from where the exports are leaving.  If the goods were shipped from Puerto Rico, enter PR.	Applies to EEI forms only. Required for EEI.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/PointOfOriginType</a>			
PointOfOriginType	Required: Cond Type: String Max Allowed: 1 Length: 1	Valid values: S (for state postal code abbreviation), F: FTZ Identifier.	Applies EEI forms only. Required for EEI form.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/ModeOfTransport</a>			
ModeOfTransport	Required: Cond Type: String Max Allowed: 1 Length: 1...35	Mode of transport by which the goods are exported.  Possible values: Air, AirContainerized, Auto, FixedTransportInstallations, Mail, PassengerHandcarried, Pedestrian, Rail, Rail, Containerized, RoadOther, SeaBarge, SeaContainerized, SeaNoncontainerized, Truck, TruckContainerized.	Applies to EEI forms only. Required for EEI. Only allowed values can be entered. Only 10 Characters can appear on the form. Anything greater than 10 characters will be truncated on the form.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/PortOfExport</a>			
PortOfExport	Required: No Type: String Max Allowed: 1 Length: 1...35	Should be one of the following: <ul style="list-style-type: none"> <li>• Overland: The U.S. Customs port where the carrier crosses the U.S. border.</li> <li>• Vessel and Air: The U.S. Customs port where the goods are loaded on the carrier to be exported from the U.S.</li> <li>• Postal: The U.S. Postal Office from where the goods are mailed.</li> </ul>	Applies to EEI forms only No validation.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/PortOfUnloading</a>			
PortOfUnloading	Required: No Type: String Max Allowed: 1 Length: 1...35	The country and the port where the goods will be unloaded from the exporting carrier. For vessel and air shipments only.	Applies to EEI forms only No validation.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/LoadingPier</a>			
LoadingPier	Required: No Type: String Max Allowed: 1 Length: 1...35	Pier where goods are loaded. For vessel shipments only.	Applies to EEI forms only No validation.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/PartiesToTransaction</a>			
PartiesToTransaction	Required: Cond Type: String Max Allowed: 1 Length: 1	Information about parties to transaction. Use Related, if the parties to the transaction are related. A related party is an export from a U.S. businessperson or business to a foreign business or from a U.S. business to a foreign person or business where the person has at least 10 percent of the voting shares of the business during the fiscal year. If unincorporated, then an equivalent interest in the business.	Applies to EEI forms only Valid values: R - Related N - Non-related



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/RoutedExportTransactionIndicator</a>			
RoutedExportTransactionIndicator	Required: No Type: String Max Allowed: 1 Length: 0	If Present, indicates that it is a routed export transaction. A routed export transaction is one, where the foreign principal party in interest authorizes a U.S. forwarding (or other) agent to export the merchandise outside the U.S.	Applies to EEI forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/ContainerizedIndicator</a>			
ContainerizedIndicator	Required: No Type: String Max Allowed: 1 Length: 0	If present indicates that the goods are containerized. This applies to vessel shipments only.	Applies to EEI forms only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/ShipperMemo</a>			
ShipperMemo	Required: No Type: String Max Allowed: 1 Length: 1...300	Text for the shipper to add additional information.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/OverridePaperlessIndicator</a>			
OverridePaperlessIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The application will automatically provide a copy of the invoice or NAFTA/CO with each response regardless of whether the user has enabled Paperless account. The user now has the option to print or ignore the copy provided.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption</a>			
EEIFilingOption	Required: Cond Type: Container Max Allowed: 1 Length: N/A	EEI Filing option.	Applicable for EEI form and is required.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1	Required for EEI Form.	Applicable for EEI form. Valid values: 1 - Shipper filed; 3- UPS filed
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/EmailAddress</a>			
EmailAddress	Required: No Type: String Max Allowed: 1 Length: 1...50	Email Address where the notification is sent. Valid for UPS filed(option 3), Shipper filed (option 1- A , 1-C)	Applicable for EEI form.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...20	Optional description of Filing Code.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/UPSFiled</a>			
UPSFiled	Required: No Type: Container Max Allowed: 1 Length: N/A	Indicates the EEI UPS Filed option. (option 3).	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/UPSFiled/POA</a>			
POA	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for POA.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/UPSFiled/POA/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1	Indicates the EEI UPS Filed POA filing option.	Applicable for EEI form. Valid values: - One Time POA 2- Blanket POA
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/UPSFiled/POA/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...20	Description for POA Code.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/ShipperFiled</a>			
ShipperFiled	Required: No Type: Container Max Allowed: 1 Length: N/A	Indicates the EEI Shipper Filed option. (option 1).	Applicable for EEI form and is required for Shipper filed option.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/ShipperFiled/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 1	Indicates the EEI Shipper sub option.	Applicable for EEI form and is required. Valid value are: 'A'- requires the ITN 'B'- requires the Exemption Legend 'C'- requires the post departure filing citation

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/ShipperFiled/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...20	Description of ShipperFiled Code.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/ShipperFiled/PreDepartureITNNumber</a>			
PreDepartureITNNumber	Required: Cond Type: String Max Allowed: 1 Length: 17	Input for Shipper Filed option 'A'. The format is available from AESDirect website.	Valid and Required for Shipper Filed option 'A'. EEI form only.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/InternationalForms/EEIFilingOption/ShipperFiled/ExemptionLegend</a>			
ExemptionLegend	Required: Cond Type: String Max Allowed: 1 Length: 20	Input for Shipper Filed option 'B'. 30.2(d)(2), 30.26(a), 30.36, 30.37(a), 30.37(b), 30.37(c), 30.37(d), 30.37(e), 30.37(f), 30.37(h), 30.37(i), 30.30(j), 30.37(k), 30.37(l), 30.37(m), 30.37(n), 30.37(o), 30.37(p), 30.37(q), 30.37(r), 30.37(s), 30.37(t), 30.37(u), 30.37(x), 30.37(y)(1), 30.37(y)(2), 30.37(y)(3), 30.37(y)(4), 30.37(y)(5), 30.37(y)(6), 30.39, 30.40(a), 30.40(b), 30.40(c), 30.40(d), 30.8(b)	Valid and Required for Shipper Filed option 'B'. EEI form only.

## ReturnOfDocumentIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/ReturnOfDocumentIndicator</a>			
ReturnOfDocumentIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Return of Documents Indicator. If the flag is present, the shipper has requested the ReturnOfDocument accessorial be added to the shipment.	Valid for Poland to Poland shipment without return service.

## DeliveryConfirmation

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation</a>			
DeliveryConfirmation	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for DCIS Type.	Refer to <a href="#">Delivery Confirmation Origin-Destination Pairs</a> in the Appendix for valid values.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/DeliveryConfirmation/DCISType</a>			
DCISType	Required: Yes* Type: String Max Allowed: 1 Length: 1	Type of delivery confirmation.	Valid values:  - Delivery Confirmation Signature Required 2 - Delivery Confirmation Adult Signature Required.

## ImportControlIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/ImportControlIndicator</a>			
ImportControlIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Indicates that the Shipment is an ImportControl shipment.	

## LabelMethod

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelMethod</a>			
LabelMethod	Required: No Type: Container Max Allowed: 1 Length: N/A	Type of ImportControl Label.	This container is applicable only for ImportControl shipments.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelMethod/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	LabelMethod types:  '01' = ImportControl Print and Mail '02' = ImportControl One-Attempt '03' = ImportControl Three-Attempt '04' = ImportControl Electronic Label '05' = ImportControl Print Label	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LabelMethod/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Label Method description.	

## CommercialInvoiceRemovalIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/CommercialInvoiceRemovalIndicator</a>			
CommercialInvoiceRemovalIndicator	Required: No Type: String Max Allowed: 1 Length: 0	CommercialInvoiceRemovalIndicator allows a shipper to dictate that UPS remove the Commercial Invoice from the user's shipment before the shipment is delivered to the ultimate consignee.	

## UPSCarbonNeutralIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/UPSCarbonNeutralIndicator</a>			
UPSCarbonNeutralIndicator	Required: No Type: String Max Allowed: 1 Length: 0	UPS carbon neutral indicator presence at shipment level is required to create carbon neutral Shipments.	

## PreAlertNotification

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification</a>			
PreAlertNotification	Required: No Type: Container Max Allowed: UNB Length: N/A	This container is used for providing Pre-Alert Notifications to the consignee for UPS Exchange movements and Pack & Collect shipments.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/EmailMessage</a>			
EmailMessage	Required: No Type: Container Max Allowed: 1 Length: N/A	This container is used for Populating EmailMessage details for PreAlertNotification.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/EmailMessage/EmailAddress</a>			
EmailAddress	Required: Yes* Type: String Max Allowed: 1 Length: 1...50	EmailAddress where PreAlertNotification is sent.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/EmailMessage/UndeliverableEmailAddress</a>			
UndeliverableEmailAddress	Required: No Type: String Max Allowed: 1 Length: 1...50	This is used for notification when EmailAddress for PreAlertNotification is undeliverable.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/VoiceMessage</a>			
VoiceMessage	Required: No Type: Container Max Allowed: 1 Length: N/A	VoiceMessage container is used for specifying phone number for receiving voice preAlertNotification.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/VoiceMessage/PhoneNumber</a>			
PhoneNumber	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Phone number for receiving Voice PreAlertNotification.	Valid values are 0 – 9.  If the country of the message recipient is US, PR, CA, and VI, the layout is "1, areacode, 7 digit phone number" or "1, areacode, 7 digit phone number, 4 digit extension number".  For other countries, the layout is "countrycode, area code, 7 digit number".
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/TextMessage</a>			
TextMessage	Required: No Type: Container Max Allowed: 1 Length: N/A	TextMessage container is used for specifying phone number for receiving text preAlertNotification.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/TextMessage/PhoneNumber</a>			
PhoneNumber	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Phone number for receiving Text PreAlertNotification.	Valid values are 0 – 9.  If the country of the message recipient is US, PR, CA, and VI, the layout is "1, areacode, 7 digit phone number" or "1, areacode, 7 digit phone number, 4 digit extension number".  For other countries, the layout is "countrycode, area code, 7 digit number".
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/Locale</a>			
Locale	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	This container is used for providing Language and dialect details for PreAlertNotifications.	
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/Locale/Language</a>			
Language	Required: Yes* Type: String Max Allowed: 1 Length: 3	Refer to <a href="#">Language / Dialect Combinations</a> in the Appendix for valid values.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/PreAlertNotification/Locale/Dialect</a>			
Dialect	Required: Yes* Type: String Max Allowed: 1 Length: 2	Refer to <a href="#">Language / Dialect Combinations</a> in the Appendix for valid values.	

## ExchangeForwardIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/ExchangeForwardIndicator</a>			
ExchangeForwardIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Exchange forward indicator presence at shipment level is required to create exchange forward Shipments.	In the label, routing instruction text by default will be EXCHANGE-LIKE ITEM ONLY.

## HoldForPickupIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/HoldForPickupIndicator</a>			
HoldForPickupIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Hold For Pickup indicator. The empty tag means indicator is present.	This accessorial is only valid for UPS Worldwide Express Freight Shipment.

## DropoffAtUPSFacilityIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/DropoffAtUPSFacilityIndicator</a>			
DropoffAtUPSFacilityIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Drop off At UPS Facility indicator. The empty tag means indicator is present.	This accessorial is only valid for UPS Worldwide Express Freight Shipment.

## LiftGateForPickUpIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LiftGateForPickUpIndicator</a>			
LiftGateForPickUpIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Lift Gate For Pick Up indicator. The empty tag means indicator is present.	This accessorial is only valid for UPS Worldwide Express Freight Shipment.

## LiftGateForDeliveryIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/LiftGateForDeliveryIndicator</a>			
LiftGateForDeliveryIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Lift Gate For Delivery indicator. The empty tag means indicator is present.	This accessorial is only valid for UPS Worldwide Express Freight Shipment.

## SDLShipmentIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/SDLShipmentIndicator</a>			
SDLShipmentIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag SDLShipmentIndicator indicates Shipment is SDL. SDLShipmentIndicator presence means EEI form/EEI Filing option required.	Empty tag.

## EPRAReleaseCode

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentServiceOptions/EPRAReleaseCode</a>			
EPRAReleaseCode	Required: No Type: String Max Allowed: 1 Length: 4...6	Package Release code allows the consignee or claimant to pick-up a package at a UPS Access Point™.  The shipper must provide the Package Release Code to the consignee so that they can provide the code to the UPS Access Point™ personnel as another item for authentication before the package is released to them.  Package Release Code is only valid with ShipmentIndicationType '01' - Hold for Pickup at UPS Access Point™.	The release code must be between length 4 and 6 and only contain numbers.



## PackageID

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/PackageID</a>			
PackageID	Required: Cond Type: String Max Allowed: 1 Length: 1...30	Customer-assigned unique piece identifier that returns visibility events.	Required only for Mail Innovations forward shipments. Alpha numeric values only.

## IrregularIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/IrregularIndicator</a>			
IrregularIndicator	Required: No Type: String Max Allowed: 1 Length: 1	Mail classification defined by the USPS Valid values: <ul style="list-style-type: none"> <li>• 1 = Balloon</li> <li>• 2 = Oversize</li> <li>• 3 = Not Applicable.</li> </ul>	Mail classification defined by the USPS Valid values: 1 = Balloon, 2 = Oversize, 3 = Not Applicable.

## Package

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package</a>			
Package	Required: Yes Type: Container Max Allowed: Many (up to 200) Length: N/A	Package Information.	For Return Shipments up to and including 20 packages are allowed. US/PR origin return movements are limited to only one package. For Mail Innovation shipments only one package is allowed.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Description</a>			
Description	Required: Cond Type: String Max Allowed: 1 Length: 1...35	Merchandise description of package.	Required for shipment with return service.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackagingType</a>			
PackagingType	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Packaging Type.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackagingType/Code</a>			
Code	Required: Yes Type: String Max Allowed: 1 Length: 2	Package types. Values are: 01 = UPS Letter 02 = Customer Supplied Package 03 = Tube 04 = PAK 21 = UPS Express Box 24 = UPS 25KG Box 25 = UPS 10KG Box 30 = Pallet 2a = Small Express Box 2b = Medium Express Box 2c = Large Express Box 56 = Flats 57 = Parcels 58 = BPM 59 = First Class 60 = Priority 61 = Machinables 62 = Irregulars 63 = Parcel Post 64 = BPM Parcel 65 = Media Mail 66 = BPM Flat 67 = Standard Flat	Package type 24 or 25 is only allowed for shipment without return service Packaging type must be valid for all the following: ShipTo country, ShipFrom country, a shipment going from ShipTo country to ShipFrom country, all accessorial at both the shipment and package level, and the shipment service type.  UPS will not accept raw wood pallets and please refer the UPS packaging guidelines for pallets on UPS.com.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackagingType/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of packaging type. Examples are letter, customer supplied, express box.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Dimensions</a>			
Dimensions	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Dimensions information container.  Note: Currently dimensions are not applicable to Ground Freight Pricing.	Length + 2*(Width + Height) must be less than or equal to 130 IN or 330 CM.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Dimensions/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Unit of measurement information for dimensions of package.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Package dimensions measurement code. Codes are: IN = Inches, CM = Centimeters, 00 = Metric Units Of Measurement, 01 = English Units of Measurement.  In Canada-origin shipments, no defaulting is performed and a unit of measurement is required. For shipment with return service the unit of measure is defaulted to the shipper's country unit of measure.  For all other shipments the unit of measurement will default to the unit of measurement for the origin country.	The unit of measurement must be valid for the Shipper country.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Dimensions/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of the package dimensions measurement units.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Dimensions/Length</a>			
Length	Required: Yes* Type: String Max Allowed: 1 Length: 9	Package length. Length must be the longest dimension of the container.	Valid values are 0 to 108 IN and 0 to 270 CM.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Dimensions/Width</a>			
Width	Required: Yes* Type: String Max Allowed: 1 Length: 9	Package width.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/Dimensions/Height</a>			
Height	Required: Yes* Type: String Max Allowed: 1 Length: 9	Package height.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageWeight</a>			
PackageWeight	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Weight of package.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageWeight/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Unit of measurement information for weight of package.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Code</a>			
Code	Required: Cond Type: String Max Allowed: 1 Length: 3	<p>Package weight unit of measurement code. Codes are:</p> <p>LBS = Pounds KGS = Kilograms OZS = Ounces 00 = Metric Unit of Measurements 01 = English Unit of Measurements</p> <p>In Canada-origin shipments, no defaulting is performed and a unit of measurement is required. For shipment with return service, the unit of measure is defaulted to the shipper's country unit of measure.</p> <p>For all other shipments the unit of measurement will default to the unit of measurement for the origin country. Unit of Measurement "OZS" is the only valid UOM for some of the Mail Innovations Forward Shipments.</p> <p>Refer to <a href="#">Mail Innovations Package Detail Information</a> in the Appendix for valid values.</p>	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageWeight/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of the package weight measurement units.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageWeight/Weight</a>			
Weight	Required: Yes* Type: String Max Allowed: 1 Length: 1...5	Packages weight.	Weight accepted for letters/envelopes.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/LargePackageIndicator</a>			
LargePackageIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence of the indicator mentions that the package is Large Package.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/ReferenceNumber</a>			
ReferenceNumber	Required: No Type: Container Max Allowed: 2 Length: N/A	Package reference number information container.	For Mail Innovation shipments reference number is not supported.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/ReferenceNumber/BarCodeIndicator</a>			
BarCodeIndicator	Required: No Type: String Max Allowed: 1 Length: 0	If the indicator is present then the reference numbers value will be bar coded on the label.	Only one shipment-level or package-level reference number can be bar coded per shipment. In order to barcode a reference number, its value must be no longer than 14 alphanumeric characters or 24 numeric characters and cannot contain spaces.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/ReferenceNumber/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Reference number type code, for the entire shipment. The code specifies the Reference name.	Valid if the origin/destination pair is US/US or PR/PR character alpha-numeric.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/ReferenceNumber/Value</a>			
Value	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Customer supplied reference number.	Valid if the origin/destination pair is US/US or PR/PR. Supports up to 2 customer supplied combinations of Reference code- value combinations.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/AdditionalHandling</a>			
AdditionalHandling	Required: No Type: String Max Allowed: 1 Length: 0	Additional Handling indicator. The presence indicates additional handling is required, the absence indicates no additional handling is required.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions</a>			
PackageServiceOptions	Required: No Type: Container Max Allowed: 1 Length: N/A	Package service options container.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation</a>			
DeliveryConfirmation	Required: No Type: Container Max Allowed: 1 Length: N/A	Delivery confirmation information container.	Refer to Language/Dialect Combinations for additional information.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation/DCISType</a>			
DCISType	Required: Yes* Type: String Max Allowed: 1 Length: 1	Type of delivery confirmation.	<p>Valid values:</p> <ul style="list-style-type: none"> <li>• 1 - Delivery Confirmation</li> <li>• 2 - Delivery Confirmation Signature Required</li> <li>• 3 - Delivery Confirmation Adult Signature Required</li> <li>• 4 - USPS Delivery Confirmation</li> </ul> <p>For Mail Innovations forward shipments, USPS Delivery Confirmation is allowed for Priority, First Class, Machineables, Irregulars, Parcel Post, BPM Parcel and Media Mail package types.</p> <p>USPS Delivery Confirmation is prohibited for Standard Flats, BPM, BPM Flats and Parcels package types.</p>
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DeliveryConfirmation/DCISNumber</a>			
DCISNumber	Required: No Type: String Max Allowed: 1 Length: 1...11	Delivery Confirmation Control number associated with the delivery confirmation for the package.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/InsuredValue</a>			
InsuredValue	Required: No Type: Container Max Allowed: 1 Length: N/A	Insured Value container.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/InsuredValue/Type</a>			
Type	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for Insured Value Type.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/InsuredValue/Type/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Declared value type. Valid values are 01=EVS; 02=DVS Defaults to 01 i.e. EVS if declared value type is not provided.	The user cannot specify different type of declared value at package level for entire shipment. User can either have shipper declared value (DVS) or declared value (EVS) but not both at package level.  Note: The Shipper DeclaredValue is applicable for forward shipments when the billing option is freight collect or third party.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/InsuredValue/Type/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Declared value Description.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/InsuredValue/CurrencyCode</a>			
CurrencyCode	Required: No Type: String Max Allowed: 1 Length: 3	Declared value amount currency type. Defaults to the currency used in the shipper's country.	Code must represent a currency that is a valid for Shipper country.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/InsuredValue/MonetaryValue</a>			
MonetaryValue	Required: No Type: String Max Allowed: 1 Length: 1...19	Declared value amount.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/COD</a>			
COD	Required: No Type: Container Max Allowed: 1 Length: N/A	COD container.	Indicates COD is requested. Package level COD is available for shipment without return service from US/PR to US/PR, CA to CA and CA to US.  CA to US COD is not allowed for package Letter/Envelope. COD is not valid for return service movements.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/COD/CODCode</a>			
CODCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	COD type value.  Valid value: 3 = Tagless COD	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/COD/CODFundsCode</a>			
CODFundsCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	For valid values, refer to <a href="#">COD Supported Countries</a> in the Appendix.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount</a>			
CODAmount	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	COD amount container.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/CurrencyCode</a>			
CurrencyCode	Required: No Type: String Max Allowed: 1 Length: 3	COD amount currency code type. Defaults to the currency used in the destination country.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/COD/CODAmount/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...8	COD Amount.	Valid values:  0.01 USD - 50000.00 USD
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD</a>			
AccessPointCOD	Required: No Type: Container Max Allowed: 1 Length: N/A	Access Point COD indicates Package Access Point COD is requested for a shipment.	Valid only for "01 - Hold For Pickup At UPS Access Point" Shipment Indication type.  Package Access Point COD is valid only for shipment without return service from US/PR to US/PR and CA to CA.  Not valid with (Package) COD.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Access Point COD Currency Code.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/AccessPointCOD/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...8	Access Point COD Monetary Value.	



Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation</a>			
VerbalConfirmation	Required: No Type: Container Max Allowed: 1 Length: N/A	Verbal Confirmation Info.	Allowed for shipment without return service.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/ContactInfo</a>			
ContactInfo	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Optional if the Shipper's AttentionName, PhoneNumber, and PhoneExtension (optional) are given and are the desired name, phone number and extension, respectively, to be used for verbal confirmation.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/ContactInfo/Name</a>			
Name	Required: Cond Type: String Max Allowed: 1 Length: 1...35	Name of the person to be contacted for confirmation. Defaults to Shipper AttentionName if given.	Optional if Shipper/ AttentionName is given and that is the name of the person to be contacted else required for verbal confirmation.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/VerbalConfirmation/ContactInfo/PhoneNumber</a>			
PhoneNumber	Required: Cond Type: String Max Allowed: 1 Length: 1...15	Phone number UPS uses to reach the person to give the confirmation. Defaults to Shipper PhoneNumber if given.	Optional if Shipper/PhoneNumber is given and that is the name of the person to be contacted else required for verbal confirmation.  If phone number is in the US 10 digits allowed, otherwise 1 to 15 digits allowed.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/ShipperReleaseIndicator</a>			
ShipperReleaseIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence indicates that the package may be released by driver without a signature from the consignee.	Only available for US50/PR to US50/PR packages without return service.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification</a>			
Notification	Required: No Type: Container Max Allowed: 1 Length: N/A	Package level notification.	Applicable for Shipment with returned service also.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/NotificationCode</a>			
NotificationCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	Notification Code.	Valid values:  3 - Receiver Return Notification  6 - QV Email Notification  7 - QV Exception Notification  8 - QV Delivery Notification.  For Mail Innovations forward shipments, QV Email Notifications are allowed for First Class, Priority Mail and Expedited Mail Innovation services.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EmailMessage</a>			
EmailMessage	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for e-mail message.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EmailMessage/EmailAddresses</a>			
EmailAddress	Required: Yes* Type: String Max Allowed: Many (up to 2) Length: 1...50	The destination eMail address of the receiver returns notification eMail.	The shipment can have up to two receivers return notification email address for the whole shipment.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EmailMessage/UndeliverableEmailAddress</a>			
UndeliverableEmailAddress	Required: No Type: String Max Allowed: 1 Length: 1...50	The e-mail address where an undeliverable eMail message is sent if the Receiver Return Notification email is undeliverable.	Defaults to FromEmailAddress. Only allowed at the first package.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EmailMessage/FromEmailAddress</a>			
FromEmailAddress	Required: Yes* Type: String Max Allowed: 1 Length: 1...50	The email address listed in the Reply To field of the message header, includes name and e-mail address of sender. The "From" field of the message header contains pkginfo@ups.com.	Only allowed at the first package.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EmailMessage/FromName</a>			
FromName	Required: No Type: String Max Allowed: 1 Length: 1...35	The name the receiver return notification will appear to be from.	Defaults to the ShipperName. Only allowed at the first package.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EMailMessage/Memo</a>			
Memo	Required: No Type: String Max Allowed: 1 Length: 1...150	User defined text that will be included in the eMail.	Only allowed at the first package.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EMailMessage/Subject</a>			
Subject	Required: No Type: String Max Allowed: 1 Length: 1...50	Email subject/description.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/Notification/EMailMessage/SubjectCode</a>			
SubjectCode	Required: No Type: String Max Allowed: 1 Length: 2	Specifies a reference code and reference number to display in the subject of the Notification. The valid subject codes are: <ul style="list-style-type: none"> <li>• 01 - Shipment Reference Number 1</li> <li>• 02 - Shipment Reference Number 2</li> <li>• 03 - package Reference Number 1</li> <li>• 04 - package Reference Number 2</li> <li>• 08 - Subject Text (Return Notification only)</li> </ul> If a subject code is not provided or provided that refers to a nonexistent reference number, the subject will default to shipment Identification Number	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce</a>			
DryIce	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for Dry Ice.	Maximum of 1 per package.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce/RegulationSet</a>			
RegulationSet	Required: Yes* Type: String Max Allowed: 1 Length: 3...4	The Regulatory set associated with every regulated shipment. Valid values:  "CFR" = Regulated by US Dept of Transportation within the U.S. or ground shipments to Canada,  "IATA" = Worldwide Air movement.	The following values are valid: IATA,CFR.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight</a>			
DryIceWeight	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Dry Ice weight.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Dry Ice weight unit of measurement.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2...3	<p>DryIce weight unit of measurement code. Codes are:</p> <ul style="list-style-type: none"> <li>• '00'= KG (Metric Unit of Measurements),</li> <li>• '01'= LB (English Unit of Measurements),</li> <li>• 'KG' = KG (Metric Unit of Measurements),</li> <li>• 'LB' = LB (English Unit of Measurements),</li> <li>• 'KGS'= KG (Metric Unit of Measurements),</li> <li>• 'LBS' = LB (English Unit of Measurements)</li> </ul>	The following values are valid: 00 , 01, KG , KGS, LBS.
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...20	Description for Dry Ice weight unit of measurement.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce/DryIceWeight/Weight</a>			
Weight	Required: Yes* Type: String Max Allowed: 1 Length: 1...5	<p>The weight in the UnitOf Measurements.</p> <p>Valid characters are 0-9 and "." (Decimal point).</p> <p>Limit to 1 digit after the decimal.</p> <p>The maximum length of the field is 5 including '.' and can hold up to 1 decimal place.</p>	Cannot be more than package weight. Should be more than 0.0.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/DryIce/MedicalUseIndicator</a>			
MedicalUseIndicator	Required: No Type: String Max Allowed: 1 Length: 0	The presence of the tag implies Medical use. Any value within the tag is ignored and not interpreted. The absence of the tag implies non medical use.  MedicalUseInd is valid for CFR regulation set only and ignored for IATA, if present.	
<a href="#">/ShipmentConfirmRequest/Shipment/Package/PackageServiceOptions/UPSPremiumCareIndicator</a>			
UPSPremiumCareIndicator	Required: Conditional Type: String Max Allowed: 1 Length: 0	An UPSPremiumCareIndicator indicates special handling is required for shipment having controlled substances.	Empty Tag means indicator is present.  The UPSPremiumCareIndicator cannot be requested for package with Delivery Confirmation - Adult Signature Required and Delivery Confirmation-Signature Required.  UPSPremiumCareIndicator is valid for following Return services: <ul style="list-style-type: none"><li>• Returns Exchange (available with a contract)</li><li>• Print Return Label</li><li>• Print and Mail</li><li>• Electronic Return Label</li><li>• Return Service Three Attempt</li></ul> The UPSPremiumCareIndicator can be requested with following UPS services: <ul style="list-style-type: none"><li>• UPS Express® Early</li><li>• UPS Express</li><li>• UPS Express Saver</li><li>• UPS Standard</li></ul> Valid for Canada to Canada movements only.

## RatingMethodRequestedIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/RatingMethodRequestedIndicator</a>			
RatingMethodRequestedIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. RatingMethodRequestedIndicator is an indicator. If present, Billable Weight Calculation method information and Rating Method information would be returned in response.	

## TaxInformationIndicator

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/TaxInformationIndicator</a>			
TaxInformationIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Presence/Absence Indicator. Any value inside is ignored. TaxInformationIndicator is an indicator. If present, any taxes that may be applicable to a shipment would be returned in response.	If this indicator is requested with NegotiatedRatesIndicator, Tax related information, if applicable, would be returned only for Negotiated Rates and not for Published Rates.  The Tax related information includes any type of Taxes, corresponding Monetary Values, Total Charges with Taxes and disclaimers (if applicable) would be returned in response.

## ShipmentIndicationType

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentIndicationType</a>			
ShipmentIndicationType	Required: No Type: Container Max Allowed: 1 Length: N/A	ShipmentIndicationType is a container.	This container indicates whether shipment is "Hold For Pickup At UPS Access Point" shipment or "UPS Access Point™ Delivery" shipment.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentIndicationType/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Valid value is <ul style="list-style-type: none"> <li>'01' - Hold for Pickup at UPS Access Point</li> <li>'02' - UPS Access Point™ Delivery</li> </ul>	If '01' code is present indicates shipment will be send to Retail location where it is held to consignee to claim.
<a href="#">/ShipmentConfirmRequest/Shipment/ShipmentIndicationType/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description for the code.	

## LabelSpecification

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/LabelSpecification</a>			
LabelSpecification	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container used to define the properties required by the user to print and/or display the UPS shipping label.	Required for shipment without return service or shipment with PRL return service.

## LabelPrintMethod

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelPrintMethod</a>			
LabelPrintMethod	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	The device used to print a label image.	
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelPrintMethod/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 4	Label print method code that the labels are to be generated. <ul style="list-style-type: none"> <li>EPL2 formatted labels use EPL</li> <li>SPL formatted labels use SPL</li> <li>ZPL formatted labels use ZPL</li> <li>STAR printer formatted labels use STARPL</li> <li>Image formats use GIF</li> </ul>	For shipments without return service the valid value is GIF, EPL, ZPL, STARPL and SPL.  For shipments with PRL return service, the valid values are EPL, ZPL, STARPL, SPL and GIF.  For Mail Innovations forward shipments STARPL is not supported.
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelPrintMethod/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Label Specification Code description.	

## HTTPUserAgent

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/LabelSpecification/HTTPUserAgent</a>			
HTTPUserAgent	Required: Cond Type: String Max Allowed: 1 Length: 1...64	Browser HTTPUserAgent String. This is the preferred way of identifying GIF image type to be generated.	Required if ShipmentConfirmRequest/LabelSpecification/LabelPrintMethod/Code = GIF.  Default to Mozilla/4.5 if this field is missing or has invalid value.

## LabelStockSize

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelStockSize</a>			
LabelStockSize	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the EPL2, ZPL, STARPL or SPL label size.	For EPL2, ZPL, STARPL and SPL labels.
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelStockSize/Height</a>			
Height	Required: Yes* Type: String Max Allowed: 1 Length: 1...3	Height of the label image. For IN, use whole inches.	For EPL2, ZPL, STARPL and SPL Labels. Only valid values is 4.  Note: Label Image will only scale up to 4 X 6, even when requesting 4 X 8.
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelStockSize/Width</a>			
Width	Required: Yes* Type: String Max Allowed: 1 Length: 1...3	Width of the label image. For IN, use whole inches.	For EPL2, ZPL, STARPL and SPL Labels. Only valid values are 6 or 8.  Note: Label Image will only scale up to 4 X 6, even when requesting 4 X 8.

## LabelImageFormat

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelImageFormat</a>			
LabelImageFormat	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Label image format.	
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelImageFormat/Code</a>			
Code	Required: Cond Type: String Max Allowed: 1 Length: 3	Code type that the label image is to be generated in.	Required if ShipmentConfirmRequest/LabelSpecification/LabelPrintMethod/Code = GIF.  Valid values are GIF or PNG. Only GIF is supported on the remote server.
<a href="#">/ShipmentConfirmRequest/LabelSpecification/LabelImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of the label image format code.	



## Instruction

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/LabelSpecification/Instruction</a>			
Instruction	Required: No Type: Container Max Allowed: UNB Length: N/A	Routing Instruction Container.	
<a href="#">/ShipmentConfirmRequest/LabelSpecification/Instruction/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	For Exchange Forward Shipment, by default Label will have Exchange Routing instruction Text as EXCHANGE-LIKE ITEM ONLY.  If code value is: <ul style="list-style-type: none"> <li>• 01- EXCHANGE-LIKE ITEM ONLY</li> <li>• 02- EXCHANGE-DRIVER INSTRUCTIONS INSIDE</li> </ul>	
<a href="#">/ShipmentConfirmRequest/LabelSpecification/Instruction/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of the label Instruction code.	


## ReceiptSpecification

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/ReceiptSpecification</a>			
ReceiptSpecification	Required: No Type: Container Max Allowed: 1 Length: N/A	Container used to allow the user to choose to print a thermal receipt.	

## ImageFormat

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmRequest/ReceiptSpecification/ImageFormat</a>			
ImageFormat	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	ImageFormat Container.	
<a href="#">/ShipmentConfirmRequest/ReceiptSpecification/ImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3...4	Print code that determines the receipt format.	Valid Codes are: EPL, SPL, ZPL, STARPL and HTML.
<a href="#">/ShipmentConfirmRequest/ReceiptSpecification/ImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of the receipt format code.	

## ShipmentConfirmResponse Top Level Containers (XML)



## ShipmentConfirmResponse XPath Tables

Note: Not all containers/elements are reflected separately in the table of contents.

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse</a>			
ShipmentConfirmResponse	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Shipment Confirm Response.	

### Response

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Response</a>			
Response	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Response container for Shipment Confirm Response.	

### TransactionReference

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Response/TransactionReference</a>			
TransactionReference	Required: Yes Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	
<a href="#">/ShipmentConfirmResponse/Response/TransactionReference/CustomerContext</a>			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1...512	The client uses CustomerContext to synchronize request/response pairs. The client establishes CustomerContext, which can contain any information you want, as long as it is valid XML; it is echoed back by the server.	

### ResponseStatusCode

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Response/ResponseStatusCode</a>			
ResponseStatusCode	Required: Yes Type: String Max Allowed: 1 Length: 1	Identifies the success or failure of the transaction.  Valid values are 1 = Successful; 0 = Failure.	

## ResponseStatusDescription

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Response/ResponseStatusDescription</a>			
ResponseStatusDescription	Required: Yes Type: String Max Allowed: 1 Length: 1	Describes Response Status Code. Returns text of Success or Failure.	

## Error

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Response/Error</a>			
Error	Required: Yes Type: Container Max Allowed: 1 Length: N/A	If an error is encountered during the interchange, the Response contains an error.  If the error is present, then the ErrorSeverity and ErrorCode are required.	
<a href="#">/ShipmentConfirmResponse/Response/Error/ErrorSeverity</a>			
ErrorSeverity	Required: Yes Type: String Max Allowed: 1 Length: 1...20	Describes the severity of the error.  Transient Error - Customers data has not been processed due to system unavailability. The customer has to wait and try again.  Hard Error - The error was encountered processing the customer's data and that the data needs correction.  Warning - The customer's data was successfully processed; however, there were warnings encountered during processing.	
<a href="#">/ShipmentConfirmResponse/Response/Error/ErrorCode</a>			
ErrorCode	Required: Yes Type: String Max Allowed: 1 Length: 1..15	A numeric value that describes the error. Each API defines a range of error codes.	
<a href="#">/ShipmentConfirmResponse/Response/Error/ErrorDescription</a>			
ErrorDescription	Required: Yes Type: String Max Allowed: 1 Length: 1..50	Describes the error code.	
<a href="#">/ShipmentConfirmResponse/Response/Error/MinimumRetrySeconds</a>			

Name	Constraint	Description	Validation
MinimumRetrySeconds	Required: Yes Type: String Max Allowed: 1 Length: 1..5	Number of seconds to wait until retry. This field is populated on special conditions of the Transient Error only, as defined by the service. A number between 1 and 86400 (24 hours)	
<a href="#">/ShipmentConfirmResponse/Response/Error/ErrorLocation</a>			
ErrorLocation	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Identifies the element in error.	
<a href="#">/ShipmentConfirmResponse/Response/Error/ErrorLocation/ErrorLocationElementName</a>			
ErrorLocationElementName	Required: Yes Type: String Max Allowed: 1 Length: 1..512	The XPATH name of the element in error. This is a valid XPATH pointing to an element in the request document.	
<a href="#">/ShipmentConfirmResponse/Response/Error/ErrorLocation/ErrorLocationAttributeName</a>			
ErrorLocationAttributeName	Required: Yes Type: String Max Allowed: 1 Length: 1..50	The name of the attribute in error. This is the name of the attribute contained by the Error Location Element.	
<a href="#">/ShipmentConfirmResponse/Response/Error/ErrorDigest</a>			
ErrorDigest	Required: Yes Type: String Max Allowed: 1 Length: Bound by the size of the Request data.	The contents of the element in error.	

## ShipmentCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges</a>			
ShipmentCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Shipment charges info. Shipment charges are only guaranteed to be returned for shipments whose origin country is US or Puerto Rico.	

## RateChart

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/RateChart</a>			
RateChart	Required: Cond Type: String Max Allowed: 1 Length: 1	Rate Type with which Shipment is rated. Possible RateChart values for different regions will be: US 48 origin: 1 – Daily Rates, 3 – Standard List Rates, 4 – Retail Rates. Alaska/Hawaii origin: 1 – Daily Rates, 3 – Standard List Rates, 4 – Retail Rates. All Other origins: 1 – Rates, 5 - Regional Rates, 6 - General List Rates. 3 and 4 do not apply.	

## TransportationCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TransportationCharges</a>			
TransportationCharges	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Transportation charges.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TransportationCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Transportation charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TransportationCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Transportation and surcharges value amount.	Valid values are from 0 to 99999999999999.99

## ServiceOptionsCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ServiceOptionsCharges</a>			

Name	Constraint	Description	Validation
ServiceOptionsCharges	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Service Options charges.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ServiceOptionsCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Service options charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ServiceOptionsCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Service options charges value amount.	Valid values are from 0 to 99999999999999.99

## ItemizedCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ItemizedCharges</a>			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'.	These charges would be returned only when subversion is greater than or equal to 1601
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ItemizedCharges/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ItemizedCharges/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been applied.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ItemizedCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Itemized Charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ItemizedCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Itemized Charges value amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/ItemizedCharges/SubType</a>			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of ItemizedCharge type.	



## TaxCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TaxCharges</a>			
TaxCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	TaxCharges container are returned only when TaxInformationIndicator is present in Shipment Confirm request and when Negotiated Rates are not applicable. TaxCharges container contains Tax information for a given shipment.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TaxCharges/Type</a>			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	Tax Type code. The code represents the type of Tax applied to a shipment.  Refer to <a href="#">Tax Type Values / Abbreviations</a> in the Appendix for valid values.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TaxCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Tax Monetary Value represents the Tax amount.	Valid values are from 0 to 99999999999999.99

## TotalCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TotalCharges</a>			
TotalCharges	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Total Charges.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TotalCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Total charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TotalCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Total charges value amount.	Valid values are from 0 to 99999999999999.99.

## TotalChargesWithTaxes

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TotalChargesWithTaxes</a>			

Name	Constraint	Description	Validation
TotalChargesWithTaxes	Required: Cond Type: Container Max Allowed: 1 Length: N/A	TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in Shipment Confirm request and when Negotiated Rates are not applicable.  TotalChargesWithTaxes contains total charges including total taxes applied to a shipment.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TotalChargesWithTaxes/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	TotalChargesWithTaxes currency code type. The currency code used in the Shipment Confirm request is returned.	
<a href="#">/ShipmentConfirmResponse/ShipmentCharges/TotalChargesWithTaxes/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	TotalChargesWithTaxes monetary value amount.	Valid values are from 0 to 99999999999999.99

## BillingWeight

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/BillingWeight</a>			
BillingWeight	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Billing Weight.	

## UnitOfMeasurement

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/BillingWeight/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Unit of measurement for Billing Weight.	
<a href="#">/ShipmentConfirmResponse/BillingWeight/UnitOfMeasurement/Code</a>			
Code	Required: Yes Type: String Max Allowed: 1 Length: 2..3	Billing Weight unit of measurement code. The unit of measurement used in Shipment Confirm Request is returned.	
<a href="#">/ShipmentConfirmResponse/BillingWeight/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 3	Description of the billing weight measurement units. Valid values: KGS or LBS	

## Weight

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/BillingWeight/Weight</a>			
Weight	Required: Yes Type: String Max Allowed: 1 Length: 8	Billing weight. Higher of the actual shipment weight versus the shipment dimensional weight.	Valid value up to 99999.99

## ShipmentIdentificationNumber

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentIdentificationNumber</a>			
ShipmentIdentificationNumber	Required: Yes Type: String Max Allowed: 1 Length: 18	Returned UPS shipment ID number.	Z number of the first package in the shipment.

## BillableWeightCalculationMethod

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/BillableWeightCalculationMethod</a>			
BillableWeightCalculationMethod	Required: Cond Type: String Max Allowed: 1 Length: 2	BillableWeightCalculationMethod is to indicate whether the billable weight calculation method utilized was - the package level or shipment level.  This information will be returned only if RatingMethodRequestedIndicator is present in the request.	Valid values: <ul style="list-style-type: none"> <li>• 01 = Shipment Billable Weight</li> <li>• 02 = Package Billable Weight.</li> </ul>

## RatingMethod

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/RatingMethod</a>			
RatingMethod	Required: Cond Type: String Max Allowed: 1 Length: 2	RatingMethod is to indicate whether the Shipment was rated as shipment level or package level. This information will be returned only if RatingMethodRequestedIndicator is present in the request.	Valid values: <ul style="list-style-type: none"> <li>• 01 = Shipment level</li> <li>• 02 = Package level.</li> </ul>

## Disclaimer

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Disclaimer</a>			
Disclaimer	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Disclaimer would be used to provide more information to shipper regarding the processed shipment. This would be used to notify shipper about possible taxes and duties that might have been added or might apply to the shipment.  Refer to <a href="#">Disclaimer Codes and Messages</a> in the Appendix for valid values.  This field would be returned only if TaxInformationIndicator is present in a request.	

## Code

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Disclaimer/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code representing type of Disclaimer.  Refer to <a href="#">Disclaimer Codes and Messages</a> in the Appendix for valid values.	

## Description

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/Disclaimer/Description</a>			
Description	Required: Yes* Type: String Max Allowed: 1 Length: Unbounded	Disclaimer description.  Refer to <a href="#">Disclaimer Codes and Messages</a> in the Appendix for valid values.	

## ShipmentDigest

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/ShipmentDigest</a>			
ShipmentDigest	Required: Yes Type: Encoded Max Allowed: 1 Length: Variable	Encoded shipment parameters required to be passed in the accept phase.	

## NegotiatedRates

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/NegotiatedRates</a>			
NegotiatedRates	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for Negotiated Rates.	For tiered rates and promotional discounts, if a particular shipment based on zone, origin, destination or even shipment size does not qualify for the existing discount then no negotiated rates container will be returned. Published rates will be the applicable rate.

## ItemizedCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/ItemizedCharges</a>			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/ItemizedCharges/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/ItemizedCharges/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been applied.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/ItemizedCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Itemized Charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/ItemizedCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Itemized Charges value amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/ItemizedCharges/SubType</a>			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of ItemizedCharge type.	

## TaxCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/TaxCharges</a>			
TaxCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	TaxCharges container is returned only when TaxInformationIndicator is present in Shipment Confirm request. TaxCharges container contains Tax information for a given shipment.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/TaxCharges/Type</a>			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	Tax Type code. The code represents the type of Tax applied to a shipment.  Refer to <a href="#">Tax Type Values / Abbreviations</a> in the Appendix for valid values.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/TaxCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Tax Monetary Value represents the Tax amount.	Valid values are from 0 to 999999999999999.99

## NetSummaryCharges


Name	Constraint	Description	Validation
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/NetSummaryCharges</a>			
NetSummaryCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Negotiated Rates info. Net Summary Charges are only returned for shipper account/Userid combinations qualified for Negotiated rates.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/NetSummaryCharges/GrandTotal</a>			
GrandTotal	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for Grand Total charges.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/NetSummaryCharges/GrandTotal/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Net Summary charges currency code type.	
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/NetSummaryCharges/GrandTotal/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Net Summary charges monetary value.	Valid values are from 0 to 999999999999999.99
<a href="#">/ShipmentConfirmResponse/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes</a>			

Name	Constraint	Description	Validation
TotalChargesWithTaxes	Required: Cond Type: Container Max Allowed: 1 Length: N/A	TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in Shipment Confirm request.  TotalChargesWithTaxes contains total charges including total taxes applied to a shipment.	
/ShipmentConfirmResponse/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes/CurrencyCode			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	TotalChargesWithTaxes currency code type. The currency code used in the Shipment Confirm request is returned.	
/ShipmentConfirmResponse/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes/MonetaryValue			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	TotalChargesWithTaxes monetary value amount.	Valid values are from 0 to 9999999999999999.99



## Chapter 5: Shipment Accept API Elements and Details

### ShipmentAcceptRequest Top Level Containers



## ShipmentAcceptRequest XPath Tables

Note: Not all containers/elements are reflected separately in the table of contents

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptRequest</a>			
ShipmentAcceptRequest	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Shipment Accept Request.	

### Request

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptRequest/Request</a>			
Request	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Request.	

### RequestAction

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptRequest/Request/RequestAction</a>			
RequestAction	Required: Yes Type: String Max Allowed: 1 Length: 10	Indicates the action to be taken by the XML service.	Must be 'ShipAccept'.

### SubVersion

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptRequest/Request/SubVersion</a>			
SubVersion	Required: No Type: String Max Allowed: 1 Length: 4	Indicates Ship API to display the new release features in Ship API response based on Ship release.  See the Release Features section for the latest Ship release.  Supported values: 1601, 1607  Format: YYMM = Year and month of the release.  Example: 1607 = 2016 July	


## TransactionReference

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptRequest/Request/TransactionReference</a>			
TransactionReference	Required: No Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	
<a href="#">/ShipmentAcceptRequest/Request/TransactionReference/CustomerContext</a>			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1..50	The client uses CustomerContext to synchronize request/response pairs. The client establishes CustomerContext, which can contain any information client want, as long as it is valid XML; it is echoed back by the server.	

## ShipmentDigest

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptRequest/ShipmentDigest</a>			
ShipmentDigest	Required: Yes Type: String Max Allowed: 1 Length: Unbounded	Encoded shipment parameters required to be passed in the accept phase.	

## ShipAcceptResponse Top Level Containers



## ShipmentAcceptResponse XPath Tables

Note: Not all containers/elements are reflected separately in the table of contents.

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse</a>			
ShipmentAcceptResponse	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Shipment Accept Response.	

## Response

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/Response</a>			
Response	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Response container for Ship Accept Response.	

## TransactionReference

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/Response/TransactionReference</a>			
TransactionReference	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Transaction Reference Container.	
<a href="#">/ShipmentAcceptResponse/Response/TransactionReference/CustomerContext</a>			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1...512	The client uses CustomerContext to synchronize request/response pairs.  The client establishes CustomerContext, which can contain any information clients want, as long as it is valid XML; it is echoed back by the server.	

## ResponseStatusCode

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/Response/ResponseStatusCode</a>			
ResponseStatusCode	Required: Yes Type: String Max Allowed: 1 Length: 1	Identifies the success or failure of the transaction. 1 = Successful 0 = Failure	

## ResponseStatusDescription

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/Response/ResponseStatusDescription</a>			
ResponseStatusDescription	Required: Yes Type: String Max Allowed: 1 Length: 1...10	Describes Response Status Code. Returns text of Success or Failure	

## Error

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/Response/Error</a>			
Error	Required: Yes Type: Container Max Allowed: 1 Length: N/A	If an error is encountered during the interchange, the Response contains an error. If the error is present, then the ErrorSeverity and ErrorCode are required.	
<a href="#">/ShipmentAcceptResponse/Response/Error/ErrorSeverity</a>			
ErrorSeverity	Required: Yes Type: String Max Allowed: 1 Length: 1..15	Describes the severity of the error.  Transient Error - Customers data has not been processed due to system unavailability. The customer has to wait and try again.  Hard Error - The error was encountered processing the customer's data and that the data needs correction.  Warning - The customer's data was successfully processed; however, there were warnings encountered during processing.	
<a href="#">/ShipmentAcceptResponse/Response/Error/ErrorCode</a>			
ErrorCode	Required: Yes Type: String Max Allowed: 1 Length: 1..15	A numeric value that describes the error. Each API defines a range of error codes.	
<a href="#">/ShipmentAcceptResponse/Response/Error/ErrorDescription</a>			
ErrorDescription	Required: Yes Type: String Max Allowed: 1 Length: 1..50	Describes the error code.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/Response/Error/MinimumRetrySeconds</a>			
MinimumRetrySeconds	Required: Yes Type: String Max Allowed: 1 Length: 1..5	Number of seconds to wait until retry.  This field is populated on special conditions of the Transient Error only, as defined by the service. A number between 1 and 86400 (24 hours)	
<a href="#">/ShipmentAcceptResponse/Response/Error/ErrorLocation</a>			
ErrorLocation	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Identifies the element in error.	
<a href="#">/ShipmentAcceptResponse/Response/Error/ErrorLocation/ErrorLocationElementName</a>			
ErrorLocationElementName	Required: Yes Type: String Max Allowed: 1 Length: 1...50	The XPATH name of the element in error. This is a valid XPATH pointing to an element in the request document.	
<a href="#">/ShipmentAcceptResponse/Response/Error/ErrorLocation/ErrorLocationAttributeName</a>			
ErrorLocationAttributeName	Required: Yes Type: String Max Allowed: 1 Length: 1..50	The name of the attribute in error. This is the name of the attribute contained by the Error Location Element.	
<a href="#">/ShipmentAcceptResponse/Response/Error/ErrorDigest</a>			
ErrorDigest	Required: Yes Type: String Max Allowed: 1 Length: Bound by the size of the Request data.	The contents of the element in error.	



## ShipmentResults

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults</a>			
ShipmentResults	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Shipment Results.	

## ShipmentCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges</a>			
ShipmentCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Shipment charges Container. Shipment charges info. Shipment charges are only guaranteed to be returned for shipments whose origin country is US or Puerto Rico.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/RateChart</a>			
RateChart	Required: Cond Type: String Max Allowed: 1 Length: 1	<p>Rate Type with which Shipment is rated. Possible RateChart values for different regions will be:</p> <p>US 48 origin:</p> <ul style="list-style-type: none"> <li>• 1 – Daily Rates</li> <li>• 3 – Standard List Rates</li> <li>• 4 – Retail Rates</li> </ul> <p>Alaska/Hawaii origin</p> <ul style="list-style-type: none"> <li>• 1 – Daily Rates</li> <li>• 3 – Standard List Rates</li> <li>• 4 – Retail Rates</li> </ul> <p>All Other origins:</p> <ul style="list-style-type: none"> <li>• 1 – Rates</li> <li>• 5 - Regional Rates</li> <li>• 6 - General List Rates</li> </ul> <p>3 and 4 do not apply</p>	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TransportationCharges</a>			
TransportationCharges	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Transportation charges.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TransportationCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Transportation charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TransportationCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Transportation and surcharges value amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ServiceOptionsCharges</a>			
ServiceOptionsCharges	Required: Yes* Type: Container Max Allowed: 1 Length:	Container for Service Options charges.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ServiceOptionsCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Accessorial charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ServiceOptionsCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Accessorial charges value amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ItemizedCharges</a>			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'.	These charges would be returned only when subversion is greater than or equal to 1601
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ItemizedCharges/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ItemizedCharges/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been applied.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ItemizedCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Itemized Charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ItemizedCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Itemized Charges value amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/ItemizedCharges/SubType</a>			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of ItemizedCharge type.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TaxCharges</a>			
TaxCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	TaxCharges container are returned only when TaxInformationIndicator is present in Shipment Confirm request and when Negotiated Rates are not applicable. TaxCharges container contains Tax information for a given shipment.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TaxCharges/Type</a>			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	Tax Type code. The code represents the type of Tax applied to a shipment.  Refer to <a href="#">Tax Type Values / Abbreviations</a> in the Appendix for valid values.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TaxCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Tax Monetary Value represent the Tax amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TotalCharges</a>			
TotalCharges	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Total Charges.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TotalCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Total charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TotalCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Total charges value amount.	Valid values are from 0 to 99999999999999.99

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TotalChargesWithTaxes</a>			
TotalChargesWithTaxes	Required: Cond Type: Container Max Allowed: 1 Length: N/A	TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in Shipment Confirm request and when Negotiated Rates are not applicable. TotalChargesWithTaxes contains total charges including total taxes applied to a shipment.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TotalChargesWithTaxes/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	TotalChargesWithTaxes currency code type. The currency code used in the Shipment Confirm request is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentCharges/TotalChargesWithTaxes/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	TotalChargesWithTaxes monetary value amount.	Valid values are from 0 to 99999999999999.99

## Negotiated Rates

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates</a>			
NegotiatedRates	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for Negotiated Rates.	For tiered rates and promotional discounts, if a particular shipment based on zone, origin, destination or even shipment size doesn't qualify for the existing discount then no negotiated rates container will be returned. Published rates will be the applicable rate.

## ItemizedCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/ItemizedCharges</a>			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1601'.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/ItemizedCharges/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/ItemizedCharges/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been applied.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/ItemizedCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes*	Itemized Charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/ItemizedCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Itemized Charges value amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/ItemizedCharges/SubType</a>			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of ItemizedCharge type.	

## TaxCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/TaxCharges</a>			
TaxCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	TaxCharges container are returned only when TaxInformationIndicator is present in Shipment Confirm request. TaxCharges container contains Tax information for a given shipment.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/TaxCharges/Type</a>			
Type	Required: Yes* Type: String Max Allowed: 1 Length: 1...9	Tax Type code. The code represents the type of Tax applied to a shipment.  Refer to <a href="#">Tax Type Values / Abbreviations</a> in the Appendix for valid values.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/TaxCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	Tax Monetary Value represent the Tax amount.	Valid values are from 0 to 99999999999999.99

## NetSummaryCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/NetSummaryCharges</a>			
NetSummaryCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Account Based Rates info. Net Summary Charges are only returned for ABR eligible shipper account/UserId combinations when the user includes the NegotiatedRates indicator in the ShipConfirm request.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/NetSummaryCharges/GrandTotal</a>			
GrandTotal	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Grand Total.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/NetSummaryCharges/GrandTotal/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Net Summary charges currency code.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/NetSummaryCharges/GrandTotal/MonetaryValue</a>			
MonetaryValue	Required: Yes*	Net Summary charges monetary value.	Valid values are from 0 to 9999999999999999.99
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes</a>			
TotalChargesWithTaxes	Required: Cond Type: Container Max Allowed: 1 Length: N/A	TotalChargesWithTaxes container would be returned only if TaxInformationIndicator is present in Shipment Confirm request. TotalChargesWithTaxes contains total charges including total taxes applied to a shipment.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	TotalChargesWithTaxes currency code type. The currency code used in the Shipment Confirm request is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/NegotiatedRates/NetSummaryCharges/TotalChargesWithTaxes/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1...19	TotalChargesWithTaxes monetary value amount.	Valid values are from 0 to 9999999999999999.99

## BillingWeight

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/BillingWeight</a>			
BillingWeight	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Billing Weight.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/BillingWeight/UnitOfMeasurement</a>			
UnitOfMeasurement	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Container for Unit of measurement for Billing Weight.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/BillingWeight/UnitOfMeasurement/Code</a>			
Code	Required: Yes Type: String Max Allowed: 1 Length: 2...3	Billing weight unit of measurement code. The unit of measurement used in ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/BillingWeight/UnitOfMeasurement/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 3	Description of the billing weight measurement units. Values are: KGS or LBS	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/BillingWeight/Weight</a>			
Weight	Required: Yes Type: String Max Allowed: 1 Length: 8	Billing weight. Higher of the actual shipment weight versus the shipment dimensional weight.	

## Disclaimer

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Disclaimer</a>			
Disclaimer	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Disclaimer would be used to provide more information to shipper regarding the processed shipment. This would be used to notify shipper about possible taxes and duties that might have been added or might apply to the shipment.  Refer to <a href="#">Disclaimer Codes and Messages</a> in the Appendix for various disclaimers that would be possible for a given shipment.  This field would be returned only if TaxInformationIndicator is present in a Shipment Confirm request.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Disclaimer/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code representing type of Disclaimer.  Refer to <a href="#">Disclaimer Codes and Messages</a> in the Appendix for possible code values.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Disclaimer/Description</a>			
Description	Required: Yes*	Disclaimer description.  Refer to <a href="#">Disclaimer Codes and Messages</a> in the Appendix for possible descriptions.	

### ShipmentIdentificationNumber

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ShipmentIdentificationNumber</a>			
ShipmentIdentificationNumber	Required: Yes Type: String Max Allowed: 1 Length: 18	Returned UPS shipment ID number.	1Z Number of the first package in the shipment.

### RatingMethod

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/RatingMethod</a>			
RatingMethod	Required: Cond Type: String Max Allowed: 1 Length: 2	RatingMethod is to indicate whether the Shipment was rated as shipment level or package level. This information will be returned only if RatingMethodRequestedIndicator was present in the ship confirm request.	Valid values are 01 = Shipment level, 02 = Package level.

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/BillableWeightCalculationMethod</a>			
BillableWeightCalculationMethod	Required: Cond	BillableWeightCalculationMethod is to indicate whether the billable weight calculation method utilized was - the package or shipment level. This information will be returned only if RatingMethodRequestedIndicator was present in the ship confirm request.	Valid values: 01 = Shipment Billable Weight 02 = Package Billable Weight



## ControlLogReceipt

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ControlLogReceipt</a>			
ControlLogReceipt	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the High Value reports.	When forward shipments declared value between \$999 and \$50,000 USD. Two copies of high value report needs to be printed out.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ControlLogReceipt/ImageFormat</a>			
ImageFormat	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the High Value report format, required if parent exist.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ControlLogReceipt/ImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 4	Code for the type of Graphic Image for the High Value Report.	Values are: EPL = EPL2 (when user requests label in EPL2 format), SPL = SPL (when user requests label in SPL format), ZPL = ZPL (when user requests label in ZPL format), HTML= HTML (when user requests label in HTML format).
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ControlLogReceipt/ImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1..35	Description of the format code	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ControlLogReceipt/GraphicImage</a>			
GraphicImage	Required: Yes* Type: Base64 encoded Max Allowed: 1 Length: UNB	Base 64 encoded html, EPL2, ZPL or SPL image.	

## PackageResults

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults</a>			
PackageResults	Required: No Type: Container Max Allowed: Many (up to 200) Length: N/A	Returned Package Information.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/TrackingNumber</a>			
TrackingNumber	Required: Yes* Type: String Max Allowed: 1 Length: 18	Package 1Z number.  For Mail Innovations shipments, please use the USPSPICNumber when tracking packages (a non-1Z number Mail Manifest Id is returned).	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ServiceOptionsCharges</a>			
ServiceOptionsCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Shipment charges info. Shipment charges are only guaranteed to be returned for shipments whose origin country is US or Puerto Rico.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ServiceOptionsCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	Package accessorial charges currency code type. The currency code used in the ShipmentConfirmRequest is returned.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ServiceOptionsCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 1..19	Package accessorial charges value amount.	Valid values are from 0 to 99999999999999.99
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage</a>			
LabelImage	Required: Cond Type: Container Max Allowed: 1 Length: N/A	The container for UPS shipping label	Shipment without return service or with PRL return service.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage/LabelImageFormat</a>			
LabelImageFormat	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for Label Image Format.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage/LabelImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Label image code that the labels are generated. Values:  EPL = EPL2 SPL = SPL ZPL = ZPL GIF = gif images PNG for PNG images	Only EPL, SPL, ZPL and GIF are currently supported.  For multi piece COD shipments, the label image format for the first package will always be a GIF for any form of label requested.

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage/LabelImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1..35	Description of the label image format code.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage/GraphicImage</a>			
GraphicImage	Required: Yes* Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded graphic image.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage/InternationalSignatureGraphicImage</a>			
InternationalSignatureGraphicImage	Required: Cond Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded graphic image of the Warsaw text and signature box.	EPL2, ZPL and SPL labels. The image will be returned for non-US based shipments. One image will be given per shipment and it will be in the first PackageResults container.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage/HTMLImage</a>			
HTMLImage	Required: Cond Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded html browser image rendering software.	This is only returned for gif and png image formats.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/LabelImage/PDF417</a>			
PDF417	Required: Cond Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	PDF-417 is a two-dimensional barcode, which can store up to about 1,800 printable ASCII characters or 1,100 binary characters per symbol. The symbol is rectangular. The image is Base 64 encoded and returned if the LabelImageFormat code is GIF.	Returned for shipment with PRL return service only
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Receipt</a>			
Receipt	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the receipt and the receipt link.	Not supported for ERL shipments.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Receipt/Image</a>			
Image	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the receipt of a return shipment	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Receipt/Image/ImageFormat</a>			
ImageFormat	Required: Yes* Type: String Max Allowed: 1 Length: 4	Container for a receipt format	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Receipt/Image/ImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 4	Code representing the format in which a receipt is returned. Valid values: HTML = HTML format	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Receipt/Image/ImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1..35	Description of the image format code.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Receipt/Image/GraphicImage</a>			
GraphicImage	Required: Yes* Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded PRL receipt in HTML format	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/USPSPICNumber</a>			
USPSPICNumber	Required: Cond Type: String Max Allowed: 1 Length: Unbounded	USPSPICNumber is USPS Package Identification; it should be used for tracking Mail Innovations shipments.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/CN22Number</a>			
CN22Number	Required: Cond Type: String Max Allowed: 1 Length: N/A	USPS defined CN22 ID number format varies based on destination country. Not applicable as of Jan 2015. Mail Innovations shipments US to VI, PR, and GU are not considered international.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form</a>			
Form	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the International forms image.	Currently this container would be returned for UPS Premium Care shipments.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code that indicates the type of form.	Possible Values: 01 - All Requested International Forms.

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description that indicates the type of form.	Possible Values - All Requested International Forms.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/Image</a>			
Image	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the International forms image.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/Image/ImageFormat</a>			
ImageFormat	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the International forms image format information.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/Image/ImageFormat/Code</a>			
Code	Required: Cond Type: String Max Allowed: 1 Length: 3	Code representing the format in which the forms are generated.	Possible Values: PDF = pdf , PNG = png.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/Image/ImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of the form image format code.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/Image/GraphicImage</a>			
GraphicImage	Required: Cond Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded International forms image	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/FormGroupId</a>			
FormGroupId	Required: No Type: String Max Allowed: 1 Length: 1...26	Unique Id for later retrieval of saved version of the completed international forms.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Form/FormGroupIdName</a>			
FormGroupIdName	Required: No Type: String Max Allowed: 1 Length: 1...50	Contains description text which identifies the group of International forms. This element is part of both request and response. This element does not appear on the forms.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Accessorial</a>			
Accessorial	Required: Cond Type: Container Max Allowed: 1 Length: N/A	The container for Accessorial indicators. This information would be returned only if ItemizedChargesRequested was present during Ship Confirm request phase.	This is valid only for UPS Worldwide Express Freight Service.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Accessorial/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code for Accessorial Indicator.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/Accessorial/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description for Accessorial Indicator.	

## ItemizedCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ItemizedCharges</a>			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Itemized Charges are returned only when the subversion element is present and greater than or equal to '1607'.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ItemizedCharges/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ItemizedCharges/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been charged.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ItemizedCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the Itemized Charge costs for the shipment.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ItemizedCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16.2	Itemized Charges value amount.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/ItemizedCharges/SubType</a>			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of ItemizedCharge type.	

## NegotiatedCharges

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/NegotiatedCharges</a>			
NegotiatedRateCharges	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Negotiated Rates Charge Container.	These charges would be returned only when - 1) subversion is greater than or equal to 1607 2) if negotiated rates were requested for GFP shipments and account number is eligible to receive negotiated rates.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/NegotiatedCharges/ItemizedCharges</a>			
ItemizedCharges	Required: Cond Type: Container Max Allowed: UNB Length: N/A	Negotiated Itemized Accessorial and Sur Charges.  These charges would be returned only when Subversion is greater than or equal to 1607.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/NegotiatedCharges/ItemizedCharges/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Identification code for itemized charge.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/NegotiatedCharges/ItemizedCharges/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...50	Description of Itemized Charge that had been charged.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/NegotiatedCharges/ItemizedCharges/CurrencyCode</a>			
CurrencyCode	Required: Yes* Type: String Max Allowed: 1 Length: 3	The IATA currency code associated with the Itemized Charge costs for the shipment.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/NegotiatedCharges/ItemizedCharges/MonetaryValue</a>			
MonetaryValue	Required: Yes* Type: String Max Allowed: 1 Length: 16.2	Itemized Charges value amount.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/PackageResults/NegotiatedCharges/ItemizedCharges/SubType</a>			
SubType	Required: No Type: String Max Allowed: 1 Length: 1...50	The sub-type of ItemizedCharge type.	

## Form

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form</a>			
Form	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the International forms image.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Code that indicates the type of form.	Possible Values: 01 - All Requested International Forms.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/Description</a>			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Description that indicates the type of form.	Possible Values - All Requested International Forms.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/Image</a>			
Image	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the International forms image.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/Image/ImageFormat</a>			
ImageFormat	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container tag for the International forms image format information.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/Image/ImageFormat/Code</a>			
Code	Required: Cond	Code representing the format in which the forms are generated Possible Values PDF = pdf.	Only PDF is supported currently.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/Image/ImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1..35	Description of the form image format code.	



Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/Image/GraphicImage</a>			
GraphicImage	Required: Cond Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded International forms image.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/FormGroupId</a>			
FormGroupId	Required: Cond Type: String Max Allowed: 1 Length: 1...26	Unique Id for later retrieval of saved version of the completed international forms.	Always returned when code = 01. 01 represents international forms.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/Form/FormGroupName</a>			
FormGroupName	Required: No Type: String Max Allowed: 1 Length: 1...50	Contains description text which identifies the group of International forms. This element is part of both request and response. This element does not appear on the forms.	

## CODTurnInPage

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/CODTurnInPage</a>			
CODTurnInPage	Required: No Type: Container Max Allowed: 1 Length: N/A	The container for COD Turn In Page. COD info block is included in HTML label instruction. Only supports HTML format. Only supports EU countries.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/CODTurnInPage/Image</a>			
Image	Required: Yes*	The container of the image for COD Turn In Page.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/CODTurnInPage/Image/ImageFormat</a>			
ImageFormat	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	The container for format of COD Turn In Page	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/CODTurnInPage/Image/ImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 4	Format code of the generated COD Turn In Page. Valid values: HTML = HTML format.	Only HTML format is supported for COD Turn In Page.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/CODTurnInPage/Image/ImageFormat/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...35	Description of the format code of generated COD Turn In page.	

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/CODTurnInPage/Image/GraphicImage</a>			
GraphicImage	Required: Yes* Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded html browser image rendering software.	

## HighValueReport

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/HighValueReport</a>			
HighValueReport	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for the HighValue Report generated for ImportControl or Return shipments with high package declared value.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/HighValueReport/Image</a>			
Image	Required: Yes*	Container for the HighValue Report image for Import Control or Return Shipments.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/HighValueReport/Image/ImageFormat</a>			
ImageFormat	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for the HighValue Report image format information for Import Control or Return Shipments.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/HighValueReport/Image/ImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code for Image Format in which High Value Report would be returned.	Valid value is PDF.
<a href="#">/ShipmentAcceptResponse/ShipmentResults/HighValueReport/Image/ImageFormat/Description</a>			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...35	Description for Image Format.	
<a href="#">/ShipmentAcceptResponse/ShipmentResults/HighValueReport/Image/GraphicImage</a>			
GraphicImage	Required: Yes* Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded High Value Report.	

## LabelURL

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/LabelURL</a>			
LabelURL	Required: Cond Type: String Max Allowed: 1 Length: Unbounded	LabelURL is returned only if the LabelLinksIndicator is requested for an ImportControl shipment or for a Return shipment. URL will point to a label and can also point to HighValueReport, CustomsInvoice and ImportControl instructions.	

## LocalLanguageLabelURL

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/LocalLanguageLabelURL</a>			
LocalLanguageLabelURL	Required: Cond Type: String Max Allowed: 1 Length: Unbounded	LocalLanguageLabelURL is returned only if the LabelLinksIndicator is requested for an ImportControl shipment or for a Return shipment. URL will point to a label and can also point to HighValueReport, CustomsInvoice and ImportControl instructions in the Country's local language if supported by UPS.	

## ReceiptURL

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/ReceiptURL</a>			
ReceiptURL	Required: Cond Type: String Max Allowed: 1 Length: Unbounded	ReceiptURL is returned if the LabelLinksIndicator is requested for an ImportControl shipment or a Return shipment.	

## LocalLanguageReceiptURL

Name	Constraint	Description	Validation
<a href="#">/ShipmentAcceptResponse/ShipmentResults/LocalLanguageReceiptURL</a>			
LocalLanguageReceiptURL	Required: Cond Type: String Max Allowed: 1 Length: Unbounded	LocalLanguageReceiptURL is returned if the LabelLinksIndicator is requested for an ImportControl shipment or a Return shipment. The URL will contain the receipt in the Country's local language if supported by UPS.	


## Chapter 6: Label Recovery Elements and Details

Only Return Shipments support Label Recovery. The label for the return shipment can be recovered using the Tracking Number.

For up to 30 days after customers schedule return shipments, UPS maintains a copy of the shipping labels for the returned package. If customers need to print additional copies of return labels, the Label Recovery Shipping API can retrieve those labels.

Merchants typically provide this functionality on their own web site. Their customers access the merchant's web site, which acts as an intermediary on their behalf to retrieve the label from UPS.

### LabelRecoveryRequest Top Level Containers



## LabelRecoveryRequest XPath Tables

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest</a>			
LabelRecoveryRequest	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Label Recovery Request Container. Only available for ERL return types.	

## Request

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/Request</a>			
Request	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Request Container.	
<a href="#">/LabelRecoveryRequest/Request/TransactionReference</a>			
TransactionReference	Required: No Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	
<a href="#">/LabelRecoveryRequest/Request/RequestAction</a>			
RequestAction	Required: Yes Type: String Max Allowed: 1 Length: 1...13	Indicates the action to be taken by the XML service. Must be LabelRecovery.	

## LabelSpecification

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/LabelSpecification</a>			
LabelSpecification	Required: No Type: Container Max Allowed: 1 Length: N/A	Container used to define the properties required by the user to print and/or display the label.	
<a href="#">/LabelRecoveryRequest/LabelSpecification/HTTPUserAgent</a>			
HTTPUserAgent	Required: No Type: String Max Allowed: 1 Length: 1..64	Browser HTTPUserAgent String.  This is the preferred way of identifying GIF image type to be generated. If not specified, default to Mozilla/4.5	
<a href="#">/LabelRecoveryRequest/LabelSpecification/LabelImageFormat</a>			
LabelImageFormat	Required: No Type: Container Max Allowed: 1 Length: N/A	The file format of the label and receipt.  Default to HTML format if this node does not exist.	
<a href="#">/LabelRecoveryRequest/LabelSpecification/LabelImageFormat/Code</a>			
Code	Required: No Type: String Max Allowed: 1 Length: 3	File type that the label and receipt is to be generated in. Valid values:  GIF - The generated label and receipt are in HTML format.  PDF - The generated label and receipt are in PDF format.  If the Label contains Customs Invoice then the Label and receipt will always be returned in PDF format.	

## Translate

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/Translate</a>			
Translate	Required: No Type: Container Max Allowed: 1 Length: N/A	<p>Translate container allows the user to specify the language he/she would like a specific portion of response to return.</p> <p>The language is specified by the combination of language code and dialect code.</p> <p>Valid combinations are: LanguageCode + DialectCode.</p> <p>Languages:</p> <p>eng GB = Queen's English spa 97 = Castilian Spanish ita 97 = Italian fra 97 = France French fra CA = Canadian French deu 97 = German por 97 = Portugal Portuguese nld 97 = Dutch dan 97 = Danish fin 97 = Finnish swe 97 = Swedish eng CA = Canadian English Eng US = US English</p> <p>Default language is Queen's English.</p> <p>If the Ship from country is Canada, the Language defaults to Canadian English.</p> <p>If the ship from country is US, the language defaults to US English.</p> <p>If shipping from some other country, the language defaults to Queens English.</p>	

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/Translate/LanguageCode</a>			
LanguageCode	Required: Yes* Type: String Max Allowed: 1 Length: 2...3	The Language code. The language codes are three letter language codes.  Supported languages are:  eng - English  spa - Spanish  ita - Italian  fra - French  deu - German  por - Portuguese  nld - Dutch  dan - Danish  fin - Finnish  swe - Swedish  nor - Norwegian	
<a href="#">/LabelRecoveryRequest/Translate/DialectCode</a>			
DialectCode	Required: Yes* Type: String Max Allowed: 1 Length: 2	Valid dialect codes are:  CA - Canada  GB - Great Britain  97 - Not Applicable  US - United States	
<a href="#">/LabelRecoveryRequest/Translate/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 2	Used to specify what will be translated. Valid codes are: 01. Code Definitions: 01 = label direction instructions and receipt.	



## LabelDelivery

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/LabelDelivery</a>			
LabelDelivery	Required: No Type: Container Max Allowed: 1 Length: N/A	Container for the Label Delivery accessorial. One Label Delivery per shipment.	
<a href="#">/LabelRecoveryRequest/LabelDelivery/LabelLinkIndicator</a>			
LabelLinkIndicator	Required: No Type: String Max Allowed: 1 Length: 0	Indicates the Label Recovery and Receipt Recovery URL links are to be returned in the XML Response.	Valid for shipments with a Web Return Label Return Service.

## TrackingNumber

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/TrackingNumber</a>			
TrackingNumber	Required: Cond Type: String Max Allowed: 1 Length: 1..18	Package Tracking Number. If the TrackingNumber is not provided, then the ReferenceNumber/Value and ShipperNumber have to be provided.	


## ReferenceNumber

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/ReferenceNumber</a>			
ReferenceNumber	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Reference Number Container.	
<a href="#">/LabelRecoveryRequest/ReferenceNumber/Value</a>			
Value	Required: Cond Type: String Max Allowed: 1 Length: 1..35	Required if TrackingNumber is not populated. Customer supplied reference number.  Supports up to 2 customer supplied combinations of Reference code-value combinations.	

## ShipperNumber

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryRequest/ShipperNumber</a>			
ShipperNumber	Required: Cond Type: String Max Allowed: 1 Length: 6	Required if ReferenceNumber/Value is populated.  Shipper's six digit account number.  Must be six alphanumeric characters.  Must be associated with the Internet account used to login.	

## LabelRecoveryResponse Top Level Containers



## LabelRecoveryResponse XPath Tables

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse</a>			
LabelRecoveryResponse	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Label Recovery Response Container.	

## Response

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/Response</a>			
Response	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Response Container.	
<a href="#">/LabelRecoveryResponse/Response/TransactionReference</a>			
TransactionReference	Required: Yes Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	
<a href="#">/LabelRecoveryResponse/Response/TransactionReference/CustomerContext</a>			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 0..512	Customer provided data. May be XML. If this data is present in the request, it is echoed back to the customer.	
<a href="#">/LabelRecoveryResponse/Response/TransactionReference/XpciVersion</a>			
XpciVersion	Required: No Type: String Max Allowed: 1 Length: 1..50	Identifies the version of the message. Current version is 1.0001	

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/Response/ResponseStatusCode</a>			
ResponseStatusCode	Required: Yes Type: String Max Allowed: 1 Length: 1	Identifies the success or failure of the interchange. 1 = Success 0 = Failure	
<a href="#">/LabelRecoveryResponse/Response/ResponseStatusDescription</a>			
ResponseStatusDescription	Required: No Type: String Max Allowed: 1 Length: 1..15	Describes the Response Status Code.	
<a href="#">/LabelRecoveryResponse/Response/Error</a>			
Error	Required: No Type: Container Max Allowed: 1 Length: N/A	If an error is encountered during the interchange, the Response contains an error. If the error is present, then the ErrorSeverity and ErrorCode are required.	
<a href="#">/LabelRecoveryResponse/Response/Error/ErrorSeverity</a>			
ErrorSeverity	Required: Yes* Type: String Max Allowed: 1 Length: 1..15	Describes the severity of the error.	
<a href="#">/LabelRecoveryResponse/Response/Error/ErrorCode</a>			
ErrorCode	Required: Yes* Type: String Max Allowed: 1 Length: 1..15	A numeric value that describes the error. Each API defines a range of error codes. Refer to error conditions, in the appropriate chapter, for a complete list of interchange errors.	
<a href="#">/LabelRecoveryResponse/Response/Error/ErrorDescription</a>			
ErrorDescription	Required: No Type: String Max Allowed: 1 Length: 1..50	Describes the error code.	
<a href="#">/LabelRecoveryResponse/Response/Error/MinimumRetrySeconds</a>			
MinimumRetrySeconds	Required: No Type: String Max Allowed: 1 Length: 1..5	Number of seconds to wait until retry. This entry is populated on special conditions of the Transient Error only, as defined by the service. A number between 1 and 86400 (24 hours)	
<a href="#">/LabelRecoveryResponse/Response/Error/ErrorLocation</a>			
ErrorLocation	Required: No Type: Container Max Allowed: 1 Length: N/A	Identifies the element in error.	
<a href="#">/LabelRecoveryResponse/Response/Error/ErrorLocation/ErrorLocationElementName</a>			

Name	Constraint	Description	Validation
ErrorLocationElementName	Required: No Type: String Max Allowed: 1 Length: 1..512	The Xpath name of the element in error. This is a valid Xpath pointing to an element in the request document.	
<a href="#">/LabelRecoveryResponse/Response/Error/ErrorLocation/ErrorLocationAttributeName</a>			
ErrorLocationAttributeName	Required: No Type: String Max Allowed: 1 Length: 1..50	The name of the attribute in error. This is the name of the attribute contained by the Error Location element.	
<a href="#">/LabelRecoveryResponse/Response/Error/ErrorDigest</a>			
ErrorDigest	Required: No Type: String Max Allowed: 1 Length: Bound by the size of the Request data.	The contents of the element in error.	

## ShipmentIdentificationNumber

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/ShipmentIdentificationNumber</a>			
ShipmentIdentificationNumber	Required: Yes Type: String Max Allowed: 1 Length: 18	Tracking number of the leading package in the shipment	

## LabelResults

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/LabelResults</a>			
LabelResults	Required: No Type: Container Max Allowed: 1 Length: N/A	Information containing the results of the users Label Recovery Request.	
<a href="#">/LabelRecoveryResponse/LabelResults/TrackingNumber</a>			
TrackingNumber	Required: Yes* Type: String Max Allowed: 1 Length: 18	Package Tracking number.	
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage</a>			
LabelImage	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	<p>The elements needed to render a label on a printer or in a browser. Specifies the format in which GraphicImage is represented.</p> <p>If LabelImageFormat is GIF, LabelImage contains GraphicImage and HTMLImage. Otherwise, it contains only GraphicImage.</p> <p>If LabelImageFormat is PDF, LabelImage is only returned at the first package result.</p> <p>If entered in the request, the response mirrors, else the default values are returned.</p>	
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage/LabelImageFormat</a>			
LabelImageFormat	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	The format of a label image byte stream.	
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage/LabelImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	Code type that the label image is to be generated in. Valid value returned is GIF or PDF	

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage/GraphicImage</a>			
GraphicImage	Required: Yes* Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded graphic image.	
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage/HTMLImage</a>			
HTMLImage	Required: Cond Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded html browser image rendering software. This is only returned for GIF image formats.	
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage/PDF417</a>			
PDF417	Required: Cond Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	<p>PDF-417 is a two-dimensional barcode, which can store up to about 1,800 printable ASCII characters or 1,100 binary characters per symbol. The symbol is rectangular.</p> <p>The PDF417 image will be returned when the shipment is transborder and the service option is one of the following: Standard, ExpressSaver or ExpressPlus.</p> <p>The image is Base 64 encoded and only returned for GIF image format</p>	
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage/InternationalSignatureGraphicImage</a>			
InternationalSignatureGraphicImage	Required: Yes* Type: String Max Allowed: 1 Length: Unbounded	Base 64 encoded graphic image of the Warsaw text and signature box.	EPL2, ZPL and SPL labels. The image will be returned for non-US based shipments. One image will be given per shipment and it will be in the first PackageResults container.
<a href="#">/LabelRecoveryResponse/LabelResults/LabelImage/URL</a>			
URL	Required: Cond Type: String Max Allowed: 1 Length: Unbounded	This is only returned if the label link is requested to be returned and only at the first package result	



Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/LabelResults/Receipt</a>			
Receipt	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the HTML receipt and the receipt link.	
<a href="#">/LabelRecoveryResponse/LabelResults/Receipt/HTMLImage</a>			
HTMLImage	Required: Cond Type: String Max Allowed: 1 Length: Unbounded	Base 64 encoded html browser image rendering software. This is only returned for GIF image formats.	
<a href="#">/LabelRecoveryResponse/LabelResults/Receipt/Image</a>			
Image	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Container for the receipt in the format other than HTML.	
<a href="#">/LabelRecoveryResponse/LabelResults/Receipt/Image/ImageFormat</a>			
ImageFormat	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Container for the format of the receipt	
<a href="#">/LabelRecoveryResponse/LabelResults/Receipt/Image/ImageFormat/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length: 3	The file type of the receipt. Valid value is PDF	
<a href="#">/LabelRecoveryResponse/LabelResults/Receipt/Image/GraphicImage</a>			
GraphicImage	Required: Yes* Type: Base 64 Encoded Max Allowed: 1 Length: Unbounded	Base 64 encoded graphic image.	


## TrackingCandidate

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/TrackingCandidate</a>			
TrackingCandidate	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Information containing the results of the users Label Recovery Request.  Returned in the event the Shipper Number and Reference Number are supplied in the request.	
<a href="#">/LabelRecoveryResponse/TrackingCandidate/TrackingNumber</a>			
TrackingNumber	Required: Yes* Type: String Max Allowed: 1 Length: 18	Package Tracking number.	
<a href="#">/LabelRecoveryResponse/TrackingCandidate/DestinationPostalCode</a>			
DestinationPostalCode	Required: No Type: String Max Allowed: 1 Length: 1..9	Destination Postal Code candidate.	
<a href="#">/LabelRecoveryResponse/TrackingCandidate/DestinationCountryCode</a>			
DestinationCountryCode	Required: No Type: String Max Allowed: 1 Length: 2	Destination Country Code candidate.	
<a href="#">/LabelRecoveryResponse/TrackingCandidate/PickupDateRange</a>			
PickupDateRange	Required: No Type: Container Max Allowed: 1 Length: N/A	A range of time the package was picked up.	
<a href="#">/LabelRecoveryResponse/TrackingCandidate/PickupDateRange/BeginDate</a>			
BeginDate	Required: No Type: String Max Allowed: 1 Length: 8	The beginning of the date range for the candidate. Format: YYYYMMDD	

Name	Constraint	Description	Validation
<a href="#">/LabelRecoveryResponse/TrackingCandidate/PickupDateRange/EndDate</a>			
EndDate	Required: No Type: String Max Allowed: 1 Length: 8	The end of the date range for the candidate. Format: YYYYMMDD	

## Chapter 7: Void Shipment Elements and Details

### VoidShipmentRequest Top Level Containers



## VoidShipmentRequest XPath Tables

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentRequest</a>			
VoidShipmentRequest	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Void Shipment Request Container.	

## Request

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentRequest/Request</a>			
Request	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Request Container.	
<a href="#">/VoidShipmentRequest/Request/RequestAction</a>			
RequestAction	Required: Yes Type: String Max Allowed: 1 Length: 1	Indicates the action to be taken by the XML service. 1 = Void the shipment.	Currently, there is only 1 valid RequestAction value.
<a href="#">/VoidShipmentRequest/Request/TransactionReference</a>			
TransactionReference	Required: No Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	
<a href="#">/VoidShipmentRequest/Request/TransactionReference/CustomerContext</a>			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1...512	The client uses CustomerContext to synchronize request/response pairs.  The client establishes CustomerContext, which can contain any information you want, as long as it is valid XML; it is echoed back by the server.	


## ShipmentIdentificationNumber

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentRequest/ShipmentIdentificationNumber</a>			
ShipmentIdentificationNumber	Required: Cond Type: String Max Allowed: 1 Length: 18	The shipment's identification number	Must pass 1Z rules. Must be upper case. This element is mutually exclusive with the Expanded Void Shipment node.

## ExpandedVoidShipment

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentRequest/ExpandedVoidShipment</a>			
ExpandedVoidShipment	Required: Cond Type: Container Max Allowed: 1 Length: N/A	Expanded Void Capability	This element is mutually exclusive with the VoidShipmentRequest/ShipmentIdentificationNumber.
<a href="#">/VoidShipmentRequest/ExpandedVoidShipment/ShipmentIdentificationNumber</a>			
ShipmentIdentificationNumber	Required: Yes* Type: String Max Allowed: 1 Length: 18	The shipment's identification number	Must pass 1Z rules. Must be upper case
<a href="#">/VoidShipmentRequest/ExpandedVoidShipment/TrackingNumber</a>			
TrackingNumber	Required: No Type: String Max Allowed: 20 Length: 18	The package's identification number	Must pass 1Z rules. Must be upper case.

## VoidShipmentResponse Top Level Containers



## VoidShipmentResponse XPath Tables

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentResponse</a>			
VoidShipmentResponse	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Void Shipment Response Container.	

## Response

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentResponse/Response</a>			
Response	Required: Yes Type: Container Max Allowed: 1 Length: N/A	Contains Errors information tags along with the success/fail status of the void request.	
<a href="#">/VoidShipmentResponse/Response/TransactionReference</a>			
TransactionReference	Required: Yes Type: Container Max Allowed: 1 Length: N/A	TransactionReference identifies transactions between client and server.	
<a href="#">/VoidShipmentResponse/Response/TransactionReference/CustomerContext</a>			
CustomerContext	Required: No Type: String Max Allowed: 1 Length: 1...512	Customer provided data. May be XML. If this data is present in the request, it is echoed back to the customer.	
<a href="#">/VoidShipmentResponse/Response/TransactionReference/XpciVersion</a>			
XpciVersion	Required: No Type: String Max Allowed: 1 Length: 1...50	Identifies the version of the message. Current version is 1.0001	
<a href="#">/VoidShipmentResponse/Response/ResponseStatusCode</a>			
ResponseStatusCode	Required: Yes Type: String Max Allowed: 1 Length: 1	Identifies the success or failure of the interchange. 1 = Success; 0 = Failure	
<a href="#">/VoidShipmentResponse/Response/ResponseStatusDescription</a>			
ResponseStatusDescription	Required: No Type: String Max Allowed: 1 Length: 1...15	Describes the Response Status Code.	



Name	Constraint	Description	Validation
<a href="#">/VoidShipmentResponse/Response/Error</a>			
Error	Required: No Type: Container Max Allowed: 1 Length: N/A	If an error is encountered during the interchange, the Response contains an error.  If the error is present, then the ErrorSeverity and ErrorCode are required.	
<a href="#">/VoidShipmentResponse/Response/Error/ErrorSeverity</a>			
ErrorSeverity	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	Describes the severity of the error.	
<a href="#">/VoidShipmentResponse/Response/Error/ErrorCode</a>			
ErrorCode	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	A numeric value that describes the error.	
<a href="#">/VoidShipmentResponse/Response/Error/ErrorDescription</a>			
ErrorDescription	Required: No Type: String Max Allowed: 1 Length: 1...50	Describes the error code.	
<a href="#">/VoidShipmentResponse/Response/Error/MinimumRetrySeconds</a>			
MinimumRetrySeconds	Required: No Type: String Max Allowed: 1 Length: 1...10	Not Applicable	
<a href="#">/VoidShipmentResponse/Response/Error/ErrorLocation</a>			
ErrorLocation	Required: No Type: Container Max Allowed: 1 Length: N/A	Identifies the element in error.	
<a href="#">/VoidShipmentResponse/Response/Error/ErrorLocation/ErrorLocationElementName</a>			
ErrorLocationElementName	Required: No Type: String Max Allowed: 1 Length: 1...512	The Xpath name of the element in error. This is a valid Xpath pointing to an element in the request document.	
<a href="#">/VoidShipmentResponse/Response/Error/ErrorLocation/ErrorLocationAttributeName</a>			
ErrorLocationAttributeName	Required: No Type: String Max Allowed: 1 Length: 1...50	The name of the attribute in error. This is the name of the attribute contained by the Error Location element.	

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentResponse/Response/Error/ErrorDigest</a>			
ErrorDigest	Required: No Type: String Max Allowed: 1 Length: Bound by the size of the Request data.	The contents of the element in error.	

## Status

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentResponse/Status</a>			
Status	Required: No Type: Container Max Allowed: 1 Length: N/A	Contains Status information tags.	
<a href="#">/VoidShipmentResponse/Status/StatusType</a>			
StatusType	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Contains the status type tags.	
<a href="#">/VoidShipmentResponse/Status/StatusType/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length:	A numeric value that describes the status type. 1 = Success; 0 = Failure	
<a href="#">/VoidShipmentResponse/Status/StatusType/Description</a>			
Description	Required: No Type: String Max Allowed: 1 Length: 1...15	A text description of the status type.	
<a href="#">/VoidShipmentResponse/Status/StatusCode</a>			
StatusCode	Required: Yes* Type: Container Max Allowed: 1 Length: N/A	Contains the status code tags.	
<a href="#">/VoidShipmentResponse/Status/StatusCode/Code</a>			
Code	Required: Yes* Type: String Max Allowed: 1 Length:	The Shipment level void status code. A numeric value that describes the status code.  0 = Failure 1 = Success or Voided 2 = Partially Voided	The Voided and Partially Voided status codes are only returned in association with the expanded void functionality.
<a href="#">/VoidShipmentResponse/Status/StatusCode/Description</a>			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	A text description of the status code.	

## PackageLevelResults

Name	Constraint	Description	Validation
<a href="#">/VoidShipmentResponse/PackageLevelResults</a>			
PackageLevelResults	Required: No Type: Container Max Allowed: UNB Length: N/A	Contains the Package Level Results for the expanded void functionality only.	This node will be returned for package level voids and partially voided shipments.
<a href="#">/VoidShipmentResponse/PackageLevelResults/TrackingNumber</a>			
TrackingNumber	Required: Yes* Type: String Max Allowed: 1 Length: 18	The package's identification number	
<a href="#">/VoidShipmentResponse/PackageLevelResults/StatusCode</a>			
StatusCode	Required: Yes* Type: String Max Allowed: 1 Length: 1	The Package Level void status code. A numeric value that describes the status code.  0 = Not Voided 1 = Voided or Already Voided	
<a href="#">/VoidShipmentResponse/PackageLevelResults/Description</a>			
Description	Required: Yes* Type: String Max Allowed: 1 Length: 1...15	A text description of the status code.	

### ShipmentConfirmRequest Example

```
<?xml version="1.0"?>
<AccessRequest xml:lang="en-US">
  <AccessLicenseNumber>Your Access License Number</AccessLicenseNumber>
  <UserId>Your Username</UserId>
  <Password>Your Password</Password>
</AccessRequest>
<?xml version="1.0"?>
<ShipmentConfirmRequest xml:lang="en-US">
  <Request>
    <TransactionReference>
      <CustomerContext>Your Customer Context</CustomerContext>
      <XpciVersion/>
    </TransactionReference>
    <RequestAction>ShipConfirm</RequestAction>
    <RequestOption>validate</RequestOption>
  </Request>
  <Shipment>
    <Shipper>
      <Name>Shipper Name</Name>
      <AttentionName>Shipper Attn Name</AttentionName>
      <CompanyDisplayableName>CompanyDisplayableName</CompanyDisplayableName>
      <PhoneNumber>1234567890</PhoneNumber>
      <ShipperNumber>Your Shipper Number</ShipperNumber>
      <TaxIdentificationNumber>1234567877</TaxIdentificationNumber>
      <Address>
        <AddressLine1>AddressLine1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
      </Address>
    </Shipper>
    <ShipTo>
      <CompanyName>CompanyName</CompanyName>
      <AttentionName>Ship To Attn Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <Address>
        <AddressLine1>AddressLine1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
      </Address>
    </ShipTo>
    <ShipFrom>
      <CompanyName>CompanyName</CompanyName>
      <AttentionName>Ship From Attn Name</AttentionName>
      <PhoneNumber>1234567890</PhoneNumber>
      <Address>
        <AddressLine1>AddressLine1</AddressLine1>
        <City>City</City>
        <StateProvinceCode>StateProvinceCode</StateProvinceCode>
```

```

        <PostalCode>PostalCode</PostalCode>
        <CountryCode>CountryCode</CountryCode>
    </Address>
</ShipFrom>
<PaymentInformation>
    <Prepaid>
        <BillShipper>
            <AccountNumber>Your Account Number</AccountNumber>
        </BillShipper>
    </Prepaid>
</PaymentInformation>
<Service>
    <Code>01</Code>
    <Description>UPS Express</Description>
</Service>
<Package>
    <PackagingType>
        <Code>02</Code>
        <Description>Package</Description>
    </PackagingType>
    <Description>Priority</Description>
    <Dimensions>
        <UnitOfMeasurement>
            <Code>IN</Code>
            <Description>Inches</Description>
        </UnitOfMeasurement>
        <Length>5</Length>
        <Width>4</Width>
        <Height>2</Height>
    </Dimensions>
    <PackageWeight>
        <UnitOfMeasurement>
            <Code>LBS</Code>
            <Description>Pounds</Description>
        </UnitOfMeasurement>
        <Weight>11</Weight>
    </PackageWeight>
</Package>
</Shipment>
<LabelSpecification>
    <LabelPrintMethod>
        <Code>GIF</Code>
        <Description>GIF</Description>
    </LabelPrintMethod>
    <LabelImageFormat>
        <Code>GIF</Code>
        <Description>GIF</Description>
    </LabelImageFormat>
</LabelSpecification>
</ShipmentConfirmRequest>

```

## ShipmentConfirmResponse Example

```
<?xml version="1.0"?>
<ShipmentConfirmResponse>
  <Response>
    <TransactionReference>
      <CustomerContext>Your Customer Context</CustomerContext>
    </TransactionReference>
    <ResponseStatusCode>1</ResponseStatusCode>
    <ResponseStatusDescription>Success</ResponseStatusDescription>
  </Response>
  <ShipmentCharges>
    <RateChart>5</RateChart>
    <TransportationCharges>
      <CurrencyCode>USD</CurrencyCode>
      <MonetaryValue>125.82</MonetaryValue>
    </TransportationCharges>
    <ServiceOptionsCharges>
      <CurrencyCode>USD</CurrencyCode>
      <MonetaryValue>0.00</MonetaryValue>
    </ServiceOptionsCharges>
    <TotalCharges>
      <CurrencyCode>USD</CurrencyCode>
      <MonetaryValue>125.82</MonetaryValue>
    </TotalCharges>
  </ShipmentCharges>
  <BillingWeight>
    <UnitOfMeasurement>
      <Code>LBS</Code>
    </UnitOfMeasurement>
    <Weight>11.0</Weight>
  </BillingWeight>
  <ShipmentIdentificationNumber>1ZAA64281410329426</ShipmentIdentificationNumber>
  <ShipmentDigest>rO0ABXNyACpjb20udXBzLmVjaXMuY29yZS5zaGlwbWVudHMuU2hpcG1lbnREaWdlc3
  Ri (Truncated)</ShipmentDigest>
</ShipmentConfirmResponse>
```

## ShipmentAcceptRequest Example

```
<?xml version="1.0"?>
<AccessRequest xml:lang="en-US">
  <AccessLicenseNumber>Your Access License Number</AccessLicenseNumber>
  <UserId>Your Username</UserId>
  <Password>Your Password</Password>
</AccessRequest>
<?xml version="1.0"?>
<ShipmentAcceptRequest>
  <Request>
    <TransactionReference>
      <CustomerContext>Your Customer Context.</CustomerContext>
      <XpciVersion>1.0</XpciVersion>
    </TransactionReference>
    <RequestAction>ShipAccept</RequestAction>
    <RequestOption>01</RequestOption>
  </Request>
```

```

    <ShipmentDigest>r00ABXNyACpjb20udXBzLmVjaXMuY29yZS5zaGlwbWVud
    (Truncated)</ShipmentDigest>
  </ShipmentAcceptRequest>

```

## ShipmentAcceptResponse Example

```

<?xml version="1.0"?>
<ShipmentAcceptResponse>
  <Response>
    <TransactionReference>
    <CustomerContext>Your Customer Context</CustomerContext>
    <XpciVersion>1.0</XpciVersion>
    </TransactionReference>
    <ResponseStatusCode>1</ResponseStatusCode>
    <ResponseStatusDescription>Success</ResponseStatusDescription>
  </Response>
  <ShipmentResults>
    <ShipmentCharges>
      <RateChart>5</RateChart>
      <TransportationCharges>
        <CurrencyCode>USD</CurrencyCode>
        <MonetaryValue>125.82</MonetaryValue>
      </TransportationCharges>
      <ServiceOptionsCharges>
        <CurrencyCode>USD</CurrencyCode>
        <MonetaryValue>0.00</MonetaryValue>
      </ServiceOptionsCharges>
      <TotalCharges>
        <CurrencyCode>USD</CurrencyCode>
        <MonetaryValue>125.82</MonetaryValue>
      </TotalCharges>
    </ShipmentCharges>
    <BillingWeight>
      <UnitOfMeasurement>
        <Code>LBS</Code>
        <Description>Pounds</Description>
      </UnitOfMeasurement>
      <Weight>11.0</Weight>
    </BillingWeight>
    <ShipmentIdentificationNumber>1ZAA64281410329426</ShipmentIdentificationNumber>
    <PackageResults>
      <TrackingNumber>1ZAA64281410329426</TrackingNumber>
      <ServiceOptionsCharges>
        <CurrencyCode>USD</CurrencyCode>
        <MonetaryValue>0.00</MonetaryValue>
      </ServiceOptionsCharges>
      <LabelImage>
        <LabelImageFormat>
          <Code>GIF</Code>
        </LabelImageFormat>
        <GraphicImage>R0IGODdheAUgA+cAAAAAAAEBAQICAgMDAwQEBAUFBQYGBgcHBwgICA
        (Truncated)</GraphicImage>
        <HTMLImage>PCFET0NUWVBFIUhUTUwgUFVCTEIDICItLy9JRVRGLy9EVEQgSFRNTCAzLj
        (Truncated)</HTMLImage>
      </LabelImage>
    </PackageResults>
  </ShipmentResults>
</ShipmentAcceptResponse>

```



```
</ShipmentResults>  
</ShipmentAcceptResponse>
```

## LabelRecoveryRequest Example

```
<?xml version="1.0" encoding="UTF-8"?>
<AccessRequest xml:lang="en-US">
  <AccessLicenseNumber>Your Access License Number</AccessLicenseNumber>
  <UserId>Your User Id</UserId>
  <Password>Your Password</Password>
</AccessRequest>
<?xml version="1.0" encoding="UTF-8"?>
<LabelRecoveryRequest>
  <Request>
    <TransactionReference>
      <CustomerContext>Your Customer Context</CustomerContext>
      <XpciVersion>1.0</XpciVersion>
    </TransactionReference>
    <RequestAction>LabelRecovery</RequestAction>
  </Request>
  <LabelSpecification>
    <LabelPrintMethod>
      <Code>GIF</Code>
    </LabelPrintMethod>
    <LabelImageFormat>
      <Code>GIF</Code>
    </LabelImageFormat>
  </LabelSpecification>
  <LabelDelivery>
    <LabelLinkIndicator/>
  </LabelDelivery>
  <TrackingNumber>Your Tracking Number</TrackingNumber>
</LabelRecoveryRequest>
```

## LabelRecoveryResponse Example

```
<?xml version="1.0"?>
<LabelRecoveryResponse>
  <Response>
    <TransactionReference>
      <CustomerContext>Your Customer Context</CustomerContext>
      <XpciVersion>1.0</XpciVersion>
    </TransactionReference>
    <ResponseStatusCode>1</ResponseStatusCode>
    <ResponseStatusDescription>Success</ResponseStatusDescription>
  </Response>
  <ShipmentIdentificationNumber>1Z1107YY8567985294</ShipmentIdentificationNumber>
  <LabelResults>
    <TrackingNumber>1Z1107YY8567985294</TrackingNumber>
    <LabelImage>
      <LabelImageFormat>
        <Code>GIF</Code>
      </LabelImageFormat>
      <GraphicImage>R0IGODdheAUgA+cAAAAAAAEBAQICAgMDAwQEBAUFBQYGBg
        (Truncated)</GraphicImage>
      <HTMLImage>PCFET0NUWVBFIEhUTUwgUFVCTEIDICItLy9JRVRGLy9EVEQgSF
        (Truncated)</HTMLImage>
      <PDF417>R0IGODdhLAG8AucAAAAAAAEBAQICAgMDAwQEBAUFBQYGBgCHBwgICA
        (Truncated)</PDF417>
    </LabelImage>
  </LabelResults>
</LabelRecoveryResponse>
```

```

        <URL>https://www.ups.com/u.a/L.class?8RY86r2n6CmK%2B53TmeX42gtY6%2BsAMRcrqsP0M8
        </URL>
    </LabelImage>
    <Receipt>
        <HTMLImage>PGh0bWw+PGhIYWQ+PHRpdGxIPjIY2VpcHQ8L3RpdGxIPjwvaGVhZ
        (Truncated)</HTMLImage>
        <URL>https://www.ups.com/u.a/L.class?8RY86r2n6CmK%2B53TmeX42gtY6%2BsAMRcrqsPBMi<
        /URL>
    </Receipt>
</LabelResults>
<LabelResults>
    <TrackingNumber>1Z1107YY8586551109</TrackingNumber>
    <LabelImage>
        <LabelImageFormat>
            <Code>GIF</Code>
        </LabelImageFormat>
        <GraphicImage>R0IGODdheAUgA+cAAAAAAAEBAQICAgMDAwQEBAUFBQYGBg
        (Truncated)</GraphicImage>
        <HTMLImage>PCFET0NUWVBFIEhUTUwgUFVCTEIDICItLy9JRVRGLy9EVEQg
        (Truncated)</HTMLImage>
        <PDF417>R0IGODdhLAG8AucAAAAAAAEBAQICAgMDAwQEBAUFBQYGBgcHBwglCA
        (Truncated)</PDF417>
    </LabelImage>
    <Receipt>
        <HTMLImage>PGh0bWw+PGhIYWQ+PHRpdGxIPjIY2VpcHQ8L3RpdGxIPjwvaGVhZ
        (Truncated)</HTMLImage>
    </Receipt>
</LabelResults>
</LabelRecoveryResponse>

```

## VoidShipmentRequest Example

```
<?xml version="1.0" encoding="UTF-8"?>
<AccessRequest xml:lang="en-US">
  <AccessLicenseNumber>Your Access License Number</AccessLicenseNumber>
  <UserId>Your Username</UserId>
  <Password>Your Password</Password>
</AccessRequest>
<?xml version="1.0" encoding="UTF-8"?>
<VoidShipmentRequest>
  <Request>
    <TransactionReference>
      <CustomerContext>Bench Generated Void of </CustomerContext>
      <XpciVersion>1.0</XpciVersion>
    </TransactionReference>
    <RequestAction>1</RequestAction>
  </Request>
  <ShipmentIdentificationNumber>Your Shipment Identification Number</ShipmentIdentificationNumber>
</VoidShipmentRequest>
```

## VoidShipmentResponse Example

```
<?xml version="1.0"?>
<VoidShipmentResponse>
  <Response>
    <TransactionReference>
      <CustomerContext>Bench Generated Void of </CustomerContext>
      <XpciVersion>1.0</XpciVersion>
    </TransactionReference>
    <ResponseStatusCode>1</ResponseStatusCode>
    <ResponseStatusDescription>Success</ResponseStatusDescription>
  </Response>
  <Status>
    <StatusType>
      <Code>1</Code>
      <Description>Success</Description>
    </StatusType>
    <StatusCode>
      <Code>1</Code>
      <Description>Success</Description>
    </StatusCode>
  </Status>
</VoidShipmentResponse>
```

## Chapter 9: Shipping Package API FAQs

Category	Question	Answer
99 Account Number Limitation	How do I associate more than 99 account numbers for use with the Shipping APIs?	Ninety-nine accounts is currently the maximum number available. If the user has more than ninety-nine accounts, they must be spread across multiple User IDs.
128 Reference Number Barcode	Can the Shipping Package API generate a Code 128 Reference number barcode below the 1Z? Can it generate a PDF417 Reference number barcode below the 1Z?	Yes. A Code 128 Reference number barcode can be generated below the 1Z Tracking number, as the Shipping API can print a barcode in reference field 1. The Shipping Package API does not support PDF417 barcode types.
Account Based Rates (ABR) or Negotiated Rates	Do the Developer APIs support ABR also known as Negotiated Rates?	Yes. Shipping and Rating XML and Web Service APIs support Negotiated Rates.
Address Validation	How do I turn off validation of addresses with the Shipping API?	Set the value within the "ShipmentRequest/Request/RequestOption" tag of the request to "nonvalidate".
Address Validation	Will the Shipping API provide validation for Japanese addresses with City and Country and no zip code?	No, the postal code must be included for validation.
Address Validation	What validation is the Shipping API using to validate addresses for US and International addresses?	The Shipping API does not support address validation at the street level.  The Shipping API does support regional validation of the city, state, and postal code when "validate" is specified in the "RequestOption" element. If "nonvalidate" is specified then address validation is not performed.
Batch Processing	Does the Shipping API support batch requests?	No, the Shipping API only supports transactional requests.
Certification	What is required to certify for the Shipping Package API?	UPS now grants both test and production access to the Shipping API without any further requests. There are separate URL's for both the test and production environments. For additional information, refer to <a href="#">Customer Integration Environment (CIE)</a>
Commercial Invoice	Can an API customer export shipments to print a copy of the commercial invoice after the fact?	The API will return a commercial invoice as part of the response file. The customer must save the image from the response file in order to retrieve it later.
Commercial Invoice removal	Is there an option to remove the Commercial Invoice from a shipment before it is delivered to the consignee?	Yes, the <CommercialInvoiceRemoval> indicator.
Consignee Billing	Is Consignee Billing supported in the Shipping API?	Yes, Consignee Billing is supported in the U.S. and PR.
Currency Conversion	Does the Shipping Package API support currency conversion?	No.

Category	Question	Answer
CWT and Shipping API	Is there a solution using the ship API (or other solution) that would prompt UPS billing or PLD upload or other to aggregate single piece packages into hundredweight pricing (shipment) after the package has been processed?	No, there is no solution in place for the Ship API.  To obtain the CWT price with the Ship API, the packages would have to be processed as one shipment.  The UserId must be ABR-enabled and you must include the <NegotiatedRatesIndicator> tags to receive the Hundredweight rates.
Delivery Intercept	Is UPS Delivery Intercept available through the Shipping API?	No.
Dry Ice with WWEF	Does Worldwide Express Freight allow Dry Ice shipments?	Yes. If they are enabled for this service, but no other dangerous goods services are allowed.  There are no user changes; the logic is on the backend.
Dry Ice - Hazmat	Does the Shipping API for Package support the Dry Ice indicator?	Yes, effective with the July 2011 release, the Shipping API supports Dry Ice, as long as; it does not include any other Hazmat materials in the shipment and meets the requirements. Please refer to UPS.com for more information.
Duty & Taxes	How do you bill a 3rd Party for Duty & Taxes?	In order to bill a 3rd Party for D&T, use the noted tags in your request:  <pre> &lt;ItemizedPaymentInformation&gt;   &lt;ShipmentCharge&gt;     &lt;Type&gt;01&lt;/Type&gt;     &lt;BillShipper&gt;       &lt;AccountNumber&gt;XXXXXX&lt;/AccountNumber&gt;     &lt;/BillShipper&gt;   &lt;/ShipmentCharge&gt;   &lt;ShipmentCharge&gt;     &lt;Type&gt;02&lt;/Type&gt;     &lt;BillThirdParty&gt;       &lt;BillThirdPartyConsignee&gt;         &lt;AccountNumber&gt;XXXXXX&lt;/AccountNumber&gt;         &lt;ThirdParty&gt;           &lt;Address&gt;             &lt;PostalCode&gt;XXXXXX&lt;/PostalCode&gt;             &lt;CountryCode&gt;XX&lt;/CountryCode&gt;           &lt;/Address&gt;         &lt;/ThirdParty&gt;       &lt;/BillThirdPartyConsignee&gt;     &lt;/BillThirdParty&gt;   &lt;/ShipmentCharge&gt; &lt;/ItemizedPaymentInformation&gt; </pre>
Electronic Return Label, Days Available	Does the customer have to utilize the label recovery capability within the Ship API to reprint an electronic return label? How many days is the label available to reprint?	Yes, effective with the July 2010 Release, the time limit for retrieving an Electronic Return Label has been extended to 30 days. The prior limit was 10 days.  An Electronic Return Label is specified by using Shipment/ReturnService/Code "8" in the Shipment Confirm Request.  The ERL email will contain a link to the label so the recipient can print the label to attach to a package.

Category	Question	Answer
From Suite/Apt# on Label	Where does a customer include the Suite/Apt# in the "From" section of the label?	The customer needs to include the suite/apt # in delivery address lines 2 or 3 within the request.
Future Date Shipping	Does the Shipping Package API support future shipping dates?	No. We do not support future shipping dates. All packages are considered tendered on the date of their transaction.
Ground Freight Pricing (GFP)	Are dimensions required for GFP?	Currently dimensions are not applicable to Ground Freight Pricing.
High Value Report	How does the Shipping Package API work with High Values?  Does the paperwork comeback as a GIF image and get printed on a thermal printer?  Or, does the customer need to produce these themselves?	The High Value Report is returned in the response in one of the supported formats specified by the developer. In each case, it will be a base64 encoded file that must be decoded and printed.  Two copies should be printed, both will be signed by the driver, the driver will leave one copy as a receipt. The file, once decoded is a simple HTML file that can be locally printed.
International Commodities	How many line items can a Commercial Invoice contain?	When using international forms only 50 line items (commodities) can be associated with a shipment.
International Forms	Does the Shipping Package API support international forms?	Yes.
Label	Does the Web Service version of the Shipping Package API behave differently than the XML version when rendering a label?	The Web Service and XML APIs behave similarly. The label elements returned in the Shipment Accept response consist of two parts, both of which are base64-encoded data that must be decoded.  Part one consists of the label image and part two contains the HTML that is used to size the label image in a browser for display and printing.  When the two parts are combined, they form a unit that will satisfy the requirements for printing a proper label to apply to a package. This ensures the label will meet the standards necessary for UPS to scan and process the label within the shipping system.
Label Reference Number	Can any of the reference fields be blocked from printing on the label?	No. However, please note that reference numbers are not required and may be omitted if there is no need for them.
Label/Receipt	Does the Shipping Package API provide an e-mail version of the label, receipt, and confirmation number?	The output of the Shipping API is a label. A receipt is not provided. In addition, the Ship API only provides the ability to have the label emailed with the ERL (Electronic Return Label) service and not for forward shipments.
Labeling	Does the Shipping API support ISC BIO labels like WorldShip?	No, it is a contract service that is not supported.
Mail Innovations (MI) Shipments	Do returns display rates for Mail Innovation shipments?	Rates are not displayed for Mail Innovations shipments.
Mail Innovations Shipments	Can you void an MI shipment?	No, you cannot void a MI shipment. There is no charge for creating a label. The shipment is not charged until scanned by the UPS Driver.

Category	Question	Answer
Maximum Packages within a shipment	What is the maximum number of packages that can be included within a forward movement? Is this number the same for the Web Service and XML versions?	Both versions allow a maximum of two hundred packages.
Negotiated Rates	How do you get access to negotiated Package rates?	<p>To streamline your ability to view your negotiated rates through the Shipping/Rating API, UPS has implemented a new process that no longer requires you to wait for a UPS Sales Person to activate your account.</p> <p>Simply add a UPS Account to your My UPS ID Account Summary as you previously would and your account will be activated within 48 hours for negotiated rates (provided you have a contract with UPS).</p> <p>Remember to select the “Negotiated Rates Indicator” within the Request to have negotiated rates returned within the response.</p> <p>For additional information, refer to <a href="#">Using Negotiated Rates in CIE</a>.</p>
Negotiated Rates	What flags are needed to return Negotiated rates in the request?	The NegotiatedRatesIndicator.
Oracle	Are there any known issues with implementing Oracle with the Shipping Package API?	<p>UPS is not aware of any issues at this time.</p> <p>The UPS Developer APIs are designed so that they can be implemented in almost any environment as long as the customer application can open a secure connection of SSL and perform an HTTP Post.</p>
Paperless Invoice	Does the Shipping Package API support Paperless Invoices?	<p>Yes. Refer to the topic <a href="#">Paperless Invoice Support Countries</a> in the Appendix.</p> <p>Also, see the AdditionalDocumentIndicator element in the XPath.</p> <p>Once the shipment is processed an EDI (paperless invoice) or EDI PULL (paperless invoice and additional export document indicator) displays on the bottom right corner of the label image returned in the <b>ShipAcceptResponse</b> label digest.</p>



Category	Question	Answer
Paperless Invoice Conditions	What pre-conditions are required for a customer to be set up on Paperless Invoice?	<p>The process to support Paperless Invoice using the Shipping API are listed below:</p> <ol style="list-style-type: none"> <li>1. The Sold To country must be the same as the Ship To country.</li> <li>2. The customer must have a paperless invoice contract and be set up in UPS back end systems. (The UPS Account Manager should set this up.)</li> <li>3. The shipment is a non-document package forward shipment requiring a commercial invoice.</li> <li>4. The destination country is a valid paperless invoice destination. Refer to the topic <a href="#">Paperless Invoice Support Countries</a> in the Appendix.</li> <li>5. If additional export documents are required for the movement, the customer must specify an <code>&lt;AdditionalDocumentIndicator/&gt;</code> in the XML request.</li> </ol> <p>If the above conditions have been met, an EDI (paperless invoice) or EDI PULL (paperless invoice and additional export document indicator) will appear on the bottom right corner of the label, which is returned in the ShipAcceptResponse XML.</p> <p>To implement paperless invoicing, an <code>&lt;InternationalForms&gt;</code> container must be present in the XML to provide the information necessary to replace a paper invoice with a paperless (electronic) invoice.</p> <p>For information on International forms, refer to <a href="#">International Forms Preference Criteria</a>.</p> <p>The shipper needs to add the container along with the necessary international forms information for the shipment.</p>
Paperless Invoice Shipment	How does Paperless Invoice work in terms of the documentation being forwarded?	Paperless Invoice customers shipping internationally to a paperless supported country (with the necessary data) will have the invoice automatically sent to brokerage.
Paperless Invoice voids	Can a Paperless Invoice shipment be voided through the Shipping Package API? If yes, what happens to the invoice information?	Yes, a Paperless Invoice shipment can be voided via the Shipping Package API. If a shipment is voided and consequently the package is never tendered to UPS, then the paperless invoice data that was uploaded with the shipment is not used to create an invoice image and it is eventually purged.
Pickup request	Can a pickup be requested using the Shipping Package API?	<p>No. All pickup requests must be made through the Pickup Web Service. Details are available at the Developer resource center on UPS.com at: <a href="https://www.ups.com/upsdeveloperkit">https://www.ups.com/upsdeveloperkit</a>.</p> <p>Customers that implemented the Shipping Package API prior to January 2010 can continue to request a pickup through the Shipping API as part of their shipping request.</p> <p>Note: The billing of pickups changed in January 2010 and the customer will be charged for each request regardless of the service type shipped.</p> <p>Please review the <a href="#">Rate &amp; Service Guide</a> for more details about pickup charges and services.</p>

Category	Question	Answer
Package Level Detail (PLD)/Quantum View	How long does it take shipping data to populate the Quantum View API?	The numbers below represent the QVM / QVD timeliness of manifest information (in minutes).  Billing Manifest Received can range approximately from 30 minutes up to 2.5 hours. The average is approximately 1 hour.
Pre-Alerts	What types are supported?	UPS Exchange and Pack & Collect shipments.
Print Return Labels	For the print return label option, if a Yahoo merchant needs to reprint the return label, how much time does he have?	UPS does not provide a mechanism to "reprint" a Print Return Label (PRL), the vendor must save the label locally if they wish to reprint. Only the ERL (Electronic Return Label) option provides that capability.
Proactive Response	Is Proactive Response Supported?	No.
Ref Number 1 - Text Values on Label	Can the reference values be renamed?	No, the reference field descriptions cannot be modified at this time. You must use one of the values provided in the Developer's Guide.
Reference Number Rules	What does the Shipping Package API support in terms of reference numbers?	Two shipment or two package level reference numbers. You cannot use the shipment and package level reference numbers at the same time.  Shipment level reference numbers are only allowed for shipments that <b>are not</b> US to US (origin/destination) or PR to PR (origin/destination) .  Package level reference numbers are only allowed for shipments that <b>are</b> US to US (origin/destination) or PR to PR (origin/destination).  <b>Reference Number Propagation</b>  <ul style="list-style-type: none"> <li>• If there is no Package Level reference number on the 1st package of the shipment, the Shipment Level reference number(s) will be propagated to all packages.</li> <li>• If there is a Package Level reference number and no Shipment level reference number, the 1st package's reference number will be propagated up to the Shipment Level.</li> </ul>
Reprinting Labels	Can a customer using the Shipping API reprint a label?	No, at this time the Shipping API does not provide the ability to reprint labels.  Reprint is only possible for Electronic Return Label. Print Return Labels must be saved locally to allow reprint.
Resi/Comm Indicator	Does the Shipping API classify addresses as residential or commercial?	The Shipping API will classify an address based on UPS history for that address and the appropriate rate will be returned in the response
Resi/Comm Indicator	How do you indicate the "Ship TO" as residential?	Use the ResidentialAddress element. Refer to the Shipping API Elements and Details chapter.
Returns	Is there a URL ONLY capability for returns within the Shipping API?	No.

Category	Question	Answer
Returns, Void	Can a Return be voided? If yes, what is the cutoff timing to void a return?	<p>A customer can void an RS label until 2 a.m. Eastern Time the following night (e.g., Monday request, Tuesday 2 a.m. void cutoff). This is based on when our batch process starts sending RS1/RS3 labels to the centers.</p> <p>If the void is completed by the cutoff time, the customer is not be charged.</p> <p>ERL and PRL labels can be voided up to 30 days after generation.</p> <p>Note: The Label generation fee, if applied, is not voidable and unused labels are not billed transportation charges.</p>
Returns, International	Does the Shipping API support international returns and returns in international countries where the Shipping API is supported?	Yes. For a list of supported countries, refer to the <a href="#">Country Codes</a> table in the Appendix.
Returns	Does the Shipping Package API support Return capabilities?	Yes.
Returns	Are the Web Service and XML return capabilities the same?	Yes.
Rural & Super Rural	Does the Shipping Package API return Rural and Super Rural charges?	Yes, these charges are part of the transportation charge.
Scan-based Billing	Does the Shipping API support Scan-Based Billing?	Yes, it is supported by default, meaning if they are not tendered to UPS, they are not billed. This applies to both forward and return shipments. The return label charges are billed when the label is created.
Security for Credit cards	Please describe the security on the UPS web server? Is the credit card information submitted over an encrypted (secure) connection?	Yes, we use 128-bit encryption for all aspects of the APIs. In addition, credit card information is "tokenized" once we receive it, so we never store it in plain text.
Shipper Release	Is Shipper Release available with the Shipping API?	Yes.
Shipping History	Can a customer using the Shipping API view shipping history?	<p>The Shipping API does not provide a 'shipping history'. However, to review shipping history or reprint labels that were manifested via the API, the customer may log into UPS.com using their My UPS User ID and password passed in the XML request, and then navigate to the shipping history section.</p> <p>Shipping History on UPS.com can be used to review shipments and reprint labels.</p>
Signature Required	Does the Shipping Package API support Signature Required service?	Yes.
Smart Pickup	Does the Shipping API support Smart Pickups	No, only the Pickup API supports Smart Pickup functionality

Category	Question	Answer
Third Party/Freight Collect Shipment	Does the Ship API validate account numbers when shipping Third Party and Freight Collect?	Yes, it validates if the account is active, valid for Manage Inbound charges and the postal code of the account billed.
Tracking Numbers	Can customers create their own tracking numbers using the Shipping Package API?	No, the tracking numbers are automatically created and returned in the response.
Tracking Ranges	How many tracking numbers can be generated via the Shipping API before customers receive duplicates?	Shipping API users are given a default range of 1M and as long as they do not exceed that range within an 18-month period they will not see any duplicates.
Trade Direct	Does the Shipping API support Trade Direct?	No.
UPS Account	How do I add a UPS account to My UPSID account summary? It is stating that I have to have an invoice # and control ID.	<p>As a means of securing customer information, when adding an account to their My UPS profile, enrolling in electronic billing options, or Quantum View, customers are prompted to authenticate their account by entering an invoice number, invoice amount, and the invoice date from one of their last three billing cycles along with the Control ID printed just below the shipper number on their invoice.</p> <p>This provides is an additional layer of security to protect our customer's information.</p> <p>The Control ID is currently included in the following U.S. and Canada Invoice Media types:</p> <ul style="list-style-type: none"> <li>• Online PDF Images</li> <li>• EDI Domestic and Import</li> <li>• Hard Copy Invoices</li> </ul> <p>For additional information, refer to the <a href="#">UPS Developer Kit User Guide</a>.</p>
UPS Return Labels	Does UPS charge an accessorial fee for a return label when using the API?	Yes, the customer will be charged the accessorial fee once they request a return label.
UPS World Ease	Does the Shipping Package API support UPS World Ease?	No.
Voids	How are voids processed?	<p>For forward and return movements send a VoidShipmentRequest element and UPS will return a VoidShipmentResponse.</p> <p>Forward movements must be voided within 28 days of creating the label.</p> <p>Return Shipments can be voided until 2a.m. Eastern Time the following night.</p>
World Ease	Does the Shipping Package API support World Ease?	No.

## Appendices

---

## Error Codes (XML)

When the UPS system is unable to respond to a request, be it from a malformed request, an illegal or invalid value, or other issues, the API generates an error response. For examples and additional information on error responses, refer to *Chapter 3: Error Responses*, in the *Introduction to the UPS Developer Kit* guide.

To discover errors, check the `ResponseStatusCode` element. A “1” normally indicates a successful response, whereas a “0” indicates a Transient or Hard error. The `PrimaryErrorCode` element contains the error code and description.

- Successful responses may or may not include warnings.
  - Without warnings - Indicates the request has been processed as anticipated.
  - With warnings - Indicates the request has been processed with potentially unanticipated results. The warning contains information in the response that should be passed to the end user.
- The severity of an error may be transient or hard.
  - Transient error - Indicates an error that is temporary in nature. Such errors may be caused by response timeouts due to high server loads or scheduled maintenance in progress. The request may be issued successfully at a later time.
  - Hard error - Indicates the request has a problem that the system is not able to resolve. These errors are critical and prevent requests from processing.



Do not resubmit requests with Hard Errors until the problems causing the error have been resolved.

## Common Error Codes

The following error codes can apply to all Web Services and APIs.

Code	Severity	Description
10001	Hard	The XML document is not well formed.
10002	Hard	The XML document is well formed but the document is not valid.
10003	Hard	The XML document is either empty or null.
10006	Hard	Although the document is well formed and valid, the element content contains values which do not conform to the rules and constraints contained in this specification.
10013	Hard	The message is too large to be processed by the Application.
20001	Transient	General process failure.
20002	Hard	The specified service name, {0}, and version number, {1}, combination is invalid.
20003	Hard	Please check the server environment for the proper J2EE ws apis.
20006	Hard	Invalid request action.
20007	Hard	Missing Required field, {0}.
20008	Hard	The field, {0}, contains invalid data, {1}.
20012	Hard	The Client Information exceeds its Maximum Limit of {0}.
250000	Hard	No XML declaration in the XML document.
250001	Hard	Invalid Access License for the tool. Please re-license.
250002	Hard	Invalid UserId/Password.
250003	Hard	Invalid Access License number.
250004	Hard	Incorrect UserId or Password.
250005	Hard	No Access and Authentication Credentials provided.
250006	Hard	The maximum number of user access attempts was exceeded.
250007	Hard	The UserId is currently locked out; please try again in 24 hours.

Code	Severity	Description
250009	Hard	License Number not found in the UPS database.
250019	Hard	Invalid Field value.
250050	Transient	License system not available.

## Shipping Error Codes

120001 - 120318

Error Code	Severity	Description
120001	Transient	XML Shipping System is unavailable, please try again later.
120014	Warning	A Large Air Package Minimum Surcharge has been applied to Package %package.index%.
120016	Warning	Customs Invoice is required when the shipment is tendered to UPS.
120017	Warning	If the value of the goods you are shipping is above 6,000 Euro or local equivalent, you must supply a EUR1 form in addition to signing your invoice.
120018	Hard	International Form Data Holder Exception
120019	Warning	The location ID you provided is not valid. Valid location ID consists of 3 to 10 alpha numeric characters.
120020	Hard	Max packages per shipment exceeded.
120021	Hard	The same shipment cannot be requested to be created more than once.
120022	Warning	For packages with high value report: give them to a UPS driver or UPS Customer Center representative to ensure he signs one copy of the receipt and returns it to you. This is your proof that UPS has accepted the package(s), and will be required for submitting a claim.
120023	Warning	Using user generated forms is not permitted. Please attach your user generated forms with your shipment.
120024	Warning	Uploading of your user generated International Forms was not successful. Please attach the international forms to your shipment.
120026	Hard	Lift Gate Accessorial for Pick Up and Delivery are not allowed when both Hold For Pick Up and Drop off At UPS Facility is requested.
120027	Hard	Lift Gate for Pick Up accessorial is not allowed with Drop Off At UPS Facility accessorial.
120028	Hard	Lift Gate for Delivery accessorial is not allowed with Hold For Pick Up accessorial.
120029	Hard	World Wide Express Freight Shipment Service Option is not available for Return Shipments.
120030	Hard	Missing or Invalid Total Number of Pieces in all Pallets in a Shipment.
120031	Hard	Exceeds Total Number of allowed pieces per World Wide Express Shipment.
120032	Hard	The maximum dimensions for a pallet are ({0}) cm by ({1}) cm by ({2}) cm for the selected origin.
120033	Hard	The maximum dimensions for a pallet are ({0}) in by ({1}) in by ({2}) in for the selected origin.
120034	Hard	The maximum dimensions for a pallet are ({0}) cm by ({1}) cm by ({2}) cm for the selected destination.
120035	Hard	The maximum dimensions for a pallet are ({0}) in by ({1}) in by ({2}) in for the selected destination.
120036	Warning	Please contact customer service center for capacity authorization.
120037	Hard	Shipment total weight has exceeded the maximum shipment weight limit of 99,999.9 kgs or 99,999.9 pounds.
120041	Hard	The maximum per pallet weight for the selected service from the selected origin is ({0}) pounds.



Error Code	Severity	Description
120042	Hard	The maximum per pallet weight for the selected service from the selected origin is ({0}) kgs.
120043	Hard	The maximum per pallet weight for the selected service to the selected destination is ({0}) pounds.
120044	Hard	The maximum per pallet weight for the selected service to the selected destination is ({0}) kgs.
120050	Hard	RequestAction has an unsupported value.
120051	Hard	Invalid RequestOptions
120059	Warning	A CN22 form is required for this shipment.
120062	Hard	The requested billing option is unavailable with the selected packaging.
120066	Hard	Endorsements are not valid for the selected origin, service, and package combination.
120067	Hard	An endorsement is required for the selected origin, service, and package combination.
120069	Hard	The Mailer ID is required for domestic non-flat Mail Innovations shipments.
120070	Hard	The Mail Innovations account number is required on Mail Innovations shipments.
120071	Hard	Confirmation Type for Mail Innovations USPS Delivery Confirmation is invalid.
120072	Hard	Invalid Number of Packages. Mail Innovations shipments are limited to 1 package.
120073	Hard	Missing or Invalid Mail Innovations Package Id.
120074	Hard	Missing or Invalid Mail Innovations Cost Center.
120075	Hard	Shipper is not authorized for Mail Innovations.
120076	Hard	Missing or invalid USPS Endorsement.
120077	Hard	CN22 form is required for combined MI package and CN22 label.
120078	Hard	Too many characters provided in Mail Innovations Package ID.
120079	Hard	Too many characters provided in Mail Innovations Cost Center.
120080	Hard	The maximum number of goods printed on CN22 form cannot be more than 1 for combined MI package and CN22 label.
120081	Hard	Shipment Reference Number is not supported for Mail Innovation shipments.
120082	Hard	Package Reference Number is not supported for Mail Innovation shipments.
120100	Hard	Missing or Invalid shipper number
120101	Hard	Missing/Invalid shipper name
120102	Hard	Missing/Invalid shipper address line 1
120103	Hard	Invalid shipper address line 2
120104	Hard	Invalid shipper address line 3
120105	Hard	Missing/Invalid Shipper City
120106	Hard	Missing/Invalid Shipper StateProvinceCode
120107	Hard	Missing/Invalid Shipper PostalCode. (Description)
120108	Hard	Missing/Invalid Shipper CountryCode
120109	Hard	Missing/Invalid Shipper PhoneNumber
120110	Hard	Missing/Invalid Shipper AttentionName
120111	Hard	Shipper Email Address cannot exceed a length of 50 characters
120112	Hard	Shipper Email Address is an invalid format

Error Code	Severity	Description
120113	Hard	Shipper number must contain alphanumeric characters only
120114	Hard	Shipper phone extension cannot exceed the length of 4.
120115	Hard	Shipper PhoneNumber must be at least 10 alphanumeric characters
120116	Hard	Shipper phone extension must contain only numbers
120117	Hard	Shipper phone extension is allowed only if the shipper is located in US, Puerto Rico or Canada
120118	Hard	Shipper phone extension is only valid if a phone number is given
120119	Hard	Shipper phone number and phone extension together cannot be more than 15 digits long
120120	Hard	The country associated with Shippers ShipperNumber must be the same as the shipments Shippers country.
120121	Hard	The Shippers shipper number cannot be used for the shipment.
120122	Hard	Invalid Shipper ShipperNumber
120124	Hard	The requested service is unavailable between the selected locations.
120125	Hard	Consignee billing is only supported in US or Pureto Rico
120200	Hard	Missing/Invalid ShipTo CompanyName
120201	Hard	Missing/Invalid ShipTo AttentionName
120202	Hard	Missing/Invalid ShipTo AddressLine1
120203	Hard	Invalid ShipTo AddressLine2
120204	Hard	Invalid ShipTo AddressLine3
120205	Hard	Missing/Invalid ShipTo/ City
120206	Hard	Missing/Invalid ShipTo StateProvinceCode
120207	Hard	Missing/Invalid ShipTo PostalCode. (Description)
120208	Hard	Missing/Invalid/Unsupported ShipTo CountryCode
120209	Hard	Missing/Invalid ShipTo PhoneNumber
120210	Hard	ShipTo EmailAddress cannot exceed a length of 50 characters
120211	Hard	ShipTo EmailAddress is an invalid format
120212	Hard	ShipTo PhoneExtension cannot exceed the length of 4.
120213	Hard	ShipTo PhoneNumber must be at least 10 alphanumeric characters.
120214	Hard	ShipTo PhoneExtension must contain only numbers
120216	Hard	ShipTo PhoneExtension is only valid if a phone number is given
120217	Hard	ShipTo phone number and phone extension together cannot be more than 15 digits long.
120218	Hard	Missing or Invalid ShipTo tax identification. TaxID may not exceed a length of 15.
120300	Hard	Missing/Invalid ShipFrom CompanyName
120301	Hard	Missing/Invalid ShipFrom AttentionName
120302	Hard	Missing/Invalid ShipFrom AddressLine1
120303	Hard	Invalid ShipFrom AddressLine2
120304	Hard	Invalid ShipFrom AddressLine3
120305	Hard	Missing/Invalid ShipFrom City

Error Code	Severity	Description
120306	Hard	Missing/Invalid ShipFrom StateProvinceCode
120307	Hard	Missing/Invalid ShipFrom PostalCode. (Description)
120308	Hard	Missing/Invalid/Unsupported ShipFrom CountryCode
120309	Hard	Missing/Invalid ShipFrom PhoneNumber
120310	Hard	ShipFrom EmailAddress cannot exceed a length of 50 characters.
120311	Hard	ShipFrom EmailAddress is an invalid format
120312	Hard	ShipFromPhoneExtension cannot exceed the length of 4.
120313	Hard	ShipFrom PhoneNumber must be at least 10 alphanumeric characters
120314	Hard	ShipFromPhoneExtension must contain only numbers
120316	Hard	ShipFromPhoneExtension is only valid if a phone number is given
120317	Hard	The ShipFrom country must be the same as the Shipper country
120318	Hard	ShipFrom phone number and phone extension together cannot be more than 15 digits long

## 120400 - 120619

Error Code	Severity	Description
120400	Hard	Missing/Invalid shipment payment method
120402	Hard	Missing/Invalid credit card type
120403	Hard	Missing/Invalid credit card number
120404	Hard	Missing/Invalid credit card expiration date
120406	Hard	creditcard number is not valid for the credit card type
120407	Hard	The credit card provided as the payment method has expired.
120408	Hard	Missing credit card type
120410	Hard	One payment method is required.
120411	Hard	Credit card payment is not allowed for this shipment.
120412	Hard	{Description}
120413	Hard	The UPS account number provided as the payment method cannot be billed, please try another account.
120414	Hard	Credit card authorization failed, contact your financial institution
120415	Hard	PaymentInformation/Prepaid/BillShipper/AccountNumber must be the same shipper number as Shipper/ShipperNumber
120416	Hard	A single billing option is required per shipment.
120430	Hard	Missing/Invalid country code of billed third party
120437	Hard	Missing/Invalid PostalCode of payment account
120444	Hard	Invalid Bill-To type
120500	Hard	Missing/Invalid Service/Code
120501	Hard	Invalid Shipment/ReferenceNumber/Value
120502	Hard	InvoiceLineTotal/MonetaryValue must be greater than 0
120503	Hard	Shipment Description cannot exceed the length of 35 characters

Error Code	Severity	Description
120504	Hard	InvoiceLineTotal is not allowed for this shipment
120505	Hard	Saturday Delivery Option cannot be used for this shipment
120506	Hard	Invalid Shipment/ReferenceNumber/ Code
120512	Hard	Shipment Description is required for this shipment.
120513	Hard	The first Email Address used for {Quantum View notification type} exceeds the maximum length of 50 characters.
120514	Hard	Invalid format for first Email Address used for {Quantum View notification type}
120515	Hard	{ notification type} Memo cannot exceed the length of 150 characters
120516	Hard	The first Email Address used for {Quantum View notification type} is missing or contains invalid characters
120517	Hard	The {order} Email Address used for { notification type} exceeds the maximum length of 50 characters
120518	Hard	The format of the {order} Email Address entered for { notification type} is invalid
120519	Hard	The {order} Email Address entered for { notification type} is missing or contains invalid characters
120520	Hard	For a shipment, the maximum number of Email Addresses allowed for Quantum View Notification is 5
120521	Hard	For a shipment, the maximum number of Memos allowed for {Quantum View notification type} is 1
120522	Hard	Alternate Delivery Time is not valid for any available services
120523	Hard	Shipment/Documents Only is invalid with the shipments origin/destination pair
120524	Hard	Package Pickup Request is not available with this shipments service
120525	Hard	AlternateDeliveryTime error: (Description)
120526	Hard	InvoiceLineTotal/MonetaryValue may not exceed the length of 8
120527	Hard	Cannot use multiple types of currency in a shipment
120528	Hard	A shipment can have only one type of UnitOfMeasurement for Dimensions
120529	Hard	A shipment can have only one type of UnitOfMeasurement for a Weight
120530	Hard	SuiteRoomID length of shipment pickup cannot exceed 8 characters
120531	Hard	FloorID length of shipment pickup cannot exceed 3 characters
120532	Hard	Location length of shipment pickup cannot exceed 11 characters
120533	Hard	The earliest shipment pickup time is required
120534	Hard	The latest shipment pickup time is required
120535	Hard	Contact name of shipment pickup is required
120536	Hard	Contact phone number of shipment pickup is required
120537	Hard	Invalid/Missing the earliest shipment pickup time
120538	Hard	Shipment Pickup Error: (further description is provided in XML)
120539	Hard	InvoiceLineTotal/ MonetaryValue is required and must be a whole number
120541	Hard	Shipment/ReferenceNumber is not allowed for this shipment
120542	Hard	Package/ReferenceNumber is not allowed for this shipment
120543	Hard	No more than 2 Shipment/ReferenceNumber can be given per shipment

Error Code	Severity	Description
120544	Hard	No more than 2 Package/ReferenceNumber can be given per package
120545	Hard	Shipment/Description is not valid with this shipment
120546	Hard	(UOM Weight) is not a valid unit of measurement for weight for this shipment
120547	Hard	(UOM Dimension) is not a valid unit of measurement for dimensions.
120548	Hard	A shipment cannot have a KGS/IN or LBS/CM as its unit of measurements
120556	Hard	Missing or Invalid Monetary value for Access point COD.
120557	Hard	Missing or Invalid Currency code for Access point COD.
120558	Hard	Alternate Delivery Address information is required for UPS Access Point Delivery.
120559	Hard	UAP shipper notification code (013) and notification data (email or phone number) is required for UPS Access Point Delivery.
120560	Hard	ADL notification code (012) and notification data (email or phone number) is required for UPS Access Point Delivery.
120561	Hard	Missing or Invalid Alternate Payment Method.
120562	Hard	PayPal is not supported for this shipment.
120563	Warning	UPS Access Point Delivery Rates were applied to a shipment.
120567	Hard	Missing or Invalid PayPal Information. Verify your User Id and associated PayPal information.
120568	Hard	The Shipment Level Access Point COD option is unavailable with the selected service, UPS account type, and/or with the shipments origin/destination.
120569	Hard	The Package Level Access Point COD is not valid for the shipment origin and/or destination.
120570	Hard	Total Shipment Charges exceeds the customer's PayPal account limit.
120571	Hard	ADL notification and UAP Shipper Notification are required for UPS Access Point™ Delivery.
120572	Hard	UPS internal security measures prevent the processing of this shipment. If you believe you have received this message in error, contact UPS {0}
120573	Hard	Notification Media Type is missing or invalid.
120574	Hard	UPS internal security measures prevent the processing of this shipment. Please contact your UPS Account Representative for assistance with this issue.
120575	Hard	UPS encountered an error while processing shipment request with PayPal Payment type. Please enter another Payment Type to complete your shipment.
120576	Hard	UPS Access Point Economy Service shipments must have a Hold for Pickup at UPS Access Point or UPS Access Point Delivery Shipment Indication Type or must be a Return shipment.
120577	Warning	Packages not dropped off at a UPS Access Point location may incur additional cost and/or transit time.
120578	Hard	Missing or invalid Package Release Code. The Package Release Code must be 4-6 characters in length and only include numbers.
120583	Warning	The account used to create this shipment has Direct Delivery Only preference selected.
120585	Hard	Your UPS Account number is not authorized for UPS Access Point Economy Service when selecting Hold for Pickup at UPS Access Point Shipment Indication Type.
120586	Hard	Your UPS Account number is not authorized for UPS Access Point Economy Service when selecting Returns.

Error Code	Severity	Description
120592	Warning	To ensure proper routing, the UPS Access Point location ID must be included on the shipping label for all UPS Access Point Economy shipments.
120597	Hard	Invalid COD currency code. Please use the destination country currency code.
120598	Hard	Package Delivery Confirmation is not allowed with the shipment origin/destination
120599	Hard	Invalid package Delivery Confirmation type
120600	Hard	Missing Package/PackagingType/Code
120601	Hard	Missing/Invalid Package weight
120602	Hard	Missing/Invalid Combination of package length, width, and height values.
120603	Hard	Invalid Package/Reference/Value
120604	Hard	Invalid package declared value
120605	Hard	Mismatch package dimensions with package type
120607	Hard	Invalid Package/Reference/Code
120608	Hard	Package weight is required
120609	Hard	All Package Dimensions are required and each must be greater than 0
120610	Hard	Invalid COD monetary value
120611	Hard	The contact name of verbal confirmation cannot exceed a length of 35
120612	Hard	The contact phone number of verbal confirmation cannot exceed the length of 15
120613	Hard	The contact phone number of verbal confirmation must be at least 10 alphanumeric characters
120614	Hard	The contact phone extension of verbal confirmation cannot exceed the length of 4
120615	Hard	The contact phone extension of verbal confirmation must contain numbers only
120616	Hard	Package weight cannot exceed a length of 6
120618	Hard	Contact name is required for verbal confirmation of delivery
120619	Hard	Contact phone number is required for verbal confirmation of delivery

## 120620 - 121116

Error Code	Severity	Description
120620	Hard	Package/PackageWeight, Package/DimensionalWeight, Package/OversizePackage and Package/Dimensions do not apply to UPS Envelopes
120621	Hard	Package declared value cannot be greater than {Monetary Amount} {Currency Code}
120622	Hard	Package description is required
120623	Hard	Invalid Package description
120624	Hard	Only one package is allowed for this movement.
120626	Hard	The COD Funds Code is invalid. Please check the value entered
120627	Hard	The COD Code is invalid. Please check the value entered
120651	Hard	Invalid PackageServiceOptions/LabelDelivery/EMailMessage/SubjectCode
120652	Hard	Invalid ShipmentServiceOptionsNotification/EMailMessage/SubjectCode
120653	Hard	Invalid PackageServiceOptionsNotification/EMailMessage/SubjectCode
120654	Hard	No more than two email addresses for Receiver Return Notification are allowed in a shipment

Error Code	Severity	Description
120655	Hard	{Email field} of Receiver Return Notification is only allowed to be specified at the first package.
120658	Hard	Receiver Return Notification is not allowed for the shipment without return service
120659	Hard	ShipmentServiceOptions/ShipmentNotification is not allowed with return service
120660	Hard	ShipmentServiceOptions/ShipmentNotification is not allowed with ShipmentServiceOptions/Notification
120661	Hard	For a shipment, the maximum number of {email field} allowed for Quantum View notification is 1.
120662	Hard	Invalid Subject Code of {Notification type}
120663	Hard	Invalid From name of {Notification type}
120664	Hard	Invalid UndeliverableEMailAddress of {Notification type}
120665	Hard	Invalid FromEMailAddress of {Notification type}
120666	Hard	Missing/Invalid subject text of {Notification type}
120667	Hard	{field} is not allowed in Quantum View Notification
120670	Hard	Shipper Release is not allowed with Return Service
120681	Hard	Invalid pallet dimensions, the length must be longer than the width.
120683	Hard	The maximum Dry Ice for a pallet/shipment is 200 kg or 440 lbs.
120684	Hard	Itemized Charges are not valid for this service.
120687	Hard	Missing or Invalid Page Size for UPS Premium Care Form.
120688	Hard	Missing or Invalid Print Type for UPS Premium Care Form.
120689	Hard	UPS Premium Care Form is required if UPS Premium Care Accessorial is requested.
120690	Hard	Missing or Invalid Number of Copies for UPS Premium Care Form.
120691	Hard	Missing or Invalid Languages for UPS Premium Care Form.
120692	Hard	Two Languages are required for UPS Premium Care Form.
120693	Hard	Missing or Invalid ShipmentDate for UPS Premium Care Form.
120695	Hard	Missing or Invalid Packaging Type Quantity.
120700	Hard	Missing/Invalid LabelSpecification/ LabelPrintMethod/Code
120701	Hard	Missing/Invalid LabelSpecification/ HTTPUserAgent
120702	Hard	Missing/Invalid LabelSpecification/ LabelImageFormat/Code
120703	Hard	Missing/Invalid Combination of LabelSpecification/LabelStockSize
120704	Hard	Invalid LabelSpecification/ LabelStockSize/Height
120705	Hard	Invalid LabelSpecification/LabelStockSize/Width
120759	Hard	Invalid MovementReferenceNumber
120760	Hard	Invalid MovementReferenceNumber
120761	Hard	Invalid MovementReferenceNumber
120801	Hard	Address Validation Error on Shipper address
120802	Hard	Address Validation Error on ShipTo address
120803	Hard	Address Validation Error on ShipFrom address
120804	Warning	Address Validation Warning on Shipper address. {Description}

Error Code	Severity	Description
120805	Warning	Address Validation Warning on ShipTo address. {Description}
120806	Warning	Address Validation Warning on ShipFrom address {Description}
120900	Warning	User Id and Shipper Number combination is not eligible to receive Account Based Rates.
120901	Warning	Negotiated Rates are unavailable at this time.
120969	Hard	Invalid notification language length.
120970	Hard	Only 1 Shipment Indication Type allowed in a request.
120971	Warning	Your invoice may vary from the displayed reference rates
120972	Hard	UPS Account is not authorized for hold for pickup at UPS Access Point Shipment.
120973	Hard	Package exceeds the maximum length constraint of {0} inches. Length is the longest side of a package
120974	Hard	Package exceeds the maximum length constraint of {0} cm. Length is the longest side of a package.
120975	Hard	The maximum per package weight for the selected option is {0} pounds.
120976	Hard	The maximum per package weight for the selected option is {0} kg.
120977	Hard	The customs value entered exceeds the maximum allowed amount of \$2300 USD or \$2500 CAD
120978	Hard	The requested billing option/payment option is unavailable with the selected shipment indication type for a shipment to a UPS Access Point.
120979	Hard	The maximum declared value for Flexible Parcel Insurance has been exceeded. Maximum value per package: {0} {1}.
120980	Hard	No more than 3 address line information can be given for alternate delivery address.
120981	Hard	Missing or invalid alternate delivery address line information.
120982	Hard	Missing or invalid alternate delivery address city.
120983	Hard	Missing or invalid alternate delivery address state province code.
120984	Hard	Missing or invalid alternate delivery address postal code.
120985	Hard	Missing or invalid alternate delivery address country code.
120986	Hard	Missing or invalid alternate delivery name.
120987	Hard	Missing or invalid alternate delivery address attention name.
120988	Hard	Missing or invalid shipment indication type code.
120989	Hard	Invalid notification email address.
120990	Hard	Missing or invalid alternate delivery address information.
120991	Hard	Invalid notification dialect length.
120992	Hard	Notification language-dialect pair not valid.
120993	Hard	Notification phone number is missing.
120994	Hard	Notification phone number may not exceed length of 15.
120995	Hard	ADL notification code (012) and notification data (email or phone number) is required for hold for pickup at access point location shipment.
120996	Hard	Invalid alternate delivery address line 2.
120997	Hard	Invalid alternate delivery address line 3.
120998	Hard	UPS Access Point ID is valid only for for hold for pickup at UPS Access Point Shipment.



Error Code	Severity	Description
120999	Hard	Missing or invalid UPS Access Point ID.
121000	Hard	Request contains invalid data e.g. special characters etc. Please correct.
121005	Hard	The COD option cannot be combined with the Return Services option.
121006	Hard	The COD option cannot be combined with the UPS Import Control option.
121011	Hard	Dangerous Goods cannot be shipped using UPS Import Control.
121015	Hard	The Saturday Delivery option cannot be combined with the Return Services option.
121016	Hard	The Saturday Delivery option cannot be combined with the UPS Import Control option.
121020	Hard	The Delivery Confirmation option cannot be combined with the Return Services option.
121021	Hard	The Delivery Confirmation option cannot be combined with the UPS Import Control option.
121025	Hard	The maximum declared amount \$50,000 is exceeded
121027	Hard	The maximum declared amount for the selected service was exceeded. Maximum value for this service is: %maxDeclVal% %currencyCode%. For Declared Value shipments up to %maxEnhancedDeclVal% %currencyCode%, please select an applicable service.
121030	Hard	Packages must weigh more than zero pounds.
121031	Hard	Packages must weigh more than zero kilogram
121035	Hard	{description}
121036	Hard	{description}
121041	Hard	The UPS Import Control accessories are unavailable with the requested service.
121045	Hard	The Saturday Delivery option is unavailable with the requested service.
121047	Hard	Saturday Delivery may not be combined with the package type for the given product.
121050	Hard	Package exceeds the maximum size total constraints { description}
121055	Hard	Package exceeds the maximum length constraint of {description} inches.
121056	Hard	Package exceeds the maximum length constraint of {description} cm.
121057	Hard	The measurement system is not valid
121063	Hard	Accessorial cannot be shipped with the selected service.
121070	Hard	{Rating error description}.
121085	Hard	The requested accessory cannot be added to the shipment.
121090	Hard	{Rating error description}
121091	Hard	{Rating error description}
121100	Hard	The selected services invalid for the shipment origin.
121105	Hard	The given accessory key is invalid for the shipment origin.
121106	Hard	The specified country, origin or destination, is not supported.
121107	Hard	A blank origin postal was specified.
121109	Hard	The Delivery Area Surcharge Tier looked up is invalid
121115	Hard	The COD amount must be greater than zero
121116	Hard	The declared value amount must be greater than zero.

## 121120 - 125000

Error Code	Severity	Description
121120	Hard	The COD amount cannot exceed \$1,000 when a cashiers check or money order is requested.
121121	Hard	The COD value entered exceeds the maximum allowed for cash of {amount} ({currency code})
121125	Hard	The COD amount cannot exceed \$50,000.
121126	Hard	The COD value entered exceeds the maximum allowed for check of {amount} ({currency code})
121128	Hard	The Access Point COD amount cannot exceed %COD.APAmountMax% %COD.APCurrencyDest%.
121129	Hard	The currency of the Access Point COD amount must be the same as the Destination country's currency: %COD.APCurrencyDest%.
121131	Hard	The Saturday Pickup option cannot be combined with the UPS Import Control option.
121135	Hard	The Saturday Pickup option cannot be combined with the Saturday Delivery option.
121140	Hard	Saturday Pickup is unavailable with the selected service.
121150	Hard	Delivery confirmation is unavailable with the selected service.
121155	Hard	The COD option is unavailable with the selected service, UPS account type, and/or with the shipments origin/destination pair.
121156	Hard	Package Level COD is not valid for the shipment origin and/or destination
121160	Hard	The accessory is invalid with the billing option.
121166	Hard	The Verbal Confirmation of Delivery option cannot be combined with the UPS Import Control option.
121170	Hard	The Delivery Confirmation option cannot be combined with the Verbal Confirmation of Delivery option.
121175	Hard	Verbal Confirmation of Delivery is unavailable with the selected service.
121180	Hard	Consignee Billing is unavailable with the selected service.
121182	Hard	The payer's transportation country is not valid for carbon neutral shipments.
121185	Hard	The selected service is unavailable to the desired country
121195	Hard	The selected billing option is unavailable with the selected service.
121196	Hard	The selected billing option is unavailable with UPS Letters.
121200	Hard	Saturday Delivery is unavailable to desired destination.
121205	Hard	Additional Handling is unavailable with the selected service.
121206	Hard	Additional Handling is unavailable with UPS Letters.
121208	Hard	UPS Next Day Air Early service is not available to the requested destination. Please select UPS Next Day Air service as an alternative.
121210	Hard	The selected service is not available from the origin to the destination.
121211	Hard	Rating Error: (Description)
121212	Hard	{Rating error description}
121213	Hard	{Rating error description}
121214	Hard	UPS cannot ship from the origin country to the destination country
121215	Hard	The selected service is not available to residential destinations.

Error Code	Severity	Description
121230	Hard	Next Day Air Early Surcharge is unavailable with the selected service.
121231	Hard	Switzerland Domestic Container must weigh greater than 2 KG
121232	Hard	Worldwide Express Plus from Europe to Switzerland must be UPS Envelope or document only
121235	Hard	{rating error description}
121245	Hard	Saturday Pickup and Shipper Duty Fees cannot be applied to the same package.
121250	Hard	Saturday Delivery and Shipper Duty Fees cannot be applied to the same package.
121255	Hard	Shipper Duty Fee is unavailable with the selected service.
121260	Hard	Shipper Duty Fee is unavailable with the selected billing option.
121261	Hard	Accessory may not be combined with the product.
121262	Hard	Accessory may not be combined with the accessory.
121265	Hard	The selected billing option is unavailable to the desired country.
121266	Hard	The currency code is invalid for the shipment.
121267	Hard	The Ship From Country is invalid for the credit card.
121268	Hard	The Billing address Country is invalid for the credit card.
121285	Hard	{Rating error description}
121286	Hard	{Rating error description}
121290	Hard	The given billing option is invalid
121295	Hard	{Rating error description}
121300	Hard	Shipper Pays Duty - Tax Unpaid is unavailable with the selected accessorial.
121305	Hard	Shipper Pays Duty - Tax Unpaid is unavailable with the selected service.
121310	Hard	Shipper Pays Duty - Tax Unpaid is unavailable with the selected billing option.
121315	Hard	The Authorized Return Service is unavailable with the selected accessorial.
121317	Hard	The UPS Import Control option is unavailable with the selected accessory.
121320	Hard	The Authorized Return Service is unavailable with the selected service.
121325	Hard	The Authorized Return Service is unavailable with the selected billing option.
121330	Hard	The Certificate of Origin is unavailable with the selected accessorial.
121335	Hard	The Certificate of Origin is unavailable with the selected service.
121340	Hard	The Certificate of Origin is unavailable with the selected billing option.
121345	Hard	The Shipper Export Declaration is unavailable with the selected accessorial.
121350	Hard	The Shipper Export Declaration is unavailable with the selected service.
121355	Hard	The Shipper Export Declaration is unavailable with the selected billing option.
121360	Hard	The Worldwide Express Plus Surcharge is unavailable with the selected service.
121363	Hard	The One Time Pickup Surcharge is unavailable with the selected service.
121365	Hard	Accessorial is not available with the selected access method.
121370	Hard	Invalid access method.
121375	Hard	Letter service is invalid for shipments with more than 1 package. International shipment cannot be made with multiple 10KG or 25KG packages

Error Code	Severity	Description
121452	Hard	An Import Control option and a Return Service option are not valid on the same shipment.
121453	Hard	Hundredweight is not valid with Return Service options
121460	Hard	Shipments cannot exceed a COD amount of \$5,000 when requesting a cashiers check or money order.
121500	Hard	{Rating error description}
121501	Hard	{Rating error Description}
121502	Hard	The selected country does not allow forward movements.
121510	Hard	Unsupported package type.
121511	Hard	Unsupported accessory type
121512	Hard	Unsupported billing option
121513	Hard	Unsupported service
121515	Warning	Weight of (actual weight) exceeds maximum for rating the requested container. Using standard package rates
121520	Hard	The UPS account number specified for Transportation charges is invalid for Split Duty VAT shipment.
121521	Hard	Invalid payer of Duty and Tax
121522	Hard	The payment information must be the same for both Transportation charges and Duty and Tax charges when Bill to Shipper or Bill to Receiver is specified as the payer.
121523	Hard	Invalid GoodsNotInFreeCirculationIndicator
121524	Warning	The payer of Duty and Tax charges is not required for UPS Letter, Documents of No Commercial Value or Qualified Domestic Shipments.
121526	Hard	The payment method specified for Transportation charges is invalid for return service.
121527	Hard	The payer of Transportation charges is required.
121528	Hard	Missing or invalid ItemizedPaymentInformation/ShipmentCharge/Type
121529	Hard	A single payment method is required per shipment charge.
121530	Hard	The payer of Duty and Tax charges is required.
121531	Hard	Invalid SplitDutyVATIndicator
121532	Hard	The payer of Duty and Tax charges is invalid for Split Duty VAT shipment.
121534	Hard	The payer of Transportation charges and the payer of Duty and Tax charges must not be the same for Split Duty VAT shipment.
121535	Hard	The payer of Transportation charges is invalid for Split Duty VAT shipment.
121536	Hard	Bill Receiver is an invalid payer of an international return movement.
121537	Hard	A payer is required when specifying a shipment charge.
121538	Hard	For a domestic return movement, the payer of the freight must be in the country of the return movement.
121539	Hard	For an EU return movement, the payer of the freight must be in an EU country.
121630	Hard	The requested accessorial is valid only for Hold for Pickup at UPS Access Point shipment indication type.
121780	Hard	Commercial Invoice Removal is valid only for Import Control shipments.
121801	Hard	The country selected for transportation charges does not allow for Third Party payment option.

Error Code	Severity	Description
121802	Hard	The country selected for duty/taxes charges does not allow for Third Party payment option.
123005	Warning	(Description)
123010	Warning	Package(s) in this shipment contains a warning: (Description)
123020	Warning	Invalid Ship From postal code
123021	Warning	Invalid Ship To postal code
123060	Warning	The weight exceeds the limit for the UPS Letter/Envelope rate and will be rated using the weight
124022	Hard	Invalid number of shipment level notifications
124078	Hard	The Notification Media Type is invalid for the given country.
124079	Hard	The Notification Language is invalid for the given Notification Media Type Code.
124998	Hard	ReceiptSpecification applies only for PRL or Exchange Return Receipt.
124999	Hard	Invalid ImageFormat code
125000	Hard	Missing or invalid shipment digest.

## 126000 - 128042

Error Code	Severity	Description
126000	Hard	Shipper is not eligible to ship Dry Ice.
126001	Hard	Shipper is not eligible to ship Hazardous Material / International Dangerous Goods.
126004	Hard	HazMat Quantity is absent or doesn't meet specification.
126006	Hard	HazMat TransportationMode has invalid value.
126008	Hard	All packages with DryIce RegulationSet must contain the same Regulation Set.
126009	Hard	DryIce RegulationSet for non-US PR origins destinations should be IATA.
126010	Hard	DryIce DryIceWeight Weight cannot be larger than package weight.
126011	Hard	Package/HazMatPackageInformation required with either AllPackedInOneIndicator/OverPackedIndicator values.
126032	Hard	HazMat ClassDivisionNumber is required.
126033	Hard	HazMat ClassDivisionNumber exceeds maximum length of 7 characters.
126034	Hard	HazMat ClassDivisionNumber violates datatype. Only ASCII allowed.
126035	Hard	HazMat Quantity is required.
126036	Hard	HazMat Quantity exceeds maximum value.
126038	Hard	HazMat UOM not set or invalid.
126039	Hard	HazMat UOM value exceeds maximum length of 10 characters.
126040	Hard	HazMat UOM violates datatype only ASCII allowed.
126041	Hard	HazMat ProperShippingName is required and not set.
126042	Hard	HazMat ProperShippingName exceeds maximum length of 150 characters.
126043	Hard	HazMat ProperShippingName violates datatype only ASCII allowed.
126045	Hard	HazMat ReferenceNumber exceeds maximum of 15 characters.
126046	Hard	HazMat ReferenceNumber violates datatype only ASCII allowed.

Error Code	Severity	Description
126047	Hard	HazMat ReportableQuantity exceeds maximum length of 2 characters.
126048	Hard	HazMat ReportableQuantity violates datatype only ASCII allowed.
126051	Hard	HazMat IDNumber Number exceeds maximum length of 6 characters.
126052	Hard	HazMat IDNumber Number violates datatype only ASCII allowed.
126055	Hard	HazMat PackagingGroupType exceeds maximum length of 5 characters.
126056	Hard	HazMat PackagingGroupType violates datatype only ASCII allowed.
126059	Hard	HazMat PackagingInstructionCode is Required.
126060	Hard	HazMat PackagingInstructionCode exceeds maximum length of 4 characters.
126061	Hard	HazMat PackagingInstructionCode violates datatype only ASCII allowed.
126062	Hard	HazMat TransportationMode exceeds maximum length of 30 characters.
126063	Hard	HazMat TransportationMode violates datatype only ASCII allowed.
126064	Hard	HazMat EmergencyPhone required since Regulation Set is TDG
126065	Hard	HazMat EmergencyPhone Number exceeds maximum length of 25 characters.
126066	Hard	HazMat EmergencyPhone Number violates datatype only ASCII allowed.
126069	Hard	HazMat AdditionalDescription Info exceeds maximum length of 255 characters.
126070	Hard	HazMat AdditionalDescription Info violates datatype only ASCII allowed.
126071	Hard	HazMat PackagingType is required.
126072	Hard	HazMat PackagingType exceeds maximum length of 255 characters.
126073	Hard	HazMat PackagingType violates datatype only ASCII allowed.
126076	Hard	Number of HazMat entities per package cannot be greater than 3.
126077	Hard	Number of Drylce items per Package is greater than 1.
126078	Hard	Drylce item cannot exist on the same package as another HazMat.
126079	Hard	HazMat EmergencyContact Information is required for this shipment
126080	Hard	HazMat EmergencyContact Information exceeds maximum length of 35 characters.
126081	Hard	HazMat EmergencyContact Information violates datatype only ASCII allowed.
126082	Hard	Package HazMatPackageInformation AllPackedInOneIndicator is optional.
126083	Hard	Package HazMatPackageInformation OverpackedIndicator is optional.
126084	Hard	Package HazMatPackageInformation QValue must exist with RegulationSet IATA when AllPackedInOneIndicator present.
126085	Hard	HazMatPackageInformation QValue must be decimal value with one significant digit.
126086	Hard	PreAlertNotification Phone Number is missing
126087	Hard	PreAlert Notification Phone Number may not exceed length of 15
126088	Hard	PreAlertNotification Dialect length must be less than or equal to 2
126089	Hard	PreAlertNotification Language-Dialect Pair not valid
126090	Hard	Pre-alert notification is valid only with UPS Returns Exchange and UPS Returns Pack and Collect shipments
126091	Hard	Notification Language is missing
126092	Hard	Notification Dialect is missing
126093	Hard	Notification Language must be less than or equal to 3

Error Code	Severity	Description
126094	Hard	Missing/Invalid Label Instruction Code
126095	Hard	Invalid set of Label Instruction Codes
126096	Hard	At least one rate information either negotiated rates or rate chart indicator is required.
126097	Hard	LabelSpecification/Instruction is not allowed with the shipment
126098	Warning	Account authentication is required to be completed to get negotiated rates.
126099	Warning	Credit Card is the only valid payment method for this type of account.
127000	Hard	Missing or Invalid Form EEIFilingOption Code. Should be UPS filed or shipper filed.
127001	Hard	Missing or Invalid Code in UPSFiled. Should indicate one time POA or blanket POA.
127002	Hard	Missing or Invalid shipper filed option - 1a requires the ITN, 1b requires the exemption legend; 1c requires the post departure filing citation.
127003	Hard	Missing or Invalid EEIFilingOption. Required for SDLShippingIndicator.
127004	Hard	Missing or Invalid ShipFrom TaxIDType Code. Needed for EEI filing.
127005	Hard	Shipper has no power of attorney privilege.
127007	Hard	Shipper has no SDL contract and is not eligible to ship SDL shipments.
128001	Hard	Invalid or missing international forms form type.
128002	Hard	Invalid or missing forward agent company name. Valid length is 1 to 35 alphanumeric
128003	Hard	Invalid or missing forward agent tax id. Valid length is 1 to 15 alphanumeric
128004	Hard	Invalid or missing forward agent address line 1. Valid length is 1 to 35 alphanumeric
128005	Hard	Invalid forward agent address line 2. Valid length is 0 to 35 alphanumeric
128006	Hard	Invalid forward agent address line 3. Valid length is 0 to 35 alphanumeric
128007	Hard	Invalid or missing forward agent city. Valid length is 1 to 30 alphanumeric
128008	Hard	Invalid forward agent state province code. Valid length is 0 to 5 alphanumeric
128009	Hard	Invalid forward agent postal code. Valid length is 0 to 9 alphanumeric
128010	Hard	Invalid or missing forward agent country code
128011	Hard	Invalid or missing ultimate consignee company name. Valid length is 1 to 35 alphanumeric
128012	Hard	Invalid or missing ultimate consignee addressLine1. Valid length is 1 to 35 alphanumeric
128013	Hard	Invalid ultimate consignee address line 2. Valid length is 0 to 35 alphanumeric
128014	Hard	Invalid ultimate consignee address line 3. Valid length is 0 to 35 alphanumeric
128015	Hard	Invalid or missing ultimate consignee city. Valid length is 1 to 30 alphanumeric
128016	Hard	Invalid ultimate consignee state province code. Valid length is 0 to 5 alphanumeric
128017	Hard	Invalid ultimate consignee postal code. Valid length is 0 to 9 alphanumeric
128018	Hard	Invalid or missing ultimate consignee country code
128019	Hard	Invalid or missing intermediate consignee company name. Valid length is 1 to 35 alphanumeric
128020	Hard	Invalid or missing intermediate consignee address line 1. Valid length is 1 to 35 alphanumeric
128021	Hard	Invalid intermediate consignee address line 2. Valid length is 0 to 35 alphanumeric
128022	Hard	Invalid intermediate consignee address line 3. Valid length is 0 to 35 alphanumeric

Error Code	Severity	Description
128023	Hard	Invalid or missing intermediate consignee city. Valid length is 1 to 30 alphanumeric
128024	Hard	Invalid intermediate consignee state province code. Valid length is 0 to 5 alphanumeric
128025	Hard	Invalid intermediate consignee postal code. Valid length is 0 to 9 alphanumeric
128026	Hard	Invalid or missing intermediate consignee country code
128027	Hard	Invalid or missing producer option. Valid values are 01, 02, 03 or 04
128028	Hard	Invalid or missing producer company name. Valid length is 1 to 35 alphanumeric
128029	Hard	Invalid or missing producer address line 1. Valid length is 1 to 35 alphanumeric
128030	Hard	Invalid producer address line 2. Valid length is 0 to 35 alphanumeric
128031	Hard	Invalid producer address line 3. Valid length is 0 to 35 alphanumeric
128032	Hard	Invalid or missing producer city. Valid length is 1 to 30 alphanumeric
128033	Hard	Invalid producer state province code. Valid length is 0 to 5 alphanumeric
128034	Hard	Invalid producer postal code. Valid length is 0 to 9 alphanumeric
128035	Hard	Invalid or missing producer country code
128036	Hard	Invalid telephone number.
128037	Hard	Invalid producer email address. Valid length is 0 to 50 alphanumeric
128038	Hard	Invalid producer tax id. Valid length is 0 to 15 alphanumeric
128039	Hard	Invalid number of products.
128041	Hard	The form specified for the product must be one of the requested form.
128042	Hard	If invoice is a requested international form, all specified products must belong to invoice

## 128043 - 128240

Error Code	Severity	Description
128043	Hard	Invalid or missing product unit number for product number {0}. Valid length is 1 to 7 numeric
128044	Hard	Invalid or missing Product/Unit/UnitOfMeasurement/Code for product number {0}. Valid length is 1 to 3 alphanumeric
128045	Hard	Product/Unit/UnitOfMeasurement/Description is required when Product/Unit/UnitOfMeasurement/Code is ""OTH"" for product number {0}. Valid length is 1 to 3 alphanumeric
128046	Hard	Invalid or missing product unit value for product number {0}. Valid length is 1 to 12 numeric and it can hold up to 6 decimal places
128047	Hard	Invalid part number. Valid length is 0 to 10 alphanumeric
128048	Hard	Invalid commodity code for product number {0}. Valid length is 6 to 15 alphanumeric
128049	Hard	Invalid or missing product origin country code for product number {0}
128050	Hard	Invalid or missing net cost code for product number {0}. Valid values are NC or NO
128051	Hard	Invalid or missing net cost date range begin date for product number {0}. Valid format is yyyyMMdd
128052	Hard	Invalid or missing net cost date range end date for product number {0}. Valid format is yyyyMMdd
128053	Hard	Invalid or missing preference criteria for product number {0}. Valid values are A through F



Error Code	Severity	Description
128054	Hard	Invalid or missing producer info for product number {0}. Valid values are YES, NO[1], NO[2] or NO[3]
128055	Hard	Invalid or missing marks and numbers for product number {0}. Valid length is 1 to 35 alphanumeric
128056	Hard	Invalid or missing product weight unit of measurement code for product number {0}. Valid values are KGS or LBS
128057	Hard	Invalid or missing product weight for product number {0}. Valid length is 1 to 5 and it can hold up to 1 decimal places.
128058	Hard	Invalid product vehicle ID for product number {0}. Valid length is 1 to 25 alphanumeric
128059	Hard	Invalid or missing product schedule B number for product number {0}. Valid length is 10 alphanumeric
128060	Hard	Invalid product schedule B quantity for product number {0}. Valid length is 0 to 10 numeric
128061	Hard	Invalid or missing product schedule B unit of measurement code for product number {0}. Valid length is 1 to 3 alphanumeric
128062	Hard	Schedule B quantity is required when the schedule B unit of measurement code is not equal to X
128063	Hard	Invalid or missing export type for product number {0}. Valid values are D, F or M
128064	Hard	Invalid or missing SED total value for product number {0}. Valid length is 1 to 15 numeric and can hold up to 2 decimal places
128065	Hard	Invalid invoice number. Valid length is 0 to 35 alphanumeric
128066	Hard	Invalid or missing invoice date. Valid format is yyyyMMdd
128067	Hard	Invalid purchase order number. Valid length is 0 to 35 alphanumeric
128068	Hard	Invalid terms of shipment.
128069	Hard	Invalid or missing reason for export. Valid length is 1 to 20 alphanumeric
128070	Hard	Invalid additional comments. Valid length is 0 to 150 alphanumeric
128071	Hard	Invalid declaration statement. Valid length is 0 to 250 alphanumeric
128072	Hard	Invalid discount monetary value. Valid length is 0 to 15 numeric and can hold up to 2 decimal places. Discount can not be greater than the invoice line total.
128073	Hard	Invalid freight charges monetary value. Valid length is 0 to 15 numeric and can hold up to 2 decimal places.
128074	Hard	Invalid other charges monetary value. Valid length is 0 to 15 numeric and can hold up to 2 decimal places.
128075	Hard	Invalid or missing other charges description. Valid length is 1 to 10 alphanumeric
128076	Hard	Invalid or missing blanket period begin date. Valid format is yyyyMMdd
128077	Hard	Invalid or missing blanket period end date. Valid format is yyyyMMdd
128078	Hard	Invalid or missing export date. Valid format is yyyyMMdd
128079	Hard	Invalid or missing export carrier. Valid length is 1 to 35 alphanumeric
128080	Hard	Invalid carrier ID. Valid length is 0 to 2 alphanumeric
128081	Hard	Invalid or missing in bond code. Valid length is 2 alphanumeric
128082	Hard	Entry number is required when the in bond code is other than 70. Valid Length is 1 to 25 alpha numeric
128083	Hard	Invalid or missing point of origin. Valid length is 1 to 5 alphanumeric

Error Code	Severity	Description
128084	Hard	Invalid or missing mode of transport. Valid length is 1 to 35 alphanumeric
128085	Hard	Invalid port of export. Valid length is 0 to 35 alphanumeric
128086	Hard	Invalid port of unloading. Valid length is 0 to 35 alphanumeric
128087	Hard	Invalid loading pier. Valid length is 0 to 35 alphanumeric
128088	Hard	Invalid or missing parties to transaction. Valid values are R or N
128089	Hard	Invalid license number. Valid length is 0 to 35 alphanumeric
128090	Hard	Invalid or missing license date. Valid format is yyyyMMdd
128091	Hard	Invalid license exception code. Valid length is 0 to 4 alphanumeric
128093	Hard	Invalid ECCN number code. Valid length is 1 to 8 alphanumeric
128094	Hard	Sold to information is required when an invoice or NAFTA CO is requested.
128095	Hard	Invalid or missing sold to company name. Valid length is 1 to 35 alphanumeric
128096	Hard	Invalid or missing sold to address line 1. Valid length is 1 to 35 alphanumeric
128097	Hard	Invalid sold to address line 2. Valid length is 0 to 35 alphanumeric
128098	Hard	Invalid sold to address line 3. Valid length is 0 to 35 alphanumeric
128099	Hard	Invalid or missing sold to city. Valid length is 1 to 30 alphanumeric
128100	Hard	Invalid sold to state province code. Valid length is 0 to 5 alphanumeric
128101	Hard	Invalid sold to postal code. Valid length is 0 to 9 alphanumeric
128102	Hard	Invalid or missing sold to country code
128103	Hard	The selected international form is not valid for the shipment origin country
128104	Hard	The selected international form is not valid for the shipment origin and product origin combination.
128105	Hard	The selected international form is not valid for the shipment origin and destination countries
128109	Hard	Invalid or missing sold to attention name. Valid value is 1 to 35 alphanumeric
128110	Hard	Invalid sold to option. Valid values are 01 or 02
128111	Hard	Commodity code is required for NAFTA CO
128112	Hard	Invalid insurance monetary value. Valid length is 0 to 15 numeric and can hold up to 2 decimal places.
128113	Hard	Invalid product description for product number {0}. Product description should be present at least once. Valid range is 0 to 35 alphanumeric
128114	Hard	Invalid or missing currency code. Valid length is 3 alphanumeric.
128115	Hard	Invalid or missing sold to phone number. Valid length is 1 to 15 alphanumeric.
128116	Hard	Invalid sold to tax identification number. Valid length is 1 to 15 alphanumeric.
128117	Hard	Invalid or missing Shipper tax identification.
128118	Hard	Invalid license information. Either license number and license date or license exception code and ECCN number must be present. Both the combinations can not be present together.
128119	Hard	Invalid or missing product NumberOfPackagesPerCommodity. Valid length is 1-3 Numerics.
128120	Hard	Origin country must be different than destination country.
128121	Hard	Missing value of other unit of measurement.

Error Code	Severity	Description
128122	Hard	Invalid net cost date range.
128123	Hard	Invoice cannot be requested for non-document forward shipments.
128124	Hard	Invalid blanket period.
128125	Hard	Invalid or missing ShipFrom tax identification.
128201	Hard	Invalid or missing international forms form type for shipment with return service. Valid value is 01 or 05.
128202	Hard	International forms can not be requested for letters or documents.
128203	Hard	Duplicate contact information
128204	Hard	Invalid form group id name. valid range is 0 to 50 alphanumeric
128205	Hard	Duplicate International FormType Information. valid values are 01, 02, 03, 04
128210	Hard	Invalid combination of international forms. Both partial and complete invoice form cannot be selected together.
128211	Hard	Invalid Email Address
128212	Hard	Invalid or missing ShipTo tax identification.
128213	Hard	Invalid or missing producer attention name. Valid value is 1 to 35 alphanumeric
128214	Hard	Invalid telephone extension. Valid length is 1 to 4 alphanumeric.
128215	Hard	Invalid telephone extension. Valid length is 1 to 4 alphanumeric.
128216	Hard	Invalid or missing international forms form type for ExcludeFromForm. Valid values are 04.
128217	Hard	A NAFTA Certificate of Origin must have at least one commodity in the request.
128218	Hard	A Commercial Invoice must have at least one commodity in the request.
128219	Hard	A Blanket Period can not exceed 365 days.
128220	Hard	The Total Product units allocated to packages do not match.
128221	Hard	Product not associated with a package.
128222	Hard	Invalid number of products.
128223	Hard	Invalid or missing DocumentID.
128224	Hard	Invalid or missing Product Currency Code.
128225	Hard	Invalid or missing Invoice Line Total.
128226	Hard	Exceeds maximum number of International Forms (13) allowed per Shipment.
128227	Hard	Invalid or missing Package Number (Product is selected to be placed in a Package that does not exist).
128228	Hard	Invalid or missing Product number.
128229	Hard	Invalid or missing packing list info.
128230	Hard	Invalid or missing package associated data.
128231	Hard	Invalid Product Id.
128232	Hard	Exceeds the maximum number of packages allowed for the packing list
128233	Hard	User generated forms size exceeds total allowable limit for shipment of 5MB.
128234	Hard	Invalid or missing Shipper Memo.
128235	Hard	Invalid PackageInfo object.
128236	Hard	Invalid or missing Tracking Number.

Error Code	Severity	Description
128237	Hard	No form data found for given formsGroupID.
128238	Hard	No PDF found for given documentId.
128239	Hard	Exceeds maximum number of Document IDs (13) allowed per Shipment.
128240	Hard	Invalid or missing User Created Form Data.

## 128241 - 129204

Error Code	Severity	Description
128241	Hard	A shipment can only contain one Commercial Invoice.
128242	Hard	Label Size is not provided in the CN22 form.
128243	Hard	Missing the No of Prints per Page value
128244	Hard	Missing the Label Print Type
128245	Hard	Missing the CN22 form Type
128246	Hard	Missing the Cn22 Other Description in the CN22 form
128247	Hard	The CN22 Content is not provided in the CN22 form
128248	Hard	The Total number of items associated with the content is invalid
128249	Hard	The description of the content provided in the CN22 form is invalid
128250	Hard	Total Weight of the content provided in the CN22 form is invalid
128251	Hard	Total value of the items associated with the content in the CN22 form is invalid
128252	Hard	The currency code provided in the CN22 form is invalid
128253	Hard	The Weight format provided in the CN22 form is invalid.
128254	Hard	The CN22 form cannot be combined with any other form
128255	Hard	Air Freight Packing List and package Packing List are not allowed together in same shipment.
128256	Hard	Invalid Fold Here Text length.
128257	Hard	The country of origin associated with the content in the CN22 form is invalid.
128258	Hard	The tariff number associated with the content in the CN22 form is invalid.
128260	Hard	Missing or Invalid Forms PointOfOriginType
128261	Hard	Missing or Invalid Forms UltimateConsigneeType
128262	Hard	Missing or Invalid Shipment ShipperNumber. Needed for EEI processing
128263	Hard	Missing or Invalid Forms EEIFilingOption. EEI form should be filed
128264	Hard	Missing or Invalid Shipper or Ship From Tax ID Type. Correct value is needed for EEI form
128265	Hard	Missing or Invalid Form EEIFilingOption Code. Should indicate UPS Filed or Shipper Filed
128266	Hard	Missing or Invalid Forms EEIFilingOption PreDepartureITNNumber
128267	Hard	Missing or Invalid Forms EEIFilingOption ExemptionLegend
128268	Hard	Missing or Invalid Forms UPSFiled POA Code. Should indicate one time POA or Balnket POA
128269	Hard	Missing or Invalid Forms EEIFilingOption EMailAddress.
128270	Hard	Missing or Invalid Forms Product ExportInformation.

Error Code	Severity	Description
128271	Hard	Missing or Invalid Forms Product ScheduleB Quantity (line 2)
128272	Hard	Missing or Invalid Forms Product ScheduleB UnitOfMeasurement Code (line 2)
128273	Hard	Missing or Invalid Forms EEIInformation License Code
128274	Hard	Missing or Invalid Forms EEIInformation License Number
128275	Hard	Missing or Invalid Forms EEIInformation License ECCNNumber
128276	Hard	Missing or Invalid Forms EEIInformation LicenseLineValue
128277	Hard	Missing or Invalid Forms DDTCInformation
128278	Hard	Missing or Invalid Forms DDTCInformation ITARExemptionNumber
128279	Hard	Missing or Invalid Forms DDTCInformation USMLCategoryCode
128280	Hard	Missing or Invalid Forms DDTCInformation EligiblePartyIndicator
128281	Hard	Missing or Invalid Forms DDTCInformation RegistrationNumber
128282	Hard	Missing or Invalid Forms DDTCInformation Quantity
128283	Hard	Missing or Invalid Forms DDTCInformation UnitOfMeasurement Code
128284	Hard	Missing or Invalid Forms DDTCInformation SignificantMilitaryEquipmentIndicator
128285	Hard	Missing or Invalid Forms DDTCInformation ACMNumber
128286	Hard	Missing or Invalid Forms EEIInformation is OptOutNotification
128287	Hard	Missing or Invalid Forms ExcludeFromEEI
128288	Hard	Missing or Invalid Forms Document Account Number not enrolled
128289	Hard	Missing or Invalid Forms EEIInformation invalid for SDL shipment
128290	Hard	Missing or Invalid Forms EEIInformation ITN or SRN
128291	Hard	Missing or Invalid Forms SDL shipment indication for products
128320	Warning	Shipper Number is not qualified to receive negotiated rates.
128400	Hard	The destination postal code %dest.postal% is not a valid %dest.country% postal code. Verify your postal code, or select %dest.AdjCountry% as your destination country.
128401	Hard	The Pickup From postal code %orig.postal% is not a valid %orig.country% postal code. Verify your postal code, or select %orig.AdjCountry% as your Pickup From country.
128402	Hard	The destination postal code %dest.postal% in %dest.country% can also be %dest.AdjCityName% in %dest.AdjCountry%. If you want to ship to %dest.AdjCityName%, select %dest.AdjCountry% and enter the postal code %dest.AdjPostal%. If you are shipping to a city within %dest.country%, enter the correct city.
128403	Hard	The Pickup From postal code %orig.postal% in %orig.country% can also be %orig.AdjCityName% in %orig.AdjCountry%. If you want to pickup from %orig.AdjCityName%, select %orig.AdjCountry% and enter the postal code %orig.AdjPostal%. If you are picking up from a city within %orig.country%, enter the correct city.
129001	Warning	Additional Handling has automatically been set on Package (index of the package).
129002	Warning	An Extended Area Surcharge of (monetary value) has been added to the service cost.
129003	Warning	{Rating error description}
129004	Warning	{Rating error description}
129005	Warning	{Rating error description}
129006	Warning	{Rating error description}

Error Code	Severity	Description
129017	Warning	{Rating error description} .
129018	Warning	{Rating error description} .
129019	Hard	{Rating error description}
129021	Hard	Both Security code and Billing address are required if credit card information is provided. If security code or billing address is provided both of them should be provided
129022	Hard	This credit card has been locked due to multiple unsuccessful validation attempts. Please use another credit card to continue or try again later.
129023	Hard	Line Origin Country is missing or invalid
129024	Hard	Invoice Line Total is missing or invalid
129025	Hard	Invoice subtotal is missing or invalid
129026	Hard	Reason for export is missing or invalid
129027	Hard	Invoice line number is missing or invalid
129028	Hard	Line Unit Amount Price is missing or invalid
129029	Hard	Commodity quantity is missing or invalid
129030	Hard	Commodity unit of measure is missing or invalid
129031	Hard	Merchandise description1 is missing or invalid
129032	Hard	Merchandise description2 is missing or invalid
129033	Hard	Merchandise description3 is missing or invalid
129034	Hard	Total Amount is missing or invalid
129035	Hard	PO number missing or invalid
129036	Hard	Terms of shipment is missing or invalid
129037	Hard	Freight Charges is missing or invalid
129038	Hard	Insurance is missing or invalid
129039	Hard	Discount is missing or invalid
129040	Hard	Other charges is missing or invalid
129041	Hard	Commodity code is missing or invalid
129042	Hard	Commodity part number is missing or invalid
129043	Hard	Invoice number is missing or invalid
129044	Hard	Commodity currency code is missing or invalid
129045	Hard	Commodity comments is missing or invalid
129046	Hard	Missing credit card billing address line 1
129048	Hard	Missing credit card billing address city
129049	Hard	Missing credit card billing address state province code
129050	Hard	Missing credit card billing address postal code
129051	Hard	Missing credit card billing address country code
129057	Hard	Location ID may not exceed the length of 10
129058	Hard	Shipper Number {0} does not support pallet Contract Service.
129059	Hard	Shipper Number {0} does not support Third Country Contract Service.

Error Code	Severity	Description
129070	Warning	{Rating error description}
129076	Hard	Pallets may not be included with other package types.
129077	Warning	A dimensional surcharge has been added to pallet {0}.
129078	Hard	The maximum dimensions for a pallet are 200 cm by 160 cm by 120 cm.
129079	Hard	The requested service is not valid with pallets with a weight greater than 1000kg. Please select Dedicated Package Courier Same Day Service.
129080	Hard	Pallet {0} exceeds maximum width.
129081	Hard	Pallet {0} exceeds maximum height.
129082	Hard	Pallet {0} exceeds maximum length.
129083	Hard	Pallet {0} exceeds maximum weight.
129085	Hard	Cannot combine declared value and shipper declared value in a shipment.
129086	Hard	GNIFC is not valid for Letters/Envelopes and documents with no commercial value.
129087	Hard	Invalid Shipment Delivery Confirmation Type
129088	Hard	Package Delivery Confirmation DCISNumber may not exceed a length of 11.
129090	Hard	Only future date pickup is available for pickup requests for the requested origin and destination and selected service
129171	Hard	For Import Control movements, BILL RECEIVER is not a valid payer.
129172	Hard	Credit card is not a valid payment method for Import Control
129174	Hard	A package with a Import Control accessory must have a Merchandise Description.
129175	Hard	Invalid Import Control shipment.
129176	Hard	Either LabelDelivery Email or LabelLinksIndicator must be provided for this shipment.
129177	Hard	LabelMethod is not valid for this shipment.
129180	Hard	Missing or Invalid LabelMethod type for ImportControl shipment.
129200	Hard	Unable to retrieve Mailer ID from UPS Internet Membership Services system.
129203	Hard	Account is not authorized for UPS Exchange service
129204	Hard	Account is not authorized for UPS Pack and Collect service

## 1270092 - 1270125

Error Code	Severity	Description
1270092	Hard	Invalid InternationalForms/Product/EEIInformation/ExportInformation.
1270093	Hard	Missing InternationalForms/Product/EEIInformation/ExportInformation.
1270103	Hard	Missing InternationalForms/Product/ExportType.
1270104	Hard	Invalid InternationalForms/Product/ExportType.
1270114	Hard	Invalid InternationalForms/InBondCode. Valid values are 67, 68, 70.
1270115	Hard	Missing InternationalForms/EntryNumber.
1270116	Hard	Missing or Invalid InternationalForms/EEIFilingOption.
1270117	Hard	Missing InternationalForms/Contacts/UltimateConsignee/Address/CountryCode.
1270118	Hard	Missing InternationalForms/PartiesToTransaction.
1270119	Hard	Invalid InternationalForms/PartiesToTransaction.

Error Code	Severity	Description
1270120	Hard	Missing InternationalForms/RoutedTransactionIndicator.
1270121	Hard	Invalid InternationalForms/RoutedTransactionIndicator.
1270122	Hard	Invalid InternationalForms/UPSFiled/POA/Code. Should indicate one time POA or blanket POA.
1270123	Hard	Invalid InternationalForms/Contacts/UltimateConsignee/Address/CountryCode.
1270124	Hard	Invalid InternationalForms/PointOfOrigin (If State length should be 2).
1270125	Hard	Invalid InternationalForms/PointOfOrigin (If FTZIdentifier length max should be 7).

## 9126004 +

Error Code	Severity	Description
9126004	Hard	PackageServiceOption HazMat Quantity is absent or doesn't meet specification.
9126005	Hard	Drylce DrylceWeight Weight is absent or doesn't meet specification.
9126006	Hard	PackageServiceOption HazMat TransportationMode has invalid value.
9126007	Hard	Drylce DrylceWeight UnitOfMeasurment Code has invalid value.
9126030	Hard	PackageServiceOption HazMat Regulation required or has invalid value.
9126044	Hard	Drylce Regulation is required or has invalid value.



## Label Recovery Error Codes

Error Code	Severity	Description
10001	Hard	The XML document is not well formed
10002	Hard	The XML document is well formed but the document is not valid
20011	Hard	The Integration Indicator is no longer supported
300000	Transient	Label Recovery system is currently unavailable
300001	Hard	Multiple shipments found for the request
300002	Hard	Label is unavailable -- the package has been sent to the destination address
300003	Hard	The requested shipment contains more than 100 packages.
300004	Hard	Invalid shipments return service for label recovery
300005	Hard	Either tracking number or combination of reference plus shipper number required
300006	Hard	Label is unavailable -- the label is expired
300007	Hard	The shipment for the requested tracking number or the combination of reference number plus shipper number could not be found. Please check the submitted data or wait until the shipment is processed.
300008	Hard	Invalid Translate/code
300009	Hard	Invalid Inquire Method
300013	Hard	Invalid Label Print Method
300014	Hard	Invalid Tracking Number
300022	Warning	Email subsystem is currently unavailable
300023	Hard	Invalid LabelSpecification/HTTPUserAgent
300026	Warning	The Label Link Email has been sent to the original label delivery email address when the shipment was placed instead of the requested email address
300030	Hard	Invalid Reference Number
300031	Hard	Invalid Shipper Number
300032	Hard	Label is unavailable -- the shipment has no {0}
300033	Hard	The shipment for which you are trying to recover a label or Receipt has been voided. Please contact the vendor for further information
300034	Hard	Label is unavailable -- the shipment has not been processed.
300035	Hard	Too many shipments found with the requested Shipper Number and Reference Number. Please re-submit the request with the Tracking Number.

## Void Error Codes

Error Code	Severity	Description
10001	Hard	The XML document is not well formed
10002	Hard	The XML document is well formed but the document is not valid
190001	Transient	Void not available at this time
190002	Transient	Invalid/Missing registration ID
190100	Hard	Invalid ShipmentIdentificationNumber.
190101	Hard	Time for voiding has expired.
190102	Hard	No shipment found within the allowed void period
190103	Hard	The Pickup Request associated with this shipment has already been completed
190104	Hard	Return shipments cannot be voided.
190105	Hard	Pickup Cancellation is not Available on this Pickup Request
190106	Hard	Pickup Cancellation is not Available on this Pickup Request
190107	Hard	The Pickup Request associated with this shipment has previously been canceled
190108	Hard	The Pickup Request associated with this shipment cannot be canceled
190109	Hard	Invalid TrackingNumber
190110	Hard	Invalid Void Package {0}
190111	Hard	Package Void Limit Exceeded
190112	Hard	Return Service Shipments cannot be Voided at the Package Level
190113	Hard	International Shipments cannot be Voided at the Package Level
190114	Hard	Invalid Return Service Void Date
190115	Hard	Invalid Void Date
190116	Hard	A Label cannot be generated for a voided Return Service Shipment
190117	Hard	The Shipment has already been voided
190118	Hard	Same Day Service Void Not Allowed.
190119	Warning	The requested Void was successful, but the associated Pickup was not Cancelled
190121	Hard	None of the submitted packages were voided
190122	Hard	Package(s) {0} selected to void is(are) invalid
190124	Hard	Import Control Shipment cannot be voided later than 3 am of the day after the shipment uploaded.
190125	Hard	Import Control Shipments does not allow package void in a shipment

## Accessorial / Surcharge Codes

The following codes corresponds to accessorial/surcharges. The codes are returned in the response when requested with the Subversion element.

Code	Accessorial / Surcharge
100	ADDITIONAL HANDLING
110	COD
120	DELIVERY CONFIRMATION
121	SHIP DELIVERY CONFIRMATION
153	PKG EMAIL SHIP NOTIFICATION
154	PKG EMAIL RETURN NOTIFICATION
155	PKG EMAIL INBOUND RETURN NOTIFICATION
156	PKG EMAIL QUANTUM VIEW SHIP NOTIFICATION
157	PKG EMAIL QUANTUM VIEW EXCEPTION NOTIFICATION
158	PKG EMAIL QUANTUM VIEW DELIVERY NOTIFICATION
165	PKG FAX INBOUND RETURN NOTIFICATION
166	PKG FAX QUANTUM VIEW SHIP NOTIFICATION
171	SHIP EMAIL ERL NOTIFICATION
173	SHIP EMAIL SHIP NOTIFICATION
174	SHIP EMAIL RETURN NOTIFICATION
175	SHIP EMAIL INBOUND RETURN NOTIFICATION
176	SHIP EMAIL QUANTUM VIEW SHIP NOTIFICATION
177	SHIP EMAIL QUANTUM VIEW EXCEPTION NOTIFICATION
178	SHIP EMAIL QUANTUM VIEW DELIVERY NOTIFICATION
179	SHIP EMAIL QUANTUM VIEW NOTIFY
187	SHIP UPS ACCESS POINT NOTIFICATION
188	SHIP EEI FILING NOTIFICATION
189	SHIP UAP SHIPPER NOTIFICATION
190	EXTENDED AREA
200	DRY ICE
220	HOLD FOR PICKUP
240	ORIGIN CERTIFICATE
250	PRINT RETURN LABEL
258	EXPORT LICENSE VERIFICATION
260	PRINT N MAIL
270	RESIDENTIAL ADDRESS
280	RETURN SERVICE 1ATTEMPT
290	RETURN SERVICE 3ATTEMPT
300	SATURDAY DELIVERY
310	SATURDAY PICKUP

Code	Accessorial / Surcharge
330	PKG VERBAL CONFIRMATION
350	ELECTRONIC RETURN LABEL
372	QUANTUM VIEW NOTIFY DELIVERY
374	UPS PREPARED SED FORM
375	FUEL SURCHARGE
376	DELIVERY AREA
377	LARGE PACKAGE
378	SHIPPER PAYS DUTY TAX
379	SHIPPER PAYS DUTY TAX UNPAID
400	INSURANCE
401	SHIP ADDITIONAL HANDLING
402	SHIPPER RELEASE
403	CHECK TO SHIPPER
405	GERMAN PICKUP
406	GERMAN ROAD TAX
407	EXTENDED AREA PICKUP
410	RETURN OF DOCUMENT
430	PEAK SEASON
440	SHIP LARGE PACKAGE
441	CARBON NEUTRAL
442	PKG QV IN TRANSIT NOTIFICATION
443	SHIP QV IN TRANSIT NOTIFICATION
444	IMPORT CONTROL
445	COMMERCIAL INVOICE REMOVAL
446	IMPORT CONTROL ELECTRONIC LABEL
447	IMPORT CONTROL PRINT LABEL
448	IMPORT CONTROL PRINT AND MAIL LABEL
449	IMPORT CONTROL ONE PICK UP ATTEMPT LABEL
450	IMPORT CONTROL THREE PICK UP ATTEMPT LABEL
452	REFRIGERATION
454	PAC 1A BOX1
455	PAC 3A BOX1
456	PAC 1A BOX2
457	PAC 3A BOX2
458	PAC 1A BOX3
459	PAC 3A BOX3
460	PAC 1A BOX4
461	PAC 3A BOX4

Code	Accessorial / Surcharge
462	PAC 1A BOX5
463	PAC 3A BOX5
464	EXCHANGE PRINT RETURN LABEL
465	EXCHANGE FORWARD
466	SHIP PREALERT NOTIFICATION
470	COMMITTED DELIVERY WINDOW
480	SECURITY SURCHARGE
492	CUSTOMER TRANSACTION FEE
500	SHIPMENT COD
510	LIFT GATE FOR PICKUP
511	LIFT GATE FOR DELIVERY
512	DROP OFF AT UPS FACILITY
515	UPS PREMIUM CARE
520	OVERSIZE PALLET
530	FREIGHT DELIVERY SURCHARGE
531	FREIGHT PICKUP SURCHARGE
540	DIRECT TO RETAIL
541	DIRECT DELIVERY ONLY
542	DELIVER TO ADDRESSEE ONLY
543	DIRECT TO RETAIL COD
544	RETAIL ACCESS POINT
545	SHIPPING TICKET NOTIFICATION
546	ELECTRONIC PACKAGE RELEASE AUTHENTICATION
547	PAY AT STORE

## Accessorial & Surcharge Subtypes

Accessorial/Surcharge	SubType
Freight Delivery Area Surcharge	<ul style="list-style-type: none"><li>• Freight Delivery Area Surcharge</li><li>• Freight Delivery Area Surcharge Extended</li><li>• Freight Remote Area Surcharge</li><li>• Freight Remote Area Surcharge Extended</li></ul>
Freight Pickup Area Surcharge	<ul style="list-style-type: none"><li>• Freight Pickup Area Surcharge</li><li>• Freight Pickup Area Surcharge Extended</li><li>• Freight Remote Pickup Area Surcharge</li><li>• Freight Remote Pickup Area Surcharge Extended</li></ul>
Insurance Accessorial	<ul style="list-style-type: none"><li>• BPI</li><li>• DVS</li><li>• EVS</li><li>• TNT</li></ul>
Ship Delivery Confirmation Accessorial	<ul style="list-style-type: none"><li>• Adult Signature Required</li><li>• Signature Required</li></ul>

## COD Supported Countries

Rating and Shipping Package COD supported countries

### Shipment Level

Country	1 Cash	9 Check Cashier's Check Money Order
All European Union (EU) Countries supported by the API, exceptions noted below. For additional information, refer to <a href="#">Country Codes</a> in the Appendix.	Yes	Yes
Russia	Yes	No
United Arab Emirates	Yes	No

### Package Level

NOTE: No EU countries currently support Package level COD.

Country	0 Check, Cash Cashier's Check Money Order	8 Cashier's Check Money Order	9 Personal Check
Argentina (AR)			Yes
Brazil (BR)			Yes
Canada (CA)	Yes	Yes	
Chile (CL)			Yes
Mexico (MX)	Yes		
Puerto Rico (PR)	Yes	Yes	
United States (US)	Yes	Yes	

## Country Codes

### Rating and Shipping Package API Supported Countries

UPS country code abbreviations generally follow the recommendations of the International Standards Organization (ISO), which publishes a list of country abbreviations in ISO Standard 3166.

The following table lists the country codes defined by ISO at the time of this publication. The latest information is available from the ISO web site: <http://www.iso.org/>.



**NOTE:** Not all UPS services are available in every country. Refer to the [UPS Rate and Service Guide](#) at [UPS.com](http://UPS.com) for more information on UPS services.

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Afghanistan	AF	X	
Aland Islands	AX	X	
Albania	AL	X	X
Algeria	DZ	X	X
American Samoa	AS		
Andorra	AD		
Angola	AO	X	
Anguilla	AI		
Antarctica	AQ		
Antigua and Barbuda	AG	X	X
Argentina	AR	X	X
Armenia	AM	X	X
Aruba	AW	X	X
Australia	AU	X	X
Austria	AT	X	X
Azerbaijan	AZ	X	X
Bahamas	BS	X	X
Bahrain	BH	X	X
Bangladesh	BD	X	X
Barbados	BB	X	X
Belarus	BY	X	X
Belgium	BE	X	X
Belize	BZ		
Benin	BJ		
Bermuda	BM	X	X
Bhutan	BT		
Bolivia (Plurinational State of)	BO	X	X
Bonaire, St. Eustatius, Saba	BQ	X	X
Bosnia and Herzegovina	BA	X	X
Botswana	BW		



Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Bouvet Island	BV		
Brazil	BR	X	X
British Indian Ocean Territory	IO		
Brunei Darussalam	BN	X	X
Bulgaria	BG	X	X
Burkina Faso	BF		
Burundi	BI	X	X
Cambodia	KH	X	X
Cameroon	CM	X	
Canada	CA	X	X
Canary Islands	IC	X	
Cabo Verde	CV		
Cayman Islands	KY	X	X
Central African Republic	CF		
Ceuta	XC		
Chad	TD		
Chile	CL	X	X
China	CN	X	X
Christmas Island	CX		
Cocos (Keeling) Islands	CC		
Colombia	CO	X	X
Comoros	KM		
Congo	CG		
Congo, The Democratic Republic of	CD	X	
Cook Islands	CK		
Costa Rica	CR	X	X
Cote d' Ivoire (Ivory Coast)	CI	X	
Croatia	HR	X	X
Cuba	CU		
Curacao	CW	X	X
Cyprus	CY	X	X
Czech Republic	CZ	X	X
Denmark	DK	X	X
Djibouti	DJ	X	X
Dominica	DM		
Dominican Republic	DO	X	X
Ecuador	EC	X	X
Egypt	EG	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
El Salvador	SV	X	X
England	EN	X	
Equatorial Guinea	GQ		
Eritrea	ER		
Estonia	EE	X	X
Ethiopia	ET	X	X
Falken Islands (Malvinas)	FK		
Faroe Islands	FO		
Fiji	FJ	X	X
Finland	FI	X	X
France	FR	X	X
French Guiana	GF		
French Polynesia	PF		
French Southern Territories	TF		
Gabon	GA		
Gambia	GM		
Georgia	GE	X	X
Germany	DE	X	X
Ghana	GH	X	X
Gibraltar	GI	X	X
Greece	GR	X	X
Greenland	GL		
Grenada	GD		
Guadeloupe	GP		
Guam	GU	X	X
Guatemala	GT	X	X
Guernsey	GG	X	X
Guinea	GN	X	X
Guinea-Bissau	GW		
Guyana	GY		
Haiti	HT	X	X
Heard Island and McDonald Islands	HM		
Holland	HO	X	
Holy See (See Vatican)			
Honduras	HN	X	X
Hong Kong	HK	X	X
Hungary	HU	X	X
Iceland	IS	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
India	IN	X	X
Indonesia	ID	X	X
Iran (Islamic Republic of)	IR		
Iraq	IQ	X	X
Ireland	IE	X	X
Isle of Man	IM		
Israel	IL	X	X
Italy	IT	X	X
Jamaica	JM	X	X
Japan	JP	X	X
Jersey	JE	X	X
Jordan	JO	X	X
Kazakhstan	KZ	X	X
Kenya	KE	X	X
Kiribati	KI		
Korea (Democratic People's Republic of)	KP		
Korea, South	KR	X	X
Kosrae	KO		
Kuwait	KW	X	X
Kyrgyzstan	KG	X	
Lao People's Democratic Republic (Laos)	LA	X	X
Latvia	LV	X	X
Lebanon	LB	X	X
Lesotho	LS		
Liberia	LR		
Libya	LY	X	X
Liechtenstein	LI	X	X
Lithuania	LT	X	X
Luxembourg	LU	X	X
Macao (also Macao)	MO	X	X
Macedonia (FYROM)	MK	X	X
Madagascar	MG	X	X
Malawi	MW	X	X
Malaysia	MY	X	X
Maldives	MV		
Mali	ML	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Malta	MT	X	X
Marshall Islands	MH		
Martinique	MQ		
Mauritania	MR	X	X
Mauritius	MU	X	X
Mayotte	YT		
Mexico	MX	X	X
Micronesia (Federated States of)	FM		
Moldova (Republic of)	MD	X	
Monaco	MC	X	X
Mongolia	MN		
Montenegro	ME	X	X
Montserrat	MS		
Morocco	MA	X	X
Mozambique	MZ	X	
Myanmar	MM		
Namibia	NA		
Nauru	NR		
Nepal	NP	X	
Netherlands	NL	X	X
New Caledonia	NC		
New Zealand	NZ	X	X
Nicaragua	NI	X	X
Niger	NE		
Nigeria	NG	X	X
Norfolk Island	NF		
Northern Ireland	NB	X	
Northern Mariana Islands	MP		
Norway	NO	X	X
Oman	OM	X	X
Pakistan	PK	X	X
Palau	PW		
Palestine, State of	PS		
Panama	PA	X	X
Papua New Guinea	PG		
Paraguay	PY	X	X
Peru	PE	X	X
Philippines	PH	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Pitcairn	PN		
Poland	PL	X	X
Ponape	PO		
Portugal	PT	X	X
Puerto Rico	PR	X	X
Qatar	QA	X	X
Reunion	RE	X	X
Romania	RO	X	X
Russia (Russian Federation)	RU	X	X
Rwanda	RW	X	X
Saint Barthelemy	BL		
Saint Christopher	SW	X	
Saint Croix (see Virgin Islands)			
Saint John	UV	X	
Saint Kitts and Nevis	KN	X	X
Saint Lucia	LC	X	X
Saint Maarten and St. Martin	SX	X	X
Saint Thomas	VL	X	
Saint Vincent and the Grenadines	VC		
Saipan	SP		
Samoa	WS		
San Marino	SM		
Sao Tome and Principe	ST		
Saudi Arabia	SA	X	X
Scotland	SF	X	
Senegal	SN	X	X
Serbia	RS	X	X
Seychelles	SC		
Sierra Leone	SL		
Singapore	SG	X	X
Slovakia	SK	X	X
Slovenia	SI	X	X
Solomon Islands	SB		
South Africa	ZA	X	X
Spain	ES	X	X
Sri Lanka	LK	X	X
Suriname	SR		
Swaziland	SZ		

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Sweden	SE	X	X
Switzerland	CH	X	X
Tahiti	TA		
Taiwan (Province of China)	TW	X	X
Tajikistan	TJ		
Tanzania (United Republic of)	TZ	X	X
Thailand	TH	X	X
Timor-Leste	TL		
Tinian	TI		
Togo	TG		
Tonga	TO		
Tortola	ZZ		
Trinidad and Tobago	TT	X	X
Truk	TU		
Tunisia	TN	X	X
Turkey	TR	X	X
Turkmenistan	TM		
Turks and Caicos Islands	TC		
Tuvalu	TV		
Uganda	UG	X	
Ukraine	UA	X	X
Union Island	UI		
United Arab Emirates	AE	X	X
United Kingdom	GB	X	X
United States	US		
Uruguay	UY	X	X
Uzbekistan	UZ	X	X
Vanuatu	VU		
Vatican City State	VA	X	X
Venezuela(Bolvarian Republic of)	VE	X	X
Vietnam (Viet Nam)	VN	X	X
Virgin Islands, British	VG		
Virgin Islands, US	VI	X	X
Wales	WL	X	
Wallis and Futuna Islands	WF		
Yap	YA		
Yemen	YE		
Zambia	ZM	X	X

Destination Country Name	Country Code	Supported Forward Origin	Supported Return Origin
Zimbabwe	ZW	X	

## Currency Codes

UPS currency code abbreviations generally follow the recommendations of the International Standards Organization (ISO), which publishes a list of currency abbreviations in ISO Standard 4217. The following table lists the currency codes defined by ISO at the time of this publication. The latest information is available from the ISO web site: <http://www.iso.org/>.

Countries may sometimes change their official currency. UPS does require time after the introduction of a new currency before it can fully support that currency. In addition, UPS may continue to support the older currency for an interim period in order to provide backwards compatibility.

UPS may also require the use of currencies other than the official currency for some countries.

Country/Region	Currency Name	Currency Code
Afghanistan	Afghani	AFN
Albania	Lek	ALL
Algeria	Algerian Dinar	DZD
American Samoa	US Dollar	USD
Andorra	Euro	EUR
Angola	Kwanza	AOA
Anguilla	East Caribbean Dollar	XCD
Antigua And Barbuda	East Caribbean Dollar	XCD
Argentina	Argentine Peso	ARS
Armenia	Armenian Dram	AMD
Aruba	Aruban Guilder	AWG
Australia	Australian Dollar	AUD
Austria	Euro	EUR
Azerbaijan	Azerbaijani Manat	AZN
Bahamas	Bahamian Dollar	BSD
Bahrain	Bahraini Dinar	BHD
Bangladesh	Taka	BDT
Barbados	Barbados Dollar	BBD
Belarus	Belarussian Ruble	BYR
Belgium	Euro	EUR
Belize	Belize Dollar	BZD
Benin	CFA Franc BCEAO	XOF
Bermuda	Bermudian Dollar	BMD
Bhutan	Indian Rupee	INR
Bhutan	Ngultrum	BTN
Bolivia	Boliviano	BOB
Bolivia	Mvdol	BOV
Bosnia and Herzegovina	Convertible Marks	BAM
Botswana	Pula	BWP
Bouvet Island	Norwegian Krone	NOK
Brazil	Brazilian Real	BRL



Country/Region	Currency Name	Currency Code
British Indian Ocean Territory	US Dollar	USD
Brunei Darussalam	Brunei Dollar	BND
Bulgaria	Bulgarian Lev	BGN
Burkina Faso	CFA Franc BCEAO	XOF
Burundi	Burundi Franc	BIF
Cambodia	Riel	KHR
Cameroon	US Dollar	USD
Canada	Canadian Dollar	CAD
Cape Verde	Cape Verde Escudo	CVE
Cayman Islands	Cayman Islands Dollar	KYD
Central African Republic	CFA Franc BEAC	XAF
Chad	CFA Franc BEAC	XAF
Chile	Chilean Peso	CLP
Chile	Unidades de formento	CLF
China	Yuan Renminbi	RMB
Christmas Island	Australian Dollar	AUD
Cocos (Keeling) Islands	Australian Dollar	AUD
Colombia	Colombian Peso	COP
Colombia	Unidad de Valor Real	COU
Comoros	Comoro Franc	KMF
Congo	CFA Franc BEAC	XAF
Congo, The Democratic Republic of	Franc Congolais	CDF
Cook Islands	New Zealand Dollar	NZD
Costa Rica	Costa Rican Colon	CRC
Côte Divoire	CFA Franc BCEAO	XOF
Croatia	Croatian Kuna	HRK
Cuba	Cuban Peso	CUP
Cyprus	Euro	EUR
Czech Republic	Czech Koruna	CZK
Denmark	Danish Krone	DKK
Djibouti	Djibouti Franc	DJF
Dominica	East Caribbean Dollar	XCD
Dominican Republic	Dominican Peso	DOP
Ecuador	US Dollar	USD
Egypt	Egyptian Pound	EGP
El Salvador	El Salvador Colon	SVC
El Salvador	US Dollar	USD
Equatorial Guinea	CFA Franc BEAC	XAF

Country/Region	Currency Name	Currency Code
Eritrea	Nakfa	ERN
Estonia	Euro	EUR
Ethiopia	Ethiopian Birr	ETB
Falkland Islands (Malvinas)	Falkland Islands Pound	FKP
Faroe Islands	Danish Krone	DKK
Fiji	Fiji Dollar	FJD
Finland	Euro	EUR
France	Euro	EUR
French Guiana	Euro	EUR
French Polynesia	CFP Franc	XPF
French Southern Territories	Euro	EUR
Gabon	CFA Franc BEAC	XAF
Gambia	Dalasi	GMD
Georgia	Lari	GEL
Germany	Euro	EUR
Ghana	Cedi	GHS
Gibraltar	Gibraltar Pound	GIP
Greece	Euro	EUR
Greenland	Danish Krone	DKK
Grenada	East Caribbean Dollar	XCD
Guadeloupe	Euro	EUR
Guam	US Dollar	USD
Guatemala	Quetzal	GTQ
Guernsey	Pound Sterling	GBP
Guinea	Guinea Franc	GNF
Guinea-Bissau	Guinea-Bissau Peso	GWP
Guinea-Bissau	CFA Franc BCEAO	XOF
Guyana	Guyana Dollar	GYD
Haiti	Gourde	HTG
Haiti	US Dollar	USD
Heard Island and McDonald Islands	Australian Dollar	AUD
Holy See (Vatican City State)	Euro	EUR
Honduras	Lempira	HNL
Hong Kong	Hong Kong Dollar	HKD
Hungary	Forint	HUF
Iceland	Iceland Krona	ISK
India	Indian Rupee	INR
Indonesia	Rupiah	IDR

Country/Region	Currency Name	Currency Code
Iran (Islamic Republic of)	Iranian Rial	IRR
Iraq	Iraqi Dinar	IQD
Ireland	Euro	EUR
Israel	New Israeli Sheqel	ILS
Italy	Euro	EUR
Jamaica	Jamaican Dollar	JMD
Japan	Yen	JPY
Jersey	Pound Sterling	GBP
Jordan	Jordanian Dinar	JOD
Kazakhstan	Tenge	KZT
Kenya	Kenyan Shilling	KES
Kiribati	Australian Dollar	AUD
Korea, Democratic Peoples Republic of	North Korean Won	KPW
Korea, Republic of	Won	KRW
Kuwait	Kuwaiti Dinar	KWD
Kyrgyzstan	Som	KGS
Lao Peoples Democratic Republic	Kip	LAK
Latvia	Euro	EUR
Lebanon	Lebanese Pound	LBP
Lesotho	Rand	ZAR
Lesotho	Loti	LSL
Liberia	Liberian Dollar	LRD
Libyan Arab Jamahiriya	Libyan Dinar	LYD
Liechtenstein	Swiss Franc	CHF
Lithuania	Euro	EUR
Luxembourg	Euro	EUR
Macao	Pataca	MOP
Macedonia, The Former Yugoslav Republic of	Denar	MKD
Madagascar	Malagascy Ariary	MGA
Malawi	Kwacha	MWK
Malaysia	Malaysian Ringgit	MYR
Maldives	Rufiyaa	MVR
Mali	CFA Franc BCEAO	XOF
Malta	Euro	EUR
Marshall Islands	US Dollar	USD
Martinique	Euro	EUR
Mauritania	Ouguiya	MRO
Mauritius	Mauritius Rupee	MUR

Country/Region	Currency Name	Currency Code
Mayotte	Euro	EUR
Mexico	Mexican Peso	MXN
Mexico	Mexican Unidad de Inversion (UID)	MXV
Micronesia (Federated States of)	US Dollar	USD
Moldova, Republic of	Moldovan Leu	MDL
Monaco	Euro	EUR
Mongolia	Tugrik	MNT
Montenegro	Euro	EUR
Montserrat	East Caribbean Dollar	XCD
Morocco	Moroccan Dirham	MAD
Mozambique	Metical	MZN
Myanmar	Kyat	MMK
Namibia	Rand	ZAR
Namibia	Namibian Dollar	NAD
Nauru	Australian Dollar	AUD
Nepal	Nepalese Rupee	NPR
Netherlands	Euro	EUR
Netherlands Antilles	Netherlands Antillian Guilder	ANG
New Caledonia	CFP Franc	XPF
New Zealand	New Zealand Dollar	NZD
Nicaragua	Cordoba Oro	NIO
Niger	CFA Franc BCEAO	XOF
Nigeria	Naira	NGN
Niue	New Zealand Dollar	NZD
Norfolk Island	Australian Dollar	AUD
Northern Mariana Islands	US Dollar	USD
Norway	Norwegian Krone	NOK
Oman	Rial Omani	OMR
Pakistan	Pakistan Rupee	PKR
Palau	US Dollar	USD
Panama	Balboa	PAB
Panama	US Dollar	USD
Papua New Guinea	Kina	PGK
Paraguay	Guarani	PYG
Peru	Nuevo Sol	PEN
Philippines	Philippine Peso	PHP
Pitcairn	New Zealand Dollar	NZD
Poland	Zloty	PLN

Country/Region	Currency Name	Currency Code
Portugal	Euro	EUR
Puerto Rico	US Dollar	USD
Qatar	Qatari Rial	QAR
Réunion	Euro	EUR
Romania	New Leu	RON
Russian Federation	Russian Ruble	RUB
Rwanda	Rwanda Franc	RWF
Saint Helena	Saint Helena Pound	SHP
Saint Kitts and Nevis	East Caribbean Dollar	XCD
Saint Lucia	East Caribbean Dollar	XCD
Saint Pierre and Miquelon	Euro	EUR
Saint Vincent and The Grenadines	East Caribbean Dollar	XCD
Samoa	Tala	WST
San Marino	Euro	EUR
São Tome and Principe	Dobra	STD
Saudi Arabia	Saudi Riyal	SAR
Senegal	CFA Franc BCEAO	XOF
Serbia	Serbian Dinar	RSD
Seychelles	Seychelles Rupee	SCR
Sierra Leone	Leone	SLL
Singapore	Singapore Dollar	SGD
Slovakia	Euro	EUR
Slovenia	Euro	EUR
Solomon Islands	Solomon Islands Dollar	SBD
Somalia	Somali Shilling	SOS
South Africa	Rand	ZAR
Spain	Euro	EUR
Sri Lanka	Sri Lanka Rupee	LKR
Sudan	Sudanese Dinar	SDD
Suriname	Surinam Dollar	SRD
Svalbard and Jan Mayen	Norwegian Krone	NOK
Swaziland	Lilangeni	SZL
Sweden	Swedish Krona	SEK
Switzerland	Swiss Franc	CHF
Switzerland	WIR Franc	CHW
Switzerland	WIR Euro	CHE
Syrian Arab Republic	Syrian Pound	SYF
Taiwan, Province of China	New Taiwan Dollar	TWD

Country/Region	Currency Name	Currency Code
Tajikistan	Somoni	TJS
Tanzania, United Republic of	Tanzanian Shilling	TZS
Thailand	Baht	THB
Timor-Leste	US Dollar	USD
Togo	CFA Franc BCEAO	XOF
Tokelau	New Zealand Dollar	NZD
Tonga	Paanga	TOP
Trinidad And Tobago	Trinidad and Tobago Dollar	TTD
Tunisia	Tunisian Dinar	TND
Turkey	New Turkish Lira	TRY
Turkmenistan	Manat	TMM
Turks And Caicos Islands	US Dollar	USD
Tuvalu	Australian Dollar	AUD
Uganda	Uganda Shilling	UGX
Ukraine	Hryvnia	UAH
United Arab Emirates	UAE Dirham	AED
United Kingdom	Pound Sterling	GBP
United States	US Dollar	USD
United States Minor Outlying Islands	US Dollar	USD
Uruguay	Peso Uruguayo	UYU
Uruguay	Uruguay Peso en Unidades Indexadas	UYI
Uzbekistan	Uzbekistan Sum	UZS
Vanuatu	Vatu	VUV
Venezuela	Bolivar	VEB
Viet Nam	Dong	VND
Virgin Islands (British)	US Dollar	USD
Virgin Islands (US)	US Dollar	USD
Wallis And Futuna	CFP Franc	XPF
Western Sahara	Moroccan Dirham	MAD
Yemen	Yemeni Rial	YER
Zambia	Kwacha	ZMK
Zimbabwe	Zimbabwe Dollar	ZWD

## Delivery Confirmation Origin-Destination Pairs

The Origin-Destination table defines valid origin and destination combinations for the delivery confirmation accessories. These accessories may be applied at the package-level (P) or at the shipment-level (S). They are valid for forward shipments only.

Delivery confirmation types are as follows:

- Delivery confirmation (DC)
- Delivery confirmation with signature required (DC-SR)
- Delivery confirmation with adult signature required (DC-ASR)

Origin	Destination	DC	DC-SR	DC-ASR
US50	US50, PR	P	P	P
US50	CA, VI		S	S
US50	Intl other than CA, PR, VI		S	S
CA	US50, PR	P	P	P
CA	CA, VI		S	S
CA	Intl other than CA, PR, VI		S	S
PR	US50, PR	P	P	P
PR	CA, VI		S	S
PR	Intl other than CA, PR, VI		S	S
International-supported origin countries (not US, PR, CA, VI) *	International (national, trans border, worldwide)		S	S

\*Refer to Country Codes in the Appendix.

## Disclaimer Codes and Messages

Disclaimer Codes	Disclaimer Message
01	Taxes are included in the shipping cost and apply to the transportation charges but additional duties/taxes may apply and are not reflected in the total amount due.
02	Additional duties/taxes may apply and are not reflected in the total amount due.
03	Additional duties/taxes may apply and are not reflected in the total amount due.
04	Taxes were unable to be determined and may apply to the shipment.
05	Rate excludes VAT. Rate includes a fuel Surcharge, but excludes taxes, duties and other charges that may apply to the shipment.



## EEI License Codes

Electronic Export Information (EEI)

### Department of Commerce/Bureau of Industry and Security (BIS)

#### Column definitions:

- 1: License Code
- 2: License Description
- 3: Report: Export License Nbr / CFR Citation /Authorization Symbol / KPC#
- 4: ECCN
- 5: Allowed MOT Codes

Code	Description	Report	ECCN	Export	MOT
C30	Licenses issued by BIS authorizing an export, re-export, or other regulated activity. The term 'license' does not include authority represented by a 'License Exception'. EAR99 may be reported as an ECCN.	Report the License Number.	Mandatory	IW, OS, OI, TL	All
C31	Special Comprehensive License (SCL) Part 752. EAR99 may be reported as an ECCN.	Report the License Number.	Mandatory	IW, OS, OI, TL	All
C32	No License Required (NLR) Part 758 Those items which are covered by entries on the Commerce Control List that have a reason for control other than or in addition to Anti-Terrorism (AT).  For items under 600 series ECCNs with a .y paragraph, use C60 (DY6). EAR99 may be reported as an ECCN.	Report 'NLR'.	Mandatory	IW, OS, OI, TL	All except '70' (Fixed Transport)
C33	No License Required (NLR) Part 758 All other NLR items filed under the 'NLR' provisions of the EAR Part 758 that are not covered by C32. Use C33 and report the ECCN if the commodity is controlled ONLY for Anti-Terrorism (AT).  For items under 600 series ECCNs with a .y paragraph, use C60 (DY6). EAR99 may be reported as an ECCN.  For Census purposes, use C33 for shipments between the U.S. and Puerto Rico and from the U.S. to the U.S. Virgin Islands.	Report 'NLR'.	Allowed	All except UG, FS, FI	All

Code	Description	Report	ECCN	Export	MOT
C35	<p>Limited Value Shipments (LVS) Part 740.3</p> <p>EAR99 may NOT be reported as an ECCN.</p> <p>Only allow Countries of Destination from the Country Group B list</p> <p>Reference:  <a href="http://www.access.gpo.gov/bis/ear/pdf/740spir.pdf">www.access.gpo.gov/bis/ear/pdf/740spir.pdf</a> </p>	Report 'LVS'.	<p>Mandatory</p> <p>Must be one of the following:</p> <p>0A018</p> <p>0A918</p> <p>1A001</p> <p>1A002</p> <p>1A003</p> <p>1A008</p> <p>1B001</p> <p>1B002</p> <p>1B003</p> <p>1C002</p> <p>1C003</p> <p>1C004</p> <p>1C005</p> <p>1C007</p> <p>1C008</p> <p>1C009</p> <p>1C010</p> <p>2B003</p> <p>2B005</p> <p>2B007</p> <p>3C001</p> <p>3C003</p> <p>3C004</p> <p>4A001</p> <p>4A004</p> <p>5A002</p> <p>6A002</p> <p>6A006</p> <p>6A007</p> <p>6B007</p> <p>6C002</p> <p>6C005</p> <p>8A001</p> <p>8A018</p> <p>8B001</p> <p>9A002</p> <p>9A003</p>	<p>CR, IS, TE, TL, CH, CI, MS, GS, IP, IR, OI, OS, DD, IW</p>	All except '70' (Fixed Transport)

Code	Description	Report	ECCN	Export	MOT
			9A018		
			9B008		
			9B009		
			8A918		
			3A992		
			5B991		
			1B018		
			1C018		
			2B018		
			3B002		
			4A003		
			1C006		
			2A001		
			3A001		
			3A002		
			3B001		
			3C002		
			5A001		
			5B001		
			6A001		
			6A003		
			6A004		
			6A005		
			6A008		
			6B004		
			6C004		
			8A002		
			9B001		
			9B002		
			9B003		
			9B004		
			9B006		
			9A610		
			9A619		
			9B610		
			9B619		
			9C610		
			9C619		

Code	Description	Report	ECCN	Export	MOT
C36	<p>Shipments to B Countries (GBS) Part 740.4</p> <p>EAR99 may NOT be reported as an ECCN.</p> <p>Only allow Countries of Destination from the Country Group B list.</p> <p>Reference:  <a href="http://www.access.gpo.gov/bis/ear/pdf/740spir.pdf">www.access.gpo.gov/bis/ear/pdf/740spir.pdf</a> </p>	Report 'GBS'.	<p>Mandatory</p> <p>Must be one of the following:</p> <p>1A005</p> <p>2B018</p> <p>3B002</p> <p>4A003</p> <p>1C006</p> <p>2A001</p> <p>3A001</p> <p>3A002</p> <p>3B001</p> <p>3C002</p> <p>3C005</p> <p>3C006</p> <p>5A001</p> <p>5B001</p> <p>6A001</p> <p>6A003</p> <p>6A004</p> <p>6A005</p> <p>6A008</p> <p>6B004</p> <p>6C004</p> <p>8A002</p> <p>9B001</p> <p>9B002</p> <p>9B003</p> <p>9B004</p> <p>9B006</p>	<p>CR, GP, IS, TE, TL, MS, GS, IP, IR, TP, OI, OS, DD, IW</p>	All except '70' (Fixed Transport)

Code	Description	Report	ECCN	Export	MOT
C37	<p>Civil End Users (CIV) Part 740.5</p> <p>EAR99 may NOT be reported as an ECCN.</p> <p>Only allow Countries of Destination from the Country Group D1 list</p> <p>Reference:  <a href="http://www.access.gpo.gov/bis/ear/pdf/740spir.pdf">www.access.gpo.gov/bis/ear/pdf/740spir.pdf</a> </p>	Report 'CIV'.	<p>Mandatory</p> <p>Must be one of the following:</p> <p>1D001</p> <p>1D002</p> <p>3E002</p> <p>5D001</p> <p>6D003</p> <p>9D003</p> <p>1C006</p> <p>2A001</p> <p>3A001</p> <p>3A002</p> <p>3B001</p> <p>3C002</p> <p>3C005</p> <p>3C006</p> <p>4A003</p> <p>5A001</p> <p>5B001</p> <p>6A001</p> <p>6A003</p> <p>6A004</p> <p>6A005</p> <p>6A008</p> <p>6B004</p> <p>6C004</p> <p>8A002</p> <p>9B001</p> <p>9B002</p> <p>9B003</p> <p>9B004</p> <p>9B006</p>	CR, IS, TE, TL, IP, IR, OI, OS, DD, IW	All except '70' (Fixed Transport)

Code	Description	Report	ECCN	Export	MOT
C38	<p>Restrict Technology and Software (TSR)</p> <p>Part 740.6 (AES or EEI filing not required)</p> <p>EAR99 may NOT be reported as an ECCN.</p> <p>Only allow Countries of Destination from the Country Group B list</p> <p>Reference:  <a href="http://www.access.gpo.gov/bis/ear/pdf/740spir.pdf">www.access.gpo.gov/bis/ear/pdf/740spir.pdf</a> </p>	Report 'TSR'.	<p>Mandatory</p> <p>Must be one of the following:</p> <p>1D001</p> <p>1D002</p> <p>3E002</p> <p>5D001</p> <p>6D003</p> <p>9D003</p> <p>1E001</p> <p>1E002</p> <p>2D001</p> <p>2D002</p> <p>2E001</p> <p>2E002</p> <p>2E003</p> <p>3D001</p> <p>3D002</p> <p>3D003</p> <p>3D004</p> <p>3E001</p> <p>3E003</p> <p>4D002</p> <p>5E001</p> <p>6D001</p> <p>6D002</p> <p>6E001</p> <p>6E002</p> <p>6E003</p> <p>8D001</p> <p>8D002</p> <p>8E001</p> <p>8E002</p> <p>9D018</p> <p>9E018</p> <p>4D001</p> <p>4E001</p> <p>0E018</p> <p>2D018</p> <p>2E018</p>	CR, GP, IS, TE, TL, MS, GS, IP, IR, OI, OS, IW	All except '70' (Fixed Transport)

Code	Description	Report	ECCN	Export	MOT
C39	<p>Computers (CTP) Part 740.7</p> <p>License Exception CTP has been revised and is now known as License Exception APP. License Code C39 is replaced with License Code C53.</p> <p>AES will continue to allow corrections/replacements/cancellations to shipments previous accepted in AES under License Exception C39. All new shipments covered by this exception being added to AES must be reported under License Code C53 with Authorization Symbol 'APP'.</p> <p>Items under 600 series ECCNs are not eligible under this license type.</p> <p>EAR99 may be reported as an ECCN.</p>				
C40	<p>Temporary Imports, Exports, and Re-exports (TMP) Part 740.9</p> <p>Consolidates the following categories: Temporary exports and re-exports; Items temporarily in the U.S.; Beta Test Software.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'TMP'.	Allowed	CR, GP, IS, TE, TL, MS, GS, IP, IR, TP, OI, OS, DD, IW	All except '70' (Fixed Transport)
C41	<p>Servicing and Replacement of Parts and Equipment (RPL) Part 740.10</p> <p>Consolidates the following categories: One-for-one replacement of parts; servicing and replacement of equipment.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'RPL'.	Mandatory	GP, IS, TE, TL, MS, GS, IP, IR, TP, OI, OS, IW	All except '70' (Fixed Transport)
C42	<p>Government and International Organizations (GOV) Part 740.11 (AES or EEI not required)</p> <p>Consolidates the following categories: International safeguards; shipments to U.S. Agencies and personnel; shipments to Agencies of cooperating governments.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'GOV'.	Mandatory	GP, IS, TE, TL, CH, CI, MS, GS, IP, IR, TP, OI, OS, DD, IW	All except '70' (Fixed Transport)
C43	<p>Gift Parcels and Humanitarian Donations (GFT) Part 740.12</p> <p>(AES or EEI not required)</p> <p>Items under 600 series ECCNs are not eligible under this license type.</p> <p>Consolidates the following categories: Gift parcels; Humanitarian donations.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'GFT'.	Mandatory	UG, IW	All except '70' (Fixed Transport)
C44	<p>Technology and Software – Unrestricted (TSU) Part 740.13</p> <p>Consolidates the following categories: Operating technology and software; Sales technology and software; Software updates; General software.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'TSU'.	Mandatory	CR, GP, IS, TE, TL, MS, GS, IP, IR, TP, OI, OS, IW	All except '70' (Fixed Transport)

Code	Description	Report	ECCN	Export	MOT
C45	<p>Baggage (BAG) Part 740.14</p> <p>Items under 600 series ECCNs are not eligible under this license type.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'BAG'.	Mandatory	OI, OS, IW	All except '70' (Fixed Transport)
C46	<p>Aircraft and Vessels (AVS) Part 740.15 (AES or EEL not required)</p> <p>Items under 600 series ECCNs are not eligible under this license type.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'AVS'.	Mandatory	GP, IS, TE, TL, MS, GS, IP, IR, TP, OI, OS, IW	All except '70' (Fixed Transport)
C49	<p>Trans-Alaska Pipeline Authorization Act (TAPS) Part 754.2</p> <p>Permits the export of Alaskan North Slope crude oil.</p> <p>Items under 600 series ECCNs are not eligible under this license type.</p> <p>EAR99 may be reported as an ECCN.</p>	Report 'TAPS'.	Mandatory	OI, OS, IW	'70' (Fixed Transport)
C50	<p>Encryption Commodities and Software (ENC) Part 740.17</p> <p>Permits the export and re-export of any key length encryption commodities and software after review; permits the export and re-export of any key length encryption to U.S. subsidiaries without review.</p> <p>EAR99 may NOT be reported as an ECCN.</p>	Report 'ENC'.	<p>Mandatory</p> <p>Must be one of the following:</p> <p>5A002</p> <p>5B002</p> <p>5D002</p> <p>5E002</p>	CR, GP, IS, TE, TL, MS, GS, IP, IR, TP, OI, OS, IW	All except '70' (Fixed Transport)
C51	<p>License Exception Agricultural Commodities (AGR) Part 740.18</p> <p>Authorizes exports and certain re-exports of agricultural commodities to Cuba.</p> <p>Items under 600 series ECCNs are not eligible under this license type.</p> <p>EAR99 may be reported as an ECCN.</p>	Report License Number.	Mandatory	CH, OI, OS, IW	All except '20', '21' (Rail), '30', '31' (Truck), '70' (Fixed Transport)
C53	<p>Computers (APP) Part 740.7</p> <p>Adjusted Peak Performance (APP) replaces Composite Theoretical Performance (CTP)</p> <p>EAR99 may NOT be reported as an ECCN.</p>	Report 'APP'.	<p>Mandatory</p> <p>Must be one of the following:</p> <p>4A003</p> <p>4D001</p> <p>4E001</p>	CR, GP, IS, TE, TL, MS, GS, IP, IR, TP, OI, OS, IW	All except '70' (Fixed Transport)
C54	<p>Short Supply (Western Red Cedar – WRC) Part 754.4</p> <p>EAR99 may NOT be reported as an ECCN.</p>	Report 'SS-WRC'	<p>Mandatory</p> <p>Must be</p> <p>1C988</p>	All	All except '70' (Fixed Transport)
C55	<p>Short Supply (Crude Oil Samples – SAMPLE) Part 754.2</p> <p>EAR99 may NOT be reported as an ECCN.</p>	Report 'SS-SAMPLE'	<p>Mandatory</p> <p>Must be</p> <p>1C981</p>	All	All



Code	Description	Report	ECCN	Export	MOT
C56	Short Supply (Strategic Petroleum Reserves – SPR) Part 754.2 EAR99 may NOT be reported as an ECCN.	Report 'SS-SPR'.	Mandatory Must be 1C981	All	All
C57	Authorization for Validated End-User for Certain Authorized Exports and Re-exports of Commerce Control List items to the People's Republic of China and India.  Items under 600 series ECCNs are not eligible under this license type.  EAR99 may NOT be reported as an ECCN.	Report 'VEU'.	Mandatory	OI, OS, TL, IW	All except '70' (Fixed Transport)
C58	Free Exchange of Information allows export and re-export of consumer products related to communications and exchange of information to Cuba.	Report 'CCD'	4A994, 4D994, 5A991, 5D991, 5D992, 5A992, EAR99	OI, OS, CH, CI	All except '70' (Fixed Transport)
C59	Strategic Trade Authorization (STA) allows an exception to export specific controlled items to certain countries that would otherwise require a license because of CCL-based license requirements.	Report 'STA'	600-series ECCNs and other ECCNs are eligible to the extent permitted under part 740.20 of the EAR	OI, OS, CH, CI	All
C60	.y "600 series" items to identify the .y subparts to ECCNs that are in the "600 series" because they have less military significance than other subparts to the "600 series."	Report 'DY6'	Allowed  When reported, the ECCN must be one of the following:  9A610  9A619  9B619  9D610  9D619  9E610  9E619	OI, OS, CH, CI	All

**Department of Energy/National Nuclear Security Administration (DOE/NNSA)**

Code	Description	Report	ECCN	Export	MOT
E01	Authorization for Nuclear Security Enterprise of government-owned, contractor-operated (GOCO) Management and Operations entities that perform work under the directions and oversight of the National Nuclear Security Administration, to export items authorized by the Atomic Energy Act Authorization/Licensing and as acknowledged in the International Traffic in Arms Regulations section 123.20 and 125.1.	Report 'AEA'	Not Allowed	OS	All except 12,20, 21, 70

**Nuclear Regulatory Commission (NRC)**

Code	Description	Report	ECCN	Export	MOT
N01	NRC Form 250/250A 'Specific' export license for nuclear material and equipment.	Report the License Number.	Allowed	MS,GS, OI, OS	All except '60' (Passenger Hand Carried), '70' (Fixed Transport)
N02	NRC 'General' Export License	Report the CFR Citation Number.	Allowed	MS,GS, OI, OS	All except '60' (Passenger Hand Carried), '70' (Fixed Transport)

## Department of State/ Directorate of Defense Trade Control (DDTC)

When the License Code S61, S73, S85 or S94 is reported and accepted in AES, the filer is required to present the original license and proof of filing to CBP prior to export.

Code	Description	Report	ECCN	Export	MOT	Code
SAG	Agreements Agreements (i.e. AG, BA, MA, RR, TA and VD)	Report ITAR DDTC Exemption Citation.	Report spaces.	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
SAU	Australia ITAR Exemptions	Report ITAR DDTC Exemption Citation	Report the Approved Community Member #	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
SCA	Canadian ITAR Exemption	Report ITAR DDTC Exemption Citation.	Report spaces.	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
SGB	United Kingdom ITAR Exemptions	Report ITAR DDTC Exemption Citation	Report the Approved Community Member #	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
S00	License Exemption Citation	Report ITAR DDTC Exemption Citation.	Report spaces.	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
S05	DSP-5 Permanent export of unclassified defense articles and services.	Report spaces.	Report the License Number.	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
S61	DSP-61 Temporary import of unclassified articles.	Report spaces.	Report the License Number.	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
S73	DSP-73 Temporary export of unclassified articles.	Report spaces.	Report the License Number.	Allowed	MS, GS, TP, OI, OS	All except '70' (Fixed Transport)
S85	DSP-85 Temporary or permanent import or export of classified articles.	Report spaces.	Report the License Number.	Allowed	MS, GS, OI, OS	All except '70' (Fixed Transport)
S94	DSP-94 Foreign Military Sales	Report spaces.	Report the License Number.	Allowed	MS, GS, FS, FI	All except '60' (Passenger Hand Carried), '70' (Fixed Transport)

**Department of Treasury/Office of Foreign Assets Control (OFAC)**

Code	Description	Report	ECCN	Export	MOT
T10	<p>OFAC 'Specific' License</p> <p>Specific export license issued, on a case-by-case basis, by OFAC for certain export shipments that would otherwise be barred by sanctions.</p>	Report the License Number.	Allowed	MS,GS, OI, OS	All except '60' (Passenger Hand Carried), '70' (Fixed Transport)
T11	<p>OFAC 'General' Export License</p> <p>Export shipments permitted under 'General' license which conform to criteria set forth in an OFAC authorization published as a regulation (no individual clearance by OFAC) covers certain shipments that would otherwise be barred by sanctions.</p>	Report the CFR citation or if there is no CFR citation, the Federal Register Citation if there is one, or the General License Number.	Allowed	MS,GS, OI, OS	All except '60' (Passenger Hand Carried), '70' (Fixed Transport)
T12	<p>Kimberley Process Certificate Number</p> <p>The unique identifying number of the Kimberley Process Certificate (KPC) issued by the United States Kimberley Process Authority must accompany any export (reexport) of rough diamonds.</p> <p>See standards, practices, and procedures of the Kimberley Process set forth in the Rough Diamond Control Regulations, 31 CFR part 592, promulgated by OFAC</p> <p>(69 FR 56936 dated September 23, 2004).</p>	Report the KPC#	EAR99 or blank only	OI, OS	All except '60' (Fixed Transport)

**Other Partnership Agency**

Code	Description	Report	ECCN	Export	MOT
OPA	<p>Other Partnership Agency License</p> <p>AES filers are required to comply with current paper documentation requirements for agencies not accommodated in AES</p> <p>(i.e. DEA, ATF).</p>	Report the License Number or 'OPA'.	Allowed	All except UG, FS, FI, IW	All

## EEI License Types and Exemptions

Note: \* AES Filing Required Regardless of Value

### License Types

#### Section I

License	Description
Commerce License	Usually articles with dual use, Military or Civilian. 1 Letter + 6 Digits Example: D123456 Note: Must have an ECCN.
Drug Enforcement Agency (DEA)	Exportation of controlled substances and chemicals. 5 Digits Example: 12345 or 2 Letters + 7 Digits Examples: RA1234567 or PB7654321 Note: Usually starts with R or P.
State Department License (SDL)	DDTC enforces the laws and regulations for defense articles, defense services and related technology such as weapons or manuals for fighter jets. The commodities are usually military related articles. 9 Digits, but must start with 05 Example: 051234567 Note: Could have "DOS" in front/behind the digits and/or an expiration date.

### License Exemptions

#### Section II

Exempt from requiring a license, but AES Filing is required and the exemption must be stated on the provided documents.

License Exemption	Description and Examples
10 CFR 110	Nuclear Regulatory Commission (NRC) Key Entry: Only the digits "110" would be keyed in the License Field in OPSYS.
22 CFR 120 to 130	State Department License Exemption (SDL Exemption) Example: 22 CFR 123.16 Key Entry: Only the digits "123.16" would be keyed in the License field in OPSYS. See <a href="#">SDL Exception Matrix</a> for AES Filing requirements.

## Export License Exception Codes

License exception codes may be used in lieu of an export license in EEI forms.

Code	License Exception
AGR	Established for agricultural commodities to permit exports and re-exports to Cuba that is not specifically identified on the Commerce Control List (CCL) and is classified as EAR99.
APR	Items for export or re-export not controlled for nuclear nonproliferation, missile technology or crime control.
AVS	U.S. aircraft or foreign sojourn into foreign country.
BAG	Individual or exporting carriers crew members baggage.
CIV	National security items for civil end users.
CTP	Computer and parts of.
ENC	Encrypted software and hardware - financial institutions.
GBS	Export or re-export of Country Group B; controlled for national security reasons.
GFT	Gift shipments; packages to individuals, religious, charitable or education institutions, donations of basic needs.
GOV	Government shipments, covers shipments for U.S. government agencies, personnel or of cooperating foreign governments
KMI	Encrypted software and hardware.
LVS	Value of shipments limited.
NLR	No license required.
RPL	Servicing and replacement of parts and equipment, one for one replacement parts service or replacement of equipment.
TMP	Temporary exports, export and re-export of items temporary in U.S., export and re-export of beta test software.
TSPA	Software or technology outside the scope of export regulations.
TSR	Technology and software, national security reason, Country Group B.
TSU	Technology and software shipments, of basic requirements, data supporting prospective or actual bids, offers to sell, lease or supply an item. Software update for fixing programs, mass marketed software.

## Hong Kong District Codes

The following table lists the codes UPS uses to represent Hong Kong districts.

District	Code
ABERDEEN	SD1
ADMIRALTY	AD
AP LEI CHAU	SD2
CAUSEWAY BAY	CB
CENTRAL	CD
CHA KWO LING	KT1
CHAI WAN	CW1
CHAK LAP KOK	CLK1
CHEUNG CHAU	ISL1
CHEUNG SHA WAN	CSW
CHOI HUNG	CH
CHUNG HOM KOK	SD3
DAIMOND HILL	DH
DEEP WATER BAY	SD4
DISCOVERY BAY	ISL2
FANLING	FL
FORTRESS HILL	NP1
FOTAN	ST1
HAPPY VALLEY	HV
HO MAN TIN	HMT
HUNGHOM	HH
JORDAN	JD
KAM TIN	NT1
KENNEDY TOWN	WD1
KOWLOON BAY	KLB
KOWLOON CITY	KLC
KOWLOON TONG	KLT
KWAI CHUNG	KC1
KWAI FONG	KC2
KWAI HING	KC3
KWUN TONG	KT2
LAI CHI KOK	LCK1
LAI KING	LCK2
LAM TIN	LT3
LAMMA ISLAND	ISL3
LANTAU ISLAND	ISL4

District	Code
LOK FU	LF1
MA ON SHAN	ST2
MEI FOO	LCK3
MIDDLE BAY	SD5
MID-LEVEL	ML1
MONGKOK	MK1
MOUNT DAVIS	WD2
NGAU TAU KOK	NTK
NORTH POINT	NP2
PING CHAU	ISL5
POK FU LAM	SD6
PRINCE EDWARD	MK2
QUARRY BAY	QB
REPULSE BAY	SD7
SAI KUNG	SK
SAI WAN	WD3
SAI WAN HO	SWH
SAI YING PUN	WD4
SAN PO KONG	SPK
SHA TAU KOK	SS1
SHAM SHUI PO	SSP
SHAM TSENG	NT2
SHATIN	ST3
SHAU KEI WAN	SKW
SHEK KIP MEI	SKM
SHEK KONG	NT4
SHEK O	SD8
SHEK TONG TSUI	WD5
SHEUNG SHUI	SS2
SHEUNG WAN	SW
SHUN LEE	SL
SIU LEK YUEN	ST4
SIU SAI WAN	CW2
SOUTH BAY	SD9
SOUTHERN DISTRICT	SD10
STANLEY	SD11
TAI HANG	ML2
TAI KOK TSUI	TKT



District	Code
TAI LAM CHUNG	NT5
TAI PO	TP
TAI TAM	SD12
TAI WAI	ST5
TAP SHEK KOK	NT6
THE PEAK	ML3
TIN HAU	NP3
TIN SHUI WAI	NT7
TIN WAN	SD13
TO KWA WAN	TKW
TSEUNG KWAN O	TKO
TSIM SHA TSUI	TST1
TSIM SHA TSUI EAST	TST2
TSING LUNG TAU	NT8
TSING YI	TY
TSUEN WAN	TW
TSZ WAN SHAN	TWS
TUEN MUN	NT9
TUNG CHUNG	CLK2
WAH FU	SD14
WANCHAI	WC
WANG TAU HOM	LF2
WESTERN DISTRICT	WD6
WONG CHUK HANG	SD15
WONG TAI SIN	WTS
YAU MA TEI	YMT
YAU TONG	KT3
YUEN LONG	NT10

## International Forms Preference Criteria

Preference criteria are required in North American Free Trade Agreement Certificate of Origin (NAFTA CO) documents. The following table lists the defined criteria and their use.

Criteria	Meaning
A	<p>The good is "wholly obtained or produced entirely" in the territory of one or more of the NAFTA countries as referenced in Article 415.</p> <p>Note: The purchase of a good in the territory does not necessarily render it "wholly obtained or produced." If the good is an agricultural good, see also criterion F and Annex 703.2. (Reference: Article 401(a) and 415)</p>
B	<p>The good is produced entirely in the territory of one or more of the NAFTA countries and satisfies the specific rule of origin, set out in Annex 401 that applies to its tariff classification. The rule may include a tariff classification change, regional value-content requirement, or a combination there-of.</p> <p>The good must also satisfy all other applicable requirements of Chapter Four. If the good is an agricultural good, see also criterion F and Annex 703.2. (Reference: Article 401(b))</p>
C	<p>The good is produced entirely in the territory of one or more of the NAFTA countries exclusively from originating materials. Under this criterion, one or more of the materials may not fall within the definition of "wholly produced or obtained," as set out in Article 415.</p> <p>All materials used in the production of the good must qualify as "originating" by meeting the rules of Article 401(a) through (d). If the good is an agricultural good, see also criterion F and Annex 703.2. Reference: Article 401(c).</p>
D	<p>Goods are produced in the territory of one or more of the NAFTA countries but do not meet the applicable rule of origin, set out in is an agricultural good, see also criterion F and Annex 703.2.</p> <p>Reference: Article 401(c). Annex 401, because certain non-originating materials do not undergo the required change in tariff classification. The goods do nonetheless meet the regional value-content requirement specified in Article 401 (d). This criterion is limited to the following two circumstances:</p> <ol style="list-style-type: none"> <li>1. The good was imported into the territory of a NAFTA country in an unassembled or disassembled form but was classified as an assembled good, pursuant to H.S. General Rule of Interpretation 2 (a). or (2).</li> <li>2. The good incorporated one or more non- originating materials, provided for as parts under the H.S., which could not undergo a change in tariff classification because the originating materials, provided for as parts under the H.S., which could not undergo a change in tariff classification because the heading provided for both the good and its parts and was not further subdivided into subheadings, or the subheading provided for both the good and its parts and was not further subdivided.</li> </ol> <p>Note: This criterion does not apply to Chapters 61 through 63 of the H.S. (Reference: Article 401(d))</p>
E	<p>Certain automatic data processing goods and their parts, specified in Annex 308.1, that do not originate in the territory are considered originating upon importation into the territory of a NAFTA country from the territory of another NAFTA country when the most-favored- nation tariff rate of the good conforms to the rate established in Annex 308.1 and is common to all NAFTA countries. (Reference: Annex 308.1)</p>
F	<p>The good is an originating agricultural good under preference criterion A, B, or C above and is not subject to a quantitative restriction in the importing NAFTA country because it is a "qualifying good" as defined in Annex 703.2, Section A or B (please specify).</p> <p>A good listed in Appendix 703.2B.7 is also exempt from quantitative restrictions and is eligible for NAFTA preferential tariff treatment if it meets the definition of "qualifying good" in Section A of Annex 703.2.</p> <p>Note: This criterion does not apply to goods that wholly originate in Canada or the United States and are imported into either country. Note: A tariff rate quota is not a quantitative restriction</p>

## Label Examples

The following figures are examples of UPS shipping and return labels.

### Shipping Label Sample



## Return Label Sample

SKYLER DEFILER PORCH SLOTH, LTD. NOT REAL -UPS TEST CASE- NOT REAL CARLISLE CA39DG UNITED KINGDOM		<b>1 OF 1</b> SHP#: 567V 47TG TGR SHP WT: 6 KG DATE: 02 JAN 2005	
<b>SHIP TO:</b> HERCULE POIROT 33365673379339 FOUL POWELL'S RE-POSSESSIONS NOT REAL -UPS TEST CASE- NOT REAL <b>89079 GOTTINGEN</b> <b>GERMANY</b>			
		<b>DEU 890 5-00</b> 	
<b>UPS EXPRESS</b> TRACKING #: 1Z 567 V47 85 9311 4762		<b>1</b>	
			
BILLING: P/P T/P 567V47 DE DESC: Package 2 RETURN SERVICE		<b>RS</b>	
Reference No.1: 04ROW01		XOL 02.04.13 NV45 36.0A 10/2004	

## Language / Dialect Combinations

PreAlertNotification and UPS Access Point Notification language/dialect combinations:

Language	Dialect
CES	97
DAN	97
DEU	97
ELL	97
ENG	GB
ENG	US
ENG	CA
ENG	CA
FIN	97
FRA	97
FRA	CA
HEB	97
HUN	97
ITA	97
NLD	97
NLD	97
NOR	97
NOR	97
POL	97
POR	97
RON	RO
RUS	97
SLK	97
SPA	97
SPA	PR
SWE	97
TUR	97
VIE	97
ZHO	TW

## License Exception Codes

License exception codes may be used in lieu of an export license in EEI forms.

Values	Description
AGR	Established for agricultural commodities to permit exports and re-exports to Cuba that is not specifically identified on the Commerce Control List (CCL) and is classified as EAR99.
APR	Items for export or re-export not controlled for nuclear nonproliferation, missile technology or crime control.
AVS	U.S. aircraft or foreign sojourn into foreign country.
BAG	Individual or exporting carrier's crew member's baggage.
CIV	National security items for civil end users.
CTP	Computer and parts of.
ENC	Encrypted software and hardware - financial institutions.
GBS	Export or re-export of Country Group B; controlled for national security reasons.
GFT	Gift shipments; packages to individuals, religious, charitable or education institutions, donations of basic needs.
GOV	Government shipments, covers shipments for U.S. government agencies, personnel or of cooperating foreign governments.
KMI	Encrypted software and hardware.
LVS	Value of shipments limited.
NLR	No license required.
RPL	Servicing and replacement of parts and equipment, one for one replacement parts service or replacement of equipment.
TMP	Temporary exports, export and re-export of items temporary in U.S., export and re-export of beta test software.
TSPA	Software or technology outside the scope of export regulations.
TSR	Technology and software, national security reason, Country Group B.
TSU	Technology and software shipments, of basic requirements, data supporting prospective or actual bids, offers to sell, lease or supply an item. Software update for fixing programs, mass marketed software

## Mail Innovations Package Detail Information

### Priority and First Class Mail - Domestic

Package Type	UOM	Weight	Endorsement Required ?	Type of Endorsement	Delivery Confirmation Allowed ?	QV Email Notification Allowed ?
Priority	LBS	1 to 70	Required	ASR, CSR,FSR, and RSR	Allowed	Allowed
First Class	OZS	1 to 13	Required	ASR, CSR,FSR, and RSR	Allowed	Allowed

### Expedited Mail Innovations - Domestic

Package Type	UOM	Weight	Endorsement Required ?	Type of Endorsement	Delivery Confirmation Allowed ?	QV Email Notification Allowed ?
Machineables	OZS	6 to < 16	Required	ASR, CSR,FSR, and RSR	Allowed	Allowed
Irregulars	OZS	1 to < 16	Required	ASR, CSR,FSR, and RSR	Allowed	Allowed
Parcel Post	LBS	1 to 70	Required	ASR, CSR,FSR, and RSR	Allowed	Allowed
BPM Parcel	LBS	1 to 15	Required	ASR, CSR,FSR, and RSR	Allowed	Allowed
Media Mail	LBS	1 to 70	Required	ASR, CSR,FSR, and RSR	Allowed	Allowed
Standard Flats	OZS	1 to < 16	Prohibited	LSR	Prohibited	Allowed
BPM Flats	LBS	1 to 15	Prohibited	LSR	Prohibited	Allowed

### Priority and Economy Mail Innovations - International

Package Type	UOM	Weight	Endorsement Required ?	Type of Endorsement	Delivery Confirmation Allowed ?	QV Email Notification Allowed ?
BPM, Flats, Parcels	LBS	1 to 70	Prohibited	LSR	Prohibited	Prohibited
BPM, Flats, Parcels	LBS	1 to 70	Prohibited	LSR	Prohibited	Prohibited

Note\*: UOM and Weight are specified at the Package Level.

**Table 2:**

Endorsement	Full Text	Allowed
ASR	Address Service Requested	Allowed
CSR	Change Service Requested	Allowed
FSR	Forwarding Service Requested	Allowed
RSR	Return Service Requested	Allowed
LNR	No Service Selected	Allowed

## Paperless Invoice Support Countries

The following table lists those countries that support paperless (electronic submission) invoices.



NOTE: Although a country may be prepared to accept Paperless Invoices, it is not guaranteed that all origins are allowed to send Paperless Invoices to such a country.

Paperless Invoice countries are updated quarterly however guides are updated semi-annually in January and July. Changes may occur between releases of the guide.

Australia	Scotland	Macau	Hungary
Canada	South Korea	Netherlands	Ireland
Denmark	Switzerland	Philippines	Japan
France	United States	Puerto Rico	Lithuania
Great Britain	Austria	Singapore	Malaysia
India	China	Spain	New Zealand
Israel	Estonia	Tai wan	Poland
Jersey	Germany	Vietnam	Romania
Luxembourg	Hong Kong	Belgium	Slovenia
Malta	Indonesia	Czech Republic	Sweden
Norway	Italy	Finland	Thailand
Portugal	Latvia	Guernsey	

## North American Free Trade Agreement (NAFTA) Supported Countries

The following table lists the NAFTA countries that support paperless (electronic submission).



NOTE: Although a country may be prepared to accept Paperless NAFTA, it is not guaranteed that all origins are allowed to send Paperless Invoices to such a country.

Mexico as an origin is not currently supported.

Origin	Destination
US	CA
US	MX
CA	US
CA	PR
CA	MX
PR	CA
PR	MX



## Reference Number Codes

Shipments and packages may include a reference number. The type of reference number may be indicated by a reference number code.

Code	Description
AJ	Accounts Receivable Customer Account
AT	Appropriation Number
BM	Bill of Lading Number
9V	Collect on Delivery (COD) Number
ON	Dealer Order Number
DP	Department Number
EI	Employer's ID Number
TJ	Federal Taxpayer ID No.
3Q	Food and Drug Administration (FDA) Product Code
IK	Invoice Number
MK	Manifest Key Number
MJ	Model Number
PM	Part Number
PC	Production Code
PO	Purchase Order Number
RQ	Purchase Request Number
RZ	Return Authorization Number
SA	Salesperson Number
SE	Serial Number
SY	Social Security Number
ST	Store Number
TN	Transaction Reference Number

## Service Codes

UPS offers a wide variety of package delivery services. The following tables list the service code values for these services; they are ordered by the origin of the shipment.

For more information on UPS services, refer to the latest [UPS Rate and Service Guide](http://www.ups.com) available at <http://www.ups.com>.

- [United States](#)
- [Canada](#)
- [European Union](#)
- [Mexico](#)
- [Poland](#)
- [Puerto](#)
- [Undefined Countries](#)
- [All Countries](#)

### United States

Shipments originating in United States

Description	Shipping	Rating
UPS 2nd Day Air	02	02
UPS 2nd Day Air A.M.	59	59
UPS 3 Day Select	12	12
UPS Ground	03	03
UPS Next Day Air	01	01
UPS Next Day Air Early	14	14
UPS Standard	11	11
UPS Worldwide Expedited	08	08
UPS Worldwide Express	07	07
UPS Worldwide Express Plus	54	54
UPS Worldwide Saver	65	65

United States Domestic Shipments

Description	Shipping	Rating
UPS 2nd Day Air	02	02
UPS 2nd Day Air A.M.	59	59
UPS 3 Day Select	12	12
UPS Expedited Mail Innovations	M4	M4
UPS First-Class Mail	M2	M2
UPS Ground	03	03
UPS Next Day Air	01	01
UPS Next Day Air Early	14	14
UPS Next Day Air Saver	13	13
UPS Priority Mail	M3	M3

## Canada

Description	Category	Shipping	Rating
UPS 2nd Day Air	Canadian domestic shipments	02	02
UPS Next Day Air Saver	Canadian domestic shipments	13	13
UPS 3 Day Select	Shipments originating in Canada	12	12
UPS Access Point Economy	Canadian domestic shipments	70	70
UPS Expedited	Shipments originating in Canada to CA, US and Mexico	08	08
UPS Express	Shipments originating in Canada	01	01
UPS Express Early	Shipments originating in Canada	14	14
UPS Express Saver	Shipment originating in Canada (Domestic and Int'l)	65	65
UPS Standard	Shipments originating in Canada to CA and US 48	11	11
UPS Worldwide Expedited	International shipments originating in Canada	08	08
UPS Worldwide Express	Shipments originating in Canada to the US and Mexico	07	07
UPS Worldwide Express Plus	International shipments originating in Canada	54	54

## European Union

Description	Category	Shipping	Rating
UPS Access Point Economy	Shipments within the European Union	70	70
UPS Expedited	Shipments originating in the European Union	08	08
UPS Express	Shipments originating in the European Union	07	07
UPS Standard	Shipments originating in the European Union	11	11
UPS Worldwide Express Plus	Shipments originating in the European Union	54	54
UPS Worldwide Saver	Shipments originating in the European Union	65	65

## Mexico

Description	Category	Shipping	Rating
UPS Access Point Economy	Mexican Domestic Shipments	70	70
UPS Expedited	Shipments originating in Mexico	08	08
UPS Express	Shipments originating in Mexico	07	07
UPS Express Plus	Shipments originating in Mexico	54	54
UPS Standard	Shipments originating in Mexico	11	11
UPS Worldwide Saver	Shipments originating in Mexico	65	65

## Poland

Description	Category	Shipping	Rating
UPS Access Point Economy	Polish Domestic Shipments	70	70
UPS Expedited	International Shipments originating in Poland	08	08
UPS Express	Shipments originating in Poland	07	07
UPS Express Plus	Shipments originating in Poland	54	54
UPS Express Saver	Shipments originating in Poland	65	65
UPS Standard	Shipments originating in Poland	11	11
UPS Today Dedicated Courier	Polish Domestic Shipments	83	83
UPS Today Express	Polish Domestic Shipments	85	85
UPS Today Express Saver	Polish Domestic Shipments	86	86
UPS Today Standard	Polish Domestic Shipments	82	82

## Puerto Rico

Shipments originating in Puerto Rico

Description	Shipping	Rating
UPS 2nd Day Air	02	02
UPS Ground	03	03
UPS Next Day Air	01	01
UPS Next Day Air Early	14	14
UPS Worldwide Expedited	08	08
UPS Worldwide Express	07	07
UPS Worldwide Express Plus	54	54
UPS Worldwide Saver	65	65

## Undefined countries

Use for all countries other than United States, Canada, European Union, Mexico, Poland, and Puerto Rico

Description	Shipping	Rating
UPS Express	07	07
UPS Standard	11	11
UPS Worldwide Expedited	08	08
UPS Worldwide Express Plus	54	54
UPS Worldwide Saver	65	65

## All Countries

Shipments originating in any country

Description	Shipping	Rating
UPS Worldwide Express Freight	96	96
UPS Priority Mail Innovations	M5	M5
UPS Economy Mail Innovations	M6	M6

## Tax Type Values / Abbreviations

• ALV	• GST	• MOMS	• PVN
• BTW	• HST	• MVA	• QST
• DDS	• IVA	• MWST	• TVA
• DDV	• IVA1	• PDV	• VAT
• DPH	• IVA2	• PST	• VSK
• FPA	• IVA3	• PVM	

