

ICPSR 20541

**National Social Life, Health, and
Aging Project (NSHAP): Round 1,
[United States], 2005-2006**

ICPSR Codebook for Core Data, Public-Use

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

National Social Life, Health, and Aging Project (NSHAP): Round 1, [United States], 2005-2006

Linda J. Waite

University of Chicago. Department of Sociology

Edward O. Laumann

University of Chicago. Department of Sociology

Wendy S. Levinson

University of Toronto. Department of Medicine

Stacy Tessler Lindau

University of Chicago. School of Medicine. Departments of Obstetrics and Gynecology/Medicine-Geriatrics

Colm A. O'Muircheartaigh

University of Chicago. Irving B. Harris Graduate School of Public Policy Studies

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/20541/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #20541

*National Social Life, Health, and Aging Project (NSHAP): Round 1, [United States],
2005 – 2006*

DS1: Core Data, Public-Use

- 1) **Related Data Collections:** Please refer to the related data collection [ICPSR 34921](#), National Social Life, Health, and Aging Project (NSHAP): Round 2 and Partner Data Collection, [United States], 2010-2011, as well as [ICPSR 36873](#), National Social Life, Health, and Aging Project (NSHAP): Round 3 and COVID-19 Study, [United States], 2015-2016, 2020-2021 for further information regarding the NSHAP project.
- 2) **Stata Notes:** Stata notes have been added by the P.I. in the original Stata files within the zip package in Dataset 8: P.I. NSHAP Wave 1 Public-Use Stata Data Files. These notes provide additional information for variables across the data collection. For example, any time a question was asked in the leave-behind questionnaire for either some or all of the respondents, a note indicating this has been attached to the corresponding variable. Users may reference the zip package found in Part 8 and access notes attached to variables by entering the command “. notes” within the Stata command syntax for a particular data file.
- 3) **Undocumented Missing Value Codes:** Several variables throughout Dataset 1: Core Data, Public-Use contain undocumented missing value codes that have been designated as missing. For example, value ‘-3’ for the variable **BMI** does not contain a label but has been designated missing by ICPSR. The value -7 for the variable **MATURATION** does not contain a label but has also been designated missing. No information was provided.
- 4) **Missing Data/Documentation:**
 - a) Variables for NSHAP Module D: Orasure are not included in the data.
 - b) Variables for Green Pen #1 – Green Pen #5 and Red Pen #1 – Red Pen #5 in the NSHAP Biomarker Core: Smell section are not included in the data.

5) Additional Data Files: This collection is being released in nine parts: Parts 1 through 7 contain the ICPSR-processed files; Part 8 contains the public-use original Stata data files provided by the P.I. in a zip file package. Part 9 contains the restricted-use original Stata data files with extended and nonextended missing values provided by the P.I. in a zip file package.

6) Additional Information:

- a) Users should note that the National Social Life, Health, and Aging Project (NSHAP) Release Manual applies to all NSHAP Waves (ICPSR 20541, 34921, and 36873) found within the P.I. Documentation in the ICPSR Codebook.
- b) Please note that the NSHAP Release Manual found within the P.I. Documentation in the ICPSR Codebook refers to a README file in the introduction of Chapter 2: Multum Drug Category Hierarchy that is not being released by ICPSR.
- c) Users should refer to the P.I. Wave 1 In-Person Interview & Leave Behind Questionnaire for further information and an in-depth description of the individual interview paths used throughout the data.
- d) Please visit the [NORC at the University of Chicago](#) website for more information on this collection, including information on sampling and weights.
- e) ICPSR has included two Excel crosswalk documents which detail the variables present across the waves of NSHAP, as well as which variables are included in the public and restricted-use versions of each wave.

ICPSR 20541

National Social Life, Health, and Aging Project (NSHAP): Round 1, [United States], 2005-2006

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Core Data, Public-Use

ID: respondent id

Respondent ID

Based upon 3,005 valid cases out of 3,005 total cases.

Location: 1-6 (width: 6; decimal: 0)

Variable Type: character

FI_ID: interviewer id

Interviewer ID

Value	Label	Unweighted Frequency	%
000871	-	31	1.0 %
004634	-	11	0.4 %
015284	-	53	1.8 %
016925	-	20	0.7 %
024499	-	67	2.2 %
026366	-	13	0.4 %
034217	-	7	0.2 %
045132	-	7	0.2 %
052663	-	27	0.9 %
057124	-	16	0.5 %
073494	-	27	0.9 %
084317	-	5	0.2 %
084986	-	8	0.3 %
085592	-	39	1.3 %
086056	-	11	0.4 %
086933	-	3	0.1 %
103353	-	30	1.0 %
107729	-	25	0.8 %
114226	-	12	0.4 %
128055	-	11	0.4 %
141872	-	20	0.7 %
143531	-	15	0.5 %
152562	-	19	0.6 %
156643	-	10	0.3 %
169164	-	57	1.9 %
173005	-	4	0.1 %
173593	-	13	0.4 %

Value	Label	Unweighted Frequency	%
182636	-	30	1.0 %
184631	-	31	1.0 %
187631	-	6	0.2 %
204485	-	20	0.7 %
206453	-	3	0.1 %
210872	-	20	0.7 %
214198	-	4	0.1 %
215775	-	30	1.0 %
225581	-	16	0.5 %
248725	-	1	0.0 %
261029	-	33	1.1 %
277021	-	19	0.6 %
281481	-	36	1.2 %
286794	-	21	0.7 %
286931	-	23	0.8 %
289103	-	59	2.0 %
300445	-	25	0.8 %
306494	-	32	1.1 %
318889	-	135	4.5 %
334828	-	5	0.2 %
336993	-	1	0.0 %
338874	-	3	0.1 %
342356	-	28	0.9 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,005 valid cases out of 3,005 total cases.

Location: 7-12 (width: 6; decimal: 0)

Variable Type: character

PATH: interview path

Interview path

Value	Label	Unweighted Frequency	%
1	-	527	17.5 %
2	-	511	17.0 %
3	-	475	15.8 %
4	-	511	17.0 %

Value	Label	Unweighted Frequency	%
5	-	497	16.5 %
6	-	484	16.1 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Mean: 3.46
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.71

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

VERSION: version of leave-behind completed

Version of leave-behind completed

Value	Label	Unweighted Frequency	%
1	version 1	891	29.7 %
2	version 2	819	27.3 %
3	version 3	814	27.1 %
	Missing Data		
-5	not returned	481	16.0 %
	Total	3,005	100%

Based upon 2,524 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5

INT_START: interview start date string

Interview start date string

Value	Label	Unweighted Frequency	%
2005m10	-	331	11.0 %
2005m11	-	175	5.8 %
2005m12	-	94	3.1 %
2005m7	-	474	15.8 %

Value	Label	Unweighted Frequency	%
2005m8	-	1072	35.7 %
2005m9	-	618	20.6 %
2006m1	-	124	4.1 %
2006m2	-	78	2.6 %
2006m3	-	39	1.3 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

Location: 16-22 (width: 7; decimal: 0)

Variable Type: character

WEIGHT_SEL: person-level weight (no non-response adjustment)

Person-level weight (no non-response adjustment)

Value	Label	Unweighted Frequency	%
0.136769846082	-	1	0.0 %
0.147510156035	-	4	0.1 %
0.168682798743	-	1	0.0 %
0.184478759766	-	1	0.0 %
0.185207203031	-	2	0.1 %
0.205154776573	-	8	0.3 %
0.209918290377	-	1	0.0 %
0.213289827108	-	1	0.0 %
0.213894307613	-	1	0.0 %
0.216883093119	-	2	0.1 %
0.221265241504	-	6	0.2 %
0.223654240370	-	2	0.1 %
0.227079585195	-	1	0.0 %
0.227523773909	-	1	0.0 %
0.230039134622	-	1	0.0 %
0.231408476830	-	2	0.1 %
0.233277574182	-	2	0.1 %
0.234196528792	-	1	0.0 %
0.243726432323	-	1	0.0 %
0.244862139225	-	1	0.0 %
0.246131718159	-	1	0.0 %
0.252959966660	-	1	0.0 %
0.253024190664	-	14	0.5 %
0.257831662893	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.264090746641	-	6	0.2 %
0.265327513218	-	1	0.0 %
0.272893786430	-	28	0.9 %
0.273001760244	-	1	0.0 %
0.275852233171	-	1	0.0 %
0.276526987553	-	1	0.0 %
0.276718139648	-	5	0.2 %
0.277473211288	-	1	0.0 %
0.277810811996	-	7	0.2 %
0.278078764677	-	1	0.0 %
0.279308080673	-	1	0.0 %
0.280810326338	-	2	0.1 %
0.282286524773	-	2	0.1 %
0.283989638090	-	1	0.0 %
0.284002572298	-	1	0.0 %
0.285111039877	-	1	0.0 %
0.285124003887	-	1	0.0 %
0.291162073612	-	1	0.0 %
0.296076565981	-	6	0.2 %
0.307153701782	-	1	0.0 %
0.307883858681	-	1	0.0 %
0.309194505215	-	1	0.0 %
0.311619579792	-	1	0.0 %
0.312129825354	-	1	0.0 %
0.313362300396	-	1	0.0 %
0.314026564360	-	3	0.1 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,005 valid cases out of 3,005 total cases.

- Mean: 0.999999993697
- Minimum: 0.136769846082
- Maximum: 11.630826950073
- Standard Deviation: 0.676707723678

Location: 23-37 (width: 15; decimal: 12)

Variable Type: numeric

WEIGHT_ADJ: person-level weight (nonresponse adjusted)

Person-level weight (nonresponse adjusted)

Value	Label	Unweighted Frequency	%
0.149839729071	-	1	0.0 %
0.161606401205	-	4	0.1 %
0.184802323580	-	1	0.0 %
0.194292411208	-	1	0.0 %
0.195059612393	-	2	0.1 %
0.224759593606	-	8	0.3 %
0.228334024549	-	1	0.0 %
0.228420555592	-	2	0.1 %
0.229978337884	-	1	0.0 %
0.233672052622	-	1	0.0 %
0.234334111214	-	1	0.0 %
0.234334304929	-	1	0.0 %
0.239627286792	-	1	0.0 %
0.242409601808	-	5	0.2 %
0.245026886463	-	2	0.1 %
0.245687171817	-	2	0.1 %
0.252021938562	-	1	0.0 %
0.253522127867	-	2	0.1 %
0.256576627493	-	1	0.0 %
0.256691873074	-	1	0.0 %
0.261107563972	-	4	0.1 %
0.268261432648	-	1	0.0 %
0.269652336836	-	1	0.0 %
0.273506015539	-	1	0.0 %
0.274586021900	-	1	0.0 %
0.277133107185	-	1	0.0 %
0.277203470469	-	10	0.3 %
0.280693143606	-	1	0.0 %
0.281611919403	-	4	0.1 %
0.281801491976	-	1	0.0 %
0.282470345497	-	1	0.0 %
0.287524551153	-	1	0.0 %
0.289036870003	-	6	0.2 %
0.289327591658	-	6	0.2 %
0.290682524443	-	1	0.0 %
0.291438609362	-	4	0.1 %
0.292589426041	-	6	0.2 %
0.294166326523	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.295748502016	-	2	0.1 %
0.298971831799	-	24	0.8 %
0.299110561609	-	1	0.0 %
0.300291657448	-	1	0.0 %
0.302213013172	-	1	0.0 %
0.302952229977	-	1	0.0 %
0.303988873959	-	1	0.0 %
0.304652273655	-	1	0.0 %
0.307455033064	-	8	0.3 %
0.309262126684	-	2	0.1 %
0.318985849619	-	1	0.0 %
0.321548312902	-	2	0.1 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,005 valid cases out of 3,005 total cases.

- Mean: 0.999999999088
- Minimum: 0.149839729071
- Maximum: 11.354286193848
- Standard Deviation: 0.651605044798

Location: 38-52 (width: 15; decimal: 12)

Variable Type: numeric

STRATUM: (pseudo) sampling stratum

(Pseudo) Sampling stratum

Value	Label	Unweighted Frequency	%
1	-	48	1.6 %
2	-	42	1.4 %
3	-	47	1.6 %
4	-	50	1.7 %
5	-	62	2.1 %
6	-	36	1.2 %
7	-	64	2.1 %
8	-	43	1.4 %
9	-	50	1.7 %
10	-	15	0.5 %
11	-	42	1.4 %
12	-	35	1.2 %

Value	Label	Unweighted Frequency	%
13	-	47	1.6 %
14	-	15	0.5 %
15	-	36	1.2 %
16	-	26	0.9 %
17	-	53	1.8 %
18	-	28	0.9 %
19	-	40	1.3 %
20	-	76	2.5 %
21	-	51	1.7 %
22	-	16	0.5 %
27	-	76	2.5 %
28	-	72	2.4 %
29	-	93	3.1 %
30	-	67	2.2 %
31	-	93	3.1 %
32	-	29	1.0 %
33	-	65	2.2 %
34	-	72	2.4 %
35	-	25	0.8 %
36	-	103	3.4 %
38	-	76	2.5 %
39	-	81	2.7 %
40	-	71	2.4 %
41	-	61	2.0 %
42	-	54	1.8 %
43	-	68	2.3 %
44	-	152	5.1 %
45	-	26	0.9 %
46	-	81	2.7 %
47	-	40	1.3 %
48	-	70	2.3 %
49	-	80	2.7 %
50	-	54	1.8 %
51	-	124	4.1 %
53	-	102	3.4 %
54	-	53	1.8 %
55	-	62	2.1 %
56	-	133	4.4 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Mean: 32.41
- Median: 35.00
- Mode: 44.00
- Minimum: 1.00
- Maximum: 56.00
- Standard Deviation: 16.47

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

CLUSTER: (pseudo) psu

(Pseudo) PSU

Value	Label	Unweighted Frequency	%
11	-	31	1.0 %
12	-	17	0.6 %
21	-	24	0.8 %
22	-	18	0.6 %
31	-	18	0.6 %
32	-	29	1.0 %
41	-	14	0.5 %
42	-	36	1.2 %
51	-	35	1.2 %
52	-	27	0.9 %
61	-	22	0.7 %
62	-	14	0.5 %
71	-	42	1.4 %
72	-	22	0.7 %
81	-	25	0.8 %
82	-	18	0.6 %
91	-	23	0.8 %
92	-	27	0.9 %
101	-	7	0.2 %
102	-	8	0.3 %
111	-	22	0.7 %
112	-	20	0.7 %
121	-	16	0.5 %
122	-	19	0.6 %
131	-	29	1.0 %
132	-	18	0.6 %
141	-	10	0.3 %

Value	Label	Unweighted Frequency	%
142	-	5	0.2 %
151	-	19	0.6 %
152	-	17	0.6 %
161	-	16	0.5 %
162	-	10	0.3 %
171	-	26	0.9 %
172	-	27	0.9 %
181	-	23	0.8 %
182	-	5	0.2 %
191	-	32	1.1 %
192	-	8	0.3 %
201	-	42	1.4 %
202	-	34	1.1 %
211	-	36	1.2 %
212	-	15	0.5 %
221	-	10	0.3 %
222	-	6	0.2 %
271	-	30	1.0 %
272	-	46	1.5 %
281	-	18	0.6 %
282	-	54	1.8 %
291	-	42	1.4 %
292	-	51	1.7 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,005 valid cases out of 3,005 total cases.

- Mean: 325.60
- Median: 351.00
- Mode: 442.00
- Minimum: 11.00
- Maximum: 562.00
- Standard Deviation: 164.78

Location: 55-57 (width: 3; decimal: 0)

Variable Type: numeric

GENDER: gender of respondent

PLEASE INDICATE THE GENDER OF THE RESPONDENT. IF UNCLEAR, ASK: I am required to ask you the following: are you male or female?

Value	Label	Unweighted Frequency	%
1	male	1454	48.4 %
2	female	1551	51.6 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

AGE: age of respondent (calculated in CAPI from dob)

First, we would like to get some basic background information about you. In what month, day, and year were you born?

Value	Label	Unweighted Frequency	%
57	-	45	1.5 %
58	-	183	6.1 %
59	-	136	4.5 %
60	-	118	3.9 %
61	-	146	4.9 %
62	-	124	4.1 %
63	-	155	5.2 %
64	-	113	3.8 %
65	-	104	3.5 %
66	-	119	4.0 %
67	-	129	4.3 %
68	-	102	3.4 %
69	-	137	4.6 %
70	-	119	4.0 %
71	-	110	3.7 %
72	-	103	3.4 %
73	-	78	2.6 %
74	-	91	3.0 %
75	-	92	3.1 %
76	-	120	4.0 %
77	-	121	4.0 %
78	-	91	3.0 %
79	-	80	2.7 %
80	-	75	2.5 %

Value	Label	Unweighted Frequency	%
81	-	63	2.1 %
82	-	81	2.7 %
83	-	74	2.5 %
84	-	53	1.8 %
85	-	43	1.4 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Mean: 69.30
- Median: 69.00
- Mode: 58.00
- Minimum: 57.00
- Maximum: 85.00
- Standard Deviation: 7.85

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

AGEGRP: age recode (3 categories)

Age recode (3 categories) Note: recode age (57/64=1 57-64) (65/74=2 65-74) (75/85=3 75-85), gen(agegrp)

Value	Label	Unweighted Frequency	%
1	57-64	1020	33.9 %
2	65-74	1092	36.3 %
3	75-85	893	29.7 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

DEGREE_RECDE: degree recode with 'other' responses backcoded

Value	Label	Unweighted Frequency	%
-3	not applicable	0	0.0 %
-2	don't know	2	0.1 %
-1	refused	0	0.0 %
1	none	775	25.8 %
2	high school diploma/equivalency	1105	36.8 %
3	associates	466	15.5 %

Value	Label	Unweighted Frequency	%
4	bachelors	372	12.4 %
5	masters	208	6.9 %
6	law, md or phd	77	2.6 %
7	other	0	0.0 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: -2.00
- Maximum: 6.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

EDUC: education recode (4 categories)

Education recode (4 categories) Note: recode degree_coded 1=1 2=2 3=3 4/7=4, gen(educ); replace educ = 1 if educ==.b & !hschl; replace educ = 2 if inlist(hschl,1,2) & educ==1; replace educ = 3 if college==1 & educ==2

Value	Label	Unweighted Frequency	%
1	< hs	699	23.3 %
2	hs/equiv	793	26.4 %
3	voc cert/some college/assoc	856	28.5 %
4	bachelors or more	657	21.9 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

RACE_RECDE: respondent race recode (self-identified)

Value	Label	Unweighted Frequency	%
-3	not applicable	0	0.0 %
-2	don't know	5	0.2 %
-1	refused	3	0.1 %
1	white/caucasian	2295	76.4 %
2	black/african american	509	16.9 %
3	asian, pacific islander, american indian or alaskan native	193	6.4 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: -2.00
- Maximum: 3.00

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

HISPANIC: hispanic/latino ethnicity

Do you consider yourself Hispanic or Latino?

Value	Label	Unweighted Frequency	%
0	no	2681	89.2 %
1	yes	311	10.3 %
	Missing Data		
-2	don't know	11	0.4 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,992 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ETHGRP: race/ethnicity recode (4 categories)

Race/ethnicity recode (4 categories) Note: gen ethgrp = 1 if race==1 & hispanic==0; replace ethgrp = 2 if race==2; replace ethgrp = 3 if hispanic==1 & race!=2; replace ethgrp = 4 if mi(ethgrp) & !mi(race, hispanic)

Value	Label	Unweighted Frequency	%
1	white	2110	70.2 %
2	black	509	16.9 %
3	hispanic, non-black	304	10.1 %
4	other	70	2.3 %
	Missing Data		
.	-	12	0.4 %
	Total	3,005	100%

Based upon 2,993 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 70-70 (width: 1; decimal: 0)

Variable Type: numeric

MILITARY: military service

Have you ever served in the active military of the United States? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	1760	58.6 %
1	yes	677	22.5 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	87	2.9 %
	Total	3,005	100%

Based upon 2,437 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JAIL: served time in jail

Have you ever spent two or more nights in a jail, prison, or detention center? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2311	76.9 %
1	yes	122	4.1 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	91	3.0 %
	Total	3,005	100%

Based upon 2,433 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

POLITICS: political affiliation

Politically, do you consider yourself... Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	extremely liberal	70	2.3 %
2	liberal	317	10.5 %
3	slightly liberal	210	7.0 %
4	moderate, middle of the road	729	24.3 %
5	slightly conservative	293	9.8 %
6	conservative	584	19.4 %
7	extremely conservative	72	2.4 %
Missing Data			
-5	not returned	481	16.0 %
-4	no answer	247	8.2 %
-2	don't know	1	0.0 %
-1	refused	1	0.0 %
Total		3,005	100%

Based upon 2,275 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

ROSTERINTRO: introduction to network roster

From time to time, most people discuss things that are important to them with others. For example, these may include good or bad things that happen to you, problems you are having, or important concerns you may have. Looking back over the last 12 months, who are the people with whom you most often discussed things that were important to you?

Value	Label	Unweighted Frequency	%
0	no one	69	2.3 %
1	click here to enter people	2932	97.6 %
Missing Data			
-1	refused	4	0.1 %
Total		3,005	100%

Based upon 3,001 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

MARITLST: marital status

Are you currently married, living with a partner, separated, divorced, widowed, or have you never been married?

Value	Label	Unweighted Frequency	%
1	married	1801	59.9 %
2	living with a partner	60	2.0 %
3	separated	51	1.7 %
4	divorced	321	10.7 %
5	widowed	661	22.0 %
6	never married	111	3.7 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

SPARTNER: does unmarried r have romantic, intimate, or sexual partner?

Do you currently have a romantic, intimate, or sexual partner?

Skip if: MARITLST equals "married" or "living with a partner"

Value	Label	Unweighted Frequency	%
0	no	992	33.0 %
1	yes	152	5.1 %
	Missing Data		
-3	not applicable	1861	61.9 %
	Total	3,005	100%

Based upon 1,144 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SPNAMED: was spouse/partner named in section a?

Is your [spouse/partner] someone we wrote down on your roster earlier?

Skip if: SPARTNER equals "no"

Value	Label	Unweighted Frequency	%
0	no	455	15.1 %
1	yes	1558	51.8 %
	Missing Data		
-3	not applicable	992	33.0 %
	Total	3,005	100%

Based upon 2,013 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SPLINENO: line no. on which spouse/partner appears

Please tell me the line number on which this person appears.

Skip if: SPARTNER equals "no"

(Is your [spouse/partner] someone we wrote down on your roster earlier?)

Value	Label	Unweighted Frequency	%
1	-	1259	41.9 %
2	-	112	3.7 %
3	-	88	2.9 %
4	-	60	2.0 %
5	-	39	1.3 %
6	-	455	15.1 %
	Missing Data		
-3	not applicable	992	33.0 %
	Total	3,005	100%

Based upon 2,013 valid cases out of 3,005 total cases.

- Mean: 2.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 2.09

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -3

OTHER_IMP: anyone else who is very important?

Besides the people we wrote down on your roster earlier, is there anyone else who is very important to you, perhaps someone with whom you feel especially close?

Value	Label	Unweighted Frequency	%
0	no	1359	45.2 %
1	yes	1633	54.3 %
	Missing Data		
-2	don't know	11	0.4 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,992 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 86-87 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

OTHER_HH: any other household members?

Excluding the people we wrote down on your roster earlier, are there other people who live in your household with you?

Value	Label	Unweighted Frequency	%
0	no	2513	83.6 %
1	yes	490	16.3 %
	Missing Data		
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTERS: no. of people listed in section a of roster

No. of people listed in section a of roster Note: Generated using network file: egen alters = total(inrange(lineno,1,5)), by(su_id); egen mt5 = total(lineno==5 & anymore=="yes":yesno), by(su_id); replace alters = 6 if mt5; replace alters = .a if rosterintro == .a

Value	Label	Unweighted Frequency	%
0	-	69	2.3 %
1	-	334	11.1 %
2	-	498	16.6 %
3	-	570	19.0 %
4	-	501	16.7 %
5	-	780	26.0 %
6	more than 5	249	8.3 %
Missing Data			
-1	refused	4	0.1 %
Total		3,005	100%

Based upon 3,001 valid cases out of 3,005 total cases.

- Mean: 3.48
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.59

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -1

SPTIME: do r and spouse/partner spend free time together or apart?

For this next set of questions, I'd like you to think about your relationship with (NAME OF SPOUSE/PARTNER).

Some couples like to spend their free time doing things together, while others like to do different things in their free time. What about you and [name]? Do you like to spend free time doing things together, or doing things separately?

Skip if: SPARTNER is equal to "no"

Value	Label	Unweighted Frequency	%
1	together	997	33.2 %
2	some together, some different	794	26.4 %
3	different/separate things	218	7.3 %
Missing Data			
-3	not applicable	992	33.0 %
-2	don't know	3	0.1 %
-1	refused	1	0.0 %
Total		3,005	100%

Based upon 2,009 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPOPEN: how often can r open up to spouse/partner?

How often can you open up to [name] if you need to talk about your worries? Would you say hardly ever, some of the time, or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with (NAME OF SPOUSE/PARTNER).)

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	85	2.8 %
2	some of the time	413	13.7 %
3	often	1514	50.4 %
	Missing Data		
-3	not applicable	992	33.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,012 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPRELY: how often can r rely on spouse/partner?

How often can you rely on [name] for help if you have a problem? Would you say hardly ever, some of the time, or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with (NAME OF SPOUSE/PARTNER).)

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	64	2.1 %
2	some of the time	202	6.7 %
3	often	1741	57.9 %
	Missing Data		
-3	not applicable	992	33.0 %
-2	don't know	5	0.2 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,007 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -3 , -2 , -1

SPDEMAND: how often does spouse/partner make too many demands?

How often does [name] make too many demands on you? Would you say hardly ever, some of the time, or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with (NAME OF SPOUSE/PARTNER).)

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	1218	40.5 %
2	some of the time	574	19.1 %
3	often	219	7.3 %
	Missing Data		
-3	not applicable	992	33.0 %
-2	don't know	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,011 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -3 , -2 , -1

SPCRITZE: how often does spouse/partner criticize?

How often does [name] criticize you? Would you say hardly ever, some of the time, or often?

Skip if: SPARTNER is equal to "no"

(For this next set of questions, I'd like you to think about your relationship with (NAME OF SPOUSE/PARTNER).)

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	1106	36.8 %
2	some of the time	722	24.0 %
3	often	181	6.0 %
	Missing Data		
-3	not applicable	992	33.0 %
-2	don't know	3	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,009 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

FAMOPEN: how often can r open up to family?

These next questions ask about your relationships with members of your family or relatives.

IF RESPONDENT IS MARRIED OR HAS A CURRENT PARTNER ADD: In answering these questions, we'd like you to exclude (NAME).

How often can you open up to members of your family if you need to talk about your worries?

Would you say hardly ever, some of the time, or often?

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
0	if volunteered - no family	18	0.6 %
1	hardly ever (or never)	400	13.3 %
2	some of the time	1083	36.0 %
3	often	1314	43.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-5	not returned	162	5.4 %
-4	no answer	25	0.8 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,815 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMRELY: how often can r rely on family?

How often can you rely on them for help if you have a problem? Would you say hardly ever, some of the time, or often?

Skip if: FAMOPEN equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives.

IF RESPONDENT IS MARRIED OR HAS A CURRENT PARTNER ADD: In answering these questions, we'd like you to exclude (NAME).)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	256	8.5 %
2	some of the time	679	22.6 %
3	often	1858	61.8 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	24	0.8 %
-3	not applicable	18	0.6 %
-2	don't know	8	0.3 %
	Total	3,005	100%

Based upon 2,793 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMDEMAN: how often does family make too many demands?

Not including [name], how often do members of your family make too many demands on you? Would you say hardly ever, some of the time, or often?

Skip if: FAMOPEN equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives.

IF RESPONDENT IS MARRIED OR HAS A CURRENT PARTNER ADD: In answering these questions, we'd like you to exclude (NAME).)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	1974	65.7 %
2	some of the time	628	20.9 %
3	often	192	6.4 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	29	1.0 %
-3	not applicable	18	0.6 %
-2	don't know	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,794 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMCRITZ: how often does family criticize?

How often do they criticize you? Would you say hardly ever, some of the time, or often?

Skip if: FAMOPEN equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives.

IF RESPONDENT IS MARRIED OR HAS A CURRENT PARTNER ADD: In answering these questions, we'd like you to exclude (NAME).)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	2059	68.5 %

Value	Label	Unweighted Frequency	%
2	some of the time	584	19.4 %
3	often	115	3.8 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	29	1.0 %
-3	not applicable	18	0.6 %
-2	don't know	37	1.2 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,758 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CLSREL: how many family/relatives does r feel close too?

Other than [name], how many family members or relatives do you have whom you feel close to?
[HAND CARD E]

Skip if: FAMOPEN equals "if volunteered - no family"

(These next questions ask about your relationships with members of your family or relatives.

IF RESPONDENT IS MARRIED OR HAS A CURRENT PARTNER ADD: In answering these questions, we'd like you to exclude (NAME).)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
0	none	69	2.3 %
1	one	138	4.6 %
2	2-3	711	23.7 %
3	4-9	1211	40.3 %
4	10-20	464	15.4 %
5	more than 20	203	6.8 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	24	0.8 %
-3	not applicable	18	0.6 %
-2	don't know	5	0.2 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,796 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRAMT: how many friends does r have?

Now we'd like to know a little about your relationships with friends, not including the family members or relatives we were just talking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.

About how many friends would you say that you have? [HAND CARD E]

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
0	none	131	4.4 %
1	one	82	2.7 %
2	2-3	547	18.2 %
3	4-9	856	28.5 %
4	10-20	649	21.6 %
5	more than 20	543	18.1 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	24	0.8 %
-2	don't know	11	0.4 %
	Total	3,005	100%

Based upon 2,808 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FROPEN: how often can r open up to friends?

How often can you open up to your friends if you need to talk about your worries? Would you say hardly ever, some of the time, or often?

Skip if: PATH equals 1, 2, 3, or 4 and FRAMT equals "none"

(Now we'd like to know a little about your relationships with friends, not including the family members or relatives we were just talking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: 1. asked in leave-behind for path(s) 5 and 6

2. skip not included in leave-behind version of item

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	699	23.3 %
2	some of the time	1262	42.0 %
3	often	743	24.7 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	28	0.9 %
-3	not applicable	108	3.6 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 2,704 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRRELY: how often can r rely on friends?

How often can you rely on them for help if you have a problem? Would you say hardly ever, some of the time, or often?

Skip if: PATH equals 1, 2, 3, or 4 and FRAMT equals "none"

(Now we'd like to know a little about your relationships with friends, not including the family members or relatives we were just talking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: 1. asked in leave-behind for path(s) 5 and 6

2. skip not included in leave-behind version of item

Value	Label	Unweighted Frequency	%
-1	refused	0	0.0 %
1	hardly ever (or never)	394	13.1 %
2	some of the time	1101	36.6 %
3	often	1185	39.4 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	27	0.9 %
-3	not applicable	108	3.6 %
-2	don't know	28	0.9 %
	Total	3,005	100%

Based upon 2,680 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2

FRDEM1: how often do friends make too many demands?

How often do your friends make too many demands on you? Would you say hardly ever, some of the time, or often?

Skip if: PATH equals 1, 2, 3, or 4 and FRAMT equals "none"

(Now we'd like to know a little about your relationships with friends, not including the family members or relatives we were just talking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: 1. asked in leave-behind for path(s) 5 and 6

2. skip not included in leave-behind version of item

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	2354	78.3 %
2	some of the time	311	10.3 %
3	often	35	1.2 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	32	1.1 %
-3	not applicable	108	3.6 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 2,700 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FRCRITZ: how often do friends criticize?

How often do they criticize you? Would you say hardly ever, some of the time, or often?

Skip if: PATH equals 1, 2, 3, or 4 and FRAMT equals "none"

(Now we'd like to know a little about your relationships with friends, not including the family members or relatives we were just talking about. Some people see themselves as having a great many friends. Others see themselves as having fewer. Think about the people you consider to be your friends, both your closest friends and people with whom you are pretty good friends.)

Note: 1. asked in leave-behind for path(s) 5 and 6

2. skip not included in leave-behind version of item

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	2262	75.3 %
2	some of the time	335	11.1 %
3	often	36	1.2 %
	Missing Data		
-5	not returned	162	5.4 %
-4	no answer	34	1.1 %
-3	not applicable	108	3.6 %
-2	don't know	68	2.3 %
	Total	3,005	100%

Based upon 2,633 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SONS: no. of living sons

Now we'd like to ask you some questions about any children or grandchildren you may have.

How many living sons do you have? (IF ASKED, SAY: "You may include step-sons if you wish.")

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	-	645	21.5 %
1	-	918	30.5 %
2	-	678	22.6 %
3	-	320	10.6 %
4	-	127	4.2 %
5	-	58	1.9 %
6	-	26	0.9 %
7	-	8	0.3 %
8	-	4	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	42	1.4 %
-2	don't know	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,788 valid cases out of 3,005 total cases.

- Mean: 1.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.38

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DAUGHTER: no. of living daughters

How many living daughters do you have? (IF ASKED, SAY: "You may include step-daughters if you wish.")

(Now we'd like to ask you some questions about any children or grandchildren you may have.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	-	660	22.0 %
1	-	957	31.8 %
2	-	641	21.3 %
3	-	306	10.2 %
4	-	132	4.4 %
5	-	69	2.3 %
6	-	21	0.7 %
7	-	9	0.3 %
8	-	3	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	28	0.9 %
-2	don't know	1	0.0 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,801 valid cases out of 3,005 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.37

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NGRNDCLD: no. of living grandchildren

How many living grandchildren do you have? (IF ASKED, SAY: "You may include grandchildren from step-sons or step-daughters, or step-grandchildren, if you wish.")

(Now we'd like to ask you some questions about any children or grandchildren you may have.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	-	448	14.9 %
1	-	190	6.3 %

Value	Label	Unweighted Frequency	%
2	-	322	10.7 %
3	-	263	8.8 %
4	-	250	8.3 %
5	-	223	7.4 %
6	-	193	6.4 %
7	-	154	5.1 %
8	-	121	4.0 %
9	-	106	3.5 %
10	-	94	3.1 %
11	-	59	2.0 %
12	-	69	2.3 %
13	-	42	1.4 %
14	-	42	1.4 %
15	-	36	1.2 %
16	-	21	0.7 %
17	-	11	0.4 %
18	-	24	0.8 %
19	-	15	0.5 %
20	-	12	0.4 %
21	-	7	0.2 %
22	-	8	0.3 %
23	-	12	0.4 %
24	-	9	0.3 %
25	-	5	0.2 %
26	-	3	0.1 %
27	-	4	0.1 %
28	-	4	0.1 %
29	-	2	0.1 %
30	-	6	0.2 %
31	-	1	0.0 %
34	-	4	0.1 %
36	-	1	0.0 %
37	-	3	0.1 %
38	-	2	0.1 %
39	-	2	0.1 %
40	-	3	0.1 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.1 %

Value	Label	Unweighted Frequency	%
55	-	1	0.0 %
62	-	1	0.0 %
811	-	1	0.0 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	37	1.2 %
-2	don't know	15	0.5 %
-1	refused	2	0.1 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,778 valid cases out of 3,005 total cases.

- Mean: 5.99
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 811.00
- Standard Deviation: 16.45

Location: 126-128 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

VICTIM: victim of violent crime in last two years?

In the past two years, have you been a victim of a violent crime, such as burglary, larceny, theft, robbery, or battery? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2388	79.5 %
1	yes	98	3.3 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	38	1.3 %
	Total	3,005	100%

Based upon 2,486 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

VOLUNTEER: freq of volunteer work in past year

In the past 12 months, how often did you do volunteer work for religious, charitable, political, health-related, or other organizations?
Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	never	901	30.0 %
1	less than once a year	265	8.8 %
2	about once or twice a year	260	8.7 %
3	several times a year	291	9.7 %
4	about once a month	251	8.4 %
5	every week	320	10.6 %
6	several times a week	166	5.5 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	70	2.3 %
	Total	3,005	100%

Based upon 2,454 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

ATTEND: attendance at meetings of organized groups in past year

In the past 12 months, how often did you attend meetings of any organized group? (Examples include: a choir, a committee or board, a support group, a sports or exercise group, a hobby group, or a professional society.) Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	never	768	25.6 %
1	less than once a year	178	5.9 %
2	about once or twice a year	219	7.3 %
3	several times a year	259	8.6 %
4	about once a month	409	13.6 %
5	every week	415	13.8 %
6	several times a week	206	6.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	70	2.3 %
	Total	3,005	100%

Based upon 2,454 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SOCIAL: freq of socializing with friends or relatives in past year

In the past 12 months, how often did you get together socially with friends or relatives? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	never	51	1.7 %
1	less than once a year	20	0.7 %
2	about once or twice a year	119	4.0 %
3	several times a year	421	14.0 %
4	about once a month	562	18.7 %
5	every week	889	29.6 %
6	several times a week	410	13.6 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	52	1.7 %
	Total	3,005	100%

Based upon 2,472 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

RESIDEY: time lived in neighborhood (years)

How long have you lived in your neighborhood? Write # of year(s): Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	-	24	0.8 %
1	-	76	2.5 %
2	-	97	3.2 %
3	-	76	2.5 %
4	-	67	2.2 %
5	-	114	3.8 %
6	-	77	2.6 %

Value	Label	Unweighted Frequency	%
7	-	57	1.9 %
8	-	60	2.0 %
9	-	47	1.6 %
10	-	76	2.5 %
11	-	41	1.4 %
12	-	68	2.3 %
13	-	40	1.3 %
14	-	43	1.4 %
15	-	80	2.7 %
16	-	35	1.2 %
17	-	26	0.9 %
18	-	50	1.7 %
19	-	26	0.9 %
20	-	80	2.7 %
21	-	23	0.8 %
22	-	23	0.8 %
23	-	24	0.8 %
24	-	25	0.8 %
25	-	63	2.1 %
26	-	37	1.2 %
27	-	40	1.3 %
28	-	31	1.0 %
29	-	26	0.9 %
30	-	88	2.9 %
31	-	25	0.8 %
32	-	36	1.2 %
33	-	38	1.3 %
34	-	28	0.9 %
35	-	67	2.2 %
36	-	24	0.8 %
37	-	24	0.8 %
38	-	30	1.0 %
39	-	17	0.6 %
40	-	69	2.3 %
41	-	18	0.6 %
42	-	15	0.5 %
43	-	21	0.7 %
44	-	18	0.6 %
45	-	36	1.2 %

Value	Label	Unweighted Frequency	%
46	-	10	0.3 %
47	-	17	0.6 %
48	-	18	0.6 %
49	-	12	0.4 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	149	5.0 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,375 valid cases out of 3,005 total cases.

- Mean: 22.79
- Median: 20.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 17.48

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RESIDEM: time lived in neighborhood (months)

How long have you lived in your neighborhood? Write # of month(s): Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	-	175	5.8 %
1	-	90	3.0 %
2	-	123	4.1 %
3	-	125	4.2 %
4	-	108	3.6 %
5	-	75	2.5 %
6	-	153	5.1 %
7	-	78	2.6 %
8	-	87	2.9 %
9	-	59	2.0 %
10	-	84	2.8 %
11	-	52	1.7 %
	Missing Data		
-5	not returned	481	16.0 %

Value	Label	Unweighted Frequency	%
-4	no answer	1312	43.7 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 1,209 valid cases out of 3,005 total cases.

- Mean: 4.65
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 3.35

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RESIDE: total time lived in neighborhood (derived, in months)

Total time lived in neighborhood (derived, in months)

Note: 1. gen reside = (residey*12) + residem if !mi(residey, residem); replace reside = residey*12 if !mi(residey) & inlist(residem,"no answer":num,"don't know":num); replace reside = residem if !mi(residem) & residey=="no answer":num; replace reside = .b if (residey=="don't know":num & mi(residem)) | (residem=="don't know":num & mi(residey)); replace reside = .d if residey=="no answer":num & residem=="no answer":num; replace reside = .e if residey=="not returned":num & residem=="not returned":num

2. 10000540: residey == 32 & residem == "don't know" set to 32 * 12 = 384 months;
10041380: residey == 45 & residem == "don't know" set to 45 * 12 = 540 months

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	3	0.1 %
2	-	7	0.2 %
3	-	8	0.3 %
4	-	4	0.1 %
5	-	5	0.2 %
6	-	14	0.5 %
7	-	6	0.2 %
8	-	2	0.1 %
9	-	5	0.2 %
10	-	7	0.2 %
11	-	3	0.1 %

Value	Label	Unweighted Frequency	%
12	-	31	1.0 %
13	-	6	0.2 %
14	-	6	0.2 %
15	-	8	0.3 %
16	-	4	0.1 %
17	-	4	0.1 %
18	-	7	0.2 %
19	-	1	0.0 %
20	-	2	0.1 %
21	-	2	0.1 %
22	-	3	0.1 %
23	-	2	0.1 %
24	-	39	1.3 %
25	-	7	0.2 %
26	-	6	0.2 %
27	-	1	0.0 %
28	-	5	0.2 %
29	-	2	0.1 %
30	-	10	0.3 %
31	-	8	0.3 %
32	-	7	0.2 %
33	-	5	0.2 %
34	-	4	0.1 %
35	-	3	0.1 %
36	-	36	1.2 %
37	-	3	0.1 %
38	-	6	0.2 %
39	-	4	0.1 %
40	-	7	0.2 %
41	-	5	0.2 %
42	-	4	0.1 %
43	-	5	0.2 %
44	-	2	0.1 %
46	-	3	0.1 %
47	-	1	0.0 %
48	-	32	1.1 %
49	-	4	0.1 %
50	-	4	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-5	not returned	481	16.0 %
-4	no answer	106	3.5 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,417 valid cases out of 3,005 total cases.

- Mean: 271.09
- Minimum: 0.00
- Maximum: 1020.00
- Standard Deviation: 210.44

Location: 141-144 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

NEIGHBOR_1: no. of adult neighbors known by name

Among your nearby neighbors, how many of the adults would you know by name if you met them on the street? (By nearby neighbors, we mean the ten to fifteen families living closest to you.) Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	none of them	96	3.2 %
1	some of them	1240	41.3 %
2	most of them	776	25.8 %
3	all of them	261	8.7 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	151	5.0 %
	Total	3,005	100%

Based upon 2,373 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

NEIGHBOR_2: freq of socializing with nearby neighbors

How often do you get together with any of these neighbors just to chat or for a social visit? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	hardly ever	837	27.9 %
2	several times a year	481	16.0 %
3	several times a month	522	17.4 %
4	several times a week	377	12.5 %
5	daily or almost every day	153	5.1 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	154	5.1 %
	Total	3,005	100%

Based upon 2,370 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

INTERNET: freq of internet use

In the past 12 months how often have you used the internet? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	never	1245	41.4 %
1	less than once a month	144	4.8 %
2	once or twice a month	108	3.6 %
3	once a week	101	3.4 %
4	several times a week	383	12.7 %
5	more than once a day	386	12.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	157	5.2 %
	Total	3,005	100%

Based upon 2,367 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FAMDEATH: any relatives died in past 5 yrs?

Not including a spouse, have any of your close relatives died in the past five years? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	908	30.2 %
1	yes	1466	48.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	150	5.0 %
	Total	3,005	100%

Based upon 2,374 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NFAMDEATH: no. relatives died in past 5 yrs

How many of your close relatives died in the past five years?

Skip if: FAMDEATH equals "no"

(Not including a spouse, have any of your close relatives died in the past five years?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	-	13	0.4 %
1	-	576	19.2 %
2	-	422	14.0 %
3	-	217	7.2 %
4	-	93	3.1 %
5	-	84	2.8 %
6	-	18	0.6 %
7	-	12	0.4 %
8	-	6	0.2 %
9	-	1	0.0 %
10	-	3	0.1 %
11	-	1	0.0 %
12	-	2	0.1 %
14	-	1	0.0 %
20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	165	5.5 %
-3	not applicable	908	30.2 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 1,450 valid cases out of 3,005 total cases.

- Mean: 2.21
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.60

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FRDEATH: any friends died in past 5 yrs?

Have any of your friends died in the past five years? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	911	30.3 %
1	yes	1428	47.5 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	184	6.1 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 2,339 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NFRDEATH: no. friends died in past 5 yrs

How many of your friends died in the past five years?

Skip if: FRDEATH equals "no"

(Have any of your friends died in the past five years?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	-	6	0.2 %
1	-	334	11.1 %
2	-	325	10.8 %
3	-	246	8.2 %
4	-	155	5.2 %
5	-	146	4.9 %
6	-	69	2.3 %
7	-	22	0.7 %
8	-	24	0.8 %
9	-	5	0.2 %
10	-	43	1.4 %
11	-	1	0.0 %
12	-	7	0.2 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	9	0.3 %
19	-	1	0.0 %
20	-	4	0.1 %
23	-	1	0.0 %
25	-	2	0.1 %
50	-	1	0.0 %
66	-	1	0.0 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	204	6.8 %
-3	not applicable	911	30.3 %
-2	don't know	5	0.2 %
	Total	3,005	100%

Based upon 1,404 valid cases out of 3,005 total cases.

- Mean: 3.46
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 3.49

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

COHABOTM: ever married (to anyone else)?

Have you ever been married (to anyone else)?

Skip if: MARITLST does not equal "living with a partner"

Value	Label	Unweighted Frequency	%
0	no	5	0.2 %
1	yes	54	1.8 %
	Missing Data		
-3	not applicable	2945	98.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 59 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FRSTMARG: was this your first marriage?

(Is/Was) this your first marriage or (have/had) you been married before?

Skip if: MARITLST equals "living with a partner" or "never married"

Value	Label	Unweighted Frequency	%
1	first marriage	1989	66.2 %
2	married before	841	28.0 %
	Missing Data		
-3	not applicable	171	5.7 %
-2	don't know	2	0.1 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,830 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

NUMMARG: total no of marriages

Altogether, how many times have you been married (IF CURRENTLY MARRIED: including your current marriage)?

Skip if: FRSTMARG does not equal "married before" and COHABOTM does not equal "yes"

Value	Label	Unweighted Frequency	%
1	-	31	1.0 %
2	-	648	21.6 %
3	-	155	5.2 %
4	-	40	1.3 %
5	-	15	0.5 %
6	-	2	0.1 %
Missing Data			
-3	not applicable	2110	70.2 %
-2	don't know	1	0.0 %
-1	refused	3	0.1 %
Total		3,005	100%

Based upon 891 valid cases out of 3,005 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.70

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LIVEC: ever cohabited (with anyone else)?

(IF R IS NOT CURRENTLY COHABITING, BEGIN WITH: Nowadays, many couples live together without getting married.) Have you ever lived with anyone (else) in a romantic relationship for a month or more (i.e., without marrying the person)?

Value	Label	Unweighted Frequency	%
0	no	2674	89.0 %

Value	Label	Unweighted Frequency	%
1	yes	324	10.8 %
	Missing Data		
-2	don't know	1	0.0 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,998 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NUMLIVEC: no (other) people cohabited with

With how many (other) people have you lived in a romantic relationship for a month or more (i.e., without marrying the person)?

Skip if: LIVEC does not equal "yes"

Value	Label	Unweighted Frequency	%
1	-	203	6.8 %
2	-	66	2.2 %
3	-	29	1.0 %
4	-	6	0.2 %
5	-	5	0.2 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.1 %
	Missing Data		
-3	not applicable	2681	89.2 %
-2	don't know	7	0.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 315 valid cases out of 3,005 total cases.

- Mean: 1.65
- Median: 1.00

- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 1.28

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEXLASTYR: had sex in last year?

Had sex in last year? Note: This item was not asked directly but was computed based on the information contained in the partner history module (Section 3a, Boxes A and B), assuming that that information is complete. In cases where necessary information is missing the variable has been set to .g (insufficient data); those who wish to use this variable in their research should inspect these cases carefully to determine what effect(s) excluding them might have on their analyses.

Value	Label	Unweighted Frequency	%
0	-	1441	48.0 %
1	-	1433	47.7 %
	Missing Data		
-7	insufficient data	131	4.4 %
	Total	3,005	100%

Based upon 2,874 valid cases out of 3,005 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SEXIMPRT: how important is sex?

For some people sex is a very important part of their lives and for others it is not very important at all. How important a part of your life would you say that sex is? Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
1	not at all important	763	25.4 %
2	somewhat important	485	16.1 %
3	moderately important	782	26.0 %
4	very important	559	18.6 %
5	extremely important	162	5.4 %
	Missing Data		
-5	not returned	173	5.8 %

Value	Label	Unweighted Frequency	%
-4	no answer	43	1.4 %
-2	don't know	12	0.4 %
-1	refused	26	0.9 %
	Total	3,005	100%

Based upon 2,751 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

THINKSEX: how often do you think about sex?

About how often do you think about sex? Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	never (volunteered)	385	12.8 %
1	less than once a month	577	19.2 %
2	one to a few times a month	661	22.0 %
3	one to a few times a week	605	20.1 %
4	every day	340	11.3 %
5	several times a day	87	2.9 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	91	3.0 %
-2	don't know	39	1.3 %
-1	refused	47	1.6 %
	Total	3,005	100%

Based upon 2,655 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -5 , -4 , -3 , -2 , -1

SEX3MOS: had sex in the last 3 months

Have you had sex in the past three months?

Skip if: PATH does not equal 3 or 4
 Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	no	439	14.6 %
1	yes	325	10.8 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	47	1.6 %
-3	not applicable	2019	67.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 764 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHYNOSEX_HC: capi-computed: which sexual interest hand card used

CAPi-computed: which sexual interest hand card used

Skip if: PATH equals 3 or 4

Note: warning: this variable was imputed based on the response pattern among the contingent items and is therefore not intended for analytic use

Value	Label	Unweighted Frequency	%
1	hand card g	407	13.5 %
2	hand card h	611	20.3 %
3	last sex within 3 mos	1001	33.3 %
	Missing Data		
-3	not applicable	986	32.8 %
	Total	3,005	100%

Based upon 2,019 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

WHYNOSEX_1: reason no sex: r not interested

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: You are not interested? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

You are not interested.

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	949	31.6 %
1	chosen/checked	491	16.3 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_2: reason no sex: partner not interested

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Your partner is not interested? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	739	24.6 %
1	chosen/checked	107	3.6 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1937	64.5 %
-2	don't know	5	0.2 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 846 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_2H: reason no sex: haven't met the right person

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: You have not met the right person? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card h", or PATH equals 3 or 4

Note: this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	393	13.1 %
1	chosen/checked	201	6.7 %
	Missing Data		
-3	not applicable	2394	79.7 %
-2	don't know	7	0.2 %
-1	refused	10	0.3 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 594 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_3H: reason no sex: haven't met a willing partner

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: You have not met a willing partner? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card h", or PATH equals 3 or 4

Note: this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	547	18.2 %
1	chosen/checked	47	1.6 %
	Missing Data		
-3	not applicable	2394	79.7 %
-2	don't know	7	0.2 %
-1	refused	10	0.3 %
	Total	3,005	100%

Based upon 594 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_3: reason no sex: r's physical health problems

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Physical health problems or physical limitations you have? [CHOOSE ALL

THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNSEX_HC does not equal "hand card g" or "hand

card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1103	36.7 %
1	chosen/checked	337	11.2 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNSEX_4: reason no sex: partner's physical health problems

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Physical health problems or physical limitations your partner has?

[CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNSEX_HC does not equal "hand card g", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	589	19.6 %
1	chosen/checked	257	8.6 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1937	64.5 %
-2	don't know	5	0.2 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 846 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_5: reason no sex: r's emotional problems

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Emotional problems you have? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1400	46.6 %
1	chosen/checked	40	1.3 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_6: reason no sex: partner's emotional problems

Question: You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Emotional problems your partner has? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	824	27.4 %
1	chosen/checked	22	0.7 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1937	64.5 %
-2	don't know	5	0.2 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 846 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_7: reason no sex: family wouldn't approve

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Your children or other family members wouldn't approve? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1412	47.0 %
1	chosen/checked	28	0.9 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_8: reason no sex: friends wouldn't approve

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Your friends wouldn't approve? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the

in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1429	47.6 %
1	chosen/checked	11	0.4 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_9: reason no sex: religious beliefs

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Your religious beliefs do not allow sex outside of marriage? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1274	42.4 %
1	chosen/checked	166	5.5 %
	Missing Data		
-5	not returned	173	5.8 %

Value	Label	Unweighted Frequency	%
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_10: reason no sex: sex is painful

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Sex is painful? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1419	47.2 %
1	chosen/checked	21	0.7 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_11: reason no sex: r is grieving

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: You are grieving? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1363	45.4 %
1	chosen/checked	77	2.6 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_12: reason no sex: did not want to get an STD

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: You did not want to get a sexually transmitted disease? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1329	44.2 %
1	chosen/checked	111	3.7 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNSEX_13: reason no sex: did not have enough privacy

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: You did not have enough privacy?[CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYMNSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1423	47.4 %

Value	Label	Unweighted Frequency	%
1	chosen/checked	17	0.6 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_14: reason no sex: have not had an opportunity

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: You have not had an opportunity? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1309	43.6 %
1	chosen/checked	131	4.4 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

WHYNOSEX_15: reason no sex: other

You mentioned before that you last had sex in (month/year). What are the reasons you haven't had sexual activity since then: Other reason? [CHOOSE ALL THAT APPLY. USE HAND CARD G IF R HAS CURRENT SPOUSE/COHAB/SEXUAL PARTNER; OTHERWISE USE HAND CARD H.]

Skip if: PATH equals 1, 2, 5 or 6 and WHYNOSEX_HC does not equal "hand card g" or "hand card h", or PATH equals 3 or 4 and SEX3MOS equals "yes"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. this item was administered as part of a 'choose all that apply' series in the in-home interview and as part of a 'check all that apply' series in the leave-behind; responses 'refused', 'don't know', and 'no answer' refer to the entire set of items in the series

Value	Label	Unweighted Frequency	%
0	not chosen/checked	1285	42.8 %
1	chosen/checked	155	5.2 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	38	1.3 %
-3	not applicable	1326	44.1 %
-2	don't know	12	0.4 %
-1	refused	16	0.5 %
	Total	3,005	100%

Based upon 1,440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

RLTHAPPY_1: loop 1: how happy is/was relationship?

Taking all things together, how would you describe your [marriage/relationship] with [partner]

on a scale from 1 to 7 with 1 being very unhappy and 7 being very happy? [HAND CARD I]

Skip if: SEXLOOP equals 0

Value	Label	Unweighted Frequency	%
1	1 very unhappy	117	3.9 %
2	2	33	1.1 %
3	3	81	2.7 %
4	4	207	6.9 %
5	5	367	12.2 %
6	6	510	17.0 %
7	7 very happy	1565	52.1 %
	Missing Data		
-3	not applicable	94	3.1 %
-2	don't know	21	0.7 %
-1	refused	10	0.3 %
	Total	3,005	100%

Based upon 2,880 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PHEALTH1_1: loop 1: partner's health

Would you say [partner's] health is... [HAND CARD J]

Skip if: SEXLOOP equals 0 or PCURRENT_1 equals "no"

Value	Label	Unweighted Frequency	%
1	poor	160	5.3 %
2	fair	391	13.0 %
3	good	572	19.0 %
4	very good	609	20.3 %
5	excellent	281	9.4 %
	Missing Data		
-3	not applicable	984	32.7 %
-2	don't know	4	0.1 %
-1	refused	4	0.1 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,013 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PHEALTH2_1: loop 1: partner's health last yr of relat

In the last year of your relationship, would you say [partner's] health was... [HAND CARD J]

Skip if: SEXLOOP equals 0 or PCURRENT_1 equals "yes"

Value	Label	Unweighted Frequency	%
1	poor	373	12.4 %
2	fair	136	4.5 %
3	good	166	5.5 %
4	very good	116	3.9 %
5	excellent	78	2.6 %
	Missing Data		
-3	not applicable	2115	70.4 %
-2	don't know	14	0.5 %
-1	refused	7	0.2 %
	Total	3,005	100%

Based upon 869 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PMHEALH2_1: loop 1: partner's mental health

How is [partner's] emotional or mental health? Would you say it is... [HAND CARD J]

Skip if: SEXLOOP equals 0 or PCURRENT_1 equals "no"

Value	Label	Unweighted Frequency	%
1	poor	52	1.7 %
2	fair	215	7.2 %
3	good	548	18.2 %
4	very good	682	22.7 %
5	excellent	514	17.1 %
	Missing Data		
-3	not applicable	984	32.7 %
-2	don't know	7	0.2 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,011 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PMHEALH1_1: loop 1: partner's mental hlth last yr of relat

In the last year of your relationship, would you say [partner's] emotional or mental health was... [HAND CARD J]

Skip if: SEXLOOP equals 0 or PCURRENT_1 equals "yes"

Value	Label	Unweighted Frequency	%
1	poor	172	5.7 %
2	fair	159	5.3 %
3	good	256	8.5 %
4	very good	174	5.8 %
5	excellent	98	3.3 %
	Missing Data		
-3	not applicable	2115	70.4 %
-2	don't know	24	0.8 %
-1	refused	7	0.2 %
	Total	3,005	100%

Based upon 859 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PEDUC_1: loop 1: partner's education

What [is/was] the highest level of education [partner] completed?

Skip if: SEXLOOP equals 0 or PATH equals 3 or 4

Value	Label	Unweighted Frequency	%
1	less than high school diploma	358	11.9 %
2	high school diploma/ged	660	22.0 %
3	vocational/technical degree or associates	151	5.0 %
4	some college	235	7.8 %
5	bachelors	234	7.8 %
6	graduate degree (e.g. mba, jd, md, phd)	161	5.4 %
7	other	56	1.9 %
	Missing Data		
-3	not applicable	1038	34.5 %
-2	don't know	106	3.5 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 1,855 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

OFTSEX_1: loop 1: freq of sex

The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.

During the last 12 months (IF PARTNER NOT CURRENT: During your relationship), about how often did you have sex with [partner]? Was it... [HAND CARD K]

Skip if: SEXLOOP equals 0 or PSEXLASTYR equals "no"

Value	Label	Unweighted Frequency	%
1	once a month or less	456	15.2 %
2	2 to 3 times a month	425	14.1 %
3	once or twice a week	372	12.4 %
4	3-6 times a week	81	2.7 %
5	once a day or more	17	0.6 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	19	0.6 %
-1	refused	60	2.0 %
	Total	3,005	100%

Based upon 1,351 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

WISEX_1: loop 1: freq vaginal intercourse

When you had sex with [partner] in the last 12 months, how often did your activities include vaginal intercourse? (PROMPT IF NEEDED: By vaginal intercourse, we mean when a man's penis is inside a woman's vagina.) [HAND CARD L]

Skip if: PSEXLASTYR_1 does not equal "yes" or GENDER equals PGENDER_1

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	never	63	2.1 %
1	rarely	40	1.3 %
2	sometimes	110	3.7 %
3	usually	233	7.8 %
4	always	911	30.3 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	1586	52.8 %
-2	don't know	8	0.3 %
-1	refused	53	1.8 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 1,357 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

VICONDOM_1: loop 1: freq condom use

When you had vaginal intercourse with [him/her], how often did you use condoms? [HAND CARD L]

Skip if: VISEX_1 does not equal "rarely", "sometimes", "usually", or "always"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	never	1187	39.5 %
1	rarely	19	0.6 %
2	sometimes	26	0.9 %
3	usually	11	0.4 %
4	always	45	1.5 %
	Missing Data		
-3	not applicable	1711	56.9 %
-2	don't know	3	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 1,288 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

ORALSEXR_1: loop 1: freq receiving oral sex

When you had sex with [partner] in the last 12 months, how often did [he/she] perform oral sex

on you? Was it... (PROMPT IF NEEDED: By oral sex, we mean stimulating the genitals with the mouth, that is licking or kissing your partner's genitals or when your partner does this to you.)
[HAND CARD L]

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	never	769	25.6 %
1	rarely	178	5.9 %
2	sometimes	235	7.8 %
3	usually	80	2.7 %
4	always	58	1.9 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	8	0.3 %
-1	refused	102	3.4 %
	Total	3,005	100%

Based upon 1,320 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

ORALSEXG_1: loop 1: freq performing oral sex

How often did you perform oral sex on [him/her]? Was it... [HAND CARD L]

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	never	749	24.9 %
1	rarely	189	6.3 %
2	sometimes	243	8.1 %
3	usually	81	2.7 %

Value	Label	Unweighted Frequency	%
4	always	62	2.1 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	8	0.3 %
-1	refused	98	3.3 %
	Total	3,005	100%

Based upon 1,324 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

OFT4PLAY_1: loop 1: freq kissing and touching

When you had sex with [partner] in the last 12 months, how often did your activities include kissing, hugging, caressing, or other ways of sexual touching? [HAND CARD L]

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	never	22	0.7 %
1	rarely	29	1.0 %
2	sometimes	86	2.9 %
3	usually	184	6.1 %
4	always	1076	35.8 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	2	0.1 %
-1	refused	31	1.0 %
	Total	3,005	100%

Based upon 1,397 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

OFTSEXOK_1: loop 1: is sex freq ok?

During the past 12 months (IF PARTNER NOT CURRENT: During your relationship), would you say that you had sex: [HAND CARD M]

Skip if: SEXLOOP equals 0

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
1	much less often than you would like	379	12.6 %
2	less often than you would like	536	17.8 %
3	about as often as you would like	1509	50.2 %
4	somewhat more often than you would like	133	4.4 %
5	much more often than you would like	90	3.0 %
	Missing Data		
-3	not applicable	94	3.1 %
-2	don't know	108	3.6 %
-1	refused	156	5.2 %
	Total	3,005	100%

Based upon 2,647 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PLEASURE_1: loop 1: how phys pleasurable is/was relat?

How physically pleasurable did/do you find your relationship with [partner] to be: extremely pleasurable, very pleasurable, moderately pleasurable, slightly pleasurable, or not at all pleasurable? [HAND CARD N]

Skip if: SEXLOOP equals 0

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	86	2.9 %
1	slightly	156	5.2 %
2	moderately	609	20.3 %
3	very	1139	37.9 %
4	extremely	824	27.4 %
	Missing Data		
-3	not applicable	94	3.1 %
-2	don't know	31	1.0 %
-1	refused	66	2.2 %
	Total	3,005	100%

Based upon 2,814 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

EMTSATFY_1: loop 1: how emot satisfying is/was relat?

How emotionally satisfying did/do you find your relationship with [him/her] to be? Extremely satisfying, very satisfying, moderately satisfying, slightly satisfying, or not at all satisfying? [HAND CARD N]

Skip if: SEXLOOP equals 0

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	101	3.4 %
1	slightly	155	5.2 %
2	moderately	617	20.5 %
3	very	1157	38.5 %
4	extremely	825	27.5 %
	Missing Data		
-3	not applicable	94	3.1 %
-2	don't know	17	0.6 %
-1	refused	39	1.3 %
	Total	3,005	100%

Based upon 2,855 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

LACKSEX_1: loop 1: lacked interest in sex

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... lacked interest in having sex?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	943	31.4 %
1	yes	444	14.8 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	15	0.5 %
-1	refused	28	0.9 %
	Total	3,005	100%

Based upon 1,387 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NOCLMAX_1: loop 1: unable to climax

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... were unable to climax (experience an orgasm)?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months.

You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	983	32.7 %
1	yes	364	12.1 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	32	1.1 %
-1	refused	51	1.7 %
	Total	3,005	100%

Based upon 1,347 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CLMAXQK_1: loop 1: climaxed too quickly

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... came to a climax (experienced orgasm) too quickly?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1043	34.7 %
1	yes	301	10.0 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	30	1.0 %
-1	refused	56	1.9 %
	Total	3,005	100%

Based upon 1,344 valid cases out of 3,005 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEXPAIN_1: loop 1: experienced pain during sex

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... experienced physical pain during intercourse?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1269	42.2 %
1	yes	117	3.9 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	11	0.4 %
-1	refused	33	1.1 %
	Total	3,005	100%

Based upon 1,386 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEXNOPL_1: loop 1: did not find sex pleasurable

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... did not find sex pleasurable (even if it was not painful)?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask

all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1205	40.1 %
1	yes	173	5.8 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	18	0.6 %
-1	refused	34	1.1 %
	Total	3,005	100%

Based upon 1,378 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ANXBSEX_1: loop 1: anxious re ability to perform

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... felt anxious just before having sex about your ability to perform sexually?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1071	35.6 %
1	yes	304	10.1 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	19	0.6 %
-1	refused	36	1.2 %
	Total	3,005	100%

Based upon 1,375 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NOERECT_1: loop 1: trouble getting/maintaining erection

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... had trouble getting or maintaining an erection?

Skip if: GENDER does not equal "male" or PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	556	18.5 %
1	yes	319	10.6 %
	Missing Data		
-3	not applicable	2101	69.9 %
-2	don't know	3	0.1 %
-1	refused	26	0.9 %
	Total	3,005	100%

Based upon 875 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LUBRCTE_1: loop 1: trouble lubricating

Sometimes people go through periods in which they are not interested in sex or are having trouble with sexual gratification. We have just a few questions about whether during the last 12 months there has ever been a period of several months or more when you... had trouble lubricating?
(IF RESPONDENT DOES NOT KNOW THE MEANING OF LUBRICATING, USE THE FOLLOWING PROMPT: When the vagina felt dry during sexual activity or, in other words, it did not become smooth or wet during sexual activity.)

Skip if: GENDER does not equal "female" or PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask

all the questions.)

Value	Label	Unweighted Frequency	%
0	no	296	9.9 %
1	yes	200	6.7 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	2479	82.5 %
-2	don't know	12	0.4 %
-1	refused	17	0.6 %
	Total	3,005	100%

Based upon 496 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN1_1: loop 1: pain in groin

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Groin (in the area where the thigh meets the torso)? [HAND CARD P]

Skip if: GENDER does not equal "male" or SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	21	0.7 %
1	yes	5	0.2 %
	Missing Data		
-3	not applicable	2979	99.1 %
	Total	3,005	100%

Based upon 26 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN2_1: loop 1: pain in penis or scrotum

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Penis or scrotum?

[HAND CARD P]

Skip if: GENDER does not equal "male" or SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	15	0.5 %
1	yes	11	0.4 %
	Missing Data		
-3	not applicable	2979	99.1 %
	Total	3,005	100%

Based upon 26 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN3_1: loop 1: pain in vagina on entry

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Vagina, upon entry?

[HAND CARD O]

Skip if: GENDER does not equal "female" or SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	31	1.0 %
1	yes	57	1.9 %
	Missing Data		
-3	not applicable	2914	97.0 %

Value	Label	Unweighted Frequency	%
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 88 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN4_1: loop 1: pain in vagina w/deep penetration

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Vagina with deep penetration? [HAND CARD O]

Skip if: GENDER does not equal "female" or SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	50	1.7 %
1	yes	38	1.3 %
	Missing Data		
-3	not applicable	2914	97.0 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 88 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN5_1: loop 1: pain in anus or rectum

You mentioned that there were times when you experienced pain during intercourse. Please tell me

the numbers from this card that correspond to all the places you felt pain: Anus or rectum?
[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	112	3.7 %
1	yes	2	0.1 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN6_1: loop 1: pain in pelvis/lower abdomen

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Pelvis or lower abdomen? [HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	100	3.3 %
1	yes	14	0.5 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN7_1: loop 1: pain in hips or joints

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Hips or joints?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	98	3.3 %
1	yes	16	0.5 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN8_1: loop 1: pain with orgasm

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Pain with orgasm?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	109	3.6 %
1	yes	5	0.2 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN9_1: loop 1: pain in breasts

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Breasts?

[HAND CARD O]

Skip if: GENDER does not equal "female" or SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	82	2.7 %
1	yes	6	0.2 %
	Missing Data		
-3	not applicable	2914	97.0 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 88 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN10_1: loop 1: pain in heart or chest

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Heart or chest?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	111	3.7 %
1	yes	3	0.1 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN11_1: loop 1: pain in back

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Back?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	99	3.3 %
1	yes	15	0.5 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN12_1: loop 1: pain in stomach

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Stomach?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	110	3.7 %
1	yes	4	0.1 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN13_1: loop 1: leg cramps

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Leg cramps?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	97	3.2 %
1	yes	17	0.6 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN14_1: loop 1: headache

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Headache?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	112	3.7 %
1	yes	2	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WHRPAIN15_1: loop 1: other pain

You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain: Other (specify)?

[HAND CARD O (females) or P (males)]

Skip if: SEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	109	3.6 %
1	yes	5	0.2 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 114 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAINBTR_1: loop 1: pain bothersome?

How much does the pain bother you? [HAND CARD Q]

Skip if: SEXPAIN_1 does not equal "yes"

(If yes to SEXPAIN_1/SEXPAIN_2: You mentioned that there were times when you experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places you felt pain. [HAND CARDS O(Females) or P(Males)])

Value	Label	Unweighted Frequency	%
0	not at all	8	0.3 %
1	somewhat	72	2.4 %
2	a lot	35	1.2 %
	Missing Data		
-3	not applicable	2888	96.1 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 115 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

LACKBTR_1: loop 1: lack of interest bothersome?

How much did your lack of interest in having sex bother you? [HAND CARD Q]

Skip if: LACKSEX_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	170	5.7 %
1	somewhat	194	6.5 %
2	a lot	76	2.5 %
	Missing Data		
-3	not applicable	2561	85.2 %
-2	don't know	3	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 440 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

NCMXBTR_1: loop 1: inability to climax bothersome?

How much did your inability to climax (experience orgasm) bother you? [HAND CARD Q]

Skip if: NOCLMAX_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	130	4.3 %
1	somewhat	161	5.4 %
2	a lot	73	2.4 %
	Missing Data		
-3	not applicable	2641	87.9 %
	Total	3,005	100%

Based upon 364 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

CMXQBTR_1: loop 1: climaxing too quickly bothersome?

How much did your climaxing (experiencing orgasm) too quickly bother you? [HAND CARD Q]

Skip if: CLMAXQK_1cl does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	106	3.5 %

Value	Label	Unweighted Frequency	%
1	somewhat	136	4.5 %
2	a lot	55	1.8 %
	Missing Data		
-3	not applicable	2704	90.0 %
-2	don't know	1	0.0 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 297 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

NPLSBTR_1: loop 1: not pleasurable bothersome?

How much did your not finding sex pleasurable bother you? [HAND CARD Q]

Skip if: SEXNOPL_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	64	2.1 %
1	somewhat	71	2.4 %
2	a lot	34	1.1 %
	Missing Data		
-3	not applicable	2832	94.2 %
-2	don't know	3	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 169 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

ANXTBTR_1: loop 1: anxiety bothersome?

How much did your feelings of anxiety before sex bother you? [HAND CARD Q]

Skip if: ANXBSEX_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	83	2.8 %
1	somewhat	173	5.8 %
2	a lot	46	1.5 %
	Missing Data		
-3	not applicable	2701	89.9 %
-2	don't know	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 302 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

ERCTBTR_1: loop 1: erection problem bothersome?

How much did your trouble getting or maintaining an erection bother you? [HAND CARD Q]

Skip if: NOERECT_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	37	1.2 %
1	somewhat	174	5.8 %
2	a lot	107	3.6 %
	Missing Data		
-3	not applicable	2686	89.4 %

Value	Label	Unweighted Frequency	%
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 318 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

LUBRBTR_1: loop 1: lubrication problem bothersome?

How much did your trouble lubricating during sexual activity bother you? [HAND CARD Q]

Skip if: LUBRCTE_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	69	2.3 %
1	somewhat	85	2.8 %
2	a lot	43	1.4 %
	Missing Data		
-3	not applicable	2805	93.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 197 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

AVOIDSEX_1: loop 1: avoided sex because of prob(s)?

During the past 12 months, have you ever avoided sex because of the problem(s) you mentioned?

Skip if: none of LACKSEX_1, NOCLMAX_1, CLMAXQK_1, SEXPAIN_1, SEXNOPL_1, ANXBSEX_1, NOERECT_1 or LUBRCTE_1 equal to "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	661	22.0 %
1	yes	251	8.4 %
	Missing Data		
-3	not applicable	2084	69.4 %
-2	don't know	4	0.1 %
-1	refused	5	0.2 %
	Total	3,005	100%

Based upon 912 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SPTALKDR_1: loop 1: tlkd to md re problem(s)?

Have you ever talked with a doctor about the problem(s) you mentioned?

Skip if: none of LACKSEX_1, NOCLMAX_1, CLMAXQK_1, SEXPAIN_1, SEXNOPL_1, ANXBSEX_1, NOERECT_1 or LUBRCTE_1 equal to "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	526	17.5 %
1	yes	390	13.0 %
	Missing Data		
-3	not applicable	2084	69.4 %
-2	don't know	1	0.0 %
-1	refused	4	0.1 %
	Total	3,005	100%

Based upon 916 valid cases out of 3,005 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SPTALKPTR_1: loop 1: tlkd to partner re problem(s)?

Have you ever talked with [partner] about the problem(s) you mentioned?

Skip if: none of LACKSEX_1, NOCLMAX_1, CLMAXQK_1, SEXPAIN_1, SEXNOPL_1, ANXBSEX_1, NOERECT_1 or LUBRCTE_1 equal to "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	333	11.1 %
1	yes	581	19.3 %
	Missing Data		
-3	not applicable	2084	69.4 %
-2	don't know	5	0.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 914 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

AROUSED_1: loop 1: how oft sexually aroused?

In the last 12 months, how often did you feel sexually aroused ('turned on') during sexual activity with [partner]? [HAND CARD R]

Skip if: GENDER does not equal "female" or PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	never	13	0.4 %
1	rarely	41	1.4 %
2	sometimes	106	3.5 %
3	usually	176	5.9 %
4	always	157	5.2 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	2479	82.5 %
-2	don't know	10	0.3 %
-1	refused	22	0.7 %
	Total	3,005	100%

Based upon 493 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

TINGLING_1: loop 1: how often felt tingling?

In the last 12 months, how often did you have a sensation of pulsating or tingling in your vagina/genital area during sexual activity with [partner]? [HAND CARD R]

Skip if: GENDER does not equal "female" or PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	never	77	2.6 %
1	rarely	43	1.4 %
2	sometimes	111	3.7 %
3	usually	129	4.3 %
4	always	109	3.6 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	2479	82.5 %
-2	don't know	24	0.8 %
-1	refused	32	1.1 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 469 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

PLACKSEX_1: loop 1: partner lacked interest in sex

During the last 12 months has there ever been a period of several months or more when [partner]... lacked interest in having sex?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	969	32.2 %
1	yes	347	11.5 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	77	2.6 %
-1	refused	37	1.2 %
	Total	3,005	100%

Based upon 1,316 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PNOCLMAX_1: loop 1: partner unable to climax

During the last 12 months has there ever been a period of several months or more when [partner]... was unable to climax (experience an orgasm)?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	943	31.4 %
1	yes	307	10.2 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	131	4.4 %
-1	refused	49	1.6 %
	Total	3,005	100%

Based upon 1,250 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PCLMAXQK_1: loop 1: partner climaxed too quickly

During the last 12 months has there ever been a period of several months or more when [partner]... came to a climax (experienced orgasm) too quickly?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1121	37.3 %
1	yes	151	5.0 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	110	3.7 %
-1	refused	48	1.6 %
	Total	3,005	100%

Based upon 1,272 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PSEXPAIN_1: loop 1: partner experienced pain during sex

During the last 12 months has there ever been a period of several months or more when [partner]... experienced physical pain during intercourse?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1194	39.7 %
1	yes	123	4.1 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	71	2.4 %
-1	refused	42	1.4 %
	Total	3,005	100%

Based upon 1,317 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PSEXNOPL_1: loop 1: partner didn't find sex pleasurable

During the last 12 months has there ever been a period of several months or more when [partner]... did not find sex pleasurable (even if it was not painful)?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1115	37.1 %
1	yes	137	4.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	135	4.5 %
-1	refused	43	1.4 %
	Total	3,005	100%

Based upon 1,252 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PANXBSEX_1: loop 1: partner anxious re ability to perform

During the last 12 months has there ever been a period of several months or more when [partner]... felt anxious just before having sex about [his/her] ability to perform sexually?

Skip if: PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	1040	34.6 %
1	yes	183	6.1 %
	Missing Data		
-3	not applicable	1575	52.4 %
-2	don't know	163	5.4 %
-1	refused	44	1.5 %
	Total	3,005	100%

Based upon 1,223 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PNOERECT_1: loop 1: partner had erection problem

During the last 12 months has there ever been a period of several months or more when [partner]... had trouble getting or maintaining an erection?

Skip if: PGENDER_1 does not equal "male" or PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	307	10.2 %
1	yes	191	6.4 %
	Missing Data		
-3	not applicable	2472	82.3 %
-2	don't know	14	0.5 %
-1	refused	21	0.7 %
	Total	3,005	100%

Based upon 498 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PLUBRCTE_1: loop 1: partner had trouble lubricating

During the last 12 months has there ever been a period of several months or more when [partner]... had trouble lubricating? (IF RESPONDENT DOES NOT KNOW THE MEANING OF LUBRICATING, USE THE FOLLOWING PROMPT: When the vagina felt dry during sexual activity or, in other words, it did not become smooth or wet during sexual activity.)

Skip if: PGENDER_1 does not equal "female" or PSEXLASTYR_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	590	19.6 %
1	yes	216	7.2 %
	Missing Data		
-3	not applicable	2108	70.1 %
-2	don't know	66	2.2 %

Value	Label	Unweighted Frequency	%
-1	refused	25	0.8 %
	Total	3,005	100%

Based upon 806 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN1_1: loop 1: p's pain in groin

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain: Groin (in the area where the thigh meets the torso)? [HAND CARD T]

Skip if: PGENDER_1 does not equal "male" or PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	18	0.6 %
1	yes	1	0.0 %
	Missing Data		
-3	not applicable	2986	99.4 %
	Total	3,005	100%

Based upon 19 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN2_1: loop 1: p's pain in penis or scrotum

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain: Penis or scrotum? [HAND CARD T]

Skip if: PGENDER_1 does not equal "male" or PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	9	0.3 %
1	yes	10	0.3 %
	Missing Data		
-3	not applicable	2986	99.4 %
	Total	3,005	100%

Based upon 19 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN3_1: loop 1: p's pain in vagina on entry

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain: Vagina, upon entry? [HAND CARD S]

Skip if: PGENDER_1 does not equal "female" or PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	49	1.6 %
1	yes	51	1.7 %
	Missing Data		
-3	not applicable	2901	96.5 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 100 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN4_1: loop 1: p's pain in vagina w/deep penetration

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:
Vagina with deep penetration? [HAND CARD S]

Skip if: PGENDER_1 does not equal "female" or PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	53	1.8 %
1	yes	47	1.6 %
	Missing Data		
-3	not applicable	2901	96.5 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 100 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN5_1: loop 1: p's pain in anus or rectum

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain: Anus or rectum? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	118	3.9 %
1	yes	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN6_1: loop 1: p's pain in pelvis/lower abdomen

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain: Pelvis or lower abdomen? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	111	3.7 %
1	yes	8	0.3 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN7_1: loop 1: p's pain in hips or joints

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:

Hips or joints? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	103	3.4 %
1	yes	16	0.5 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN8_1: loop 1: p's pain with orgasm

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:
Pain with orgasm? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	115	3.8 %
1	yes	4	0.1 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN9_1: loop 1: p's pain in breasts

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:
Breasts? [HAND CARD S]

Skip if: PGENDER_1 does not equal "female" or PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	92	3.1 %
1	yes	8	0.3 %
	Missing Data		
-3	not applicable	2901	96.5 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 100 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN10_1: loop 1: p's pain in heart or chest

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:
Heart or chest? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	115	3.8 %
1	yes	4	0.1 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN11_1: loop 1: p's pain in back

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:

Back? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	104	3.5 %
1	yes	15	0.5 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN12_1: loop 1: p's pain in stomach

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:
Stomach? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	115	3.8 %
1	yes	4	0.1 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN13_1: loop 1: p has/had leg cramps

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain:
Leg cramps? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	104	3.5 %
1	yes	15	0.5 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN14_1: loop 1: p has/had headache

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain: Headache? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	113	3.8 %
1	yes	6	0.2 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PPAIN15_1: loop 1: p has/had other pain

You mentioned that there were times when [partner] experienced pain during intercourse. Please tell me the numbers from this card that correspond to all the places [partner] felt pain: Other (specify)? [HAND CARD S (females) or T (males)]

Skip if: PSEXPAIN_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	no	110	3.7 %
1	yes	9	0.3 %
	Missing Data		
-3	not applicable	2882	95.9 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 119 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LACKBTRU_1: loop 1: p's lack of interest bothersome?

How much did [partner's] lack of interest in having sex bother you? [HAND CARD U]

Skip if: PLACKSEX_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	132	4.4 %
1	somewhat	163	5.4 %
2	a lot	50	1.7 %
	Missing Data		
-3	not applicable	2658	88.5 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 345 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

NCMXBTRU_1: loop 1: p's inability to climax bothersome?

How much did [partner's] inability to climax (experience orgasm) bother you? [HAND CARD U]

Skip if: PNOCLMAX_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	144	4.8 %
1	somewhat	129	4.3 %
2	a lot	32	1.1 %
Missing Data			
-3	not applicable	2698	89.8 %
-2	don't know	2	0.1 %
Total		3,005	100%

Based upon 305 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

CMXQBTRU_1: loop 1: p's climaxing too quickly bothersome?

How much did [partner's] climaxing (experiencing orgasm) too quickly bother you? [HAND CARD U]

Skip if: PCLMAXQK_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	83	2.8 %
1	somewhat	53	1.8 %
2	a lot	11	0.4 %
Missing Data			
-3	not applicable	2854	95.0 %
-2	don't know	4	0.1 %
Total		3,005	100%

Based upon 147 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

NPLSBTRU_1: loop 1: p's lack of pleasure bothersome?

How much did [partner's] not finding sex pleasurable bother you? [HAND CARD U]

Skip if: PSEXNOPL_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	28	0.9 %
1	somewhat	75	2.5 %
2	a lot	29	1.0 %
	Missing Data		
-3	not applicable	2868	95.4 %
-2	don't know	5	0.2 %
	Total	3,005	100%

Based upon 132 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

ANXBTRU_1: loop 1: p's anxiety bothersome?

How much did [partner's] feelings of anxiety before sex bother you? [HAND CARD U]

Skip if: PANXBSEX_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	76	2.5 %
1	somewhat	84	2.8 %
2	a lot	22	0.7 %
	Missing Data		
-3	not applicable	2822	93.9 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 182 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

ERCTBTRU_1: loop 1: p's erection problem bothersome?

How much did [partner's] trouble getting or maintaining an erection bother you? [HAND CARD U]

Skip if: PNOERECT_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	92	3.1 %
1	somewhat	68	2.3 %
2	a lot	30	1.0 %
	Missing Data		
-3	not applicable	2814	93.6 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 190 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

LUBRBTRU_1: loop 1: p's lubr problem bothersome?

How much did [partner's] trouble lubricating during sexual activity bother you? [HAND CARD U]

Skip if: PLUBRCTE_1 does not equal "yes"

(The next set of questions is about your sexual relationship with (PARTNER) in the last 12 months. You may refuse to answer any question, but as an interviewer for this survey I am required to ask all the questions.)

Value	Label	Unweighted Frequency	%
0	not at all	112	3.7 %
1	somewhat	85	2.8 %
2	a lot	16	0.5 %
	Missing Data		
-3	not applicable	2789	92.8 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 213 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

RELATION: currently married or in romantic relat?

Are you currently married or in a romantic relationship?

Skip if: PATH does not equal 3 or 4

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	238	7.9 %
1	yes	539	17.9 %
	Missing Data		
-6	missing in error	5	0.2 %
-5	not returned	173	5.8 %
-4	no answer	31	1.0 %
-3	not applicable	2019	67.2 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 777 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PEDUC: partner's education

What is the highest level of education this person completed?

Skip if: PATH does not equal 3 or 4 or RELATION equals "no"

(Are you currently married or in a romantic relationship?)

Note: 1. asked in leave-behind only

2. the following responses have been backcoded from peduc_oth: 'UNKNOWN' -> 'don't know'; 'WENT TO SCHOOL ONLY 2 YEARS', 'ONLY ONE YEAR', and '3 primary' -> 'less than high school diploma'

3. a similar question was asked in the main interview for those in paths 1, 2, 3 and 4 (see peduc_1 and peduc_2); however that question was asked with respect to a specific partner in Section 3c, whereas in the leave-behind it was asked with respect to the respondent's current marital or romantic relationship (see relation)

Value	Label	Unweighted Frequency	%
1	less than high school diploma	66	2.2 %
2	high school diploma/ged	179	6.0 %
3	vocational/technical degree or associates (2-year) degree	47	1.6 %
4	some college	73	2.4 %
5	bachelors degree (4-year college)	84	2.8 %
6	graduate degree (e.g. mba, jd, md, phd)	59	2.0 %
7	other	3	0.1 %
	Missing Data		
-6	missing in error	5	0.2 %
-5	not returned	173	5.8 %
-4	no answer	58	1.9 %
-3	not applicable	2257	75.1 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 511 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

SAMEBED: how often slept in same bed with partner

In the last month, how often did you sleep in the same bed with your spouse or romantic partner? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	never	499	16.6 %
1	some of the time	253	8.4 %
2	all or most of the time	1204	40.1 %
3	i do not have a spouse or romantic partner	461	15.3 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	104	3.5 %
-2	don't know	1	0.0 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,417 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SEX_OBLIG: how often had sex because felt obligated?

In the past 12 months, how often did you have sex primarily because you felt obligated or that it was your duty? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	never	1005	33.4 %
1	rarely	270	9.0 %
2	sometimes	187	6.2 %
3	usually	45	1.5 %
4	always	59	2.0 %
5	i have not had sex in the past 12 months	779	25.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-5	not returned	481	16.0 %
-4	no answer	174	5.8 %
-1	refused	5	0.2 %
	Total	3,005	100%

Based upon 2,345 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

FORCED: ever forced to have sex?

Thinking about your entire life so far, has anyone ever made you have sex by using force or threatening to harm you or someone close to you? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2271	75.6 %
1	yes	110	3.7 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	143	4.8 %
	Total	3,005	100%

Based upon 2,381 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PHYSHLTH: self-rated physical health

This next section is about your physical health. First, we would like to ask you some general questions.

Would you say your health is excellent, very good, good, fair, or poor? [HAND CARD W]

Value	Label	Unweighted Frequency	%
1	poor	224	7.5 %
2	fair	582	19.4 %

Value	Label	Unweighted Frequency	%
3	good	906	30.1 %
4	very good	921	30.6 %
5	excellent	360	12.0 %
	Missing Data		
-2	don't know	6	0.2 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,993 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

MNTLHLTH: self-rated mental health

What about your emotional or mental health? Is it excellent, very good, good, fair, or poor?

[HAND CARD W]

(This next section is about your physical health. First, we would like to ask you some general questions.)

Value	Label	Unweighted Frequency	%
1	poor	53	1.8 %
2	fair	288	9.6 %
3	good	837	27.9 %
4	very good	1098	36.5 %
5	excellent	719	23.9 %
	Missing Data		
-2	don't know	4	0.1 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,995 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

HEALTH: health status relative to age peers

Compared with other people your age, would you say your health is much better, somewhat better, about the same, somewhat worse, or much worse? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	much worse	44	1.5 %
2	somewhat worse	197	6.6 %
3	about the same	667	22.2 %
4	somewhat better	881	29.3 %
5	much better	681	22.7 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	53	1.8 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 2,470 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

EYESIGHT: self-rated eyesight

With your glasses or contact lenses if you wear them, is your eyesight excellent, very good, good, fair, or poor? [HAND CARD W]

(This next section is about your physical health. First, we would like to ask you some general questions.)

Value	Label	Unweighted Frequency	%
1	poor	150	5.0 %
2	fair	392	13.0 %
3	good	955	31.8 %
4	very good	1000	33.3 %
5	excellent	503	16.7 %
	Missing Data		
-2	don't know	4	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,000 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

HEARLOSS: does r have a hearing loss?

Do you feel you have a hearing loss?

(This next section is about your physical health. First, we would like to ask you some general questions.)

Value	Label	Unweighted Frequency	%
0	no	1632	54.3 %
1	yes	1330	44.3 %
	Missing Data		
-2	don't know	43	1.4 %
	Total	3,005	100%

Based upon 2,962 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HEARING: self-rated hearing

Is your hearing excellent, very good, good, fair, or poor? (PROMPT: If you wear a hearing aid, please answer this based on your hearing when you are wearing your hearing aid.) [HAND CARD W]

(This next section is about your physical health. First, we would like to ask you some general questions.)

Value	Label	Unweighted Frequency	%
1	poor	127	4.2 %
2	fair	532	17.7 %
3	good	1031	34.3 %
4	very good	827	27.5 %
5	excellent	485	16.1 %
	Missing Data		
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 3,002 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SMELL: self-rated sense of smell

How is your sense of smell? [HAND CARD W]

Skip if: PATH equals 1, 3, or 5

(This next section is about your physical health. First, we would like to ask you some general questions.)

Note: asked in paths 2, 4, and 6 only

Value	Label	Unweighted Frequency	%
1	poor	65	2.2 %
2	fair	134	4.5 %
3	good	500	16.6 %
4	very good	479	15.9 %
5	excellent	325	10.8 %
	Missing Data		
-3	not applicable	1499	49.9 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 1,503 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

TASTE: self-rated sense of taste

How is your sense of taste? [HAND CARD W]

Skip if: PATH equals 1, 3, or 5

(This next section is about your physical health. First, we would like to ask you some general questions.)

Note: asked in paths 2, 4, and 6 only

Value	Label	Unweighted Frequency	%
1	poor	23	0.8 %
2	fair	105	3.5 %
3	good	508	16.9 %
4	very good	539	17.9 %
5	excellent	330	11.0 %
	Missing Data		
-3	not applicable	1499	49.9 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 1,505 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SNSTOUCH: self-rated sense of touch

How is your sense of touch? [HAND CARD W]

Skip if: PATH equals 1, 3, or 5

(This next section is about your physical health. First, we would like to ask you some general questions.)

Note: asked in paths 2, 4, and 6 only

Value	Label	Unweighted Frequency	%
1	poor	17	0.6 %
2	fair	50	1.7 %
3	good	548	18.2 %
4	very good	545	18.1 %
5	excellent	343	11.4 %
	Missing Data		
-3	not applicable	1499	49.9 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 1,503 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -3 , -2 , -1

HEARTTST: how long since angioplasty, cardiac catheterization, or angiogram?

Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.

About how long has it been since you had an angioplasty, cardiac catheterization, or coronary angiogram? (PROMPT IF NECESSARY: A special test or treatment of your heart where tubes were inserted to help open up your arteries.) [HAND CARD X]

Value	Label	Unweighted Frequency	%
1	within the past year	183	6.1 %
2	between 1 and 5 years ago	328	10.9 %
3	more than 5 years ago	256	8.5 %
4	never	2218	73.8 %
	Missing Data		
-2	don't know	20	0.7 %
	Total	3,005	100%

Based upon 2,985 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

PELVIC: how long since pelvic examination?

About how long has it been since you had a pelvic examination? [HAND CARD X]

Skip if: GENDER equals "male"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
1	within the past year	614	20.4 %
2	between 1 and 5 years ago	512	17.0 %
3	more than 5 years ago	248	8.3 %

Value	Label	Unweighted Frequency	%
4	never	68	2.3 %
	Missing Data		
-6	missing in error	2	0.1 %
-5	not returned	81	2.7 %
-4	no answer	17	0.6 %
-3	not applicable	1454	48.4 %
-2	don't know	9	0.3 %
	Total	3,005	100%

Based upon 1,442 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -5 , -4 , -3 , -2 , -1

PAPSMEAR: how long since pap smear?

About how long has it been since you had a Pap smear test? (A Pap smear is a routine medical test in which the doctor examines the cervix (internal female organ) and sends a cell sample to the lab.) [HAND CARD X]

Skip if: GENDER equals "male"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
1	within the past year	604	20.1 %
2	between 1 and 5 years ago	518	17.2 %
3	more than 5 years ago	289	9.6 %
4	never	38	1.3 %
	Missing Data		
-6	missing in error	2	0.1 %
-5	not returned	81	2.7 %
-4	no answer	15	0.5 %
-3	not applicable	1454	48.4 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 1,449 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

DYSPLAS: r diagnosed with cervical dysplasia?

Have you ever been told you have pre-cancer or dysplasia of the cervix?

Skip if: GENDER equals "male" or PAPSMEAR does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	no	1287	42.8 %
1	yes	110	3.7 %
	Missing Data		
-4	no answer	10	0.3 %
-3	not applicable	1594	53.0 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 1,397 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TUBAL: how long since tubal ligation?

About how long has it been since you had a tubal ligation (tubes tied, cut, or burned)?
[HAND CARD X]

Skip if: GENDER equals "male"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago,

more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	within the past year	1	0.0 %
2	between 1 and 5 years ago	0	0.0 %
3	more than 5 years ago	358	11.9 %
4	never	1188	39.5 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1454	48.4 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 1,547 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

HYSTREC: how long since hysterectomy?

About how long has it been since you had a hysterectomy? (PROMPT IF NECESSARY: A hysterectomy is an operation to remove the uterus.) [HAND CARD X]

Skip if: GENDER equals "male"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	within the past year	5	0.2 %
2	between 1 and 5 years ago	32	1.1 %
3	more than 5 years ago	650	21.6 %
4	never	860	28.6 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1454	48.4 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 1,547 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

UTERUSR: was entire uterus removed?

Was the entire uterus removed including the cervix?

Skip if: HYSTREC does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
0	no	128	4.3 %
1	yes	491	16.3 %
	Missing Data		
-3	not applicable	2318	77.1 %
-2	don't know	68	2.3 %
	Total	3,005	100%

Based upon 619 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAVEHYST: hysterectomy after menopause?

Did you have your hysterectomy after your last menstrual period, that is, after you went through menopause?

Skip if: HYSTREC does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
0	no	525	17.5 %
1	yes	140	4.7 %
	Missing Data		
-3	not applicable	2318	77.1 %
-2	don't know	22	0.7 %
	Total	3,005	100%

Based upon 665 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

OVARYR: how long since ovaries removed?

About how long has it been since you had your ovaries removed? (FOR RESPONDENTS WHO HAD A HYSTERECTOMY: This may or may not have happened during a hysterectomy.) [HAND CARD X]

Skip if: GENDER equals "male"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	within the past year	7	0.2 %
2	between 1 and 5 years ago	37	1.2 %
3	more than 5 years ago	461	15.3 %
4	never	1009	33.6 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1454	48.4 %
-2	don't know	35	1.2 %
	Total	3,005	100%

Based upon 1,514 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

OVARYLRB: left, right, or both ovaries?

Was it the left, right, or both ovaries?

Skip if: OVARYR does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	left	30	1.0 %
2	right	45	1.5 %
3	both	392	13.0 %
	Missing Data		
-3	not applicable	2500	83.2 %
-2	don't know	38	1.3 %
	Total	3,005	100%

Based upon 467 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

REMOVARY: ovaries removed after menopause?

Did you have your ovaries removed after your last menstrual period, that is, after you went through menopause?

Skip if: OVARYR does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
0	no	356	11.8 %
1	yes	125	4.2 %
	Missing Data		
-3	not applicable	2500	83.2 %

Value	Label	Unweighted Frequency	%
-2	don't know	24	0.8 %
	Total	3,005	100%

Based upon 481 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BREASTR: how long since breast removed?

About how long has it been since you had all or most of a breast removed? [HAND CARD X]

Skip if: GENDER equals "male"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	within the past year	2	0.1 %
2	between 1 and 5 years ago	21	0.7 %
3	more than 5 years ago	67	2.2 %
4	never	1459	48.6 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1454	48.4 %
	Total	3,005	100%

Based upon 1,549 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

BRSTLRB: left, right, or both breasts?

Was it the left, right, or both breasts?

Skip if: BREASTR does not equal "within the past year", "between 1 and 5 years ago", or "more

than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	left	29	1.0 %
2	right	42	1.4 %
3	both	19	0.6 %
Missing Data			
-3	not applicable	2915	97.0 %
Total		3,005	100%

Based upon 90 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

LBRST: left breast: all or most removed?

Was all or most of your left breast removed?

Skip if: BRSTLRB does not equal "left" or "both"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	most	13	0.4 %
2	all	32	1.1 %
Missing Data			
-3	not applicable	2957	98.4 %
-2	don't know	2	0.1 %
-1	refused	1	0.0 %
Total		3,005	100%

Based upon 45 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -6 , -3 , -2 , -1

RBRST: right breast: all or most removed?

Was all or most of your right breast removed?

Skip if: BRSTLRB does not equal "right" or "both"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	most	21	0.7 %
2	all	34	1.1 %
	Missing Data		
-3	not applicable	2944	98.0 %
-2	don't know	6	0.2 %
	Total	3,005	100%

Based upon 55 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -6 , -3 , -2 , -1

BRSTSURG: had breast reconstruction surgery?

Have you had breast reconstruction surgery?

Skip if: BREASTR does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
0	no	76	2.5 %
1	yes	14	0.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3	not applicable	2915	97.0 %
	Total	3,005	100%

Based upon 90 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PSA: how long since PSA test?

About how long has it been since you had a Prostate-Specific Antigen test, also called a PSA test? (PROMPT: A PSA test is a blood test used to check men for prostate cancer.) [HAND CARD X]

Skip if: GENDER equals "female"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
1	within the past year	731	24.3 %
2	between 1 and 5 years ago	300	10.0 %
3	more than 5 years ago	72	2.4 %
4	never	221	7.4 %
	Missing Data		
-5	not returned	92	3.1 %
-4	no answer	16	0.5 %
-3	not applicable	1551	51.6 %
-2	don't know	22	0.7 %
	Total	3,005	100%

Based upon 1,324 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -5 , -4 , -3 , -2 , -1

PROSTATR: how long since prostatectomy?

About how long has it been since you had a complete or partial removal of the prostate gland?
[HAND CARD X]

Skip if: GENDER equals "female"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	within the past year	10	0.3 %
2	between 1 and 5 years ago	48	1.6 %
3	more than 5 years ago	54	1.8 %
4	never	1336	44.5 %
	Missing Data		
-3	not applicable	1551	51.6 %
-2	don't know	6	0.2 %
	Total	3,005	100%

Based upon 1,448 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -6 , -5 , -4 , -3 , -2 , -1

APPROST: complete or partial prostatectomy?

Was all or part of your prostate removed?

Skip if: PROSTATR does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	part	40	1.3 %
2	all	64	2.1 %
	Missing Data		
-3	not applicable	2893	96.3 %
-2	don't know	8	0.3 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 104 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

PROSTOMY: prostatectomy through urethra or abdominal incision?

Was your prostatectomy through the urethra or through an incision in your abdomen?
(DO NOT READ RESPONSES)

Skip if: PROSTATR does not equal "within the past year", "between 1 and 5 years ago", or "more than 5 years ago"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	urethra	50	1.7 %
2	incision in abdomen	58	1.9 %
	Missing Data		
-3	not applicable	2893	96.3 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 108 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

VASECTMY: how long since vasectomy?

About how long has it been since you had a vasectomy? (PROMPT: A vasectomy is a surgical procedure on the testicles to stop a man's fertility. ADDITIONAL PROMPT IF NEEDED: Sometimes referred to as "getting snipped".) [HAND CARD X]

Skip if: GENDER equals "female"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
1	within the past year	1	0.0 %
2	between 1 and 5 years ago	5	0.2 %
3	more than 5 years ago	275	9.2 %
4	never	1170	38.9 %
	Missing Data		
-3	not applicable	1551	51.6 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 1,451 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -5 , -4 , -3 , -2 , -1

CIRCUM: is r circumcised?

Are you circumcised?

Skip if: GENDER equals "female"

(Now we would like to ask about different tests or procedures you may have had done. For each item, please tell me if you had it done within the past year, between one and five years ago, more than five years ago, or if you have never had it done.)

Value	Label	Unweighted Frequency	%
0	no	700	23.3 %
1	yes	723	24.1 %
	Missing Data		
-3	not applicable	1551	51.6 %
-2	don't know	19	0.6 %
-1	refused	12	0.4 %
	Total	3,005	100%

Based upon 1,423 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FRACTURE_1: broken bone since age 45?

Have you had a fracture or broken bone since you were 45 years old? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	1868	62.2 %
1	yes	544	18.1 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	112	3.7 %
	Total	3,005	100%

Based upon 2,412 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FRACTURE_2: which bone broken?

Which bone was it?

Skip if: FRACTURE_1 equals "no"

(Have you had a fracture or broken bone since you were 45 years old?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	hip	28	0.9 %
2	leg (other than hip)	66	2.2 %
3	wrist	90	3.0 %
4	vertebrae (backbone)	24	0.8 %
5	other	297	9.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	151	5.0 %

Value	Label	Unweighted Frequency	%
-3	not applicable	1868	62.2 %
	Total	3,005	100%

Based upon 505 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

HEADINJ: ever had severe head injury?

Have you ever had a severe head injury requiring hospitalization overnight? Do not include an overnight stay in the emergency room. Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2247	74.8 %
1	yes	129	4.3 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	148	4.9 %
	Total	3,005	100%

Based upon 2,376 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HEADINJ_AGE: age at time of head injury

How old were you when you had this head injury?

Skip if: HEADINJ equals "no"

(Have you ever had a severe head injury requiring hospitalization overnight? Do not include an overnight stay in the emergency room.)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	1	0.0 %
5	-	5	0.2 %
6	-	4	0.1 %
7	-	2	0.1 %
8	-	4	0.1 %
9	-	1	0.0 %
10	-	2	0.1 %
12	-	2	0.1 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	2	0.1 %
16	-	3	0.1 %
17	-	3	0.1 %
18	-	4	0.1 %
19	-	4	0.1 %
20	-	8	0.3 %
21	-	3	0.1 %
22	-	2	0.1 %
23	-	4	0.1 %
26	-	4	0.1 %
28	-	1	0.0 %
30	-	1	0.0 %
32	-	2	0.1 %
34	-	1	0.0 %
35	-	5	0.2 %
37	-	2	0.1 %
40	-	2	0.1 %
43	-	2	0.1 %
45	-	2	0.1 %
46	-	2	0.1 %
48	-	3	0.1 %
49	-	1	0.0 %
50	-	3	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	2	0.1 %
56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57	-	3	0.1 %
59	-	3	0.1 %
60	-	3	0.1 %
61	-	2	0.1 %
62	-	2	0.1 %
63	-	1	0.0 %
65	-	2	0.1 %
67	-	1	0.0 %
68	-	1	0.0 %
70	-	1	0.0 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	151	5.0 %
-3	not applicable	2247	74.8 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 126 valid cases out of 3,005 total cases.

- Mean: 32.17
- Median: 24.50
- Mode: 20.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 21.68

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NOSE: ever had surgery on nose?

Have you ever had surgery on your nose? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2243	74.6 %
1	yes	214	7.1 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	67	2.2 %
	Total	3,005	100%

Based upon 2,457 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FALLEN: fallen in past 12 mos?

In the past 12 months, have you fallen? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	1863	62.0 %
1	yes	538	17.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	123	4.1 %
	Total	3,005	100%

Based upon 2,401 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FALLEN_NUM: no. times fallen in past 12 mos

In the past 12 months, how many times have you fallen?

Skip if: FALLEN equals "no"

(In the past 12 months, have you fallen?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	235	7.8 %
2	-	136	4.5 %
3	-	62	2.1 %
4	-	34	1.1 %
5	-	17	0.6 %
6	-	8	0.3 %
7	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
10	-	10	0.3 %
12	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
20	-	5	0.2 %
24	-	1	0.0 %
25	-	1	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
131	-	1	0.0 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	138	4.6 %
-3	not applicable	1863	62.0 %
	Total	3,005	100%

Based upon 523 valid cases out of 3,005 total cases.

- Mean: 2.89
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 131.00
- Standard Deviation: 6.94

Location: 459-461 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_1: last 12 mos: used herbal supplement or remedy

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: Herbal supplement or remedy? [HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2420	80.5 %
1	yes	583	19.4 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_2: last 12 mos: used high-dose or mega-vitamin

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: High-dose or mega-vitamin, not including a daily vitamin? [HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2619	87.2 %
1	yes	384	12.8 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_3: last 12 mos: used massage therapies

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: Massage therapies? [HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2733	90.9 %
1	yes	270	9.0 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 466-467 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_4: last 12 mos: used acupuncture

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: Acupuncture?
[HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2932	97.6 %
1	yes	71	2.4 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 468-469 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_5: last 12 mos: used chiropractic treatments

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: Chiropractic treatments? [HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2662	88.6 %
1	yes	341	11.3 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 470-471 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_6: last 12 mos: used meditation

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: Meditation?
[HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2805	93.3 %
1	yes	198	6.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 472-473 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_7: last 12 mos: used religious or spiritual healing

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: Religious or spiritual healing by others? [HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2855	95.0 %
1	yes	148	4.9 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_8: last 12 mos: used none

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: None? [HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	1161	38.6 %
1	yes	1842	61.3 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALTMEDS_9: last 12 mos: used other med or treatment

In the past 12 months, have you used any of the following alternative or complementary medicines or treatments: Other? [HAND CARD Y]

Value	Label	Unweighted Frequency	%
0	no	2949	98.1 %
1	yes	54	1.8 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 478-479 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HLTHPLC: does r have place to go when sick?

Is there a place that you usually go when you are sick or need advice about your health?

Note: 1. asked in leave-behind for path(s) 3 and 4

2. 15 leave-behind responses backcoded from 'no answer' to 'yes' for respondents who answered 'clinic or health center', 'doctor's office or hmo', or 'hospital emergency room' to placetyp

Value	Label	Unweighted Frequency	%
0	no	221	7.4 %
1	yes	2579	85.8 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	31	1.0 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 2,800 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 480-481 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PLACETYP: what kind of place?

What kind of place do you go to most often: Is it a clinic, doctor's office, emergency room, or some other place?

Skip if: HLTHPLC does not equal "yes"

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
1	clinic or health center	394	13.1 %
2	doctor's office or hmo	2004	66.7 %
3	hospital emergency room	50	1.7 %
4	hospital outpatient department	82	2.7 %
5	some other place	23	0.8 %
	Missing Data		
-4	no answer	25	0.8 %
-3	not applicable	426	14.2 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,553 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -4 , -3 , -2 , -1

HLTHVIS: last 12 mos: how many times seen doctor?

During the past 12 months, how many times have you seen a doctor or other health care professional about your health at a doctor's office, a clinic, hospital emergency room, at home or some other place? Do not include times you were hospitalized overnight.

Note: 1. asked in leave-behind for path(s) 3 and 4

2. response '31 or more' not included in leave-behind version of item

3. response '21-30 (about twice a month)' labeled '20-30 (about twice a month)' in leave-behind in W1

Value	Label	Unweighted Frequency	%
0	none	187	6.2 %
1	one	306	10.2 %
2	2-3	806	26.8 %
3	4-9	973	32.4 %
4	10-12 (about once a month)	294	9.8 %
5	13-20	101	3.4 %
6	21-30 (about twice a month)	81	2.7 %
7	31 or more	47	1.6 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	30	1.0 %
-2	don't know	7	0.2 %
	Total	3,005	100%

Based upon 2,795 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

TALKDOC: how long since r last saw doctor?

About how long has it been since you last saw or talked to a doctor or other health care professional about your health? Include doctors seen while you were a patient in a hospital. Has it been...

Skip if: PATH equals 1, 2, 5, or 6 and HLTHVIS is not equal to "none"

Note: 1. asked in leave-behind for path(s) 3 and 4

2. skip not included in leave-behind version of item

Value	Label	Unweighted Frequency	%
1	6 months or less	642	21.4 %
2	more than 6 months, but not more than 1 year ago	91	3.0 %
3	more than 1 year, but not more than 3 years ago	96	3.2 %
4	more than 3 years	67	2.2 %
5	never	15	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	35	1.2 %
-3	not applicable	1886	62.8 %
	Total	3,005	100%

Based upon 911 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 486-487 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

DISCUSS_1: ever discussed sex with md?

Since you turned 50, have you ever discussed sex with a doctor? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	1694	56.4 %
1	yes	673	22.4 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	156	5.2 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,367 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 488-489 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DISCUSS_2: who started discussion?

Who started the discussion -- you or the doctor?

Skip if: DISCUSS_1 equals "no"

(Since you turned 50, have you ever discussed sex with a doctor?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	me	415	13.8 %
2	doctor	142	4.7 %
3	both (can be on different occasions)	114	3.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	158	5.3 %
-3	not applicable	1694	56.4 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 671 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 490-491 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

DISCUSS_3: appropriate for md to ask about sex?

Thinking about the doctor(s) you see most, how appropriate would it be for the doctor(s) to ask you about your sexual health or your sexual concerns? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	very inappropriate	309	10.3 %
2	somewhat inappropriate	294	9.8 %
3	somewhat appropriate	881	29.3 %
4	very appropriate	844	28.1 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	195	6.5 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,328 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

DISCUSS_4: how comfortable discussing sex with md?

How comfortable would you feel discussing sexual issues with a doctor? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	very uncomfortable	227	7.6 %
2	somewhat uncomfortable	408	13.6 %
3	somewhat comfortable	812	27.0 %
4	very comfortable	943	31.4 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	134	4.5 %
	Total	3,005	100%

Based upon 2,390 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

INSURE_1: covered by medicare?

Are you currently covered by any of the following health insurance programs (check all that apply): Medicare? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	796	26.5 %
1	yes	1579	52.5 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	148	4.9 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,375 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

INSURE_2: covered by medicaid?

Are you currently covered by any of the following health insurance programs (check all that apply): Medicaid (Medi-Cal in California)? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2188	72.8 %
1	yes	187	6.2 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	148	4.9 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,375 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 498-499 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

INSURE_3: covered by private insurance?

Are you currently covered by any of the following health insurance programs (check all that apply): Private insurance (purchased by yourself, your or your spouse's employer or union)? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	957	31.8 %
1	yes	1418	47.2 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	148	4.9 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,375 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 500-501 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

INSURE_4: covered by veterans administration?

Are you currently covered by any of the following health insurance programs (check all that apply): Veterans Administration? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2200	73.2 %
1	yes	175	5.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	148	4.9 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,375 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

INSURE_5: covered by other program?

Are you currently covered by any of the following health insurance programs (check all that apply): Other (please describe)? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2068	68.8 %
1	yes	307	10.2 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	148	4.9 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,375 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRTPROB: ever told by doctor that he/she had heart attack?

Has a medical doctor ever told you that you have had a heart attack? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2635	87.7 %
1	yes	361	12.0 %
	Missing Data		
-2	don't know	9	0.3 %
	Total	3,005	100%

Based upon 2,996 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 506-507 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRTFAIL: ever treated for heart failure?

Have you ever been treated for heart failure? (PROMPT: You may have been short of breath and the doctor may have told you that you had fluid in your lungs or that your heart was not pumping well.)

Value	Label	Unweighted Frequency	%
0	no	2704	90.0 %
1	yes	284	9.5 %
	Missing Data		
-2	don't know	17	0.6 %
	Total	3,005	100%

Based upon 2,988 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 508-509 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

UNCLOGA: ever had operation to unclog arteries in legs?

Have you ever had an operation to unclog or bypass the arteries in your legs?

Value	Label	Unweighted Frequency	%
0	no	2886	96.0 %
1	yes	117	3.9 %
	Missing Data		
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 510-511 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PAIN_WALK: pain walking during last 12 mos?

During the past 12 months have you had pain, aching, or cramps in your calves, thighs, or buttocks that occurred while walking but improved with rest? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	1487	49.5 %
1	yes	985	32.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	52	1.7 %
	Total	3,005	100%

Based upon 2,472 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 512-513 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_1: ever had arthritis

Has a medical doctor ever told you that you have any of the following conditions: Arthritis? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	1419	47.2 %
1	yes	1586	52.8 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 514-515 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_2: ever had ulcers

Has a medical doctor ever told you that you have any of the following conditions: Stomach ulcers, or peptic ulcer disease? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2601	86.6 %
1	yes	404	13.4 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 516-517 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_3: ever had emphysema or copd

Has a medical doctor ever told you that you have any of the following conditions: Emphysema, chronic bronchitis, or chronic obstructive lung disease? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2683	89.3 %
1	yes	322	10.7 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 518-519 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_4: ever had asthma

Has a medical doctor ever told you that you have any of the following conditions: Asthma? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2696	89.7 %
1	yes	309	10.3 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 520-521 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_5: ever had stroke

Has a medical doctor ever told you that you have any of the following conditions: Stroke, cerebrovascular accident, blood clot or bleeding in the brain, or transient ischemic attack (TIA)? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2737	91.1 %
1	yes	268	8.9 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 522-523 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_6: ever had hypertension

Has a medical doctor ever told you that you have any of the following conditions: High blood pressure or hypertension? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	1284	42.7 %
1	yes	1721	57.3 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_7: ever had diabetes

Has a medical doctor ever told you that you have any of the following conditions: Diabetes or high blood sugar? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2363	78.6 %
1	yes	642	21.4 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_8: ever had alzheimer's or dementia

Has a medical doctor ever told you that you have any of the following conditions: Alzheimer's disease or another form of dementia? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2979	99.1 %
1	yes	26	0.9 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_9: ever had cirrhosis

Has a medical doctor ever told you that you have any of the following conditions: Cirrhosis, or serious liver damage? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2972	98.9 %

Value	Label	Unweighted Frequency	%
1	yes	33	1.1 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_11: ever had leukemia

Has a medical doctor ever told you that you have any of the following conditions: Leukemia or polycythemia vera? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2992	99.6 %
1	yes	13	0.4 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_12: ever had lymphoma

Has a medical doctor ever told you that you have any of the following conditions: Lymphoma? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2981	99.2 %
1	yes	24	0.8 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_13: ever had skin cancer

Has a medical doctor ever told you that you have any of the following conditions: Skin cancer (including melanoma, basal cell carcinoma, squamous cell carcinoma)? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2573	85.6 %
1	yes	432	14.4 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 536-537 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_14: ever had cancer

Has a medical doctor ever told you that you have any of the following conditions: Cancer, other than skin cancer, leukemia or lymphoma? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2660	88.5 %
1	yes	345	11.5 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 538-539 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_15: ever had poor kidney function

Has a medical doctor ever told you that you have any of the following conditions: Poor kidney function (blood tests show high creatinine), used hemodialysis, peritoneal dialysis, or received a kidney transplant? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2877	95.7 %
1	yes	128	4.3 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 540-541 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_16: ever had thyroid problems

Has a medical doctor ever told you that you have any of the following conditions: Thyroid problems? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2566	85.4 %
1	yes	439	14.6 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_17: ever had enlarged prostate

Has a medical doctor ever told you that you have any of the following conditions: Enlarged prostate gland? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Skip if: GENDER equals "female"

Value	Label	Unweighted Frequency	%
0	no	1069	35.6 %
1	yes	385	12.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3	not applicable	1551	51.6 %
	Total	3,005	100%

Based upon 1,454 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONDITNS_18: ever had [none of the above]

Has a medical doctor ever told you that you have any of the following conditions: None of the above? (PROMPT: Medical doctors include specialists such as dermatologists, psychiatrists, ophthalmologists, as well as general practitioners and osteopaths. Do not include chiropractors, dentists, nurses, or nurse practitioners.)

Value	Label	Unweighted Frequency	%
0	no	2678	89.1 %
1	yes	327	10.9 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 546-547 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HOWMANYC: how many cancers

Other than lymphoma, leukemia, and skin cancer, how many such cancers have you had?

Skip if: CONDITNS_14 is not equal to "yes"

Value	Label	Unweighted Frequency	%
1	-	301	10.0 %
2	-	36	1.2 %
3	-	6	0.2 %
5	-	2	0.1 %
	Missing Data		
-3	not applicable	2660	88.5 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 345 valid cases out of 3,005 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.49

Location: 548-549 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAG_1: when did first cancer begin?

Now thinking about your first cancer, when did the cancer begin? (PROMPT IF NEEDED: How old were you?)

Skip if: CONDTNS_14 is not equal to "yes"

Value	Label	Unweighted Frequency	%
1	answered in month and year	178	5.9 %
2	answered by age	150	5.0 %
	Missing Data		
-3	not applicable	2660	88.5 %
-2	don't know	16	0.5 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 328 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 550-551 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

CDIAGM_1: first cancer (month)

First cancer (month)

Skip if: CDIAG_1 is not equal to "answered in month and year"

Value	Label	Unweighted Frequency	%
1	jan	14	0.5 %
2	feb	8	0.3 %
3	mar	14	0.5 %
4	apr	12	0.4 %
5	may	12	0.4 %
6	jun	9	0.3 %
7	jul	9	0.3 %
8	aug	13	0.4 %
9	sep	11	0.4 %
10	oct	10	0.3 %
11	nov	10	0.3 %
12	dec	12	0.4 %
	Missing Data		
-3	not applicable	2827	94.1 %
-2	don't know	43	1.4 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 134 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 552-553 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -4 , -3 , -2 , -1

CDIAGY_1: first cancer (year)

First cancer (year)

Skip if: CDIAG_1 is not equal to "answered in month and year"

Value	Label	Unweighted Frequency	%
1952	-	1	0.0 %
1957	-	1	0.0 %
1960	-	1	0.0 %
1964	-	1	0.0 %
1965	-	1	0.0 %
1967	-	2	0.1 %
1968	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1970	-	2	0.1 %
1972	-	6	0.2 %
1973	-	1	0.0 %
1978	-	2	0.1 %
1979	-	1	0.0 %
1980	-	3	0.1 %
1981	-	1	0.0 %
1982	-	1	0.0 %
1983	-	2	0.1 %
1984	-	1	0.0 %
1985	-	2	0.1 %
1986	-	4	0.1 %
1987	-	1	0.0 %
1988	-	3	0.1 %
1989	-	3	0.1 %
1990	-	6	0.2 %
1991	-	1	0.0 %
1992	-	7	0.2 %
1993	-	2	0.1 %
1994	-	4	0.1 %
1995	-	4	0.1 %
1996	-	2	0.1 %
1997	-	8	0.3 %
1998	-	13	0.4 %
1999	-	10	0.3 %
2000	-	10	0.3 %
2001	-	11	0.4 %
2002	-	22	0.7 %
2003	-	14	0.5 %
2004	-	13	0.4 %
2005	-	10	0.3 %
	Missing Data		
-3	not applicable	2827	94.1 %
	Total	3,005	100%

Based upon 178 valid cases out of 3,005 total cases.

- Mean: 1994.46
- Median: 1999.00
- Mode: 2002.00

- Minimum: 1952.00
- Maximum: 2005.00
- Standard Deviation: 11.12

Location: 554-557 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAGAGE_1: first cancer (age)

First cancer (age)

Skip if: CDIAG_2 is not equal to "answered by age"

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
13	-	1	0.0 %
17	-	1	0.0 %
21	-	1	0.0 %
25	-	1	0.0 %
29	-	2	0.1 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	3	0.1 %
38	-	4	0.1 %
39	-	4	0.1 %
40	-	5	0.2 %
41	-	2	0.1 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %
47	-	2	0.1 %
48	-	1	0.0 %
49	-	2	0.1 %
50	-	3	0.1 %
52	-	4	0.1 %
53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
54	-	3	0.1 %
55	-	4	0.1 %
56	-	3	0.1 %
57	-	4	0.1 %
59	-	5	0.2 %
60	-	7	0.2 %
61	-	1	0.0 %
62	-	7	0.2 %
63	-	6	0.2 %
64	-	6	0.2 %
65	-	5	0.2 %
66	-	5	0.2 %
67	-	8	0.3 %
68	-	5	0.2 %
69	-	2	0.1 %
70	-	6	0.2 %
71	-	5	0.2 %
72	-	6	0.2 %
74	-	2	0.1 %
75	-	2	0.1 %
76	-	3	0.1 %
78	-	2	0.1 %
79	-	1	0.0 %
	Missing Data		
-3	not applicable	2855	95.0 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 150 valid cases out of 3,005 total cases.

- Mean: 56.73
- Median: 60.00
- Mode: 67.00
- Minimum: 12.00
- Maximum: 80.00
- Standard Deviation: 14.62

Location: 558-559 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CBEGIN_1: where did first cancer start?

Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began. In which organ or part of your body did the cancer start? (DO NOT READ LIST)

Skip if: CONDITNS_14 is not equal to "yes"

Value	Label	Unweighted Frequency	%
1	bladder	18	0.6 %
2	bone	3	0.1 %
3	brain	2	0.1 %
4	breast	82	2.7 %
5	cervix	18	0.6 %
6	colon	45	1.5 %
7	esophagus	2	0.1 %
8	gallbladder	0	0.0 %
9	kidney	4	0.1 %
10	larynx-windpipe	0	0.0 %
11	leukemia	2	0.1 %
12	liver	1	0.0 %
13	lung	11	0.4 %
14	lymphoma	0	0.0 %
15	mouth, tongue, or lip	3	0.1 %
16	ovary	15	0.5 %
17	pancreas	0	0.0 %
18	peritoneal	0	0.0 %
19	prostate	77	2.6 %
20	rectum	1	0.0 %
21	skin	3	0.1 %
22	soft tissue (muscle or fat)	0	0.0 %
23	stomach	3	0.1 %
24	testes	0	0.0 %
25	throat - pharynx	7	0.2 %
26	thyroid	3	0.1 %
27	uterus	17	0.6 %
28	vulva	0	0.0 %
29	other (specify)	23	0.8 %
	Missing Data		
-3	not applicable	2660	88.5 %
-2	don't know	4	0.1 %
-1	refused	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 340 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 29.00

Location: 560-561 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPREAD_1: has this cancer spread? (first cancer)

Has this cancer spread to other parts of your body?

Skip if: CONDITNS_14 is not equal to "yes"

(Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began. In which organ or part of your body did the cancer start? (DO NOT READ LIST))

Value	Label	Unweighted Frequency	%
0	no	318	10.6 %
1	yes	17	0.6 %
	Missing Data		
-3	not applicable	2660	88.5 %
-2	don't know	9	0.3 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 335 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 562-563 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAG_2: when did most recent cancer begin

Now thinking about your most recent cancer, when did the cancer begin? (PROMPT IF NEEDED: How old were you?)

Skip if: CONDITNS_14 is not equal to "yes" or HOWMANYC equals one

Value	Label	Unweighted Frequency	%
1	answered in month and year	20	0.7 %
2	answered by age	19	0.6 %
	Missing Data		
-3	not applicable	2961	98.5 %
-2	don't know	5	0.2 %
	Total	3,005	100%

Based upon 39 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 564-565 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

CDIAGM_2: most recent cancer (month)

Most recent cancer (month)

Skip if: CDIAGM_2 is not equal to "answered in month and year"

Value	Label	Unweighted Frequency	%
1	jan	1	0.0 %
2	feb	2	0.1 %
3	mar	1	0.0 %
4	apr	2	0.1 %
5	may	1	0.0 %
6	jun	2	0.1 %
7	jul	3	0.1 %
8	aug	1	0.0 %
9	sep	1	0.0 %
10	oct	1	0.0 %
11	nov	1	0.0 %
12	dec	0	0.0 %
	Missing Data		
-3	not applicable	2985	99.3 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 16 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -4 , -3 , -2 , -1

CDIAGY_2: most recent cancer (year)

Most recent cancer (year)

Skip if: CDIAG_2 is not equal to "answered in month and year"

Value	Label	Unweighted Frequency	%
1990	-	1	0.0 %
1996	-	2	0.1 %
1997	-	1	0.0 %
1998	-	2	0.1 %
1999	-	1	0.0 %
2001	-	3	0.1 %
2004	-	4	0.1 %
2005	-	6	0.2 %
	Missing Data		
-3	not applicable	2985	99.3 %
	Total	3,005	100%

Based upon 20 valid cases out of 3,005 total cases.

- Mean: 2001.15
- Median: 2002.50
- Mode: 2005.00
- Minimum: 1990.00
- Maximum: 2005.00
- Standard Deviation: 4.23

Location: 568-571 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CDIAGAGE_2: most recent cancer (age)

Most recent cancer (age)

Skip if: CDIAG_2 is not equal to "answered by age"

Value	Label	Unweighted Frequency	%
24	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
51	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
63	-	3	0.1 %
68	-	1	0.0 %
70	-	1	0.0 %
73	-	1	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
	Missing Data		
-3	not applicable	2986	99.4 %
	Total	3,005	100%

Based upon 19 valid cases out of 3,005 total cases.

- Mean: 57.84
- Median: 61.00
- Mode: 63.00
- Minimum: 24.00
- Maximum: 76.00
- Standard Deviation: 14.33

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CBEGIN_2: where did most recent cancer start?

Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began. In which organ or part of your body did the cancer start? (DO NOT READ LIST)

Skip if: CONDITNS_14 is not equal to "yes" or HOWMANYC equals one

Value	Label	Unweighted Frequency	%
1	bladder	5	0.2 %
2	bone	2	0.1 %
3	brain	0	0.0 %
4	breast	2	0.1 %
5	cervix	1	0.0 %
6	colon	6	0.2 %
7	esophagus	1	0.0 %
8	gallbladder	0	0.0 %
9	kidney	0	0.0 %
10	larynx-windpipe	0	0.0 %
11	leukemia	0	0.0 %
12	liver	0	0.0 %
13	lung	5	0.2 %
14	lymphoma	0	0.0 %
15	mouth, tongue, or lip	0	0.0 %
16	ovary	1	0.0 %
17	pancreas	0	0.0 %
18	peritoneal	0	0.0 %
19	prostate	6	0.2 %
20	rectum	0	0.0 %
21	skin	4	0.1 %
22	soft tissue (muscle or fat)	0	0.0 %
23	stomach	1	0.0 %
24	testes	0	0.0 %
25	throat - pharynx	1	0.0 %
26	thyroid	0	0.0 %
27	uterus	4	0.1 %
28	vulva	1	0.0 %
29	other (specify)	2	0.1 %
	Missing Data		
-3	not applicable	2961	98.5 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 42 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 29.00

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

SPREAD_2: has this cancer spread? (recent cancer)

Has this cancer spread to other parts of your body?

Skip if: CONDITNS_14 is not equal to "yes" or HOWMANYC equals one

(Sometimes, cancer will start in one place and spread to other parts of the body. Right now we are interested in knowing about primary cancer, or, in other words, where your cancer began.

In which organ or part of your body did the cancer start? (DO NOT READ LIST))

Value	Label	Unweighted Frequency	%
0	no	33	1.1 %
1	yes	6	0.2 %
	Missing Data		
-3	not applicable	2961	98.5 %
-2	don't know	5	0.2 %
	Total	3,005	100%

Based upon 39 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEXCHGES: ever discussed changes to sex life with md?

Have you ever discussed with a doctor the changes to your sex life that may result from a medical condition?

Value	Label	Unweighted Frequency	%
0	no	2463	82.0 %
1	yes	517	17.2 %
	Missing Data		
-2	don't know	11	0.4 %
-1	refused	14	0.5 %
	Total	3,005	100%

Based upon 2,980 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EXERCISE: told to limit exercise in last 12 mos?

In the last 12 months, has a doctor or other health care professional told you to limit or stop your exercise because of your health?

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2363	78.6 %
1	yes	116	3.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	45	1.5 %
	Total	3,005	100%

Based upon 2,479 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SEX_LIMIT: told to limit sexual activity in last 12 mos?

In the last 12 months, has a doctor or other health care professional told you to limit or stop sexual intercourse or sexual activity because of your health? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2443	81.3 %
1	yes	28	0.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	53	1.8 %
	Total	3,005	100%

Based upon 2,471 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 582-583 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

VAGINF_1: had vaginitis in last year

Now we would like to ask about common vaginal infections women experience.

Have you been told by a doctor in the last year that you have vaginitis?

Skip if: GENDER equals "male"

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	no	1069	35.6 %
1	yes	40	1.3 %
	Missing Data		
-6	missing in error	2	0.1 %
-5	not returned	81	2.7 %
-4	no answer	348	11.6 %
-3	not applicable	1454	48.4 %
-2	don't know	8	0.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 1,109 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

VAGINF_2: had yeast infection in last year

Have you been told by a doctor in the last year that you have a yeast infection?
(PROMPT: Candidiasis)

Skip if: GENDER equals "male"

(Now we would like to ask about common vaginal infections women experience.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	no	952	31.7 %
1	yes	157	5.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-6	missing in error	2	0.1 %
-5	not returned	81	2.7 %
-4	no answer	348	11.6 %
-3	not applicable	1454	48.4 %
-2	don't know	8	0.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 1,109 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 586-587 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

VAGINF_3: had bacterial vaginosis in last year

Have you been told by a doctor in the last year that you have bv or bacterial vaginosis?
(PROMPT: changes in or an overgrowth of bacteria in the vagina)

Skip if: GENDER equals "male"

(Now we would like to ask about common vaginal infections women experience.)

Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	no	1091	36.3 %
1	yes	18	0.6 %
	Missing Data		
-6	missing in error	2	0.1 %
-5	not returned	81	2.7 %
-4	no answer	348	11.6 %
-3	not applicable	1454	48.4 %
-2	don't know	8	0.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 1,109 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 588-589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

VAGINF_4: had [none of the above] in last year

Have you been told by a doctor in the last year that you have... [none of the above]

Skip if: GENDER equals "male" or PATH equals 3 or 4

(Now we would like to ask about common vaginal infections women experience.)

Note: not included in leave-behind version of item set (administered to paths 3 and 4);
thus for vaginf_1, vaginf_2, and vaginf_3 it is impossible to distinguish between
deliberate 'no' and skipping entire question

Value	Label	Unweighted Frequency	%
0	no	130	4.3 %
1	yes	915	30.4 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1947	64.8 %
-2	don't know	8	0.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 1,045 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TXPREGN: total no. of pregnancies

How many times have you been pregnant altogether? (PROMPT IF NEEDED: Please include livebirths, miscarriages, stillbirths, tubal pregnancies, and abortions.)

Skip if: GENDER equals "male"

Value	Label	Unweighted Frequency	%
0	-	114	3.8 %
1	-	128	4.3 %
2	-	312	10.4 %
3	-	328	10.9 %

Value	Label	Unweighted Frequency	%
4	-	239	8.0 %
5	-	141	4.7 %
6	-	106	3.5 %
7	-	65	2.2 %
8	-	27	0.9 %
9	-	25	0.8 %
10	-	20	0.7 %
11	-	12	0.4 %
12	-	10	0.3 %
13	-	7	0.2 %
14	-	5	0.2 %
15	-	1	0.0 %
16	-	2	0.1 %
17	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1454	48.4 %
-2	don't know	2	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 1,544 valid cases out of 3,005 total cases.

- Mean: 3.65
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 2.61

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BIRTHS: total no. of live births

How many of your pregnancies resulted in live births? (PROMPT IF NEEDED: By "live birth," we mean the birth of a living newborn.)

Skip if: GENDER equals "male" or TXPREGN equals zero, "refused", "don't know", or "missing in error"

Value	Label	Unweighted Frequency	%
0	-	34	1.1 %
1	-	175	5.8 %
2	-	382	12.7 %
3	-	334	11.1 %
4	-	206	6.9 %
5	-	135	4.5 %
6	-	61	2.0 %
7	-	32	1.1 %
8	-	24	0.8 %
9	-	14	0.5 %
10	-	17	0.6 %
11	-	7	0.2 %
12	-	6	0.2 %
14	-	2	0.1 %
16	-	1	0.0 %
	Missing Data		
-3	not applicable	1575	52.4 %
	Total	3,005	100%

Based upon 1,430 valid cases out of 3,005 total cases.

- Mean: 3.29
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.11

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LASTPRD: last menstrual period

How old were you when you had your last menstrual period? (PROMPT IF RESPONDENT REFERS TO MENOPAUSE: We are trying to understand when women go through menopause. The best way to measure the time of menopause is to record when you had your last menstrual period.)

Skip if: GENDER equals "male"

Value	Label	Unweighted Frequency	%
1	answered by age at last period	1369	45.6 %
2	answered is still menstruating	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1454	48.4 %
-2	don't know	176	5.9 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 1,371 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

AGELSTPD: age at last period

Age at last period

Skip if: LASTPRD is not equal to "answered by age at last period"

Value	Label	Unweighted Frequency	%
20	-	5	0.2 %
21	-	1	0.0 %
22	-	2	0.1 %
23	-	1	0.0 %
24	-	4	0.1 %
25	-	2	0.1 %
26	-	4	0.1 %
27	-	5	0.2 %
28	-	6	0.2 %
29	-	7	0.2 %
30	-	16	0.5 %
31	-	10	0.3 %
32	-	19	0.6 %
33	-	24	0.8 %
34	-	21	0.7 %
35	-	44	1.5 %
36	-	33	1.1 %
37	-	24	0.8 %

Value	Label	Unweighted Frequency	%
38	-	30	1.0 %
39	-	36	1.2 %
40	-	73	2.4 %
41	-	18	0.6 %
42	-	57	1.9 %
43	-	33	1.1 %
44	-	24	0.8 %
45	-	93	3.1 %
46	-	38	1.3 %
47	-	45	1.5 %
48	-	71	2.4 %
49	-	49	1.6 %
50	-	143	4.8 %
51	-	49	1.6 %
52	-	98	3.3 %
53	-	55	1.8 %
54	-	39	1.3 %
55	-	77	2.6 %
56	-	31	1.0 %
57	-	23	0.8 %
58	-	20	0.7 %
59	-	10	0.3 %
60	-	7	0.2 %
61	-	2	0.1 %
62	-	6	0.2 %
63	-	1	0.0 %
64	-	3	0.1 %
65	-	3	0.1 %
67	-	1	0.0 %
68	-	2	0.1 %
69	-	1	0.0 %
70	-	1	0.0 %
	Missing Data		
-3	not applicable	1636	54.4 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,369 valid cases out of 3,005 total cases.

- Mean: 46.05
- Median: 48.00
- Mode: 50.00
- Minimum: 20.00
- Maximum: 74.00
- Standard Deviation: 8.16

Location: 598-599 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WALKBLK: difficulty walking one block

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Walking one block? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2177	72.4 %
1	some difficulty	465	15.5 %
2	much difficulty	206	6.9 %
3	unable to do	154	5.1 %
4	if volunteered - have never done	2	0.1 %
Missing Data			
-8	incomplete interview	1	0.0 %
Total		3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 600-601 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

WALKROOM: difficulty walking across room

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Walking across a room? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2638	87.8 %
1	some difficulty	279	9.3 %
2	much difficulty	60	2.0 %
3	unable to do	27	0.9 %
4	if volunteered - have never done	0	0.0 %
Missing Data			
-8	incomplete interview	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DRESSING: difficulty dressing

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Dressing, including putting on shoes and socks? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2515	83.7 %
1	some difficulty	403	13.4 %
2	much difficulty	68	2.3 %
3	unable to do	17	0.6 %
4	if volunteered - have never done	0	0.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

BATHING: difficulty bathing or showering

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Bathing or showering? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2693	89.6 %
1	some difficulty	238	7.9 %
2	much difficulty	52	1.7 %
3	unable to do	19	0.6 %

Value	Label	Unweighted Frequency	%
4	if volunteered - have never done	1	0.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 606-607 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -3 , -2 , -1

EATING: difficulty eating

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Eating, such as cutting up your food? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2865	95.3 %
1	some difficulty	111	3.7 %
2	much difficulty	21	0.7 %
3	unable to do	7	0.2 %
4	if volunteered - have never done	0	0.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
	Total	3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 608-609 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -3 , -2 , -1

INOUTBED: difficulty getting in or out of bed

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Getting in or out of bed? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2656	88.4 %

Value	Label	Unweighted Frequency	%
1	some difficulty	304	10.1 %
2	much difficulty	32	1.1 %
3	unable to do	12	0.4 %
4	if volunteered - have never done	0	0.0 %
Missing Data			
-8	incomplete interview	1	0.0 %
Total		3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 610-611 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

TOILET: difficulty using toilet

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Using the toilet, including getting up and down? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2680	89.2 %
1	some difficulty	279	9.3 %
2	much difficulty	35	1.2 %
3	unable to do	9	0.3 %
4	if volunteered - have never done	1	0.0 %
Missing Data			
-8	incomplete interview	1	0.0 %
Total		3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 612-613 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DRIVED: difficulty driving car during day

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Driving a car during the day? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	2480	82.5 %
1	some difficulty	74	2.5 %
2	much difficulty	11	0.4 %
3	unable to do	114	3.8 %
4	if volunteered - have never done	151	5.0 %
5	if volunteered - doesn't drive anymore	174	5.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
	Total	3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DRIVEN: difficulty driving car during night

Please look at the answer categories on the hand card and tell me how much difficulty you have with each activity. Exclude any difficulties that you expect to last less than three months. Driving a car during the night? [HAND CARD AA]

Value	Label	Unweighted Frequency	%
0	no difficulty	1753	58.3 %
1	some difficulty	580	19.3 %
2	much difficulty	73	2.4 %
3	unable to do	233	7.8 %
4	if volunteered - have never done	164	5.5 %
5	if volunteered - doesn't drive anymore	199	6.6 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,002 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

MEDDEC: have someone to make medical decisions?

Do you have someone who you would like to make medical decisions for you if you were unable, as for example if you were seriously injured or very sick? (PROMPT: If only one person could make these decisions, who would that be for you?) Note: asked in leave-behind for path(s) 3 and 4

Value	Label	Unweighted Frequency	%
0	no	227	7.6 %
1	yes	2540	84.5 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-5	not returned	173	5.8 %
-4	no answer	51	1.7 %
-2	don't know	12	0.4 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,767 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 618-619 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MEDDECRO: is decision-maker on roster?

Is this person someone we wrote down on your roster earlier?

Skip if: MEDDEC is not equal to "yes" or PATH equals 3 or 4

Note: not included in leave-behind version of this section

Value	Label	Unweighted Frequency	%
0	no	138	4.6 %
1	yes	1739	57.9 %
	Missing Data		
-3	not applicable	1128	37.5 %
	Total	3,005	100%

Based upon 1,877 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 620-621 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MEDDECRO: relationship of decision-maker to r

Which of the following best describes this person's relationship to you? [HAND CARD BB]

Skip if: MEDDECRO is not equal to "no"

Value	Label	Unweighted Frequency	%
1	spouse	0	0.0 %
2	ex-spouse	2	0.1 %
3	romantic/sexual partner	0	0.0 %
4	parent	2	0.1 %
5	parent in-law	0	0.0 %
6	child	100	3.3 %
7	step-child	2	0.1 %
8	brother or sister	4	0.1 %
9	other relative of yours	9	0.3 %
10	other in-law	2	0.1 %
11	friend	6	0.2 %
12	neighbor	0	0.0 %
13	co-worker or boss	1	0.0 %
14	minister, priest, or other clergy	1	0.0 %
15	psychiatrist, psychologist, counselor, or therapist	0	0.0 %
16	caseworker/social worker	1	0.0 %
17	housekeeper/home health care provider	0	0.0 %
18	other	6	0.2 %
	Missing Data		
-3	not applicable	2867	95.4 %
-2	don't know	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 136 valid cases out of 3,005 total cases.

- Minimum: 2.00
- Maximum: 18.00

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

MEDDEC_3: have you told decision-maker?

Have you told this person that you would like him or her to make medical decisions for you?

Skip if: PATH is not equal to 3 or 4, or MEDDEC is not equal to "no"

Note: 1. asked in leave-behind only

2. only included in version 3 of leave-behind (administered to paths 3 and 4)

Value	Label	Unweighted Frequency	%
0	no	94	3.1 %
1	yes	569	18.9 %
	Missing Data		
-5	not returned	173	5.8 %
-4	no answer	51	1.7 %
-3	not applicable	2118	70.5 %
	Total	3,005	100%

Based upon 663 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PHYSACT: frequency of physical activity

Now I will be asking you about physical activities you may do on a regular basis.

How often do you participate in physical activity such as walking, dancing, gardening, physical exercise or sports? [HAND CARD CC]

Value	Label	Unweighted Frequency	%
0	never	311	10.3 %
1	less than 1 time per month	193	6.4 %
2	1 - 3 times per month	190	6.3 %
3	1 - 2 times per week	463	15.4 %
4	3 or more times per week	1843	61.3 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,000 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 626-627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

RESTED: how often do you feel rested in morning?

Now let's talk about your sleeping habits...

How often do you feel really rested when you wake up in the morning?

Value	Label	Unweighted Frequency	%
0	never	125	4.2 %
1	rarely	253	8.4 %
2	sometimes	791	26.3 %
3	most of the time	1831	60.9 %
Missing Data			
-8	incomplete interview	1	0.0 %
-2	don't know	4	0.1 %
Total		3,005	100%

Based upon 3,000 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 628-629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

HRSSLEEP: how many hours usually slept at night

How many hours do you usually sleep at night?

(Now let's talk about your sleeping habits...)

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	6	0.2 %
3	-	24	0.8 %
4	-	118	3.9 %

Value	Label	Unweighted Frequency	%
5	-	266	8.9 %
6	-	686	22.8 %
7	-	860	28.6 %
8	-	804	26.8 %
9	-	134	4.5 %
10	-	60	2.0 %
11	-	15	0.5 %
12	-	7	0.2 %
13	-	3	0.1 %
Missing Data			
-8	incomplete interview	1	0.0 %
-2	don't know	20	0.7 %
Total		3,005	100%

Based upon 2,984 valid cases out of 3,005 total cases.

- Mean: 6.89
- Median: 7.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 1.39

Location: 630-631 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ALCOHOL: do you drink alcohol?

Next, we would like to know about your use of alcohol and tobacco...

Do you ever drink any alcoholic beverages such as beer, wine, or liquor?

Value	Label	Unweighted Frequency	%
0	no	1360	45.3 %
1	yes	1643	54.7 %
Missing Data			
-8	incomplete interview	1	0.0 %
-2	don't know	1	0.0 %
Total		3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 632-633 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EVERDRNK: have you ever drunk alcohol?

Have you ever drunk alcohol?

Skip if: ALCOHOL equals "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	500	16.6 %
1	yes	858	28.6 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-3	not applicable	1643	54.7 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 1,358 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 634-635 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRNK3MO: drunk alcohol in last 3 mos?

Have you drunk alcohol in the last three months?

Skip if: EVERDRNK is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	803	26.7 %
1	yes	55	1.8 %
	Missing Data		
-3	not applicable	2147	71.4 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 858 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 636-637 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRNKWKLY: how many days per week do you drink?

In the last three months, on average, how many days per week have you had any alcohol to drink?
(For example, beer, wine, or any drink containing liquor) (DO NOT READ RESPONSES)

Skip if: ALCOHOL is not equal to "yes" and DRNK3MO is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	0 (none or < 1/wk)	558	18.6 %
1	-	323	10.7 %
2	-	190	6.3 %
3	-	168	5.6 %
4	-	70	2.3 %
5	-	67	2.2 %
6	-	38	1.3 %
7	7 (every day)	278	9.3 %
	Missing Data		
-3	not applicable	1307	43.5 %
-2	don't know	5	0.2 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 1,692 valid cases out of 3,005 total cases.

- Mean: 2.36
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.54

Location: 638-639 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

MNYDRINK: how many drinks per day?

In the last three months, on the days you drink, about how many drinks do you have?

Skip if: ALCOHOL is not equal to "yes" and DRNK3MO is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	-	10	0.3 %
1	-	894	29.8 %
2	-	448	14.9 %
3	-	158	5.3 %
4	-	58	1.9 %
5	-	32	1.1 %
6	-	35	1.2 %
7	-	5	0.2 %
8	-	5	0.2 %
9	-	2	0.1 %
10	-	3	0.1 %
12	-	4	0.1 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	3	0.1 %
20	-	2	0.1 %
	Missing Data		
-3	not applicable	1307	43.5 %
-2	don't know	20	0.7 %
-1	refused	17	0.6 %
	Total	3,005	100%

Based upon 1,661 valid cases out of 3,005 total cases.

- Mean: 1.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.66

Location: 640-641 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MORE4DRN: how many days with four or more drinks?

In the last three months, on how many days have you had four or more drinks in one occasion?
(USE ZERO FOR NONE)

Skip if: ALCOHOL is not equal to "yes" and DRNK3MO is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	-	1292	43.0 %
1	-	102	3.4 %
2	-	59	2.0 %
3	-	43	1.4 %
4	-	39	1.3 %
5	-	21	0.7 %
6	-	20	0.7 %
7	-	6	0.2 %
8	-	10	0.3 %
9	-	2	0.1 %
10	-	11	0.4 %
12	-	15	0.5 %
14	-	1	0.0 %
15	-	3	0.1 %
16	-	2	0.1 %
20	-	4	0.1 %
21	-	1	0.0 %
24	-	3	0.1 %
26	-	1	0.0 %
30	-	5	0.2 %
35	-	1	0.0 %
36	-	4	0.1 %
40	-	2	0.1 %
45	-	1	0.0 %
48	-	5	0.2 %
60	-	1	0.0 %
70	-	1	0.0 %
72	-	2	0.1 %
75	-	1	0.0 %
80	-	1	0.0 %
85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
88	-	1	0.0 %
90	-	17	0.6 %
92	-	1	0.0 %
	Missing Data		
-3	not applicable	1307	43.5 %
-2	don't know	16	0.5 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 1,679 valid cases out of 3,005 total cases.

- Mean: 2.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 92.00
- Standard Deviation: 11.48

Location: 642-643 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRINK_1: ever felt you should cut down on drinking?

Have you ever felt that you should cut down on drinking?

(Next, we would like to know about your use of alcohol and tobacco...)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	1775	59.1 %
1	yes	434	14.4 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	313	10.4 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 2,209 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 644-645 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRINK_2: have people ever criticized your drinking?

Have people ever annoyed you by criticizing your drinking?

(Next, we would like to know about your use of alcohol and tobacco...)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2024	67.4 %
1	yes	180	6.0 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	319	10.6 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 2,204 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 646-647 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRINK_3: ever felt bad about drinking?

Have you ever felt bad or guilty about drinking?

(Next, we would like to know about your use of alcohol and tobacco...)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	1921	63.9 %
1	yes	266	8.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	336	11.2 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 2,187 valid cases out of 3,005 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DRINK_4: ever taken drink in morning?

Have you ever taken a drink first thing in the morning to steady your nerves or get rid of a hangover?

(Next, we would like to know about your use of alcohol and tobacco...)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	2220	73.9 %
1	yes	98	3.3 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	205	6.8 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 2,318 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 650-651 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SMOKECIG: do you smoke cigarettes?

Do you smoke cigarettes now? (INTERVIEWER INSTRUCTION: DOES NOT INCLUDE PIPES, SNUFF, CHEWING TOBACCO OR ANY OTHER FORMS OF TOBACCO BESIDES CIGARETTES)

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	2558	85.1 %
1	yes	444	14.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,002 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 652-653 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EVERSMK: ever smoke cigarettes regularly?

Did you ever smoke cigarettes regularly?

Skip if: SMOKECIG equals "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	1272	42.3 %
1	yes	1287	42.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-3	not applicable	444	14.8 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,559 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 654-655 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EAVGCIG: no. cigarettes per day (past)

On the average, how many cigarettes per day did you usually smoke? (ONE PACK = 20 CIGARETTES)

Skip if: EVERSMK is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	-	6	0.2 %
1	-	41	1.4 %
2	-	55	1.8 %
3	-	43	1.4 %
4	-	33	1.1 %
5	-	58	1.9 %
6	-	31	1.0 %
7	-	13	0.4 %
8	-	12	0.4 %
9	-	5	0.2 %
10	-	174	5.8 %
12	-	11	0.4 %
14	-	2	0.1 %
15	-	49	1.6 %
16	-	1	0.0 %
17	-	2	0.1 %
18	-	8	0.3 %
20	-	376	12.5 %
23	-	1	0.0 %
25	-	9	0.3 %
27	-	1	0.0 %
28	-	2	0.1 %
30	-	94	3.1 %
35	-	8	0.3 %
40	-	128	4.3 %
45	-	2	0.1 %
50	-	21	0.7 %
60	-	62	2.1 %
63	-	1	0.0 %
70	-	2	0.1 %
75	-	1	0.0 %
80	-	14	0.5 %
100	-	4	0.1 %
	Missing Data		
-3	not applicable	1718	57.2 %
-2	don't know	17	0.6 %
	Total	3,005	100%

Based upon 1,270 valid cases out of 3,005 total cases.

- Mean: 21.01
- Median: 20.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 16.98

Location: 656-658 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ELSTSMK: age last smoked regularly

How old were you when you last smoked cigarettes regularly?

Skip if: EVERSМК is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
11	-	1	0.0 %
12	-	1	0.0 %
14	-	4	0.1 %
15	-	5	0.2 %
16	-	2	0.1 %
17	-	3	0.1 %
18	-	10	0.3 %
19	-	7	0.2 %
20	-	22	0.7 %
21	-	15	0.5 %
22	-	19	0.6 %
23	-	15	0.5 %
24	-	19	0.6 %
25	-	22	0.7 %
26	-	14	0.5 %
27	-	21	0.7 %
28	-	30	1.0 %
29	-	17	0.6 %
30	-	48	1.6 %
31	-	8	0.3 %
32	-	26	0.9 %
33	-	11	0.4 %
34	-	16	0.5 %
35	-	73	2.4 %

Value	Label	Unweighted Frequency	%
36	-	17	0.6 %
37	-	15	0.5 %
38	-	25	0.8 %
39	-	17	0.6 %
40	-	85	2.8 %
41	-	12	0.4 %
42	-	32	1.1 %
43	-	18	0.6 %
44	-	14	0.5 %
45	-	53	1.8 %
46	-	16	0.5 %
47	-	16	0.5 %
48	-	29	1.0 %
49	-	12	0.4 %
50	-	68	2.3 %
51	-	10	0.3 %
52	-	27	0.9 %
53	-	20	0.7 %
54	-	18	0.6 %
55	-	39	1.3 %
56	-	18	0.6 %
57	-	26	0.9 %
58	-	25	0.8 %
59	-	21	0.7 %
60	-	44	1.5 %
61	-	18	0.6 %
	Missing Data		
-3	not applicable	1718	57.2 %
-2	don't know	17	0.6 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,270 valid cases out of 3,005 total cases.

- Mean: 44.30
- Median: 44.00
- Mode: 40.00
- Minimum: 11.00
- Maximum: 82.00
- Standard Deviation: 14.67

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EFRSTSMK: age first smoked regularly (current)

How old were you when you first smoked cigarettes regularly?

Skip if: EVERSМК is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
6	-	1	0.0 %
7	-	4	0.1 %
8	-	9	0.3 %
9	-	15	0.5 %
10	-	13	0.4 %
11	-	11	0.4 %
12	-	36	1.2 %
13	-	49	1.6 %
14	-	70	2.3 %
15	-	114	3.8 %
16	-	152	5.1 %
17	-	119	4.0 %
18	-	200	6.7 %
19	-	85	2.8 %
20	-	105	3.5 %
21	-	55	1.8 %
22	-	36	1.2 %
23	-	24	0.8 %
24	-	16	0.5 %
25	-	43	1.4 %
26	-	15	0.5 %
27	-	6	0.2 %
28	-	12	0.4 %
29	-	3	0.1 %
30	-	15	0.5 %
31	-	2	0.1 %
32	-	6	0.2 %
34	-	2	0.1 %

Value	Label	Unweighted Frequency	%
35	-	12	0.4 %
36	-	1	0.0 %
38	-	4	0.1 %
39	-	1	0.0 %
40	-	3	0.1 %
41	-	1	0.0 %
45	-	3	0.1 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	4	0.1 %
51	-	1	0.0 %
53	-	1	0.0 %
60	-	1	0.0 %
62	-	2	0.1 %
64	-	1	0.0 %
65	-	1	0.0 %
72	-	1	0.0 %
	Missing Data		
-3	not applicable	1718	57.2 %
-2	don't know	29	1.0 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,258 valid cases out of 3,005 total cases.

- Mean: 18.65
- Median: 18.00
- Mode: 18.00
- Minimum: 5.00
- Maximum: 72.00
- Standard Deviation: 6.45

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

AVECIG: no. cigarettes per day (current)

On the average, how many cigarettes per day do you usually smoke?

Skip if: SMOKECIG is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	-	6	0.2 %
1	-	15	0.5 %
2	-	15	0.5 %
3	-	12	0.4 %
4	-	17	0.6 %
5	-	28	0.9 %
6	-	22	0.7 %
7	-	4	0.1 %
8	-	11	0.4 %
9	-	1	0.0 %
10	-	69	2.3 %
11	-	1	0.0 %
12	-	8	0.3 %
13	-	1	0.0 %
14	-	4	0.1 %
15	-	31	1.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	3	0.1 %
20	-	129	4.3 %
24	-	1	0.0 %
25	-	9	0.3 %
27	-	1	0.0 %
30	-	20	0.7 %
39	-	1	0.0 %
40	-	28	0.9 %
50	-	2	0.1 %
60	-	1	0.0 %
	Missing Data		
-3	not applicable	2561	85.2 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 442 valid cases out of 3,005 total cases.

- Mean: 15.25
- Median: 15.00
- Mode: 20.00
- Minimum: 0.00

- Maximum: 60.00
- Standard Deviation: 10.57

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FRSTSMK: age first smoked regularly (past)

How old were you when you first smoked cigarettes regularly?

Skip if: SMOKECIG is not equal to "yes"

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
8	-	8	0.3 %
9	-	5	0.2 %
10	-	7	0.2 %
11	-	4	0.1 %
12	-	24	0.8 %
13	-	25	0.8 %
14	-	20	0.7 %
15	-	42	1.4 %
16	-	48	1.6 %
17	-	34	1.1 %
18	-	52	1.7 %
19	-	24	0.8 %
20	-	36	1.2 %
21	-	27	0.9 %
22	-	16	0.5 %
23	-	8	0.3 %
24	-	2	0.1 %
25	-	11	0.4 %
26	-	4	0.1 %
27	-	4	0.1 %
28	-	3	0.1 %
29	-	1	0.0 %
30	-	9	0.3 %
31	-	1	0.0 %
32	-	2	0.1 %
34	-	1	0.0 %

Value	Label	Unweighted Frequency	%
35	-	3	0.1 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	4	0.1 %
45	-	2	0.1 %
47	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
64	-	1	0.0 %
Missing Data			
-3	not applicable	2561	85.2 %
-2	don't know	5	0.2 %
-1	refused	2	0.1 %
Total		3,005	100%

Based upon 437 valid cases out of 3,005 total cases.

- Mean: 18.71
- Median: 18.00
- Mode: 18.00
- Minimum: 7.00
- Maximum: 64.00
- Standard Deviation: 7.37

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ANYTOBAC_1: use pipe regularly now?

Do you use any of the following tobacco products regularly now: Pipe?

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	2968	98.8 %
1	yes	33	1.1 %
Missing Data			
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 3,001 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ANYTOBAC_2: use cigars regularly now?

Do you use any of the following tobacco products regularly now: Cigar?

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	2940	97.8 %
1	yes	61	2.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 3,001 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ANYTOBAC_3: use snuff regularly now?

Do you use any of the following tobacco products regularly now: Snuff?

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	2974	99.0 %
1	yes	27	0.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 3,001 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ANYTOBAC_4: use chewing tobacco regularly now?

Do you use any of the following tobacco products regularly now: Chewing tobacco? (Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	2950	98.2 %
1	yes	51	1.7 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 3,001 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 673-674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ANYTOBAC_5: use [none of the above] regularly now?

Do you use any of the following tobacco products regularly now: None of the above?

(Next, we would like to know about your use of alcohol and tobacco...)

Value	Label	Unweighted Frequency	%
0	no	145	4.8 %
1	yes	2856	95.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
	Total	3,005	100%

Based upon 3,001 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

MEMDATE1: spmsq 1: today's date

The next questions are about memory. Since there isn't much scientific information on how good the average person's memory is, many of our questions are designed to provide this basic information. The questions may seem unusual, but they are routine questions we ask of everyone. Some of the questions are very easy and some are difficult, so don't be surprised if you have trouble with some of them. What is the date today? (PROMPT: What is the month, day and year?)

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2943	97.9 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	48	1.6 %
-1	refused	13	0.4 %
	Total	3,005	100%

Based upon 2,943 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS1A: spmsq 1: month correct?

spmsq 1: month correct?

Skip if: MEMDATE1 does not equal "respondent able to give answer"

Value	Label	Unweighted Frequency	%
0	incorrect	63	2.1 %
1	correct	2880	95.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-3	not applicable	62	2.1 %
	Total	3,005	100%

Based upon 2,943 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

SPMSQ_ANS1B: spmsq 1: day correct?

spmsq 1: day correct?

Skip if: MEMDATE1 does not equal "respondent able to give answer"

Value	Label	Unweighted Frequency	%
0	incorrect	289	9.6 %
1	correct	2654	88.3 %
	Missing Data		
-3	not applicable	62	2.1 %
	Total	3,005	100%

Based upon 2,943 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

SPMSQ_ANS1C: spmsq 1: year correct?

spmsq 1: year correct?

Skip if: MEMDATE1 does not equal "respondent able to give answer"

Value	Label	Unweighted Frequency	%
0	incorrect	75	2.5 %
1	correct	2868	95.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-3	not applicable	62	2.1 %
	Total	3,005	100%

Based upon 2,943 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

SPMSQ_ANS1: spmsq 1: today's date correct?

spmsq 1: today's date correct?

Skip if: MEMDATE1 does not equal "respondent able to give answer"

Note: for this item to be correct, interviewer had to record correct month, day and year

Value	Label	Unweighted Frequency	%
0	incorrect	348	11.6 %
1	correct	2595	86.4 %
	Missing Data		
-3	not applicable	62	2.1 %
	Total	3,005	100%

Based upon 2,943 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMDAYW1: spmsq 2: day of week

What day of the week is it?

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2990	99.5 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	14	0.5 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,990 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS2: spmsq 2: day of week correct?

spmsq 2: day of week correct?

Skip if: MEMDAYW1 does not equal "respondent able to give answer"

Note: for this item to be correct, interviewer had to record correct day of week

Value	Label	Unweighted Frequency	%
0	incorrect	47	1.6 %
1	correct	2943	97.9 %
	Missing Data		
-3	not applicable	15	0.5 %
	Total	3,005	100%

Based upon 2,990 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMPLAC1: spmsq 3: name of place

What is the name of this place?

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2986	99.4 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	16	0.5 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,986 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 691-692 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS3: spmsq 3: name of place correct?

spmsq 3: name of place correct?

Skip if: MEMPLAC1 does not equal "respondent able to give answer"

Note: scored by interviewer

Value	Label	Unweighted Frequency	%
0	incorrect	17	0.6 %
1	correct	2969	98.8 %
	Missing Data		
-3	not applicable	19	0.6 %
	Total	3,005	100%

Based upon 2,986 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 693-694 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMTEL1: spmsq 4: telephone number

What is your telephone number?

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2929	97.5 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	56	1.9 %
-1	refused	19	0.6 %
	Total	3,005	100%

Based upon 2,929 valid cases out of 3,005 total cases.

- Minimum: 1.00

- Maximum: 1.00

Location: 695-696 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS4: spmsq 4: last 4 digits of phone number correct?

spmsq 4: last 4 digits of phone number correct?

Skip if: MEMTEL1 does not equal "respondent able to give answer"

Note: scored correct if last 4 digits of phone number matched; set to

"unknown/unavailable" if no other phone number available for comparison

Value	Label	Unweighted Frequency	%
0	incorrect	365	12.1 %
1	correct	2348	78.1 %
	Missing Data		
-9	unknown/unavailable	216	7.2 %
-3	not applicable	76	2.5 %
	Total	3,005	100%

Based upon 2,713 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 697-698 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMSTRT1: spmsq 4a: street address

What is your (STREET) address? (INSTRUCTION: THIS REFERS TO HOME ADDRESS)

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2968	98.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	30	1.0 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,968 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 699-700 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS4A: spmsq 4a: street address correct?

spmsq 4a: street address correct?

Skip if: MEMSTR1 does not equal "respondent able to give answer"
Note: scored by interviewer

Value	Label	Unweighted Frequency	%
0	incorrect	53	1.8 %
1	correct	2915	97.0 %
	Missing Data		
-3	not applicable	37	1.2 %
	Total	3,005	100%

Based upon 2,968 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 701-702 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -3

MEMAGE1: spmsq 5: age

How old are you?

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2992	99.6 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	9	0.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,992 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 703-704 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS5: spmsq 5: age correct?

spmsq 5: age correct?

Skip if: MEMAGE1 does not equal "respondent able to give answer"

Note: for this item to be correct, interviewer had to record correct age

Value	Label	Unweighted Frequency	%
0	incorrect	123	4.1 %
1	correct	2869	95.5 %
	Missing Data		
-3	not applicable	13	0.4 %
	Total	3,005	100%

Based upon 2,992 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 705-706 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMDOB1: spmsq 6: date of birth

What is your date of birth?

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2991	99.5 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	6	0.2 %
-1	refused	7	0.2 %
	Total	3,005	100%

Based upon 2,991 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 707-708 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS6A: spmsq 6: month of birth correct?

spmsq 6: month of birth correct?

Skip if: MEMDOB1 does not equal "respondent able to give answer"

Value	Label	Unweighted Frequency	%
0	incorrect	45	1.5 %
1	correct	2946	98.0 %
	Missing Data		
-3	not applicable	14	0.5 %
	Total	3,005	100%

Based upon 2,991 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 709-710 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

SPMSQ_ANS6B: spmsq 6: day of birth correct?

spmsq 6: day of birth correct?

Skip if: MEMDOB1 does not equal "respondent able to give answer"

Value	Label	Unweighted Frequency	%
0	incorrect	69	2.3 %
1	correct	2922	97.2 %
	Missing Data		
-3	not applicable	14	0.5 %
	Total	3,005	100%

Based upon 2,991 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 711-712 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

SPMSQ_ANS6C: spmsq 6: year of birth correct?

spmsq 6: year of birth correct?

Skip if: MEMDOB1 does not equal "respondent able to give answer"

Value	Label	Unweighted Frequency	%
0	incorrect	54	1.8 %
1	correct	2937	97.7 %
	Missing Data		
-3	not applicable	14	0.5 %
	Total	3,005	100%

Based upon 2,991 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 713-714 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

SPMSQ_ANS6: spmsq 6: date of birth correct?

spmsq 6: date of birth correct?

Skip if: MEMDOB1 does not equal "respondent able to give answer"

Note: for this item to be correct, interviewer had to record correct month, day and year

Value	Label	Unweighted Frequency	%
0	incorrect	157	5.2 %
1	correct	2834	94.3 %
	Missing Data		
-3	not applicable	14	0.5 %
	Total	3,005	100%

Based upon 2,991 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 715-716 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMPRES1: spmsq 7: current president

Who is the President of the United States?

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2956	98.4 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	42	1.4 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,956 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 717-718 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS7: spmsq 7: current president correct?

spmsq 7: current president correct?

Skip if: MEMPRES1 does not equal "respondent able to give answer"

Value	Label	Unweighted Frequency	%
0	incorrect	45	1.5 %
1	correct	2911	96.9 %
	Missing Data		
-3	not applicable	49	1.6 %
	Total	3,005	100%

Based upon 2,956 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 719-720 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMB4PR1: spmsq 8: previous president

Who was the President just before him? (IF RESPONDENT ANSWERS SAME NAME AS THEY ANSWERED IN PREVIOUS QUESTION, PROBE: Who was the President just before him?)

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2846	94.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	155	5.2 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,846 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 721-722 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS8: spmsq 8: previous president correct?

spmsq 8: previous president correct?

Skip if: MEMB4PR1 does not equal "respondent able to give answer"

Note: 28 respondents answered "George Bush", which although may have referred to his first term, was scored as incorrect

Value	Label	Unweighted Frequency	%
0	incorrect	225	7.5 %
1	correct	2621	87.2 %
	Missing Data		
-3	not applicable	159	5.3 %
	Total	3,005	100%

Based upon 2,846 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 723-724 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMNAME1: spmsq 9: mother's maiden name

What is your mother's maiden name?

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2956	98.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	24	0.8 %
-1	refused	24	0.8 %
	Total	3,005	100%

Based upon 2,956 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 725-726 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS9: spmsq 9: mother's maiden name correct?

spmsq 9: mother's maiden name correct?

Skip if: MEMNAME1 does not equal "respondent able to give answer"

Note: scored by interviewer as correct if respondent gave a different name from his or her own

Value	Label	Unweighted Frequency	%
0	incorrect	51	1.7 %
1	correct	2905	96.7 %
	Missing Data		
-3	not applicable	49	1.6 %
	Total	3,005	100%

Based upon 2,956 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

MEMSUBT1: spmsq 10: subtract by 3s from 20

Subtract 3 from 20 and keep subtracting 3 from each new number all the way down...

Value	Label	Unweighted Frequency	%
1	respondent able to give answer	2896	96.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	78	2.6 %
-1	refused	30	1.0 %
	Total	3,005	100%

Based upon 2,896 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SPMSQ_ANS10: spmsq 10: numeric sequence correct?

spmsq 10: numeric sequence correct?

Skip if: MEMSUBT1 does not equal "respondent able to give answer"

Note: credit given for both [17, 14, 11, 8, 5, 2] and [20, 17, 14, 11, 8, 5]

Value	Label	Unweighted Frequency	%
0	incorrect	764	25.4 %
1	correct	2132	70.9 %
	Missing Data		
-3	not applicable	109	3.6 %
	Total	3,005	100%

Based upon 2,896 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 731-732 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -3

SAQINTR: introduction to saq

Sometimes people find it easier to enter their answers to some questions on the computer instead of saying them to another person. Please answer the following questions on this computer by entering in your answers.

Value	Label	Unweighted Frequency	%
1	r will use computer	1057	35.2 %

Value	Label	Unweighted Frequency	%
2	r will use paper version	1947	64.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
	Total	3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 733-734 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8

MSTBATE: freq of masturbation in last 12 mos

Masturbation is a very common practice. By masturbation, we mean stimulating your genitals (sex organs) for sexual pleasure, not with a sexual partner. On average, in the past 12 months how often did you masturbate?

Value	Label	Unweighted Frequency	%
0	not at all this year	1625	54.1 %
1	1-2 times a year	155	5.2 %
2	3-5 times a year	150	5.0 %
3	every other month	81	2.7 %
4	once a month	182	6.1 %
5	2-3 times a month	150	5.0 %
6	once a week	94	3.1 %
7	several times a week	59	2.0 %
8	every day	32	1.1 %
9	more than once a day	12	0.4 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-5	not returned	27	0.9 %
-4	no answer	244	8.1 %
-2	don't know	31	1.0 %
-1	refused	162	5.4 %
	Total	3,005	100%

Based upon 2,540 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 735-736 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -5 , -4 , -3 , -2 , -1

MSTBATEO: freq of orgasm when masturbating

When masturbating in the past 12 months, how often did you have an orgasm, that is come or come to climax?

Skip if: MSTBATE equals "not at all this year"

Value	Label	Unweighted Frequency	%
0	never	92	3.1 %
1	rarely	39	1.3 %
2	sometimes	105	3.5 %
3	usually	204	6.8 %
4	always	519	17.3 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-5	not returned	27	0.9 %
-4	no answer	224	7.5 %
-3	not applicable	1625	54.1 %
-2	don't know	15	0.5 %
-1	refused	154	5.1 %
	Total	3,005	100%

Based upon 959 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 737-738 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -5 , -4 , -3 , -2 , -1

URINEPR: urinary incontinence in last 12 mos?

The next set of questions is about incontinence. We know this might not be easy to talk about, but incontinence is quite a common health problem.

In the past 12 months, have you had difficulty controlling your bladder, including leaking small amounts of urine, leaking when you cough or sneeze, or not being able to make it to the bathroom on time?

Value	Label	Unweighted Frequency	%
0	no	1678	55.8 %
1	yes	1162	38.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-8	incomplete interview	1	0.0 %
-5	not returned	27	0.9 %
-4	no answer	90	3.0 %
-2	don't know	8	0.3 %
-1	refused	39	1.3 %
	Total	3,005	100%

Based upon 2,840 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 739-740 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FREQURIN: freq of urinary incontinence

How frequently does this occur?

Skip if: URINEPR does not equal "yes"

(The next set of questions is about incontinence. We know this might not be easy to talk about, but incontinence is quite a common health problem.)

Value	Label	Unweighted Frequency	%
1	a few times a year	237	7.9 %
2	a few times a month	278	9.3 %
3	a few times a week	336	11.2 %
4	every day	242	8.1 %
	Missing Data		
-4	no answer	57	1.9 %
-3	not applicable	1843	61.3 %
-2	don't know	11	0.4 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 1,093 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 741-742 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -4 , -3 , -2 , -1

OTHURINE: other urinary probs in last 12 mos?

In the past 12 months, have you had other problems with urinating, such as incomplete emptying, a weak urinary stream, straining to begin urination, or difficulty in postponing urination?

(The next set of questions is about incontinence. We know this might not be easy to talk about, but incontinence is quite a common health problem.)

Value	Label	Unweighted Frequency	%
0	no	2120	70.5 %
1	yes	690	23.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-5	not returned	27	0.9 %
-4	no answer	119	4.0 %
-2	don't know	5	0.2 %
-1	refused	43	1.4 %
	Total	3,005	100%

Based upon 2,810 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 743-744 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FREQOTHU: freq of other urinary probs

How frequently does this occur?

Skip if: OTHURINE does not equal "yes"

(The next set of questions is about incontinence. We know this might not be easy to talk about, but incontinence is quite a common health problem.)

Value	Label	Unweighted Frequency	%
1	a few times a year	78	2.6 %
2	a few times a month	160	5.3 %
3	a few times a week	234	7.8 %
4	every day	173	5.8 %
	Missing Data		
-4	no answer	38	1.3 %

Value	Label	Unweighted Frequency	%
-3	not applicable	2315	77.0 %
-2	don't know	7	0.2 %
	Total	3,005	100%

Based upon 645 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 745-746 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -4 , -3 , -2 , -1

STOOLINC: stool incontinence in last 12 mos?

Now we would like to know if you have experienced stool incontinence. In the past 12 months, have you lost control of your bowels (stool incontinence or anal incontinence)?

(The next set of questions is about incontinence. We know this might not be easy to talk about, but incontinence is quite a common health problem.)

Value	Label	Unweighted Frequency	%
0	no	2545	84.7 %
1	yes	275	9.2 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-5	not returned	27	0.9 %
-4	no answer	108	3.6 %
-2	don't know	9	0.3 %
-1	refused	40	1.3 %
	Total	3,005	100%

Based upon 2,820 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 747-748 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FREQSTL: freq of stool incontinence

How frequently does this occur?

Skip if: STOOLINC does not equal "yes"

(The next set of questions is about incontinence. We know this might not be easy to talk about, but incontinence is quite a common health problem.)

Value	Label	Unweighted Frequency	%
1	a few times a year	139	4.6 %
2	a few times a month	55	1.8 %
3	a few times a week	45	1.5 %
4	every day	20	0.7 %
	Missing Data		
-4	no answer	9	0.3 %
-3	not applicable	2730	90.8 %
-2	don't know	7	0.2 %
	Total	3,005	100%

Based upon 259 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 749-750 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -4 , -3 , -2 , -1

WEIGHT_INTRO: intro to weight measurement

Let's begin by measuring your weight.

Value	Label	Unweighted Frequency	%
1	enter in pounds	2808	93.4 %
2	r in wheelchair	27	0.9 %
4	r over scale maximum	8	0.3 %
5	equipment problem	80	2.7 %
6	tried, unable to do	31	1.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	50	1.7 %
	Total	3,005	100%

Based upon 2,954 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 751-752 (width: 2; decimal: 0)

Variable Type: numeric

WEIGHT: weight (lbs)

Weight (lbs)

Skip if: WEIGHT_INTRO does not equal "enter in pounds" or "r over scale maximum"

Note: warning: in 8 cases the respondent's weight exceeded the scale maximum (see weight_intro); these values have been set to the scale maximum of 330 pounds

Value	Label	Unweighted Frequency	%
71.0	-	1	0.0 %
77.0	-	1	0.0 %
83.0	-	1	0.0 %
86.0	-	1	0.0 %
88.0	-	1	0.0 %
88.5	-	1	0.0 %
89.0	-	3	0.1 %
91.0	-	1	0.0 %
92.0	-	2	0.1 %
92.5	-	2	0.1 %
96.0	-	1	0.0 %
97.0	-	1	0.0 %
98.0	-	1	0.0 %
98.5	-	1	0.0 %
99.0	-	2	0.1 %
99.5	-	1	0.0 %
100.0	-	3	0.1 %
100.5	-	1	0.0 %
101.0	-	1	0.0 %
102.0	-	3	0.1 %
103.0	-	6	0.2 %
104.0	-	2	0.1 %
105.0	-	1	0.0 %
105.5	-	2	0.1 %
106.0	-	1	0.0 %
107.0	-	2	0.1 %
107.5	-	3	0.1 %
108.0	-	4	0.1 %
108.5	-	2	0.1 %

Value	Label	Unweighted Frequency	%
109.0	-	1	0.0 %
109.5	-	4	0.1 %
110.0	-	6	0.2 %
110.5	-	4	0.1 %
111.0	-	4	0.1 %
111.5	-	2	0.1 %
112.0	-	6	0.2 %
113.0	-	3	0.1 %
113.5	-	4	0.1 %
114.0	-	3	0.1 %
114.5	-	5	0.2 %
115.0	-	1	0.0 %
115.5	-	4	0.1 %
116.0	-	5	0.2 %
116.5	-	5	0.2 %
117.0	-	6	0.2 %
117.5	-	5	0.2 %
118.0	-	4	0.1 %
118.5	-	2	0.1 %
119.0	-	11	0.4 %
119.5	-	4	0.1 %
	Missing Data		
-3.0	not applicable	189	6.3 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,816 valid cases out of 3,005 total cases.

- Mean: 179.77
- Minimum: 71.00
- Maximum: 330.00
- Standard Deviation: 42.11

Location: 753-757 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -8.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0

WAIST_INTRO: intro to waist measurement

Next, let's measure your waist.

Value	Label	Unweighted Frequency	%
1	continue	2916	97.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	88	2.9 %
	Total	3,005	100%

Based upon 2,916 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 758-759 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

WAIST: final status of waist measurement

Final status of waist measurement

Skip if: WAIST_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	inches	2902	96.6 %
2	equipment problem	3	0.1 %
3	tried, unable to do	11	0.4 %
	Missing Data		
-3	not applicable	89	3.0 %
	Total	3,005	100%

Based upon 2,916 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 760-761 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

WAISTM: waist (inches)

Waist (inches)

Skip if: WAIST does not equal "inches"

Note: 1. original value recorded for 10042130 was 71, which is inconsistent with respondent's

height (also 71) and weight (155) and may have been an erroneous re-entry of height;
this has been set to .f (missing in error)

2. original waist and height values for 10003030 (66.5 and 38) and 10030780 (72 and 38)
appear to have been switched; these have been switched back

Value	Label	Unweighted Frequency	%
-8.0	incomplete interview	0	0.0 %
-5.0	not returned	0	0.0 %
-4.0	no answer	0	0.0 %
-2.0	don't know	0	0.0 %
-1.0	refused	0	0.0 %
22.0	-	1	0.0 %
23.0	-	1	0.0 %
23.5	-	2	0.1 %
24.0	-	3	0.1 %
24.5	-	1	0.0 %
25.0	-	9	0.3 %
25.5	-	3	0.1 %
26.0	-	18	0.6 %
26.5	-	10	0.3 %
27.0	-	21	0.7 %
27.5	-	7	0.2 %
28.0	-	33	1.1 %
28.5	-	11	0.4 %
29.0	-	46	1.5 %
29.5	-	10	0.3 %
30.0	-	58	1.9 %
30.5	-	12	0.4 %
31.0	-	81	2.7 %
31.5	-	15	0.5 %
32.0	-	93	3.1 %
32.5	-	25	0.8 %
33.0	-	82	2.7 %
33.5	-	29	1.0 %
34.0	-	142	4.7 %
34.5	-	32	1.1 %
35.0	-	122	4.1 %
35.5	-	39	1.3 %
36.0	-	164	5.5 %
36.5	-	39	1.3 %

Value	Label	Unweighted Frequency	%
37.0	-	163	5.4 %
37.5	-	44	1.5 %
38.0	-	193	6.4 %
38.5	-	33	1.1 %
39.0	-	156	5.2 %
39.5	-	39	1.3 %
40.0	-	151	5.0 %
40.5	-	30	1.0 %
41.0	-	115	3.8 %
41.5	-	33	1.1 %
42.0	-	151	5.0 %
42.5	-	23	0.8 %
43.0	-	130	4.3 %
43.5	-	26	0.9 %
44.0	-	78	2.6 %
44.5	-	20	0.7 %
	Missing Data		
-6.0	missing in error	1	0.0 %
-3.0	not applicable	103	3.4 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,901 valid cases out of 3,005 total cases.

- Mean: 38.49
- Median: 38.00
- Mode: 38.00
- Minimum: 22.00
- Maximum: 66.50
- Standard Deviation: 5.94

Location: 762-765 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -6.0 , -3.0

HEIGHT_INTRO: intro to height measurement

Now, let's measure your height.

Value	Label	Unweighted Frequency	%
1	inches	2895	96.3 %
2	r in wheelchair	27	0.9 %

Value	Label	Unweighted Frequency	%
4	equipment problem	2	0.1 %
5	tried, unable to do	33	1.1 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	47	1.6 %
	Total	3,005	100%

Based upon 2,957 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 766-767 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

HEIGHT: height (inches)

Height (inches)

Skip if: HEIGHT_INTRO does not equal "inches"

Note: 1. in three cases the height appeared to have been recorded in feet instead of inches, and we have recoded the values accordingly; the affected cases are 10013980 (6.5 -> 77), 10018450 (5.5 -> 65), and 10018520 (5 -> 60)

2. the recorded height for 10008090 appears to be missing a decimal point, and we have recoded the value accordingly (615 -> 61.5)

3. original height recorded for 10023830 was 36, which is unusually low and may have been an erroneous re-entry of waistm (also 36); this has been set to .f (missing in error)

4. original height and waist values for 10003030 (38 and 66.5) and 10030780 (38 and 72) appear to have been switched; these have been switched back

Value	Label	Unweighted Frequency	%
48.5	-	1	0.0 %
49.0	-	2	0.1 %
49.5	-	1	0.0 %
50.0	-	1	0.0 %
50.5	-	1	0.0 %
51.0	-	9	0.3 %
51.5	-	3	0.1 %
52.0	-	5	0.2 %
53.0	-	3	0.1 %

Value	Label	Unweighted Frequency	%
53.5	-	2	0.1 %
54.0	-	5	0.2 %
55.0	-	2	0.1 %
55.5	-	1	0.0 %
56.0	-	11	0.4 %
56.5	-	1	0.0 %
57.0	-	13	0.4 %
57.5	-	5	0.2 %
58.0	-	29	1.0 %
58.5	-	12	0.4 %
59.0	-	45	1.5 %
59.5	-	30	1.0 %
60.0	-	86	2.9 %
60.5	-	26	0.9 %
61.0	-	104	3.5 %
61.5	-	63	2.1 %
62.0	-	155	5.2 %
62.5	-	75	2.5 %
63.0	-	169	5.6 %
63.5	-	73	2.4 %
64.0	-	180	6.0 %
64.5	-	77	2.6 %
65.0	-	152	5.1 %
65.5	-	62	2.1 %
66.0	-	158	5.3 %
66.5	-	74	2.5 %
67.0	-	145	4.8 %
67.5	-	72	2.4 %
68.0	-	159	5.3 %
68.5	-	58	1.9 %
69.0	-	155	5.2 %
69.5	-	60	2.0 %
70.0	-	121	4.0 %
70.5	-	39	1.3 %
71.0	-	144	4.8 %
71.5	-	46	1.5 %
72.0	-	88	2.9 %
72.5	-	17	0.6 %
73.0	-	59	2.0 %

Value	Label	Unweighted Frequency	%
73.5	-	20	0.7 %
74.0	-	30	1.0 %
	Missing Data		
-6.0	missing in error	2	0.1 %
-3.0	not applicable	110	3.7 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,893 valid cases out of 3,005 total cases.

- Mean: 65.87
- Median: 66.00
- Mode: 64.00
- Minimum: 48.50
- Maximum: 82.00
- Standard Deviation: 4.37

Location: 768-771 (width: 4; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -8.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0

BMI: body mass index (kg/m²)

Body Mass Index (kg/m²) Note: gen bmi = (weight / height²) * 703; replace bmi = .c if mi(bmi)

Value	Label	Unweighted Frequency	%
14.063040733337	-	1	0.0 %
14.837395668030	-	1	0.0 %
15.546180725098	-	1	0.0 %
15.550416946411	-	1	0.0 %
15.763920783997	-	1	0.0 %
16.642299652100	-	1	0.0 %
16.825181961060	-	1	0.0 %
16.997610092163	-	1	0.0 %
17.077270507813	-	1	0.0 %
17.189104080200	-	1	0.0 %
17.345125198364	-	1	0.0 %
17.379722595215	-	1	0.0 %
17.609476089478	-	1	0.0 %
17.629243850708	-	1	0.0 %
17.787845611572	-	1	0.0 %
17.827413558960	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.957468032837	-	1	0.0 %
18.024591445923	-	1	0.0 %
18.036071777344	-	1	0.0 %
18.075298309326	-	1	0.0 %
18.105358123779	-	1	0.0 %
18.161941528320	-	1	0.0 %
18.165374755859	-	1	0.0 %
18.167928695679	-	1	0.0 %
18.243638992310	-	1	0.0 %
18.288242340088	-	1	0.0 %
18.360902786255	-	1	0.0 %
18.364501953125	-	1	0.0 %
18.401090621948	-	1	0.0 %
18.468755722046	-	1	0.0 %
18.477979660034	-	1	0.0 %
18.502956390381	-	1	0.0 %
18.514915466309	-	1	0.0 %
18.598989486694	-	1	0.0 %
18.608186721802	-	1	0.0 %
18.609378814697	-	1	0.0 %
18.680694580078	-	1	0.0 %
18.716672897339	-	1	0.0 %
18.756805419922	-	2	0.1 %
18.776060104370	-	1	0.0 %
18.802600860596	-	1	0.0 %
18.836889266968	-	1	0.0 %
18.925785064697	-	1	0.0 %
18.958557128906	-	1	0.0 %
18.976772308350	-	1	0.0 %
18.985340118408	-	1	0.0 %
19.019771575928	-	1	0.0 %
19.027511596680	-	1	0.0 %
19.040689468384	-	1	0.0 %
19.040935516357	-	1	0.0 %
	Missing Data		
-3.000000000000	-	215	7.2 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,790 valid cases out of 3,005 total cases.

- Mean: 29.100726432869
- Minimum: 14.063040733337
- Maximum: 75.600654602051
- Standard Deviation: 6.322762049242

Location: 772-786 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -3.000000000000

BP_INTRO: intro to blood pressure module

Now let's take two blood pressure readings. While I am setting up, please get a glass of water. It is necessary for an upcoming measure.

Value	Label	Unweighted Frequency	%
1	continue	2950	98.2 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	54	1.8 %
	Total	3,005	100%

Based upon 2,950 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 787-788 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

BP_1: final status of first bp reading

Final status of first bp reading

Skip if: BP_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	click here to enter blood pressure	2934	97.6 %
2	equipment problem	7	0.2 %
3	tried, unable to do	9	0.3 %
	Missing Data		
-3	not applicable	55	1.8 %
	Total	3,005	100%

Based upon 2,950 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 789-790 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SYSTOLIC_1: first systolic value (mm Hg)

First systolic value (mm Hg)

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
57	-	1	0.0 %
68	-	1	0.0 %
70	-	1	0.0 %
71	-	1	0.0 %
74	-	1	0.0 %
75	-	1	0.0 %
78	-	1	0.0 %
81	-	1	0.0 %
83	-	1	0.0 %
84	-	1	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
88	-	1	0.0 %
90	-	4	0.1 %
91	-	2	0.1 %
92	-	1	0.0 %
94	-	6	0.2 %
95	-	2	0.1 %
96	-	7	0.2 %
97	-	2	0.1 %
98	-	7	0.2 %
99	-	7	0.2 %
100	-	6	0.2 %
101	-	10	0.3 %
102	-	20	0.7 %
103	-	7	0.2 %
104	-	16	0.5 %

Value	Label	Unweighted Frequency	%
105	-	14	0.5 %
106	-	27	0.9 %
107	-	12	0.4 %
108	-	15	0.5 %
109	-	19	0.6 %
110	-	33	1.1 %
111	-	23	0.8 %
112	-	28	0.9 %
113	-	37	1.2 %
114	-	46	1.5 %
115	-	27	0.9 %
116	-	36	1.2 %
117	-	35	1.2 %
118	-	71	2.4 %
119	-	38	1.3 %
120	-	43	1.4 %
121	-	44	1.5 %
122	-	92	3.1 %
123	-	43	1.4 %
124	-	37	1.2 %
125	-	55	1.8 %
126	-	92	3.1 %
127	-	53	1.8 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	71	2.4 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,933 valid cases out of 3,005 total cases.

- Mean: 137.46
- Median: 135.00
- Mode: 134.00
- Minimum: 57.00
- Maximum: 224.00
- Standard Deviation: 21.13

Location: 791-793 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DIASTOLIC_1: first diastolic value (mm Hg)

First diastolic value (mm Hg)

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
38	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.1 %
46	-	2	0.1 %
47	-	1	0.0 %
49	-	2	0.1 %
50	-	5	0.2 %
51	-	2	0.1 %
52	-	10	0.3 %
54	-	9	0.3 %
55	-	11	0.4 %
56	-	9	0.3 %
57	-	16	0.5 %
58	-	20	0.7 %
59	-	10	0.3 %
60	-	19	0.6 %
61	-	21	0.7 %
62	-	44	1.5 %
63	-	25	0.8 %
64	-	30	1.0 %
65	-	27	0.9 %
66	-	57	1.9 %
67	-	39	1.3 %
68	-	47	1.6 %
69	-	40	1.3 %
70	-	114	3.8 %
71	-	65	2.2 %
72	-	73	2.4 %
73	-	68	2.3 %
74	-	145	4.8 %
75	-	72	2.4 %
76	-	77	2.6 %

Value	Label	Unweighted Frequency	%
77	-	69	2.3 %
78	-	162	5.4 %
79	-	76	2.5 %
80	-	76	2.5 %
81	-	61	2.0 %
82	-	140	4.7 %
83	-	79	2.6 %
84	-	68	2.3 %
85	-	67	2.2 %
86	-	144	4.8 %
87	-	55	1.8 %
88	-	59	2.0 %
89	-	61	2.0 %
90	-	104	3.5 %
91	-	58	1.9 %
92	-	57	1.9 %
93	-	52	1.7 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	71	2.4 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,933 valid cases out of 3,005 total cases.

- Mean: 81.31
- Median: 81.00
- Mode: 78.00
- Minimum: 31.00
- Maximum: 155.00
- Standard Deviation: 12.73

Location: 794-796 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IRREGLR_1: first bp reading: heartbeat irregular?

First bp reading: heartbeat irregular?

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
0	no	2689	89.5 %
1	yes	244	8.1 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	71	2.4 %
	Total	3,005	100%

Based upon 2,933 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 797-798 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PULSE1: final status of first pulse reading

Final status of first pulse reading

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	enter reading	2930	97.5 %
2	pulse error reading	4	0.1 %
	Missing Data		
-3	not applicable	71	2.4 %
	Total	3,005	100%

Based upon 2,934 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 799-800 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

PULSE_1: first pulse rate (beats/min)

First pulse rate (beats/min)

Skip if: PULSE1 does not equal "enter reading"

Value	Label	Unweighted Frequency	%
40	-	2	0.1 %
41	-	1	0.0 %
42	-	3	0.1 %
43	-	1	0.0 %
44	-	5	0.2 %
45	-	3	0.1 %
46	-	13	0.4 %
47	-	10	0.3 %
48	-	12	0.4 %
49	-	17	0.6 %
50	-	10	0.3 %
51	-	39	1.3 %
52	-	29	1.0 %
53	-	29	1.0 %
54	-	62	2.1 %
55	-	34	1.1 %
56	-	49	1.6 %
57	-	47	1.6 %
58	-	55	1.8 %
59	-	54	1.8 %
60	-	160	5.3 %
61	-	74	2.5 %
62	-	86	2.9 %
63	-	2	0.1 %
64	-	88	2.9 %
65	-	99	3.3 %
66	-	98	3.3 %
67	-	103	3.4 %
68	-	126	4.2 %
69	-	129	4.3 %
70	-	4	0.1 %
71	-	104	3.5 %
72	-	131	4.4 %
73	-	110	3.7 %
74	-	5	0.2 %
75	-	122	4.1 %
76	-	118	3.9 %
77	-	1	0.0 %
78	-	117	3.9 %

Value	Label	Unweighted Frequency	%
79	-	5	0.2 %
80	-	128	4.3 %
81	-	93	3.1 %
82	-	4	0.1 %
83	-	93	3.1 %
84	-	4	0.1 %
85	-	89	3.0 %
86	-	3	0.1 %
87	-	79	2.6 %
88	-	4	0.1 %
89	-	67	2.2 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	75	2.5 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,929 valid cases out of 3,005 total cases.

- Mean: 71.30
- Median: 71.00
- Mode: 60.00
- Minimum: 40.00
- Maximum: 142.00
- Standard Deviation: 12.55

Location: 801-803 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_ARM_1: arm used for first bp reading

Arm used for first bp reading

Skip if: BP_1 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	left arm	2463	82.0 %
2	right arm	470	15.6 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	71	2.4 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,933 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 804-805 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BP_INTRO_2: intro to second bp reading

Let's take your final blood pressure reading.

Skip if: BP_INTRO does not equal "continue" or BP_1 equals "tried, unable to do"

Value	Label	Unweighted Frequency	%
1	continue	2934	97.6 %
	Missing Data		
-3	not applicable	64	2.1 %
-1	refused	7	0.2 %
	Total	3,005	100%

Based upon 2,934 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 806-807 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -1

BP_2: final status of second bp reading

Final status of second bp reading

Skip if: BP_INTRO_2 does not equal "continue"

Value	Label	Unweighted Frequency	%
1	click here to enter blood pressure	2923	97.3 %
2	equipment problem	10	0.3 %
3	tried, unable to do	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3	not applicable	71	2.4 %
	Total	3,005	100%

Based upon 2,934 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SYSTOLIC_2: second systolic value (mm Hg)

Second systolic value (mm Hg)

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
77	-	1	0.0 %
81	-	2	0.1 %
82	-	1	0.0 %
85	-	2	0.1 %
86	-	2	0.1 %
87	-	1	0.0 %
89	-	1	0.0 %
90	-	4	0.1 %
91	-	1	0.0 %
92	-	2	0.1 %
94	-	4	0.1 %
95	-	2	0.1 %
96	-	1	0.0 %
97	-	7	0.2 %
98	-	12	0.4 %
99	-	5	0.2 %
100	-	7	0.2 %
101	-	10	0.3 %
102	-	24	0.8 %
103	-	13	0.4 %
104	-	9	0.3 %
105	-	16	0.5 %

Value	Label	Unweighted Frequency	%
106	-	29	1.0 %
107	-	16	0.5 %
108	-	18	0.6 %
109	-	22	0.7 %
110	-	39	1.3 %
111	-	31	1.0 %
112	-	23	0.8 %
113	-	26	0.9 %
114	-	53	1.8 %
115	-	42	1.4 %
116	-	32	1.1 %
117	-	35	1.2 %
118	-	94	3.1 %
119	-	47	1.6 %
120	-	47	1.6 %
121	-	49	1.6 %
122	-	75	2.5 %
123	-	46	1.5 %
124	-	52	1.7 %
125	-	45	1.5 %
126	-	100	3.3 %
127	-	45	1.5 %
128	-	48	1.6 %
129	-	48	1.6 %
130	-	85	2.8 %
131	-	42	1.4 %
132	-	43	1.4 %
133	-	37	1.2 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	82	2.7 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,922 valid cases out of 3,005 total cases.

- Mean: 136.81
- Median: 134.00
- Mode: 126.00
- Minimum: 77.00

- Maximum: 265.00
- Standard Deviation: 21.42

Location: 810-812 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DIASTOLIC_2: second diastolic value (mm Hg)

Second diastolic value (mm Hg)

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
39	-	1	0.0 %
46	-	4	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.1 %
51	-	3	0.1 %
52	-	1	0.0 %
53	-	6	0.2 %
54	-	16	0.5 %
55	-	9	0.3 %
56	-	12	0.4 %
57	-	10	0.3 %
58	-	27	0.9 %
59	-	23	0.8 %
60	-	15	0.5 %
61	-	21	0.7 %
62	-	41	1.4 %
63	-	26	0.9 %
64	-	26	0.9 %
65	-	42	1.4 %
66	-	74	2.5 %
67	-	44	1.5 %
68	-	58	1.9 %
69	-	49	1.6 %
70	-	127	4.2 %
71	-	71	2.4 %
72	-	57	1.9 %
73	-	71	2.4 %

Value	Label	Unweighted Frequency	%
74	-	156	5.2 %
75	-	68	2.3 %
76	-	76	2.5 %
77	-	71	2.4 %
78	-	160	5.3 %
79	-	82	2.7 %
80	-	76	2.5 %
81	-	74	2.5 %
82	-	145	4.8 %
83	-	76	2.5 %
84	-	59	2.0 %
85	-	62	2.1 %
86	-	125	4.2 %
87	-	67	2.2 %
88	-	59	2.0 %
89	-	59	2.0 %
90	-	119	4.0 %
91	-	48	1.6 %
92	-	54	1.8 %
93	-	32	1.1 %
94	-	75	2.5 %
95	-	31	1.0 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	82	2.7 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,922 valid cases out of 3,005 total cases.

- Mean: 80.41
- Median: 80.00
- Mode: 78.00
- Minimum: 39.00
- Maximum: 139.00
- Standard Deviation: 12.41

Location: 813-815 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IRREGLR_2: second bp reading: heartbeat irregular?

Second bp reading: heartbeat irregular?

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
0	no	2679	89.2 %
1	yes	243	8.1 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	82	2.7 %
	Total	3,005	100%

Based upon 2,922 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 816-817 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PULSE2: final status of second pulse reading

Final status of second pulse reading

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	enter reading	2918	97.1 %
2	pulse error reading	5	0.2 %
	Missing Data		
-3	not applicable	82	2.7 %
	Total	3,005	100%

Based upon 2,923 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 818-819 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

PULSE_2: second pulse rate (beats/min)

Second pulse rate (beats/min)

Skip if: PULSE2 does not equal "enter reading"

Value	Label	Unweighted Frequency	%
40	-	3	0.1 %
41	-	2	0.1 %
42	-	3	0.1 %
43	-	6	0.2 %
44	-	3	0.1 %
45	-	7	0.2 %
46	-	12	0.4 %
47	-	5	0.2 %
48	-	15	0.5 %
49	-	24	0.8 %
50	-	19	0.6 %
51	-	34	1.1 %
52	-	29	1.0 %
53	-	34	1.1 %
54	-	72	2.4 %
55	-	46	1.5 %
56	-	46	1.5 %
57	-	41	1.4 %
58	-	58	1.9 %
59	-	67	2.2 %
60	-	169	5.6 %
61	-	78	2.6 %
62	-	88	2.9 %
63	-	2	0.1 %
64	-	82	2.7 %
65	-	97	3.2 %
66	-	104	3.5 %
67	-	107	3.6 %
68	-	121	4.0 %
69	-	119	4.0 %
70	-	2	0.1 %
71	-	129	4.3 %
72	-	133	4.4 %
73	-	104	3.5 %
74	-	4	0.1 %

Value	Label	Unweighted Frequency	%
75	-	99	3.3 %
76	-	129	4.3 %
77	-	4	0.1 %
78	-	101	3.4 %
79	-	9	0.3 %
80	-	107	3.6 %
81	-	108	3.6 %
82	-	1	0.0 %
83	-	84	2.8 %
84	-	1	0.0 %
85	-	82	2.7 %
86	-	2	0.1 %
87	-	77	2.6 %
88	-	5	0.2 %
89	-	54	1.8 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	87	2.9 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,917 valid cases out of 3,005 total cases.

- Mean: 70.48
- Median: 69.00
- Mode: 60.00
- Minimum: 40.00
- Maximum: 137.00
- Standard Deviation: 12.37

Location: 820-822 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_ARM_2: arm used for second bp reading

Arm used for second bp reading

Skip if: BP_2 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	left arm	2457	81.8 %

Value	Label	Unweighted Frequency	%
2	right arm	465	15.5 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	82	2.7 %
	Total	3,005	100%

Based upon 2,922 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 823-824 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BP_INTRO_3: intro to third bp reading

Your readings were quite different. Let's take a third reading.

Skip if: BP_INTRO does not equal "continue", or BP_1 equals "tried, unable to do", or the difference between SYSTOLIC_1 and SYSTOLIC_2 is less than 20 and the difference between DIASTOLIC_1 and DIASTOLIC_2 is less than 14, or any of SYSTOLIC_1, SYSTOLIC_2, DIASTOLIC_1, or DIASTOLIC_2 is missing

Value	Label	Unweighted Frequency	%
1	continue	255	8.5 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	2730	90.8 %
-1	refused	18	0.6 %
	Total	3,005	100%

Based upon 255 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 825-826 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -1

BP_3: final status of third bp reading

Final status of third bp reading

Skip if: BP_INTRO_3 does not equal "continue"

Value	Label	Unweighted Frequency	%
1	click here to enter blood pressure	254	8.5 %
2	equipment problem	1	0.0 %
3	tried, unable to do	0	0.0 %
Missing Data			
-3	not applicable	2750	91.5 %
Total		3,005	100%

Based upon 255 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 827-828 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SYSTOLIC_3: third systolic value (mm Hg)

Third systolic value (mm Hg)

Skip if: BP_3 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
84	-	1	0.0 %
90	-	1	0.0 %
93	-	2	0.1 %
99	-	1	0.0 %
101	-	1	0.0 %
102	-	1	0.0 %
103	-	1	0.0 %
104	-	1	0.0 %
106	-	2	0.1 %
107	-	1	0.0 %
108	-	1	0.0 %
109	-	1	0.0 %
110	-	1	0.0 %
111	-	3	0.1 %
112	-	1	0.0 %
113	-	3	0.1 %
114	-	4	0.1 %

Value	Label	Unweighted Frequency	%
115	-	4	0.1 %
116	-	2	0.1 %
117	-	1	0.0 %
118	-	7	0.2 %
119	-	6	0.2 %
120	-	5	0.2 %
121	-	3	0.1 %
122	-	5	0.2 %
123	-	4	0.1 %
124	-	4	0.1 %
125	-	1	0.0 %
126	-	9	0.3 %
127	-	5	0.2 %
128	-	5	0.2 %
129	-	3	0.1 %
130	-	6	0.2 %
132	-	4	0.1 %
133	-	4	0.1 %
134	-	7	0.2 %
135	-	2	0.1 %
136	-	3	0.1 %
137	-	4	0.1 %
138	-	7	0.2 %
139	-	4	0.1 %
140	-	5	0.2 %
141	-	1	0.0 %
142	-	8	0.3 %
143	-	3	0.1 %
144	-	2	0.1 %
145	-	4	0.1 %
146	-	4	0.1 %
147	-	6	0.2 %
148	-	3	0.1 %
	Missing Data		
-3	not applicable	2751	91.5 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 254 valid cases out of 3,005 total cases.

- Mean: 141.69
- Median: 138.50
- Mode: 126.00
- Minimum: 84.00
- Maximum: 227.00
- Standard Deviation: 24.62

Location: 829-831 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DIASTOLIC_3: third diastolic value (mm Hg)

Third diastolic value (mm Hg)

Skip if: BP_3 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
50	-	2	0.1 %
56	-	1	0.0 %
58	-	3	0.1 %
61	-	1	0.0 %
62	-	2	0.1 %
63	-	1	0.0 %
64	-	6	0.2 %
65	-	8	0.3 %
66	-	4	0.1 %
67	-	3	0.1 %
68	-	3	0.1 %
69	-	1	0.0 %
70	-	12	0.4 %
71	-	4	0.1 %
72	-	2	0.1 %
73	-	7	0.2 %
74	-	9	0.3 %
75	-	6	0.2 %
76	-	2	0.1 %
77	-	4	0.1 %
78	-	19	0.6 %
79	-	6	0.2 %
80	-	14	0.5 %

Value	Label	Unweighted Frequency	%
81	-	3	0.1 %
82	-	15	0.5 %
83	-	4	0.1 %
84	-	6	0.2 %
85	-	5	0.2 %
86	-	6	0.2 %
87	-	10	0.3 %
88	-	5	0.2 %
89	-	6	0.2 %
90	-	8	0.3 %
91	-	6	0.2 %
92	-	4	0.1 %
93	-	2	0.1 %
94	-	7	0.2 %
95	-	1	0.0 %
96	-	5	0.2 %
97	-	2	0.1 %
98	-	5	0.2 %
99	-	5	0.2 %
100	-	5	0.2 %
101	-	1	0.0 %
102	-	4	0.1 %
104	-	2	0.1 %
106	-	2	0.1 %
107	-	1	0.0 %
108	-	1	0.0 %
	Missing Data		
-3	not applicable	2751	91.5 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 254 valid cases out of 3,005 total cases.

- Mean: 82.95
- Median: 82.00
- Mode: 78.00
- Minimum: 45.00
- Maximum: 137.00
- Standard Deviation: 13.88

Location: 832-834 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IRREGLR_3: third bp reading: heartbeat irregular?

Third bp reading: heartbeat irregular?

Skip if: BP_3 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
0	no	231	7.7 %
1	yes	23	0.8 %
	Missing Data		
-3	not applicable	2751	91.5 %
	Total	3,005	100%

Based upon 254 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 835-836 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PULSE3: final status of third pulse reading

Final status of third pulse reading

Skip if: BP_3 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	enter reading	254	8.5 %
2	pulse error reading	0	0.0 %
	Missing Data		
-3	not applicable	2751	91.5 %
	Total	3,005	100%

Based upon 254 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 837-838 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

PULSE_3: third pulse rate (beats/min)

Third pulse rate (beats/min)

Skip if: PULSE3 does not equal "enter reading"

Value	Label	Unweighted Frequency	%
42	-	1	0.0 %
43	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.1 %
49	-	3	0.1 %
50	-	2	0.1 %
52	-	2	0.1 %
54	-	4	0.1 %
55	-	4	0.1 %
56	-	3	0.1 %
57	-	4	0.1 %
58	-	8	0.3 %
59	-	4	0.1 %
60	-	11	0.4 %
61	-	5	0.2 %
62	-	4	0.1 %
64	-	10	0.3 %
65	-	3	0.1 %
66	-	11	0.4 %
67	-	4	0.1 %
68	-	12	0.4 %
69	-	12	0.4 %
70	-	2	0.1 %
71	-	8	0.3 %
72	-	12	0.4 %
73	-	11	0.4 %
75	-	9	0.3 %
76	-	9	0.3 %
78	-	7	0.2 %
79	-	2	0.1 %
80	-	12	0.4 %
81	-	9	0.3 %

Value	Label	Unweighted Frequency	%
83	-	8	0.3 %
85	-	9	0.3 %
86	-	1	0.0 %
87	-	7	0.2 %
88	-	1	0.0 %
89	-	5	0.2 %
91	-	7	0.2 %
92	-	1	0.0 %
93	-	2	0.1 %
96	-	4	0.1 %
98	-	4	0.1 %
99	-	1	0.0 %
100	-	1	0.0 %
101	-	4	0.1 %
103	-	1	0.0 %
106	-	1	0.0 %
108	-	1	0.0 %
	Missing Data		
-3	not applicable	2751	91.5 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 254 valid cases out of 3,005 total cases.

- Mean: 73.21
- Median: 72.00
- Minimum: 42.00
- Maximum: 131.00
- Standard Deviation: 14.04

Location: 839-841 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_ARM_3: arm used for third bp reading

Arm used for third bp reading

Skip if: BP_3 does not equal "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	left arm	205	6.8 %
2	right arm	49	1.6 %
	Missing Data		
-3	not applicable	2751	91.5 %
	Total	3,005	100%

Based upon 254 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 842-843 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

BP_TIMEH: time of bp readings: hour

Time of bp readings: hour

Skip if: none of BP_1, BP_2, or BP_3 is equal to "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	-	237	7.9 %
2	-	407	13.5 %
3	-	346	11.5 %
4	-	254	8.5 %
5	-	210	7.0 %
6	-	190	6.3 %
7	-	165	5.5 %
8	-	92	3.1 %
9	-	115	3.8 %
10	-	258	8.6 %
11	-	410	13.6 %
12	-	250	8.3 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	70	2.3 %
	Total	3,005	100%

Based upon 2,934 valid cases out of 3,005 total cases.

- Mean: 6.24

- Median: 6.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.76

Location: 844-845 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_TIMEM: time of bp readings: minute

Time of bp readings: minute

Skip if: none of BP_1, BP_2, or BP_3 is equal to "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
0	-	260	8.7 %
1	-	29	1.0 %
2	-	29	1.0 %
3	-	23	0.8 %
4	-	17	0.6 %
5	-	121	4.0 %
6	-	19	0.6 %
7	-	32	1.1 %
8	-	27	0.9 %
9	-	19	0.6 %
10	-	162	5.4 %
11	-	25	0.8 %
12	-	35	1.2 %
13	-	31	1.0 %
14	-	21	0.7 %
15	-	159	5.3 %
16	-	19	0.6 %
17	-	25	0.8 %
18	-	28	0.9 %
19	-	17	0.6 %
20	-	143	4.8 %
21	-	19	0.6 %
22	-	28	0.9 %
23	-	16	0.5 %
24	-	12	0.4 %
25	-	121	4.0 %

Value	Label	Unweighted Frequency	%
26	-	22	0.7 %
27	-	21	0.7 %
28	-	29	1.0 %
29	-	26	0.9 %
30	-	188	6.3 %
31	-	18	0.6 %
32	-	21	0.7 %
33	-	21	0.7 %
34	-	21	0.7 %
35	-	138	4.6 %
36	-	25	0.8 %
37	-	28	0.9 %
38	-	24	0.8 %
39	-	11	0.4 %
40	-	131	4.4 %
41	-	12	0.4 %
42	-	21	0.7 %
43	-	18	0.6 %
44	-	19	0.6 %
45	-	185	6.2 %
46	-	19	0.6 %
47	-	16	0.5 %
48	-	21	0.7 %
49	-	23	0.8 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	70	2.3 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,934 valid cases out of 3,005 total cases.

- Mean: 26.91
- Median: 27.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.76

Location: 846-847 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BP_TIME: time of bp readings: am or pm

Time of bp readings: am or pm

Skip if: none of BP_1, BP_2, or BP_3 is equal to "click here to enter blood pressure"

Value	Label	Unweighted Frequency	%
1	am	755	25.1 %
2	pm	2179	72.5 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	70	2.3 %
	Total	3,005	100%

Based upon 2,934 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 848-849 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SYSTOLIC_CNT: no. of systolic readings obtained

No. of systolic readings obtained Note: egen systolic_cnt = rownonmiss(systolic_1 systolic_2 systolic_3)

Value	Label	Unweighted Frequency	%
0	-	70	2.3 %
1	-	13	0.4 %
2	-	2667	88.8 %
3	-	254	8.5 %
	Missing Data		
-6	missing in error	1	0.0 %
	Total	3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.43

Location: 850-851 (width: 2; decimal: 0)

Variable Type: numeric

SYSTOLIC_MEAN: mean systolic value (mm Hg)

Mean systolic value (mm Hg) Note: 1. egen systolic_mean = rowmean(systolic_1 systolic_2 systolic_3); replace systolic_mean = .c if mi(systolic_mean) 2. average value for 10006390 recovered from hard copy results sheet

Value	Label	Unweighted Frequency	%
78.000000000000	-	1	0.0 %
81.000000000000	-	1	0.0 %
83.000000000000	-	1	0.0 %
85.000000000000	-	1	0.0 %
88.000000000000	-	1	0.0 %
91.000000000000	-	1	0.0 %
92.000000000000	-	3	0.1 %
92.500000000000	-	1	0.0 %
93.000000000000	-	2	0.1 %
93.500000000000	-	2	0.1 %
94.000000000000	-	1	0.0 %
94.500000000000	-	3	0.1 %
95.000000000000	-	2	0.1 %
95.33333587647	-	1	0.0 %
95.500000000000	-	3	0.1 %
96.000000000000	-	1	0.0 %
96.500000000000	-	3	0.1 %
97.500000000000	-	1	0.0 %
98.000000000000	-	2	0.1 %
98.500000000000	-	4	0.1 %
99.000000000000	-	3	0.1 %
99.33333587647	-	1	0.0 %
99.500000000000	-	4	0.1 %
99.66666412354	-	1	0.0 %
100.000000000000	-	1	0.0 %
100.500000000000	-	2	0.1 %
101.000000000000	-	7	0.2 %
101.500000000000	-	5	0.2 %
102.000000000000	-	4	0.1 %
102.500000000000	-	3	0.1 %
103.000000000000	-	10	0.3 %
103.500000000000	-	4	0.1 %
104.000000000000	-	8	0.3 %
104.33333587647	-	1	0.0 %

Value	Label	Unweighted Frequency	%
104.500000000000	-	9	0.3 %
105.000000000000	-	10	0.3 %
105.33333587647	-	2	0.1 %
105.500000000000	-	5	0.2 %
106.000000000000	-	9	0.3 %
106.500000000000	-	8	0.3 %
107.000000000000	-	11	0.4 %
107.33333587647	-	1	0.0 %
107.500000000000	-	11	0.4 %
107.66666412354	-	1	0.0 %
108.000000000000	-	9	0.3 %
108.500000000000	-	8	0.3 %
109.000000000000	-	12	0.4 %
109.500000000000	-	12	0.4 %
109.66666412354	-	1	0.0 %
110.000000000000	-	17	0.6 %
	Missing Data		
-3.000000000000	-	70	2.3 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,935 valid cases out of 3,005 total cases.

- Mean: 137.14264622287
- Minimum: 78.000000000000
- Maximum: 233.000000000000
- Standard Deviation: 20.55024711237

Location: 852-866 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -3.000000000000

DIASTOLIC_CNT: no. of diastolic readings obtained

No. of diastolic readings obtained Note: egen diastolic_cnt = rownonmiss(diastolic_1 diastolic_2 diastolic_3)

Value	Label	Unweighted Frequency	%
0	-	70	2.3 %
1	-	13	0.4 %
2	-	2667	88.8 %
3	-	254	8.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	missing in error	1	0.0 %
	Total	3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.43

Location: 867-868 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

DIASTOLIC_MEAN: mean diastolic value (mm Hg)

Mean diastolic value (mm Hg) Note: 1. egen diastolic_mean = rowmean(diastolic_1 diastolic_2 diastolic_3); replace diastolic_mean = .c if mi(diastolic_mean) 2. average value for 10006390 recovered from hard copy results sheet

Value	Label	Unweighted Frequency	%
44.000000000000	-	1	0.0 %
44.500000000000	-	1	0.0 %
46.500000000000	-	1	0.0 %
48.500000000000	-	1	0.0 %
49.500000000000	-	2	0.1 %
50.000000000000	-	3	0.1 %
50.500000000000	-	1	0.0 %
51.000000000000	-	2	0.1 %
51.500000000000	-	2	0.1 %
52.000000000000	-	2	0.1 %
53.000000000000	-	2	0.1 %
53.500000000000	-	1	0.0 %
54.000000000000	-	4	0.1 %
54.500000000000	-	3	0.1 %
54.66666793824	-	1	0.0 %
55.000000000000	-	5	0.2 %
55.500000000000	-	6	0.2 %
56.000000000000	-	6	0.2 %
56.500000000000	-	4	0.1 %
57.000000000000	-	7	0.2 %
57.33333206177	-	1	0.0 %

Value	Label	Unweighted Frequency	%
57.500000000000	-	7	0.2 %
57.66666793824	-	1	0.0 %
58.000000000000	-	12	0.4 %
58.500000000000	-	4	0.1 %
59.000000000000	-	7	0.2 %
59.33333206177	-	1	0.0 %
59.500000000000	-	8	0.3 %
59.66666793824	-	1	0.0 %
60.000000000000	-	11	0.4 %
60.33333206177	-	1	0.0 %
60.500000000000	-	14	0.5 %
61.000000000000	-	14	0.5 %
61.500000000000	-	7	0.2 %
61.66666793824	-	1	0.0 %
62.000000000000	-	20	0.7 %
62.33333206177	-	2	0.1 %
62.500000000000	-	12	0.4 %
62.66666793824	-	2	0.1 %
63.000000000000	-	21	0.7 %
63.500000000000	-	11	0.4 %
64.000000000000	-	17	0.6 %
64.33333587647	-	3	0.1 %
64.500000000000	-	14	0.5 %
65.000000000000	-	14	0.5 %
65.500000000000	-	9	0.3 %
66.000000000000	-	29	1.0 %
66.500000000000	-	30	1.0 %
66.66666412354	-	3	0.1 %
67.000000000000	-	19	0.6 %
	Missing Data		
-3.000000000000	-	70	2.3 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,935 valid cases out of 3,005 total cases.

- Mean: 80.81499146522
- Median: 80.000000000000
- Mode: 74.000000000000

- Minimum: 44.000000000000
- Maximum: 133.66667175293
- Standard Deviation: 12.06715452357

Location: 869-883 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -3.000000000000

PULSE_CNT: no. of pulse readings obtained

No. of pulse readings obtained Note: egen pulse_cnt = rownonmiss(pulse_1 pulse_2 pulse_3)

Value	Label	Unweighted Frequency	%
0	-	73	2.4 %
1	-	16	0.5 %
2	-	2661	88.6 %
3	-	254	8.5 %
	Missing Data		
-6	missing in error	1	0.0 %
	Total	3,005	100%

Based upon 3,004 valid cases out of 3,005 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.43

Location: 884-885 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PULSE_MEAN: mean pulse rate (beats/min)

Mean pulse rate (beats/min) Note: 1. egen pulse_mean = rowmean(pulse_1 pulse_2 pulse_3); replace pulse_mean = .c if mi(pulse_mean) 2. average value for 10006390 recovered from hard copy results sheet

Value	Label	Unweighted Frequency	%
40.000000000000	-	2	0.1 %
40.500000000000	-	1	0.0 %
41.500000000000	-	1	0.0 %
42.33333206177	-	1	0.0 %
42.500000000000	-	2	0.1 %
43.000000000000	-	2	0.1 %
43.500000000000	-	1	0.0 %
44.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44.500000000000	-	4	0.1 %
45.500000000000	-	4	0.1 %
46.000000000000	-	9	0.3 %
46.500000000000	-	4	0.1 %
46.66666793824	-	1	0.0 %
47.000000000000	-	2	0.1 %
47.500000000000	-	3	0.1 %
48.000000000000	-	8	0.3 %
48.33333206177	-	2	0.1 %
48.500000000000	-	4	0.1 %
48.66666793824	-	1	0.0 %
49.000000000000	-	9	0.3 %
49.33333206177	-	1	0.0 %
49.500000000000	-	8	0.3 %
49.66666793824	-	1	0.0 %
50.000000000000	-	10	0.3 %
50.33333206177	-	1	0.0 %
50.500000000000	-	12	0.4 %
51.000000000000	-	14	0.5 %
51.33333206177	-	1	0.0 %
51.500000000000	-	11	0.4 %
52.000000000000	-	12	0.4 %
52.33333206177	-	1	0.0 %
52.500000000000	-	17	0.6 %
52.66666793824	-	2	0.1 %
53.000000000000	-	17	0.6 %
53.500000000000	-	16	0.5 %
53.66666793824	-	1	0.0 %
54.000000000000	-	29	1.0 %
54.500000000000	-	20	0.7 %
54.66666793824	-	1	0.0 %
55.000000000000	-	27	0.9 %
55.33333206177	-	1	0.0 %
55.500000000000	-	31	1.0 %
55.66666793824	-	2	0.1 %
56.000000000000	-	25	0.8 %
56.500000000000	-	20	0.7 %
56.66666793824	-	1	0.0 %
57.000000000000	-	28	0.9 %

Value	Label	Unweighted Frequency	%
57.33333206177	-	2	0.1 %
57.50000000000	-	17	0.6 %
57.66666793824	-	2	0.1 %
	Missing Data		
-3.00000000000	-	73	2.4 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,932 valid cases out of 3,005 total cases.

- Mean: 70.86095952793
- Median: 70.00000000000
- Mode: 60.00000000000
- Minimum: 40.00000000000
- Maximum: 133.33332824708
- Standard Deviation: 12.17037408373

Location: 886-900 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -3.00000000000

SML_INTRO: introduction to smell module

Now we are going to ask you to smell some scented pens which are common odors in everyday life. I have several pens here that smell the same, but some smell stronger than others. Some have no smell at all. I'm going to place a pen near your nose like this (DEMONSTRATE ON YOURSELF) and ask you a question about what you smell. I will then ask you to use the computer to rate the strength of the smell. The left side is where you would mark if there is no smell at all since some pens have no smell. The right side is where you would mark if it smells very strong. For this measure it is very important to not have discussion. Please do not think too long. The best way to answer is to just let your answer come out.

Note: 1. respondents were given a choice of recording their assessments of odor strength directly on the computer or using a paper and pencil; the smell identification items (vars bluepen_1-bluepen_5) were administered via CAPI to everyone

2. smell data for 25 respondents who elected to use the paper version were lost in the field; these have been coded as .f (missing in error)

Value	Label	Unweighted Frequency	%
1	computer version	1148	38.2 %
2	paper version	1794	59.7 %
3	equipment problem	1	0.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	refused	61	2.0 %
	Total	3,005	100%

Based upon 2,943 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 901-902 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -1

BLUEPEN_1: odor identification: rose

I have five last pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on the computer.

Skip if: SML_INTRO does not equal "computer version" or "paper version"

Note: interviewers for 10011110 and 10032650 incorrectly entered 'refused' instead of 'paper version', and therefore this item was skipped; these have been marked as 'missing in error'

Value	Label	Unweighted Frequency	%
1	chamomile	521	17.3 %
2	raspberry	102	3.4 %
3	rose	2167	72.1 %
4	cherry	67	2.2 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	63	2.1 %
-1	refused	83	2.8 %
	Total	3,005	100%

Based upon 2,857 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 903-904 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_2: odor identification: leather

I have five last pens that contain a smell of something familiar. For each pen, identify the

smell using the four answer choices on the computer.

Skip if: SML_INTRO does not equal "computer version" or "paper version"

Note: interviewers for 10011110 and 10032650 incorrectly entered 'refused' instead of 'paper version', and therefore this item was skipped; these have been marked as 'missing in error'

Value	Label	Unweighted Frequency	%
1	smoke	190	6.3 %
2	glue	407	13.5 %
3	leather	2021	67.3 %
4	grass	248	8.3 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	63	2.1 %
-1	refused	74	2.5 %
	Total	3,005	100%

Based upon 2,866 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_3: odor identification: orange

I have five last pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on the computer.

Skip if: SML_INTRO does not equal "computer version" or "paper version"

Note: interviewers for 10011110 and 10032650 incorrectly entered 'refused' instead of 'paper version', and therefore this item was skipped; these have been marked as 'missing in error'

Value	Label	Unweighted Frequency	%
1	orange	2438	81.1 %
2	blueberry	145	4.8 %
3	strawberry	197	6.6 %
4	onion	94	3.1 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	63	2.1 %

Value	Label	Unweighted Frequency	%
-1	refused	66	2.2 %
	Total	3,005	100%

Based upon 2,874 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 907-908 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_4: odor identification: fish

I have five last pens that contain a smell of something familiar. For each pen, identify the smell using the four answer choices on the computer.

Skip if: SML_INTRO does not equal "computer version" or "paper version"

Note: interviewers for 10011110 and 10032650 incorrectly entered 'refused' instead of 'paper version', and therefore this item was skipped; these have been marked as 'missing in error'

Value	Label	Unweighted Frequency	%
1	bread	94	3.1 %
2	fish	2517	83.8 %
3	cheese	168	5.6 %
4	ham	115	3.8 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	63	2.1 %
-1	refused	46	1.5 %
	Total	3,005	100%

Based upon 2,894 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 909-910 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BLUEPEN_5: odor identification: peppermint

I have five last pens that contain a smell of something familiar. For each pen, identify the

smell using the four answer choices on the computer.

Skip if: SML_INTRO does not equal "computer version" or "paper version"

Note: interviewers for 10011110 and 10032650 incorrectly entered 'refused' instead of 'paper version', and therefore this item was skipped; these have been marked as 'missing in error'

Value	Label	Unweighted Frequency	%
1	chive	55	1.8 %
2	peppermint	2663	88.6 %
3	pine	148	4.9 %
4	onion	40	1.3 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	63	2.1 %
-1	refused	34	1.1 %
	Total	3,005	100%

Based upon 2,906 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 911-912 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

SLV_INTRO: introduction to saliva collection

Now we are going to collect a sample of your saliva.

Value	Label	Unweighted Frequency	%
1	continue	2721	90.5 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	283	9.4 %
	Total	3,005	100%

Based upon 2,721 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 913-914 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

LASTEATH: time since last food or drink: hours

How long has it been since you last had anything to eat or drink other than water? (RECORD IN HOURS AND MINUTES AGO)

Skip if: SLV_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
0	-	184	6.1 %
1	-	449	14.9 %
2	-	684	22.8 %
3	-	548	18.2 %
4	-	343	11.4 %
5	-	177	5.9 %
6	-	99	3.3 %
7	-	46	1.5 %
8	-	32	1.1 %
9	-	10	0.3 %
10	-	10	0.3 %
11	-	10	0.3 %
12	-	38	1.3 %
13	-	7	0.2 %
14	-	9	0.3 %
15	-	16	0.5 %
16	-	8	0.3 %
17	-	7	0.2 %
18	-	4	0.1 %
19	-	1	0.0 %
20	-	5	0.2 %
21	-	1	0.0 %
22	-	2	0.1 %
25	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.1 %
40	-	1	0.0 %
	Missing Data		
-6	missing in error	3	0.1 %
-3	not applicable	284	9.5 %
-2	don't know	17	0.6 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,695 valid cases out of 3,005 total cases.

- Mean: 3.25
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 3.14

Location: 915-916 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

LASTEATM: time since last food or drink: minutes

How long has it been since you last had anything to eat or drink other than water? (RECORD IN HOURS AND MINUTES AGO)

Skip if: SLV_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
0	-	1254	41.7 %
1	-	9	0.3 %
2	-	5	0.2 %
3	-	5	0.2 %
5	-	71	2.4 %
6	-	2	0.1 %
7	-	4	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %
10	-	109	3.6 %
11	-	2	0.1 %
12	-	4	0.1 %
13	-	2	0.1 %
14	-	2	0.1 %
15	-	173	5.8 %
16	-	2	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	2	0.1 %
20	-	87	2.9 %
22	-	2	0.1 %
24	-	1	0.0 %
25	-	16	0.5 %

Value	Label	Unweighted Frequency	%
26	-	1	0.0 %
29	-	1	0.0 %
30	-	643	21.4 %
35	-	13	0.4 %
36	-	1	0.0 %
39	-	1	0.0 %
40	-	23	0.8 %
41	-	2	0.1 %
42	-	2	0.1 %
43	-	1	0.0 %
45	-	119	4.0 %
50	-	39	1.3 %
52	-	1	0.0 %
55	-	11	0.4 %
56	-	1	0.0 %
57	-	1	0.0 %
	Missing Data		
-6	missing in error	3	0.1 %
-3	not applicable	284	9.5 %
-2	don't know	92	3.1 %
-1	refused	10	0.3 %
	Total	3,005	100%

Based upon 2,616 valid cases out of 3,005 total cases.

- Mean: 13.63
- Median: 5.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 57.00
- Standard Deviation: 15.66

Location: 917-918 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SLVVIAL1: saliva collection outcome

I will package the sample and then we will ask you some questions about your medication history.

Skip if: SLV_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	complete sample	1617	53.8 %
2	partial sample	1023	34.0 %
3	equipment problem	7	0.2 %
4	tried, unable to do	74	2.5 %
	Missing Data		
-3	not applicable	284	9.5 %
	Total	3,005	100%

Based upon 2,721 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 919-920 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SLTIMEH: saliva collection time (hours)

Saliva collection time (hours)

Skip if: SLVVIAL1 is not equal to "complete sample" or "partial sample"

Value	Label	Unweighted Frequency	%
1	-	198	6.6 %
2	-	320	10.6 %
3	-	324	10.8 %
4	-	250	8.3 %
5	-	206	6.9 %
6	-	167	5.6 %
7	-	156	5.2 %
8	-	89	3.0 %
9	-	97	3.2 %
10	-	200	6.7 %
11	-	366	12.2 %
12	-	249	8.3 %
	Missing Data		
-6	missing in error	18	0.6 %
-3	not applicable	365	12.1 %
	Total	3,005	100%

Based upon 2,622 valid cases out of 3,005 total cases.

- Mean: 6.31
- Median: 6.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.74

Location: 921-922 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SLTIMEM: saliva collection time (minutes)

Saliva collection time (minutes)

Skip if: SLVVIAL1 is not equal to "complete sample" or "partial sample"

Value	Label	Unweighted Frequency	%
0	-	177	5.9 %
1	-	13	0.4 %
2	-	21	0.7 %
3	-	13	0.4 %
4	-	9	0.3 %
5	-	119	4.0 %
6	-	17	0.6 %
7	-	24	0.8 %
8	-	27	0.9 %
9	-	15	0.5 %
10	-	150	5.0 %
11	-	12	0.4 %
12	-	36	1.2 %
13	-	15	0.5 %
14	-	24	0.8 %
15	-	160	5.3 %
16	-	19	0.6 %
17	-	23	0.8 %
18	-	16	0.5 %
19	-	17	0.6 %
20	-	142	4.7 %
21	-	19	0.6 %
22	-	31	1.0 %
23	-	17	0.6 %
24	-	27	0.9 %

Value	Label	Unweighted Frequency	%
25	-	121	4.0 %
26	-	17	0.6 %
27	-	15	0.5 %
28	-	26	0.9 %
29	-	17	0.6 %
30	-	203	6.8 %
31	-	13	0.4 %
32	-	30	1.0 %
33	-	24	0.8 %
34	-	17	0.6 %
35	-	117	3.9 %
36	-	14	0.5 %
37	-	26	0.9 %
38	-	24	0.8 %
39	-	10	0.3 %
40	-	116	3.9 %
41	-	14	0.5 %
42	-	22	0.7 %
43	-	28	0.9 %
44	-	19	0.6 %
45	-	157	5.2 %
46	-	16	0.5 %
47	-	20	0.7 %
48	-	13	0.4 %
49	-	15	0.5 %
	Missing Data		
-6	missing in error	18	0.6 %
-3	not applicable	365	12.1 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,622 valid cases out of 3,005 total cases.

- Mean: 27.51
- Median: 28.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.00

Location: 923-924 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

SLTIMEA: saliva collection time (am/pm)

Saliva collection time (am/pm)

Skip if: SLVVIAL1 is not equal to "complete sample" or "partial sample"

Value	Label	Unweighted Frequency	%
1	am	603	20.1 %
2	pm	2019	67.2 %
	Missing Data		
-6	missing in error	18	0.6 %
-3	not applicable	365	12.1 %
	Total	3,005	100%

Based upon 2,622 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 925-926 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

SALIVA_SAMPLE: final status of saliva sample

Final status of saliva sample

Skip if: SLVVIAL1 is not equal to "complete sample" or "partial sample"

Value	Label	Unweighted Frequency	%
1	transferred properly to lab	2589	86.2 %
2	not continuously frozen	15	0.5 %
3	not frozen within 10 hrs of collection	5	0.2 %
4	lost in transit	25	0.8 %
5	problem identifying sample	6	0.2 %
	Missing Data		
-3	not applicable	365	12.1 %
	Total	3,005	100%

Based upon 2,640 valid cases out of 3,005 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 927-928 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

TESTOSTERONE_1: testosterone: result 1 (pg/mL)

Testosterone: result 1 (pg/mL)

Skip if: TESTOSTERONE_FLAG_1 equals "insufficient sample", "problem with sample", or "not applicable"

Note: 1. warning: certain values may represent upper or lower bounds only (see testosterone_flag_1 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)

2. the lower limit of sensitivity for this assay was 1 pg/ml; values below .5 pg/ml were originally reported as 'nd' but have been replaced by .5 pg/ml as an upper bound; values exceeding 3000 pg/ml are likely to indicate interference
3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see testosterone_flag_1 for details)

Value	Label	Unweighted Frequency	%
0.5000000000	-	2	0.1 %
1.1200000048	-	1	0.0 %
3.8800001144	-	1	0.0 %
4.2500000000	-	1	0.0 %
5.0100002289	-	1	0.0 %
5.0799999237	-	1	0.0 %
5.5199999809	-	1	0.0 %
5.6300001144	-	1	0.0 %
6.0999999046	-	1	0.0 %
6.9499998093	-	1	0.0 %
7.4099998474	-	1	0.0 %
7.7199997902	-	1	0.0 %
8.2500000000	-	1	0.0 %
9.1300001144	-	1	0.0 %
9.4700002670	-	1	0.0 %
9.5799999237	-	1	0.0 %
10.9700002670	-	1	0.0 %
11.0399999619	-	1	0.0 %
11.1899995804	-	1	0.0 %
11.3199996948	-	1	0.0 %
12.2600002289	-	1	0.0 %
12.4600000382	-	1	0.0 %
12.6499996185	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.6700000763	-	1	0.0 %
12.8199996948	-	1	0.0 %
13.0500001907	-	1	0.0 %
13.2100000382	-	1	0.0 %
13.3199996948	-	1	0.0 %
13.3299999237	-	1	0.0 %
13.3900003433	-	1	0.0 %
13.4300003052	-	1	0.0 %
13.6499996185	-	1	0.0 %
13.7100000382	-	1	0.0 %
13.9600000382	-	1	0.0 %
13.9899997711	-	1	0.0 %
14.1899995804	-	1	0.0 %
14.2200002670	-	1	0.0 %
14.6599998474	-	1	0.0 %
14.7899999619	-	1	0.0 %
14.8400001526	-	1	0.0 %
14.8500003815	-	2	0.1 %
14.8800001145	-	1	0.0 %
14.8900003433	-	1	0.0 %
14.9300003052	-	1	0.0 %
14.9899997711	-	1	0.0 %
15.0200004578	-	1	0.0 %
15.1499996185	-	1	0.0 %
15.1999998093	-	1	0.0 %
15.4200000763	-	1	0.0 %
15.4300003052	-	1	0.0 %
	Missing Data		
-3.0000000000	not applicable	680	22.6 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,325 valid cases out of 3,005 total cases.

- Mean: 74.2201032416
- Minimum: 0.5000000000
- Maximum: 3885.8300781250
- Standard Deviation: 153.1511375742

Location: 929-943 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -8.0000000000 , -6.0000000000 , -5.0000000000 , -4.0000000000 , -3.0000000000 , -2.0000000000 , -1.0000000000

TESTOSTERONE_FLAG_1: testosterone: result 1 flag

Testosterone: result 1 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2319	77.2 %
1	too low to obtain value	0	0.0 %
2	upper bound	2	0.1 %
3	lower bound	4	0.1 %
4	insufficient sample	283	9.4 %
5	problem with sample	1	0.0 %
	Missing Data		
-3	not applicable	396	13.2 %
	Total	3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 944-945 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

TESTOSTERONE_2: testosterone: result 2 (pg/mL)

Testosterone: result 2 (pg/mL)

Skip if: TESTOSTERONE_FLAG_2 equals "insufficient sample", "problem with sample", or "not applicable"

Note: 1. warning: certain values may represent upper or lower bounds only (see testosterone_flag_2 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)

2. the lower limit of sensitivity for this assay was 1 pg/ml; values below .5 pg/ml were originally reported as 'nd' but have been replaced by .5 pg/ml as an upper bound; values exceeding 3000 pg/ml are likely to indicate interference
3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see testosterone_flag_2 for details)

Value	Label	Unweighted Frequency	%
0.5000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.9800000191	-	1	0.0 %
3.4800000191	-	1	0.0 %
3.5099999905	-	1	0.0 %
4.7899999619	-	2	0.1 %
5.3000001907	-	1	0.0 %
5.5399999619	-	1	0.0 %
5.6300001144	-	1	0.0 %
6.5599999428	-	1	0.0 %
6.7300000191	-	1	0.0 %
7.7300000191	-	1	0.0 %
8.3999996185	-	1	0.0 %
9.0799999237	-	1	0.0 %
9.3199996948	-	1	0.0 %
9.9499998093	-	1	0.0 %
10.5200004578	-	1	0.0 %
10.5799999237	-	1	0.0 %
10.8000001907	-	1	0.0 %
10.8900003433	-	1	0.0 %
11.4600000382	-	1	0.0 %
11.4899997711	-	1	0.0 %
11.6599998474	-	1	0.0 %
12.0100002289	-	1	0.0 %
12.2100000382	-	1	0.0 %
12.3599996567	-	1	0.0 %
12.8199996948	-	1	0.0 %
13.0500001907	-	1	0.0 %
13.1000003815	-	1	0.0 %
13.1800003052	-	1	0.0 %
13.2299995422	-	1	0.0 %
13.2600002289	-	1	0.0 %
13.2799997330	-	1	0.0 %
13.4399995804	-	1	0.0 %
13.5600004196	-	2	0.1 %
13.7100000382	-	1	0.0 %
13.7799997330	-	1	0.0 %
13.9399995804	-	2	0.1 %
14.3000001907	-	1	0.0 %
14.3299999237	-	1	0.0 %
14.6899995804	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14.9499998093	-	1	0.0 %
15.0299997330	-	1	0.0 %
15.1000003815	-	1	0.0 %
15.1199998856	-	1	0.0 %
15.1400003433	-	1	0.0 %
15.3000001907	-	1	0.0 %
15.3199996948	-	1	0.0 %
15.4600000382	-	1	0.0 %
15.4799995422	-	1	0.0 %
15.6199998856	-	1	0.0 %
	Missing Data		
-3.0000000000	not applicable	735	24.5 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,270 valid cases out of 3,005 total cases.

- Mean: 73.4420131903
- Minimum: 0.5000000000
- Maximum: 4162.5000000000
- Standard Deviation: 157.8451640949

Location: 946-960 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -8.0000000000 , -6.0000000000 , -5.0000000000 , -4.0000000000 , -3.0000000000 , -2.0000000000 , -1.0000000000

TESTOSTERONE_FLAG_2: testosterone: result 2 flag

Testosterone: result 2 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2264	75.3 %
1	too low to obtain value	0	0.0 %
2	upper bound	2	0.1 %
3	lower bound	4	0.1 %
4	insufficient sample	338	11.2 %
5	problem with sample	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3	not applicable	396	13.2 %
	Total	3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 961-962 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

COTININE_1: cotinine: result 1 (ng/mL)

Cotinine: result 1 (ng/mL)

Skip if: COTININE_FLAG_1 equals "insufficient sample", "problem with sample", or "not applicable"

Note: 1. warning: certain values may represent approximations or lower bounds only (see cotinine_flag_1 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)

2. the lower limit of sensitivity for this assay was 0.05 ng/ml; cases where the result was too low to obtain a value were originally reported as 'nd' but have been replaced by 0

3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see cotinine_flag_1 for details)

Value	Label	Unweighted Frequency	%
0.0000000000	-	482	16.0 %
0.0099999998	-	41	1.4 %
0.0199999996	-	31	1.0 %
0.0299999993	-	46	1.5 %
0.0399999991	-	35	1.2 %
0.0500000007	-	50	1.7 %
0.0599999987	-	40	1.3 %
0.0700000003	-	47	1.6 %
0.0799999982	-	36	1.2 %
0.0900000036	-	45	1.5 %
0.1000000015	-	44	1.5 %
0.1099999994	-	40	1.3 %
0.1199999973	-	40	1.3 %
0.1299999952	-	24	0.8 %
0.1400000006	-	29	1.0 %
0.1500000060	-	35	1.2 %
0.1599999964	-	17	0.6 %

Value	Label	Unweighted Frequency	%
0.1700000018	-	32	1.1 %
0.1800000072	-	19	0.6 %
0.1899999976	-	28	0.9 %
0.2000000030	-	21	0.7 %
0.2099999934	-	10	0.3 %
0.2199999988	-	21	0.7 %
0.2300000042	-	14	0.5 %
0.2399999946	-	16	0.5 %
0.2500000000	-	16	0.5 %
0.2599999905	-	15	0.5 %
0.2700000107	-	11	0.4 %
0.2800000012	-	9	0.3 %
0.2899999917	-	19	0.6 %
0.3000000119	-	7	0.2 %
0.3100000024	-	18	0.6 %
0.3199999928	-	12	0.4 %
0.3300000131	-	11	0.4 %
0.3400000036	-	8	0.3 %
0.3499999940	-	6	0.2 %
0.3600000143	-	11	0.4 %
0.3700000048	-	15	0.5 %
0.3799999952	-	11	0.4 %
0.3899999857	-	5	0.2 %
0.4000000060	-	4	0.1 %
0.4099999964	-	3	0.1 %
0.4199999869	-	12	0.4 %
0.4300000072	-	8	0.3 %
0.4399999976	-	5	0.2 %
0.4499999881	-	9	0.3 %
0.4600000083	-	11	0.4 %
0.4699999988	-	5	0.2 %
0.4799999893	-	7	0.2 %
0.4900000095	-	4	0.1 %
	Missing Data		
-3.0000000000	not applicable	745	24.8 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,260 valid cases out of 3,005 total cases.

- Mean: 71.3054510917
- Minimum: 0.0000000000
- Maximum: 2451.0700683594
- Standard Deviation: 188.3049485764

Location: 963-977 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -8.0000000000 , -6.0000000000 , -5.0000000000 , -4.0000000000 , -3.0000000000 , -2.0000000000 , -1.0000000000

COTININE_FLAG_1: cotinine: result 1 flag

Cotinine: result 1 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	1773	59.0 %
1	too low to obtain value	482	16.0 %
2	upper bound	0	0.0 %
3	lower bound	5	0.2 %
4	insufficient sample	348	11.6 %
5	problem with sample	1	0.0 %
	Missing Data		
-3	not applicable	396	13.2 %
	Total	3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 978-979 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

COTININE_2: cotinine: result 2 (ng/mL)

Cotinine: result 2 (ng/mL)

Skip if: COTININE_FLAG_2 equals "insufficient sample", "problem with sample", or "not applicable"

Note: 1. warning: certain values may represent approximations or lower bounds only (see cotinine_flag_2 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)

2. the lower limit of sensitivity for this assay was 0.05 ng/ml; cases where the result

was too low to obtain a value were originally reported as 'nd' but have been replaced by 0

3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see cotinine_flag_2 for details)

Value	Label	Unweighted Frequency	%
0.0000000000	-	409	13.6 %
0.0099999998	-	27	0.9 %
0.0199999996	-	38	1.3 %
0.0299999993	-	36	1.2 %
0.0399999991	-	46	1.5 %
0.0500000007	-	33	1.1 %
0.0599999987	-	38	1.3 %
0.0700000003	-	40	1.3 %
0.0799999982	-	42	1.4 %
0.0900000036	-	46	1.5 %
0.1000000015	-	40	1.3 %
0.1099999994	-	43	1.4 %
0.1199999973	-	33	1.1 %
0.1299999952	-	50	1.7 %
0.1400000006	-	39	1.3 %
0.1500000060	-	26	0.9 %
0.1599999964	-	39	1.3 %
0.1700000018	-	18	0.6 %
0.1800000072	-	24	0.8 %
0.1899999976	-	23	0.8 %
0.2000000030	-	19	0.6 %
0.2099999934	-	17	0.6 %
0.2199999988	-	22	0.7 %
0.2300000042	-	21	0.7 %
0.2399999946	-	20	0.7 %
0.2500000000	-	18	0.6 %
0.2599999905	-	14	0.5 %
0.2700000107	-	11	0.4 %
0.2800000012	-	22	0.7 %
0.2899999917	-	19	0.6 %
0.3000000119	-	14	0.5 %
0.3100000024	-	18	0.6 %
0.3199999928	-	11	0.4 %
0.3300000131	-	12	0.4 %
0.3400000036	-	12	0.4 %

Value	Label	Unweighted Frequency	%
0.3499999940	-	5	0.2 %
0.3600000143	-	21	0.7 %
0.3700000048	-	16	0.5 %
0.3799999952	-	8	0.3 %
0.3899999857	-	8	0.3 %
0.4000000060	-	8	0.3 %
0.4099999964	-	3	0.1 %
0.4199999869	-	8	0.3 %
0.4300000072	-	9	0.3 %
0.4399999976	-	5	0.2 %
0.4499999881	-	6	0.2 %
0.4600000083	-	7	0.2 %
0.4699999988	-	3	0.1 %
0.4799999893	-	7	0.2 %
0.4900000095	-	7	0.2 %
	Missing Data		
-3.0000000000	not applicable	748	24.9 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,257 valid cases out of 3,005 total cases.

- Mean: 74.0343331439
- Minimum: 0.0000000000
- Maximum: 2382.0400390625
- Standard Deviation: 195.8627324960

Location: 980-994 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -8.0000000000 , -6.0000000000 , -5.0000000000 , -4.0000000000 , -3.0000000000 , -2.0000000000 , -1.0000000000

COTININE_FLAG_2: cotinine: result 2 flag

Cotinine: result 2 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	1843	61.3 %
1	too low to obtain value	409	13.6 %

Value	Label	Unweighted Frequency	%
2	upper bound	0	0.0 %
3	lower bound	5	0.2 %
4	insufficient sample	351	11.7 %
5	problem with sample	1	0.0 %
	Missing Data		
-3	not applicable	396	13.2 %
	Total	3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 995-996 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

DHEA_1: dhea: result 1 (pg/mL)

Dhea: result 1 (pg/mL)

Skip if: DHEA_FLAG_1 equals "insufficient sample", "problem with sample", or "not applicable"

Note: 1. warning: certain values may represent upper or lower bounds only (see dhea_flag_1 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)

2. the lower limit of sensitivity for this assay was 5 pg/ml; values below 2 pg/ml were originally reported as 'nd' but have been replaced by 2 pg/ml as an upper bound; values exceeding 5000 pg/ml are likely to indicate interference
3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see dhea_flag_1 for details)

Value	Label	Unweighted Frequency	%
2.0000000000	-	46	1.5 %
2.0399999619	-	1	0.0 %
2.0599999428	-	1	0.0 %
2.2000000477	-	1	0.0 %
2.2899999619	-	2	0.1 %
2.4600000381	-	1	0.0 %
2.4800000191	-	1	0.0 %
2.5099999905	-	1	0.0 %
2.5199999809	-	1	0.0 %
2.5799999237	-	1	0.0 %
2.7300000191	-	1	0.0 %
2.7500000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.7799999714	-	1	0.0 %
2.9200000763	-	1	0.0 %
2.9300000668	-	2	0.1 %
2.9400000572	-	1	0.0 %
2.9500000477	-	1	0.0 %
3.0399999619	-	1	0.0 %
3.0599999428	-	1	0.0 %
3.0799999237	-	1	0.0 %
3.1199998856	-	1	0.0 %
3.1600000858	-	1	0.0 %
3.2300000191	-	1	0.0 %
3.2400000095	-	1	0.0 %
3.3199999332	-	1	0.0 %
3.3800001144	-	1	0.0 %
3.3900001049	-	2	0.1 %
3.4700000286	-	1	0.0 %
3.4900000095	-	1	0.0 %
3.5099999905	-	1	0.0 %
3.5199999809	-	1	0.0 %
3.5299999714	-	1	0.0 %
3.5899999142	-	1	0.0 %
3.6600000858	-	1	0.0 %
3.7000000477	-	1	0.0 %
3.8099999428	-	1	0.0 %
3.8199999332	-	2	0.1 %
3.8399999142	-	1	0.0 %
4.0300002098	-	1	0.0 %
4.1199998856	-	1	0.0 %
4.1599998474	-	1	0.0 %
4.1900000572	-	2	0.1 %
4.1999998093	-	1	0.0 %
4.2199997902	-	2	0.1 %
4.2300000191	-	1	0.0 %
4.2899999619	-	1	0.0 %
4.3600001335	-	1	0.0 %
4.3699998856	-	1	0.0 %
4.4000000954	-	1	0.0 %
4.4299998283	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3.0000000000	not applicable	607	20.2 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,398 valid cases out of 3,005 total cases.

- Mean: 52.7528607023
- Minimum: 2.0000000000
- Maximum: 5000.0000000000
- Standard Deviation: 122.5873352945

Location: 997-1011 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -8.0000000000 , -6.0000000000 , -5.0000000000 , -4.0000000000 , -3.0000000000 , -2.0000000000 , -1.0000000000

DHEA_FLAG_1: dhea: result 1 flag

Dhea: result 1 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2351	78.2 %
1	too low to obtain value	0	0.0 %
2	upper bound	46	1.5 %
3	lower bound	1	0.0 %
4	insufficient sample	211	7.0 %
5	problem with sample	0	0.0 %
	Missing Data		
-3	not applicable	396	13.2 %
	Total	3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 1012-1013 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

DHEA_2: dhea: result 2 (pg/mL)

Dhea: result 2 (pg/mL)

Skip if: DHEA_FLAG_2 equals "insufficient sample", "problem with sample", or "not applicable"

Note: 1. warning: certain values may represent upper or lower bounds only (see dhea_flag_2 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)

2. the lower limit of sensitivity for this assay was 5 pg/ml; values below 2 pg/ml were originally reported as 'nd' but have been replaced by 2 pg/ml as an upper bound; values exceeding 5000 pg/ml are likely to indicate interference

3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see dhea_flag_2 for details)

Value	Label	Unweighted Frequency	%
2.0000000000	-	42	1.4 %
2.0899999142	-	1	0.0 %
2.1199998856	-	1	0.0 %
2.3299999237	-	1	0.0 %
2.3800001144	-	1	0.0 %
2.5099999905	-	1	0.0 %
2.5199999809	-	1	0.0 %
2.5599999428	-	1	0.0 %
2.5799999237	-	1	0.0 %
2.6400001049	-	1	0.0 %
2.6500000954	-	1	0.0 %
2.7200000286	-	1	0.0 %
2.7400000095	-	1	0.0 %
2.7500000000	-	1	0.0 %
2.7599999905	-	1	0.0 %
2.7699999809	-	1	0.0 %
2.8399999142	-	1	0.0 %
2.8499999046	-	2	0.1 %
2.9900000095	-	1	0.0 %
3.0699999332	-	1	0.0 %
3.0799999237	-	1	0.0 %
3.2200000286	-	1	0.0 %
3.2999999523	-	1	0.0 %
3.4900000095	-	1	0.0 %
3.5299999714	-	2	0.1 %
3.5499999523	-	1	0.0 %
3.6199998856	-	2	0.1 %
3.7100000382	-	1	0.0 %
3.7200000286	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.7999999523	-	1	0.0 %
3.8099999428	-	1	0.0 %
3.8399999142	-	1	0.0 %
3.8599998951	-	1	0.0 %
3.8800001144	-	1	0.0 %
3.9500000477	-	1	0.0 %
4.0199999809	-	1	0.0 %
4.1100001335	-	1	0.0 %
4.1300001144	-	1	0.0 %
4.1700000763	-	1	0.0 %
4.2300000191	-	1	0.0 %
4.2800002098	-	2	0.1 %
4.3200001717	-	1	0.0 %
4.3499999046	-	1	0.0 %
4.4200000763	-	1	0.0 %
4.4800000191	-	1	0.0 %
4.5799999237	-	1	0.0 %
4.7100000382	-	1	0.0 %
4.7899999619	-	1	0.0 %
4.9200000763	-	1	0.0 %
4.9299998283	-	1	0.0 %
	Missing Data		
-3.0000000000	not applicable	650	21.6 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,355 valid cases out of 3,005 total cases.

- Mean: 54.2621825925
- Minimum: 2.0000000000
- Maximum: 5000.0000000000
- Standard Deviation: 124.4343949337

Location: 1014-1028 (width: 15; decimal: 10)

Variable Type: numeric

(Range of) Missing Values: -8.0000000000 , -6.0000000000 , -5.0000000000 , -4.0000000000 , -3.0000000000 , -2.0000000000 , -1.0000000000

DHEA_FLAG_2: dhea: result 2 flag

Dhea: result 2 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2312	76.9 %
1	too low to obtain value	0	0.0 %
2	upper bound	42	1.4 %
3	lower bound	1	0.0 %
4	insufficient sample	254	8.5 %
5	problem with sample	0	0.0 %
Missing Data			
-3	not applicable	396	13.2 %
Total		3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 1029-1030 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

ESTRADIOL_1: estradiol: result 1 (pg/mL)

Estradiol: result 1 (pg/mL)

Skip if: ESTRADIOL_FLAG_1 equals "insufficient sample", "problem with sample", or "not applicable"

- Note: 1. warning: certain values may represent upper or lower bounds only (see estradiol_flag_1 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)
2. the lower limit of sensitivity for this assay was 1 pg/ml; values below .5 pg/ml were originally reported as 'nd' but have been replaced by .5 pg/ml as an upper bound; values exceeding 320 pg/ml are likely to indicate interference
3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see estradiol_flag_1 for details)

Value	Label	Unweighted Frequency	%
0.500000000000	-	142	4.7 %
0.50999999046	-	2	0.1 %
0.51999998093	-	1	0.0 %
0.52999997139	-	1	0.0 %
0.54000002146	-	1	0.0 %
0.56000000238	-	2	0.1 %
0.57999998331	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.61000001431	-	1	0.0 %
0.62999999523	-	1	0.0 %
0.63999998570	-	1	0.0 %
0.64999997616	-	1	0.0 %
0.66000002623	-	1	0.0 %
0.68000000715	-	1	0.0 %
0.68999999762	-	2	0.1 %
0.69999998808	-	1	0.0 %
0.72000002861	-	2	0.1 %
0.79000002146	-	1	0.0 %
0.80000001192	-	1	0.0 %
0.81000000238	-	1	0.0 %
0.82999998331	-	2	0.1 %
0.86000001431	-	1	0.0 %
0.92000001669	-	1	0.0 %
0.94999998808	-	1	0.0 %
0.97000002861	-	2	0.1 %
0.98000001907	-	2	0.1 %
1.00000000000	-	1	0.0 %
1.00999999046	-	1	0.0 %
1.02999997139	-	2	0.1 %
1.07000005245	-	1	0.0 %
1.10000002384	-	1	0.0 %
1.11000001431	-	5	0.2 %
1.14999997616	-	1	0.0 %
1.15999996662	-	2	0.1 %
1.20000004768	-	1	0.0 %
1.21000003815	-	1	0.0 %
1.22000002861	-	1	0.0 %
1.24000000954	-	1	0.0 %
1.25000000000	-	2	0.1 %
1.25999999046	-	1	0.0 %
1.26999998093	-	2	0.1 %
1.28999996185	-	1	0.0 %
1.29999995232	-	1	0.0 %
1.30999994278	-	1	0.0 %
1.33000004292	-	3	0.1 %
1.34000003338	-	1	0.0 %
1.35000002384	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.38999998570	-	3	0.1 %
1.40999996662	-	2	0.1 %
1.42999994755	-	1	0.0 %
1.46000003815	-	3	0.1 %
	Missing Data		
-3.00000000000	not applicable	486	16.2 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,519 valid cases out of 3,005 total cases.

- Mean: 9.98994044597
- Minimum: 0.50000000000
- Maximum: 320.00000000000
- Standard Deviation: 17.31045394225

Location: 1031-1045 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -8.00000000000 , -6.00000000000 , -5.00000000000 , -4.00000000000 , -3.00000000000 , -2.00000000000 , -1.00000000000

ESTRADIOL_FLAG_1: estradiol: result 1 flag

Estradiol: result 1 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2365	78.7 %
1	too low to obtain value	0	0.0 %
2	upper bound	142	4.7 %
3	lower bound	12	0.4 %
4	insufficient sample	89	3.0 %
5	problem with sample	1	0.0 %
	Missing Data		
-3	not applicable	396	13.2 %
	Total	3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1046-1047 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

ESTRADIOL_2: estradiol: result 2 (pg/mL)

Estradiol: result 2 (pg/mL)

Skip if: ESTRADIOL_FLAG_2 equals "insufficient sample", "problem with sample", or "not applicable"

Note: 1. warning: certain values may represent upper or lower bounds only (see estradiol_flag_2 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)

2. the lower limit of sensitivity for this assay was 1 pg/ml; values below .5 pg/ml were originally reported as 'nd' but have been replaced by .5 pg/ml as an upper bound; values exceeding 320 pg/ml are likely to indicate interference

3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see estradiol_flag_2 for details)

Value	Label	Unweighted Frequency	%
0.50000000000	-	128	4.3 %
0.50999999046	-	4	0.1 %
0.51999998093	-	1	0.0 %
0.52999997139	-	1	0.0 %
0.55000001192	-	1	0.0 %
0.56000000238	-	1	0.0 %
0.56999999285	-	2	0.1 %
0.58999997377	-	1	0.0 %
0.60000002384	-	1	0.0 %
0.62000000477	-	1	0.0 %
0.62999999523	-	1	0.0 %
0.68999999762	-	1	0.0 %
0.73000001907	-	1	0.0 %
0.74000000954	-	1	0.0 %
0.75000000000	-	1	0.0 %
0.75999999046	-	1	0.0 %
0.77999997139	-	1	0.0 %
0.79000002146	-	1	0.0 %
0.81000000238	-	1	0.0 %
0.81999999285	-	1	0.0 %
0.82999998331	-	1	0.0 %
0.85000002384	-	2	0.1 %
0.87000000477	-	2	0.1 %
0.87999999523	-	2	0.1 %
0.88999998570	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.91000002623	-	2	0.1 %
0.92000001669	-	1	0.0 %
0.93999999762	-	1	0.0 %
0.98000001907	-	2	0.1 %
1.00999999046	-	1	0.0 %
1.02999997139	-	2	0.1 %
1.03999996185	-	2	0.1 %
1.09000003338	-	1	0.0 %
1.10000002384	-	1	0.0 %
1.11000001431	-	1	0.0 %
1.13999998570	-	1	0.0 %
1.14999997616	-	1	0.0 %
1.15999996662	-	3	0.1 %
1.16999995709	-	1	0.0 %
1.17999994755	-	2	0.1 %
1.20000004768	-	2	0.1 %
1.21000003815	-	1	0.0 %
1.22000002861	-	2	0.1 %
1.25000000000	-	1	0.0 %
1.25999999046	-	2	0.1 %
1.27999997139	-	1	0.0 %
1.28999996185	-	3	0.1 %
1.30999994278	-	1	0.0 %
1.32000005245	-	1	0.0 %
1.33000004292	-	1	0.0 %
	Missing Data		
-3.00000000000	not applicable	503	16.7 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,502 valid cases out of 3,005 total cases.

- Mean: 10.24195443622
- Minimum: 0.50000000000
- Maximum: 320.00000000000
- Standard Deviation: 17.36694537810

Location: 1048-1062 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -8.00000000000 , -6.00000000000 , -5.00000000000 , -4.00000000000 , -3.00000000000 , -2.00000000000 , -1.00000000000

ESTRADIOL_FLAG_2: estradiol: result 2 flag

Estradiol: result 2 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2362	78.6 %
1	too low to obtain value	0	0.0 %
2	upper bound	128	4.3 %
3	lower bound	12	0.4 %
4	insufficient sample	106	3.5 %
5	problem with sample	1	0.0 %
Missing Data			
-3	not applicable	396	13.2 %
Total		3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1063-1064 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

PROGESTERONE_1: progesterone: result 1 (pg/mL)

Progesterone: result 1 (pg/mL)

Skip if: PROGESTERONE_FLAG_1 equals "insufficient sample", "problem with sample", or "not applicable"

- Note: 1. warning: certain values may represent upper or lower bounds only (see progesterone_flag_1 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)
2. the lower limit of sensitivity for this assay was 5 pg/ml; values below 2 pg/ml were originally reported as 'nd' but have been replaced by 2 pg/ml as an upper bound; values exceeding 12150 pg/ml are likely to indicate interference
 3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see progesterone_flag_1 for details)

Value	Label	Unweighted Frequency	%
2.000000000	-	43	1.4 %
2.079999924	-	1	0.0 %
2.150000095	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.170000076	-	1	0.0 %
2.319999933	-	1	0.0 %
2.359999895	-	1	0.0 %
2.410000086	-	1	0.0 %
2.480000019	-	1	0.0 %
2.509999990	-	1	0.0 %
2.529999971	-	1	0.0 %
2.640000105	-	1	0.0 %
2.690000057	-	1	0.0 %
2.700000048	-	2	0.1 %
2.720000029	-	2	0.1 %
2.730000019	-	1	0.0 %
2.789999962	-	2	0.1 %
2.960000038	-	1	0.0 %
3.049999952	-	1	0.0 %
3.069999933	-	1	0.0 %
3.079999924	-	1	0.0 %
3.109999895	-	2	0.1 %
3.170000076	-	3	0.1 %
3.190000057	-	1	0.0 %
3.230000019	-	1	0.0 %
3.259999990	-	2	0.1 %
3.289999962	-	1	0.0 %
3.339999914	-	1	0.0 %
3.430000067	-	1	0.0 %
3.519999981	-	2	0.1 %
3.529999971	-	2	0.1 %
3.569999933	-	2	0.1 %
3.640000105	-	1	0.0 %
3.769999981	-	1	0.0 %
3.809999943	-	1	0.0 %
3.859999895	-	1	0.0 %
3.869999886	-	1	0.0 %
3.910000086	-	1	0.0 %
3.970000029	-	1	0.0 %
3.980000019	-	1	0.0 %
4.000000000	-	1	0.0 %
4.019999981	-	3	0.1 %
4.050000191	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.079999924	-	1	0.0 %
4.090000153	-	1	0.0 %
4.190000057	-	1	0.0 %
4.219999790	-	1	0.0 %
4.239999771	-	1	0.0 %
4.289999962	-	2	0.1 %
4.400000095	-	1	0.0 %
4.409999847	-	1	0.0 %
	Missing Data		
-3.000000000	not applicable	532	17.7 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,473 valid cases out of 3,005 total cases.

- Mean: 51.600173834
- Minimum: 2.000000000
- Maximum: 12150.000000000
- Standard Deviation: 354.318567720

Location: 1065-1079 (width: 15; decimal: 9)

Variable Type: numeric

(Range of) Missing Values: -8.000000000 , -6.000000000 , -5.000000000 , -4.000000000 , -3.000000000 , -2.000000000 , -1.000000000

PROGESTERONE_FLAG_1: progesterone: result 1 flag

Progesterone: result 1 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2428	80.8 %
1	too low to obtain value	0	0.0 %
2	upper bound	43	1.4 %
3	lower bound	2	0.1 %
4	insufficient sample	135	4.5 %
5	problem with sample	1	0.0 %
	Missing Data		
-3	not applicable	396	13.2 %
	Total	3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1080-1081 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

PROGESTERONE_2: progesterone: result 2 (pg/mL)

Progesterone: result 2 (pg/mL)

Skip if: PROGESTERONE_FLAG_2 equals "insufficient sample", "problem with sample", or "not applicable"

- Note: 1. warning: certain values may represent upper or lower bounds only (see progesterone_flag_2 for details); 20 samples not continuously frozen according to protocol (see saliva_sample for details)
2. the lower limit of sensitivity for this assay was 5 pg/ml; values below 2 pg/ml were originally reported as 'nd' but have been replaced by 2 pg/ml as an upper bound; values exceeding 12150 pg/ml are likely to indicate interference
3. cases where there was insufficient sample or a technical problem with the sample or the assay are coded as 'not applicable' (see progesterone_flag_2 for details)

Value	Label	Unweighted Frequency	%
2.000000000	-	38	1.3 %
2.019999981	-	1	0.0 %
2.160000086	-	1	0.0 %
2.210000038	-	2	0.1 %
2.230000019	-	2	0.1 %
2.359999895	-	1	0.0 %
2.400000095	-	1	0.0 %
2.410000086	-	1	0.0 %
2.450000048	-	1	0.0 %
2.480000019	-	1	0.0 %
2.539999962	-	1	0.0 %
2.599999905	-	1	0.0 %
2.609999895	-	1	0.0 %
2.630000114	-	1	0.0 %
2.660000086	-	1	0.0 %
2.680000067	-	1	0.0 %
2.720000029	-	1	0.0 %
2.750000000	-	1	0.0 %
2.789999962	-	1	0.0 %
2.890000105	-	1	0.0 %
2.920000076	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.940000057	-	1	0.0 %
2.960000038	-	1	0.0 %
3.289999962	-	1	0.0 %
3.309999943	-	1	0.0 %
3.329999924	-	1	0.0 %
3.430000067	-	1	0.0 %
3.470000029	-	1	0.0 %
3.500000000	-	1	0.0 %
3.509999990	-	1	0.0 %
3.519999981	-	2	0.1 %
3.569999933	-	1	0.0 %
3.599999905	-	1	0.0 %
3.630000114	-	1	0.0 %
3.640000105	-	2	0.1 %
3.700000048	-	1	0.0 %
3.759999990	-	1	0.0 %
3.819999933	-	1	0.0 %
3.890000105	-	1	0.0 %
4.019999981	-	1	0.0 %
4.070000172	-	1	0.0 %
4.090000153	-	1	0.0 %
4.110000134	-	1	0.0 %
4.150000095	-	1	0.0 %
4.190000057	-	1	0.0 %
4.280000210	-	1	0.0 %
4.289999962	-	1	0.0 %
4.300000191	-	1	0.0 %
4.320000172	-	1	0.0 %
4.409999847	-	1	0.0 %
	Missing Data		
-3.000000000	not applicable	586	19.5 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,419 valid cases out of 3,005 total cases.

- Mean: 51.924336564
- Minimum: 2.000000000
- Maximum: 12150.000000000
- Standard Deviation: 357.898619214

Location: 1082-1096 (width: 15; decimal: 9)

Variable Type: numeric

(Range of) Missing Values: -8.000000000 , -6.000000000 , -5.000000000 , -4.000000000 , -3.000000000 , -2.000000000 , -1.000000000

PROGESTERONE_FLAG_2: progesterone: result 2 flag

Progesterone: result 2 flag

Skip if: SALIVA_SAMPLE does not equal "transferred properly to lab", "not continuously frozen", or "not frozen within 10 hrs of collection"

Value	Label	Unweighted Frequency	%
0	actual value	2379	79.2 %
1	too low to obtain value	0	0.0 %
2	upper bound	38	1.3 %
3	lower bound	2	0.1 %
4	insufficient sample	189	6.3 %
5	problem with sample	1	0.0 %
Missing Data			
-3	not applicable	396	13.2 %
Total		3,005	100%

Based upon 2,609 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1097-1098 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

COTEPa_M: imputed smoking status (males)

Imputed smoking status (males) Note: 1. imputed smoking status based on Wells-Stewart method described in 1992 EPA report on passive smoking 2. gen c1 = cotinine_1 if cotinine_flag_1!="lower bound":cotinine_flag_1; gen c2 = cotinine_2 if cotinine_flag_2!="lower bound":cotinine_flag_2; egen cotinine = rowmean(c1 c2); sum cotinine if gender=="male":gender & smoke=="yes":yesno; loc os = round(r(mean)*0.1, 0.01); loc rs = round(r(mean)*0.3, 0.01); sum cotinine if gender=="male":gender; loc maxp1 = int(r(max) + 1); egen cotepa_m = cut(cotinine) if gender=="male":gender, at(0 15 32.68 98.05 1545) icodes; recode cotepa_m .=c

Value	Label	Unweighted Frequency	%
0	nonsmoker (<15 ng/ml)	912	30.3 %
1	passive smoker (15-32.68 ng/ml)	11	0.4 %
2	occasional smoker (32.68-98.05 ng/ml)	25	0.8 %
3	regular smoker (>=98.05 ng/ml)	233	7.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-3	not applicable	1824	60.7 %
	Total	3,005	100%

Based upon 1,181 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1099-1100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

COTEPa_F: imputed smoking status (females)

Imputed smoking status (females) Note: 1. imputed smoking status based on Wells-Stewart method described in 1992 EPA report on passive smoking 2. gen c1 = cotinine_1 if cotinine_flag_1!="lower bound":cotinine_flag_1; gen c2 = cotinine_2 if cotinine_flag_2!="lower bound":cotinine_flag_2; egen cotinine = rowmean(c1 c2); sum cotinine if gender=="female":gender & smoke=="yes":yesno; loc os = round(r(mean)*0.1, 0.01); loc rs = round(r(mean)*0.3, 0.01); sum cotinine if gender=="female":gender; loc maxp1 = int(r(max) + 1); egen cotepa_f = cut(cotinine) if gender=="female":gender, at(0 15 34.39 103.18 2417) icodes; recode cotepa_f .=c

Value	Label	Unweighted Frequency	%
0	nonsmoker (<15 ng/ml)	897	29.9 %
1	passive smoker (15-34.39 ng/ml)	4	0.1 %
2	occasional smoker (34.39-103.18 ng/ml)	15	0.5 %
3	regular smoker (>=103.18 ng/ml)	158	5.3 %
	Missing Data		
-3	not applicable	1931	64.3 %
	Total	3,005	100%

Based upon 1,074 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1101-1102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

DRUGS_INTRO: intro to medications module

I'd like to record all medications that you take on a regular schedule, like every day or every week. This will include prescription and non-prescription medications, over-the-counter medicines, vitamins, and herbal and alternative medicines. Do I have all of your medications here?

Value	Label	Unweighted Frequency	%
0	no meds reported	259	8.6 %
1	enter meds	2717	90.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	28	0.9 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1103-1104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -1

DRUGS_COUNT: total no. of medications recorded

Total no. of medications recorded Note: in cases where the medication log was only partially completed, this count should be interpreted as a lower bound (see drugs_count_flag for details)

Value	Label	Unweighted Frequency	%
0	-	259	8.6 %
1	-	289	9.6 %
2	-	292	9.7 %
3	-	317	10.5 %
4	-	319	10.6 %
5	-	315	10.5 %
6	-	246	8.2 %
7	-	226	7.5 %
8	-	184	6.1 %
9	-	134	4.5 %
10	-	107	3.6 %
11	-	80	2.7 %
12	-	59	2.0 %
13	-	40	1.3 %
14	-	22	0.7 %
15	-	23	0.8 %
16	-	17	0.6 %
17	-	16	0.5 %
18	-	4	0.1 %
19	-	9	0.3 %
20	-	18	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Mean: 5.17
- Median: 5.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 3.94

Location: 1105-1106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

DRUGS_COUNT_FLAG: medications partial completion flag

Medications partial completion flag

Skip if: DRUGS_INTRO equals "refused" or "incomplete interview"

Note: indicates cases where the respondent refused to continue after partial completion of the medications module

Value	Label	Unweighted Frequency	%
0	complete	2965	98.7 %
1	partial	11	0.4 %
	Missing Data		
-3	not applicable	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1107-1108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

NP_COUNT: total no. of nutritional products or alternative meds

Total no. of nutritional products or alternative meds Note: 1. includes all items identified as 'nutritional products', 'alternative medicines', or the non-Multum category 'other supplements' (i.e., all items in the nshap-medications file for which nutr_alt == 'yes')
2. in cases where the medication log was only partially completed (see drugs_count_flag) or one or more drugs were not able to be identified (see unident_count), this count should be interpreted as a lower bound

Value	Label	Unweighted Frequency	%
0	-	1551	51.6 %
1	-	567	18.9 %
2	-	335	11.1 %
3	-	206	6.9 %
4	-	121	4.0 %
5	-	81	2.7 %
6	-	38	1.3 %
7	-	27	0.9 %
8	-	13	0.4 %
9	-	15	0.5 %
10	-	6	0.2 %
11	-	5	0.2 %
12	-	3	0.1 %
13	-	1	0.0 %
14	-	3	0.1 %
16	-	1	0.0 %
17	-	1	0.0 %
19	-	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Mean: 1.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 19.00
- Standard Deviation: 1.97

Location: 1109-1110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

UNIDENT_COUNT: total no. of unidentified medications

Total no. of unidentified medications

Skip if: DRUGS_INTRO equals "refused" or "incomplete interview"

Note: includes all items that were not able to be matched to a Multum drug name or Multum extended drug name (see drug_coded in nshap-medications data file)

Value	Label	Unweighted Frequency	%
0	-	2830	94.2 %
1	-	130	4.3 %
2	-	13	0.4 %
3	-	3	0.1 %
	Missing Data		
-3	not applicable	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.26

Location: 1111-1112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

ANTIINFECTIVES: meds: anti-infectives

Meds: anti-infectives

Value	Label	Unweighted Frequency	%
0	not reported	2822	93.9 %
1	reported	154	5.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1113-1114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

AMEBICIDES: meds: amebicides

Meds: amebicides

Value	Label	Unweighted Frequency	%
0	not reported	2970	98.8 %

Value	Label	Unweighted Frequency	%
1	reported	6	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1115-1116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIFUNGALS: meds: antifungals

Meds: antifungals

Value	Label	Unweighted Frequency	%
0	not reported	2965	98.7 %
1	reported	11	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1117-1118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIMALARIALAGEN: meds: antimalarial agents

Meds: antimalarial agents

Value	Label	Unweighted Frequency	%
0	not reported	2917	97.1 %
1	reported	59	2.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1119-1120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTITUBERAGENTS: meds: antituberculosis agents

Meds: antituberculosis agents

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1121-1122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CEPHALOSPORINS: meds: cephalosporins

Meds: cephalosporins

Value	Label	Unweighted Frequency	%
0	not reported	2971	98.9 %
1	reported	5	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1123-1124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

LEPROSTATICS: meds: leprostatics

Meds: leprostatics

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1125-1126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MACROLIDEDERIVAT: meds: macrolide derivatives

Meds: macrolide derivatives

Value	Label	Unweighted Frequency	%
0	not reported	2968	98.8 %
1	reported	8	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1127-1128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTIBIOTICS: meds: miscellaneous antibiotics

Meds: miscellaneous antibiotics

Value	Label	Unweighted Frequency	%
0	not reported	2964	98.6 %
1	reported	12	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1129-1130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PENICILLINS: meds: penicillins

Meds: penicillins

Value	Label	Unweighted Frequency	%
0	not reported	2961	98.5 %
1	reported	15	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1131-1132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

QUINOLONES: meds: quinolones

Meds: quinolones

Value	Label	Unweighted Frequency	%
0	not reported	2954	98.3 %
1	reported	22	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1133-1134 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

SULFONAMIDES: meds: sulfonamides

Meds: sulfonamides

Value	Label	Unweighted Frequency	%
0	not reported	2960	98.5 %
1	reported	16	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1135-1136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

TETRACYCLINES: meds: tetracyclines

Meds: tetracyclines

Value	Label	Unweighted Frequency	%
0	not reported	2957	98.4 %
1	reported	19	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1137-1138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

URINARYANTIINFEC: meds: urinary anti-infectives

Meds: urinary anti-infectives

Value	Label	Unweighted Frequency	%
0	not reported	2964	98.6 %
1	reported	12	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1139-1140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIHYPLIPAGENTS: meds: antihyperlipidemic agents

Meds: antihyperlipidemic agents

Value	Label	Unweighted Frequency	%
0	not reported	1900	63.2 %
1	reported	1076	35.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1141-1142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTINEOPLASTICS: meds: antineoplastics

Meds: antineoplastics

Value	Label	Unweighted Frequency	%
0	not reported	2898	96.4 %
1	reported	78	2.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1143-1144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ALKYLATINGAGENTS: meds: alkylating agents

Meds: alkylating agents

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1145-1146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIMETABOLITES: meds: antimetabolites

Meds: antimetabolites

Value	Label	Unweighted Frequency	%
0	not reported	2955	98.3 %
1	reported	21	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1147-1148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

HORMONESANTINEOP: meds: hormones/antineoplastics

Meds: hormones/antineoplastics

Value	Label	Unweighted Frequency	%
0	not reported	2921	97.2 %
1	reported	55	1.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1149-1150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTINEOPLAST: meds: miscellaneous antineoplastics

Meds: miscellaneous antineoplastics

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1151-1152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

BIOLOGICALS: meds: biologicals

Meds: biologicals

Value	Label	Unweighted Frequency	%
0	not reported	2973	98.9 %
1	reported	3	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1153-1154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

RECOMBINANTHUMAN: meds: recombinant human erythropoietins

Meds: recombinant human erythropoietins

Value	Label	Unweighted Frequency	%
0	not reported	2973	98.9 %
1	reported	3	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1155-1156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CARDIOVASCULARAG: meds: cardiovascular agents

Meds: cardiovascular agents

Value	Label	Unweighted Frequency	%
0	not reported	1123	37.4 %
1	reported	1853	61.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1157-1158 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

ANGIOTENSINCONVE: meds: angiotensin converting enzyme inhibitors

Meds: angiotensin converting enzyme inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2235	74.4 %
1	reported	741	24.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1159-1160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANTIADRENERGPERI: meds: antiadrenergic agents, peripherally acting

Meds: antiadrenergic agents, peripherally acting

Value	Label	Unweighted Frequency	%
0	not reported	2808	93.4 %
1	reported	168	5.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1161-1162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANTIADRENERGCENT: meds: antiadrenergic agents, centrally acting

Meds: antiadrenergic agents, centrally acting

Value	Label	Unweighted Frequency	%
0	not reported	2921	97.2 %
1	reported	55	1.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1163-1164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIANGINALAGENT: meds: antianginal agents

Meds: antianginal agents

Value	Label	Unweighted Frequency	%
0	not reported	2893	96.3 %
1	reported	83	2.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1165-1166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIARRHYTHMICAG: meds: antiarrhythmic agents

Meds: antiarrhythmic agents

Value	Label	Unweighted Frequency	%
0	not reported	2932	97.6 %
1	reported	44	1.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

BETAADRENERGICBL: meds: beta-adrenergic blocking agents

Meds: beta-adrenergic blocking agents

Value	Label	Unweighted Frequency	%
0	not reported	2209	73.5 %
1	reported	767	25.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1169-1170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CALCIUMCHANNELBL: meds: calcium channel blocking agents

Meds: calcium channel blocking agents

Value	Label	Unweighted Frequency	%
0	not reported	2422	80.6 %
1	reported	554	18.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1171-1172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

DIURETICS: meds: diuretics

Meds: diuretics

Value	Label	Unweighted Frequency	%
0	not reported	2159	71.8 %
1	reported	817	27.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1173-1174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

INOTROPICAGENTS: meds: inotropic agents

Meds: inotropic agents

Value	Label	Unweighted Frequency	%
0	not reported	2887	96.1 %
1	reported	89	3.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1175-1176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCCARDIOVASCUL: meds: miscellaneous cardiovascular agents

Meds: miscellaneous cardiovascular agents

Value	Label	Unweighted Frequency	%
0	not reported	2955	98.3 %
1	reported	21	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1177-1178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PERIPHERALVASODI: meds: peripheral vasodilators

Meds: peripheral vasodilators

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1179-1180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

VASODILATORS: meds: vasodilators

Meds: vasodilators

Value	Label	Unweighted Frequency	%
0	not reported	2901	96.5 %
1	reported	75	2.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1181-1182 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

VASOPRESSORS: meds: vasopressors

Meds: vasopressors

Value	Label	Unweighted Frequency	%
0	not reported	2968	98.8 %
1	reported	8	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1183-1184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANTIHYPERTENSIVE: meds: antihypertensive combinations

Meds: antihypertensive combinations

Value	Label	Unweighted Frequency	%
0	not reported	2649	88.2 %
1	reported	327	10.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1185-1186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANGIOTENSINIINH: meds: angiotensin II inhibitors

Meds: angiotensin II inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2592	86.3 %
1	reported	384	12.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1187-1188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CENTRALNERVOUSSY: meds: central nervous system agents

Meds: central nervous system agents

Value	Label	Unweighted Frequency	%
0	not reported	1558	51.8 %
1	reported	1418	47.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1189-1190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANALGESICS: meds: analgesics

Meds: analgesics

Value	Label	Unweighted Frequency	%
0	not reported	1702	56.6 %
1	reported	1274	42.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1191-1192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANALGESICS: meds: miscellaneous analgesics

Meds: miscellaneous analgesics

Value	Label	Unweighted Frequency	%
0	not reported	2693	89.6 %
1	reported	283	9.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1193-1194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NARCANALGS: meds: narcotic analgesics

Meds: narcotic analgesics

Value	Label	Unweighted Frequency	%
0	not reported	2820	93.8 %
1	reported	156	5.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1195-1196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NONSTEROIDALANTI: meds: nonsteroidal anti-inflammatory agents

Meds: nonsteroidal anti-inflammatory agents

Value	Label	Unweighted Frequency	%
0	not reported	2666	88.7 %
1	reported	310	10.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1197-1198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SALICYLATES: meds: salicylates

Meds: salicylates

Value	Label	Unweighted Frequency	%
0	not reported	2138	71.1 %
1	reported	838	27.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1199-1200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANALGESICCOMBINA: meds: analgesic combinations

Meds: analgesic combinations

Value	Label	Unweighted Frequency	%
0	not reported	2951	98.2 %
1	reported	25	0.8 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1201-1202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTICONVULSANTS: meds: anticonvulsants

Meds: anticonvulsants

Value	Label	Unweighted Frequency	%
0	not reported	2791	92.9 %
1	reported	185	6.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1203-1204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIEMETICANTIVE: meds: antiemetic/antivertigo agents

Meds: antiemetic/antivertigo agents

Value	Label	Unweighted Frequency	%
0	not reported	2888	96.1 %
1	reported	88	2.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1205-1206 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

ANTIPARKINSONAGE: meds: antiparkinson agents

Meds: antiparkinson agents

Value	Label	Unweighted Frequency	%
0	not reported	2931	97.5 %
1	reported	45	1.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1207-1208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANXIOLYTICSEDAT: meds: anxiolytics, sedatives, and hypnotics

Meds: anxiolytics, sedatives, and hypnotics

Value	Label	Unweighted Frequency	%
0	not reported	2724	90.6 %
1	reported	252	8.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1209-1210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

BARBITURATES: meds: barbiturates

Meds: barbiturates

Value	Label	Unweighted Frequency	%
0	not reported	2958	98.4 %
1	reported	18	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1211-1212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

BENZODIAZEPINES: meds: benzodiazepines

Meds: benzodiazepines

Value	Label	Unweighted Frequency	%
0	not reported	2804	93.3 %
1	reported	172	5.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1213-1214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANXIOLYTICSS: meds: miscellaneous anxiolytics, sedatives and hypnotics

Meds: miscellaneous anxiolytics, sedatives and hypnotics

Value	Label	Unweighted Frequency	%
0	not reported	2890	96.2 %
1	reported	86	2.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1215-1216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CNSSTIMULANTS: meds: CNS stimulants

Meds: CNS stimulants

Value	Label	Unweighted Frequency	%
0	not reported	2954	98.3 %
1	reported	22	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1217-1218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MUSCLERELAXANTS: meds: muscle relaxants

Meds: muscle relaxants

Value	Label	Unweighted Frequency	%
0	not reported	2923	97.3 %
1	reported	53	1.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1219-1220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTIDEPRESSA: meds: miscellaneous antidepressants

Meds: miscellaneous antidepressants

Value	Label	Unweighted Frequency	%
0	not reported	2942	97.9 %
1	reported	34	1.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1221-1222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTIPSYCHOTI: meds: miscellaneous antipsychotic agents

Meds: miscellaneous antipsychotic agents

Value	Label	Unweighted Frequency	%
0	not reported	2944	98.0 %
1	reported	32	1.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1223-1224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PSYCHOTHERCOMBIN: meds: psychotherapeutic combinations

Meds: psychotherapeutic combinations

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1225-1226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCCENTRALNERVO: meds: miscellaneous central nervous system agents

Meds: miscellaneous central nervous system agents

Value	Label	Unweighted Frequency	%
0	not reported	2966	98.7 %
1	reported	10	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1227-1228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

COAGULATIONMODIF: meds: coagulation modifiers

Meds: coagulation modifiers

Value	Label	Unweighted Frequency	%
0	not reported	1955	65.1 %
1	reported	1021	34.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1229-1230 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

ANTICOAGULANTS: meds: anticoagulants

Meds: anticoagulants

Value	Label	Unweighted Frequency	%
0	not reported	2836	94.4 %
1	reported	140	4.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1231-1232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANTIPLATELETAGEN: meds: antiplatelet agents

Meds: antiplatelet agents

Value	Label	Unweighted Frequency	%
0	not reported	2066	68.8 %
1	reported	910	30.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1233-1234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

MISCCOAGULATIONM: meds: miscellaneous coagulation modifiers

Meds: miscellaneous coagulation modifiers

Value	Label	Unweighted Frequency	%
0	not reported	2963	98.6 %
1	reported	13	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1235-1236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

GASTROINTESTINAL: meds: gastrointestinal agents

Meds: gastrointestinal agents

Value	Label	Unweighted Frequency	%
0	not reported	2019	67.2 %
1	reported	957	31.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1237-1238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTACIDS: meds: antacids

Meds: antacids

Value	Label	Unweighted Frequency	%
0	not reported	2547	84.8 %
1	reported	429	14.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1239-1240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTICHOLSANTISPA: meds: anticholinergics/antispasmodics

Meds: anticholinergics/antispasmodics

Value	Label	Unweighted Frequency	%
0	not reported	2934	97.6 %
1	reported	42	1.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1241-1242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIDIARRHEALS: meds: antidiarrheals

Meds: antidiarrheals

Value	Label	Unweighted Frequency	%
0	not reported	2943	97.9 %
1	reported	33	1.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1243-1244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

DIGESTIVEENZYMES: meds: digestive enzymes

Meds: digestive enzymes

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1245-1246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

GALLSTONESOLUBIL: meds: gallstone solubilizing agents

Meds: gallstone solubilizing agents

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1247-1248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

GISTIMULANTS: meds: GI stimulants

Meds: GI stimulants

Value	Label	Unweighted Frequency	%
0	not reported	2959	98.5 %
1	reported	17	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1249-1250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

H2ANTAGONISTS: meds: H2 antagonists

Meds: H2 antagonists

Value	Label	Unweighted Frequency	%
0	not reported	2843	94.6 %
1	reported	133	4.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1251-1252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

LAXATIVES: meds: laxatives

Meds: laxatives

Value	Label	Unweighted Frequency	%
0	not reported	2883	95.9 %
1	reported	93	3.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1253-1254 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

MISCGIAGENTS: meds: miscellaneous GI agents

Meds: miscellaneous GI agents

Value	Label	Unweighted Frequency	%
0	not reported	2957	98.4 %
1	reported	19	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1255-1256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

HORMONES: meds: hormones

Meds: hormones

Value	Label	Unweighted Frequency	%
0	not reported	1810	60.2 %
1	reported	1166	38.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1257-1258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ADRENALCORTICALS: meds: adrenal cortical steroids

Meds: adrenal cortical steroids

Value	Label	Unweighted Frequency	%
0	not reported	2886	96.0 %
1	reported	90	3.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1259-1260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIDIABETICAGEN: meds: antidiabetic agents

Meds: antidiabetic agents

Value	Label	Unweighted Frequency	%
0	not reported	2453	81.6 %
1	reported	523	17.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1261-1262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCHORMONES: meds: miscellaneous hormones

Meds: miscellaneous hormones

Value	Label	Unweighted Frequency	%
0	not reported	2917	97.1 %
1	reported	59	2.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1263-1264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SEXHORMONES: meds: sex hormones

Meds: sex hormones

Value	Label	Unweighted Frequency	%
0	not reported	2777	92.4 %
1	reported	199	6.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1265-1266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CONTRACEPTIVES: meds: contraceptives

Meds: contraceptives

Value	Label	Unweighted Frequency	%
0	not reported	2955	98.3 %
1	reported	21	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1267-1268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

THYROIDDRUGS: meds: thyroid drugs

Meds: thyroid drugs

Value	Label	Unweighted Frequency	%
0	not reported	2610	86.9 %
1	reported	366	12.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1269-1270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

IMMUNOSUPPRESSIV: meds: immunosuppressive agents

Meds: immunosuppressive agents

Value	Label	Unweighted Frequency	%
0	not reported	2960	98.5 %
1	reported	16	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1271-1272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCAGENTS: meds: miscellaneous agents

Meds: miscellaneous agents

Value	Label	Unweighted Frequency	%
0	not reported	2683	89.3 %
1	reported	293	9.8 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1273-1274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIDOTES: meds: antidotes

Meds: antidotes

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1275-1276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CHELATINGAGENTS: meds: chelating agents

Meds: chelating agents

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1277-1278 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

CHOLINERGICMUSCL: meds: cholinergic muscle stimulants

Meds: cholinergic muscle stimulants

Value	Label	Unweighted Frequency	%
0	not reported	2973	98.9 %
1	reported	3	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1279-1280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

LOCALINJECTABLEA: meds: local injectable anesthetics

Meds: local injectable anesthetics

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1281-1282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

MISCUNCATEGORIZE: meds: miscellaneous uncategorized agents

Meds: miscellaneous uncategorized agents

Value	Label	Unweighted Frequency	%
0	not reported	2940	97.8 %
1	reported	36	1.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1283-1284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

GENITOURINARYTRA: meds: genitourinary tract agents

Meds: genitourinary tract agents

Value	Label	Unweighted Frequency	%
0	not reported	2852	94.9 %
1	reported	124	4.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1285-1286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NUTRITIONALPRODS: meds: nutritional products

Meds: nutritional products

Value	Label	Unweighted Frequency	%
0	not reported	1617	53.8 %
1	reported	1359	45.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1287-1288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

IRONPRODUCTS: meds: iron products

Meds: iron products

Value	Label	Unweighted Frequency	%
0	not reported	2903	96.6 %
1	reported	73	2.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1289-1290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MINERALSANDELECT: meds: minerals and electrolytes

Meds: minerals and electrolytes

Value	Label	Unweighted Frequency	%
0	not reported	2288	76.1 %
1	reported	688	22.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1291-1292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

VITAMINS: meds: vitamins

Meds: vitamins

Value	Label	Unweighted Frequency	%
0	not reported	2383	79.3 %
1	reported	593	19.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1293-1294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

VITAMINMINERAL: meds: vitamin and mineral combinations

Meds: vitamin and mineral combinations

Value	Label	Unweighted Frequency	%
0	not reported	2044	68.0 %
1	reported	932	31.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1295-1296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

RESPIRATORYAGENT: meds: respiratory agents

Meds: respiratory agents

Value	Label	Unweighted Frequency	%
0	not reported	2517	83.8 %
1	reported	459	15.3 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1297-1298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIHISTAMINES: meds: antihistamines

Meds: antihistamines

Value	Label	Unweighted Frequency	%
0	not reported	2769	92.1 %
1	reported	207	6.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1299-1300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTITUSSIVES: meds: antitussives

Meds: antitussives

Value	Label	Unweighted Frequency	%
0	not reported	2894	96.3 %
1	reported	82	2.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1301-1302 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

BRONCHODILATORS: meds: bronchodilators

Meds: bronchodilators

Value	Label	Unweighted Frequency	%
0	not reported	2800	93.2 %
1	reported	176	5.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1303-1304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

METHYLXANTHINES: meds: methylxanthines

Meds: methylxanthines

Value	Label	Unweighted Frequency	%
0	not reported	2956	98.4 %
1	reported	20	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1305-1306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

DECONGESTANTS: meds: decongestants

Meds: decongestants

Value	Label	Unweighted Frequency	%
0	not reported	2957	98.4 %
1	reported	19	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1307-1308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

EXPECTORANTS: meds: expectorants

Meds: expectorants

Value	Label	Unweighted Frequency	%
0	not reported	2956	98.4 %
1	reported	20	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1309-1310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCRESPIRATORYA: meds: miscellaneous respiratory agents

Meds: miscellaneous respiratory agents

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1311-1312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

RESPIRATORYINHAL: meds: respiratory inhalant products

Meds: respiratory inhalant products

Value	Label	Unweighted Frequency	%
0	not reported	2853	94.9 %
1	reported	123	4.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1313-1314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

UPPERRESPIRATORY: meds: upper respiratory combinations

Meds: upper respiratory combinations

Value	Label	Unweighted Frequency	%
0	not reported	2963	98.6 %
1	reported	13	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1315-1316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

TOPICALAGENTS: meds: topical agents

Meds: topical agents

Value	Label	Unweighted Frequency	%
0	not reported	2822	93.9 %
1	reported	154	5.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1317-1318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

DERMATOLOGICALAG: meds: dermatological agents

Meds: dermatological agents

Value	Label	Unweighted Frequency	%
0	not reported	2959	98.5 %
1	reported	17	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1319-1320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

TOPICALANTIINFEC: meds: topical anti-infectives

Meds: topical anti-infectives

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1321-1322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

TOPICALSTEROIDS: meds: topical steroids

Meds: topical steroids

Value	Label	Unweighted Frequency	%
0	not reported	2971	98.9 %
1	reported	5	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1323-1324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

TOPICALANESTHETI: meds: topical anesthetics

Meds: topical anesthetics

Value	Label	Unweighted Frequency	%
0	not reported	2973	98.9 %
1	reported	3	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1325-1326 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

MISCTOPICALAGENT: meds: miscellaneous topical agents

Meds: miscellaneous topical agents

Value	Label	Unweighted Frequency	%
0	not reported	2969	98.8 %
1	reported	7	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1327-1328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

TOPICALACNEAGENT: meds: topical acne agents

Meds: topical acne agents

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1329-1330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

MOUTHANDTHROATPR: meds: mouth and throat products

Meds: mouth and throat products

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1331-1332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

OPHTHALPREPARATI: meds: ophthalmic preparations

Meds: ophthalmic preparations

Value	Label	Unweighted Frequency	%
0	not reported	2886	96.0 %
1	reported	90	3.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1333-1334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

OTICPREPARATIONS: meds: otic preparations

Meds: otic preparations

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1335-1336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

VAGINALPREPARATI: meds: vaginal preparations

Meds: vaginal preparations

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1337-1338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

LOOPDIURETICS: meds: loop diuretics

Meds: loop diuretics

Value	Label	Unweighted Frequency	%
0	not reported	2729	90.8 %
1	reported	247	8.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1339-1340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

POTASSIUMSPARING: meds: potassium-sparing diuretics

Meds: potassium-sparing diuretics

Value	Label	Unweighted Frequency	%
0	not reported	2805	93.3 %
1	reported	171	5.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1341-1342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

THIAZIDE DIURETIC: meds: thiazide diuretics

Meds: thiazide diuretics

Value	Label	Unweighted Frequency	%
0	not reported	2429	80.8 %
1	reported	547	18.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1343-1344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CARBONIC ANHYDRASE INHIBITORS: meds: carbonic anhydrase inhibitors

Meds: carbonic anhydrase inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2973	98.9 %
1	reported	3	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1345-1346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

FIRSTGENERATIONC: meds: first generation cephalosporins

Meds: first generation cephalosporins

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1347-1348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

THIRDGENERATIONC: meds: third generation cephalosporins

Meds: third generation cephalosporins

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1349-1350 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

OPHTHALANTIINFEC: meds: ophthalmic anti-infectives

Meds: ophthalmic anti-infectives

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1351-1352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

OPHTHALGLAUCOMAA: meds: ophthalmic glaucoma agents

Meds: ophthalmic glaucoma agents

Value	Label	Unweighted Frequency	%
0	not reported	2897	96.4 %
1	reported	79	2.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1353-1354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

OPHTHALSTEROIDS: meds: ophthalmic steroids

Meds: ophthalmic steroids

Value	Label	Unweighted Frequency	%
0	not reported	2973	98.9 %
1	reported	3	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1355-1356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

OPHTHALSTEROIDSW: meds: ophthalmic steroids with anti-infectives

Meds: ophthalmic steroids with anti-infectives

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1357-1358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

OPHTHALANTIINFLA: meds: ophthalmic anti-inflammatory agents

Meds: ophthalmic anti-inflammatory agents

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1359-1360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCOPHTHALAGENT: meds: miscellaneous ophthalmic agents

Meds: miscellaneous ophthalmic agents

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1361-1362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

OTICSTEROIDSWITH: meds: otic steroids with anti-infectives

Meds: otic steroids with anti-infectives

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1363-1364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCOTICAGENTS: meds: miscellaneous otic agents

Meds: miscellaneous otic agents

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1365-1366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

HMGCOAREDUCTASEI: meds: HMG-CoA reductase inhibitors

Meds: HMG-CoA reductase inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	1989	66.2 %
1	reported	987	32.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1367-1368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTHYPLIPAG: meds: miscellaneous antihyperlipidemic agents

Meds: miscellaneous antihyperlipidemic agents

Value	Label	Unweighted Frequency	%
0	not reported	2919	97.1 %
1	reported	57	1.9 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1369-1370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SKELMUSCRELS: meds: skeletal muscle relaxants

Meds: skeletal muscle relaxants

Value	Label	Unweighted Frequency	%
0	not reported	2923	97.3 %
1	reported	53	1.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1371-1372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ADRENERGICBRONCH: meds: adrenergic bronchodilators

Meds: adrenergic bronchodilators

Value	Label	Unweighted Frequency	%
0	not reported	2814	93.6 %
1	reported	162	5.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1373-1374 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

BRONCHODILATORCO: meds: bronchodilator combinations

Meds: bronchodilator combinations

Value	Label	Unweighted Frequency	%
0	not reported	2894	96.3 %
1	reported	82	2.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1375-1376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANDROGENSANDANAB: meds: androgens and anabolic steroids

Meds: androgens and anabolic steroids

Value	Label	Unweighted Frequency	%
0	not reported	2963	98.6 %
1	reported	13	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1377-1378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ESTROGENS: meds: estrogens

Meds: estrogens

Value	Label	Unweighted Frequency	%
0	not reported	2818	93.8 %
1	reported	158	5.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1379-1380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PROGESTINS: meds: progestins

Meds: progestins

Value	Label	Unweighted Frequency	%
0	not reported	2950	98.2 %
1	reported	26	0.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SEXHORMONECOMBIN: meds: sex hormone combinations

Meds: sex hormone combinations

Value	Label	Unweighted Frequency	%
0	not reported	2954	98.3 %
1	reported	22	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1383-1384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NARCANALGCOMBINA: meds: narcotic analgesic combinations

Meds: narcotic analgesic combinations

Value	Label	Unweighted Frequency	%
0	not reported	2867	95.4 %
1	reported	109	3.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1385-1386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIRHEUMATICS: meds: antirheumatics

Meds: antirheumatics

Value	Label	Unweighted Frequency	%
0	not reported	2944	98.0 %
1	reported	32	1.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1387-1388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIMIGRAINEAGEN: meds: antimigraine agents

Meds: antimigraine agents

Value	Label	Unweighted Frequency	%
0	not reported	2961	98.5 %
1	reported	15	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1389-1390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIGOUTAGENTS: meds: antigout agents

Meds: antigout agents

Value	Label	Unweighted Frequency	%
0	not reported	2894	96.3 %
1	reported	82	2.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1391-1392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

FIVEHT3RECEPTORA: meds: 5HT3 receptor antagonists

Meds: 5HT3 receptor antagonists

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1393-1394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PHENTHIAZANTIEME: meds: phenothiazine antiemetics

Meds: phenothiazine antiemetics

Value	Label	Unweighted Frequency	%
0	not reported	2962	98.6 %
1	reported	14	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1395-1396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTICHOLANTIEMET: meds: anticholinergic antiemetics

Meds: anticholinergic antiemetics

Value	Label	Unweighted Frequency	%
0	not reported	2917	97.1 %
1	reported	59	2.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1397-1398 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

MISCANTIEMETICS: meds: miscellaneous antiemetics

Meds: miscellaneous antiemetics

Value	Label	Unweighted Frequency	%
0	not reported	2958	98.4 %
1	reported	18	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1399-1400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

HYDANTOINANTICON: meds: hydantoin anticonvulsants

Meds: hydantoin anticonvulsants

Value	Label	Unweighted Frequency	%
0	not reported	2963	98.6 %
1	reported	13	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1401-1402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

BARBITURATEANTIC: meds: barbiturate anticonvulsants

Meds: barbiturate anticonvulsants

Value	Label	Unweighted Frequency	%
0	not reported	2964	98.6 %
1	reported	12	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1403-1404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

BENZODIAZEPINEAN: meds: benzodiazepine anticonvulsants

Meds: benzodiazepine anticonvulsants

Value	Label	Unweighted Frequency	%
0	not reported	2892	96.2 %
1	reported	84	2.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1405-1406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTICONVULSA: meds: miscellaneous anticonvulsants

Meds: miscellaneous anticonvulsants

Value	Label	Unweighted Frequency	%
0	not reported	2878	95.8 %
1	reported	98	3.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTICHOLANTIPARK: meds: anticholinergic antiparkinson agents

Meds: anticholinergic antiparkinson agents

Value	Label	Unweighted Frequency	%
0	not reported	2954	98.3 %
1	reported	22	0.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SSRIANTIDEPRESSA: meds: SSRI antidepressants

Meds: SSRI antidepressants

Value	Label	Unweighted Frequency	%
0	not reported	2761	91.9 %
1	reported	215	7.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

TRICYCLICANTIDEP: meds: tricyclic antidepressants

Meds: tricyclic antidepressants

Value	Label	Unweighted Frequency	%
0	not reported	2907	96.7 %
1	reported	69	2.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1413-1414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PHENTHIAZANTIPSY: meds: phenothiazine antipsychotics

Meds: phenothiazine antipsychotics

Value	Label	Unweighted Frequency	%
0	not reported	2966	98.7 %
1	reported	10	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1415-1416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PLATELETAGGREGAT: meds: platelet aggregation inhibitors

Meds: platelet aggregation inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2066	68.8 %
1	reported	910	30.3 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1417-1418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SULFONYLUREAS: meds: sulfonylureas

Meds: sulfonylureas

Value	Label	Unweighted Frequency	%
0	not reported	2713	90.3 %
1	reported	263	8.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1419-1420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NONSULFONYLUREAS: meds: non-sulfonylureas

Meds: non-sulfonylureas

Value	Label	Unweighted Frequency	%
0	not reported	2684	89.3 %
1	reported	292	9.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1421-1422 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

INSULIN: meds: insulin

Meds: insulin

Value	Label	Unweighted Frequency	%
0	not reported	2870	95.5 %
1	reported	106	3.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1423-1424 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ALPHAGLUCOSIDASE: meds: alpha-glucosidase inhibitors

Meds: alpha-glucosidase inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2971	98.9 %
1	reported	5	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1425-1426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

BISPHOSPHONATES: meds: bisphosphonates

Meds: bisphosphonates

Value	Label	Unweighted Frequency	%
0	not reported	2787	92.7 %
1	reported	189	6.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1427-1428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ALTERNATIVEMEDS: meds: alternative medicines

Meds: alternative medicines

Value	Label	Unweighted Frequency	%
0	not reported	2491	82.9 %
1	reported	485	16.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1429-1430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NUTRACEUTICALS: meds: nutraceutical products

Meds: nutraceutical products

Value	Label	Unweighted Frequency	%
0	not reported	2626	87.4 %
1	reported	350	11.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1431-1432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

HERBALPRODUCTS: meds: herbal products

Meds: herbal products

Value	Label	Unweighted Frequency	%
0	not reported	2726	90.7 %
1	reported	250	8.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1433-1434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PENICILLINASERES: meds: penicillinase resistant penicillins

Meds: penicillinase resistant penicillins

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1435-1436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

AMINOPENICILLINS: meds: aminopenicillins

Meds: aminopenicillins

Value	Label	Unweighted Frequency	%
0	not reported	2962	98.6 %
1	reported	14	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

BETALACTAMASEINH: meds: beta-lactamase inhibitors

Meds: beta-lactamase inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ADAMANTANEANTIVI: meds: adamantane antivirals

Meds: adamantane antivirals

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PURINENUCLEOSIDE: meds: purine nucleosides

Meds: purine nucleosides

Value	Label	Unweighted Frequency	%
0	not reported	2968	98.8 %
1	reported	8	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTITUBERAGE: meds: miscellaneous antituberculosis agents

Meds: miscellaneous antituberculosis agents

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1445-1446 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

POLYENES: meds: polyenes

Meds: polyenes

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1447-1448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

AZOLEANTIFUNGALS: meds: azole antifungals

Meds: azole antifungals

Value	Label	Unweighted Frequency	%
0	not reported	2969	98.8 %
1	reported	7	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1449-1450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

MISCANTIFUNGALS: meds: miscellaneous antifungals

Meds: miscellaneous antifungals

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1451-1452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIMALARIALQUIN: meds: antimalarial quinolines

Meds: antimalarial quinolines

Value	Label	Unweighted Frequency	%
0	not reported	2929	97.5 %
1	reported	47	1.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1453-1454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTIMALARIAL: meds: miscellaneous antimalarials

Meds: miscellaneous antimalarials

Value	Label	Unweighted Frequency	%
0	not reported	2964	98.6 %
1	reported	12	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1455-1456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

LINCOMYCINDERIVA: meds: lincomycin derivatives

Meds: lincomycin derivatives

Value	Label	Unweighted Frequency	%
0	not reported	2972	98.9 %
1	reported	4	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

FIBRICACIDDERIVA: meds: fibric acid derivatives

Meds: fibric acid derivatives

Value	Label	Unweighted Frequency	%
0	not reported	2905	96.7 %
1	reported	71	2.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1459-1460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PSYCHOTHERAGENTS: meds: psychotherapeutic agents

Meds: psychotherapeutic agents

Value	Label	Unweighted Frequency	%
0	not reported	2424	80.7 %
1	reported	552	18.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1461-1462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

LEUKOTRIENEMODIF: meds: leukotriene modifiers

Meds: leukotriene modifiers

Value	Label	Unweighted Frequency	%
0	not reported	2928	97.4 %
1	reported	48	1.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1463-1464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NASALLUBRICANTS: meds: nasal lubricants and irrigations

Meds: nasal lubricants and irrigations

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1465-1466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NASALSTEROIDS: meds: nasal steroids

Meds: nasal steroids

Value	Label	Unweighted Frequency	%
0	not reported	2942	97.9 %
1	reported	34	1.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1467-1468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NASALANTIHISTAMI: meds: nasal antihistamines and decongestants

Meds: nasal antihistamines and decongestants

Value	Label	Unweighted Frequency	%
0	not reported	2966	98.7 %
1	reported	10	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1469-1470 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

NASALPREPARATION: meds: nasal preparations

Meds: nasal preparations

Value	Label	Unweighted Frequency	%
0	not reported	2931	97.5 %
1	reported	45	1.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1471-1472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANTIDEPRESSANTS: meds: antidepressants

Meds: antidepressants

Value	Label	Unweighted Frequency	%
0	not reported	2604	86.7 %
1	reported	372	12.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1473-1474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

MONOAMINEOXIDASE: meds: monoamine oxidase inhibitors

Meds: monoamine oxidase inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1475-1476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIPSYCHOTICS: meds: antipsychotics

Meds: antipsychotics

Value	Label	Unweighted Frequency	%
0	not reported	2934	97.6 %
1	reported	42	1.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1477-1478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

BILEACIDSEQUESTR: meds: bile acid sequestrants

Meds: bile acid sequestrants

Value	Label	Unweighted Frequency	%
0	not reported	2969	98.8 %
1	reported	7	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1479-1480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANOREXIANTS: meds: anorexiant

Meds: anorexiant

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1481-1482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

IMMUNOLOGICAGENT: meds: immunologic agents

Meds: immunologic agents

Value	Label	Unweighted Frequency	%
0	not reported	2958	98.4 %
1	reported	18	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1483-1484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MONOCLONALANTIBO: meds: monoclonal antibodies

Meds: monoclonal antibodies

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1485-1486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

HEPARINS: meds: heparins

Meds: heparins

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1487-1488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

COUMARINSANDINDA: meds: coumarins and indandiones

Meds: coumarins and indandiones

Value	Label	Unweighted Frequency	%
0	not reported	2837	94.4 %
1	reported	139	4.6 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1489-1490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

IMPOTENCEAGENTS: meds: impotence agents

Meds: impotence agents

Value	Label	Unweighted Frequency	%
0	not reported	2947	98.1 %
1	reported	29	1.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1491-1492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

URINARYANTISPASM: meds: urinary antispasmodics

Meds: urinary antispasmodics

Value	Label	Unweighted Frequency	%
0	not reported	2899	96.5 %
1	reported	77	2.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1493-1494 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

URINARYPHMODIFIE: meds: urinary pH modifiers

Meds: urinary pH modifiers

Value	Label	Unweighted Frequency	%
0	not reported	2965	98.7 %
1	reported	11	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1495-1496 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

MISCGENITOURINAR: meds: miscellaneous genitourinary tract agents

Meds: miscellaneous genitourinary tract agents

Value	Label	Unweighted Frequency	%
0	not reported	2967	98.7 %
1	reported	9	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1497-1498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

OPHTHALANTIHISTA: meds: ophthalmic antihistamines and decongestants

Meds: ophthalmic antihistamines and decongestants

Value	Label	Unweighted Frequency	%
0	not reported	2968	98.8 %
1	reported	8	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1499-1500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCVAGINALAGENT: meds: miscellaneous vaginal agents

Meds: miscellaneous vaginal agents

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1501-1502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIPSORIATICS: meds: antipsoriatics

Meds: antipsoriatics

Value	Label	Unweighted Frequency	%
0	not reported	2961	98.5 %
1	reported	15	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1503-1504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

THIAZOLIDINEDION: meds: thiazolidinediones

Meds: thiazolidinediones

Value	Label	Unweighted Frequency	%
0	not reported	2826	94.0 %
1	reported	150	5.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1505-1506 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

PROTONPUMPINHIBI: meds: proton pump inhibitors

Meds: proton pump inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2556	85.1 %
1	reported	420	14.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1507-1508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CARDIOSELECTIVEB: meds: cardioselective beta blockers

Meds: cardioselective beta blockers

Value	Label	Unweighted Frequency	%
0	not reported	2352	78.3 %
1	reported	624	20.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1509-1510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

NONCARDIOSELECTI: meds: non-cardioselective beta blockers

Meds: non-cardioselective beta blockers

Value	Label	Unweighted Frequency	%
0	not reported	2824	94.0 %
1	reported	152	5.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1511-1512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

DOPAMINERGICANTI: meds: dopaminergic antiparkinsonism agents

Meds: dopaminergic antiparkinsonism agents

Value	Label	Unweighted Frequency	%
0	not reported	2951	98.2 %
1	reported	25	0.8 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1513-1514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

FIVEAMINOSALIC: meds: 5-aminosalicylates

Meds: 5-aminosalicylates

Value	Label	Unweighted Frequency	%
0	not reported	2962	98.6 %
1	reported	14	0.5 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1515-1516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

COX2INHIBITORS: meds: cox-2 inhibitors

Meds: cox-2 inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2908	96.8 %
1	reported	68	2.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1517-1518 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

MEGLITINIDES: meds: meglitinides

Meds: meglitinides

Value	Label	Unweighted Frequency	%
0	not reported	2963	98.6 %
1	reported	13	0.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1519-1520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

FIVEALPHAREDUCTI: meds: 5-alpha-reductase inhibitors

Meds: 5-alpha-reductase inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2944	98.0 %
1	reported	32	1.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1521-1522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

ANTHYPERURICEMI: meds: antihyperuricemic agents

Meds: antihyperuricemic agents

Value	Label	Unweighted Frequency	%
0	not reported	2909	96.8 %
1	reported	67	2.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1523-1524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

TOPICALANTIBIOTI: meds: topical antibiotics

Meds: topical antibiotics

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1525-1526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

TOPICALANTIFUNGA: meds: topical antifungals

Meds: topical antifungals

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1527-1528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

INHALED CORTICOST: meds: inhaled corticosteroids

Meds: inhaled corticosteroids

Value	Label	Unweighted Frequency	%
0	not reported	2856	95.0 %
1	reported	120	4.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1529-1530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MASTCELLSTABILIZ: meds: mast cell stabilizers

Meds: mast cell stabilizers

Value	Label	Unweighted Frequency	%
0	not reported	2973	98.9 %
1	reported	3	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1531-1532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTICHOLBRONCHOD: meds: anticholinergic bronchodilators

Meds: anticholinergic bronchodilators

Value	Label	Unweighted Frequency	%
0	not reported	2903	96.6 %
1	reported	73	2.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1533-1534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

GLUCOCORTICIDS: meds: glucocorticoids

Meds: glucocorticoids

Value	Label	Unweighted Frequency	%
0	not reported	2891	96.2 %
1	reported	85	2.8 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1535-1536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MINERALOCORTICOI: meds: mineralocorticoids

Meds: mineralocorticoids

Value	Label	Unweighted Frequency	%
0	not reported	2971	98.9 %
1	reported	5	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1537-1538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

AGENTSFORPULMONA: meds: agents for pulmonary hypertension

Meds: agents for pulmonary hypertension

Value	Label	Unweighted Frequency	%
0	not reported	2959	98.5 %
1	reported	17	0.6 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1539-1540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MACROLIDES: meds: macrolides

Meds: macrolides

Value	Label	Unweighted Frequency	%
0	not reported	2969	98.8 %
1	reported	7	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1541-1542 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

KETOLIDES: meds: ketolides

Meds: ketolides

Value	Label	Unweighted Frequency	%
0	not reported	2975	99.0 %
1	reported	1	0.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1543-1544 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

PHENYLPIPERAZINE: meds: phenylpiperazine antidepressants

Meds: phenylpiperazine antidepressants

Value	Label	Unweighted Frequency	%
0	not reported	2950	98.2 %
1	reported	26	0.9 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1545-1546 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

TETRACYCLICANTID: meds: tetracyclic antidepressants

Meds: tetracyclic antidepressants

Value	Label	Unweighted Frequency	%
0	not reported	2968	98.8 %
1	reported	8	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1547-1548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SSNRIANTIDEPRESS: meds: SSNRI antidepressants

Meds: SSNRI antidepressants

Value	Label	Unweighted Frequency	%
0	not reported	2924	97.3 %
1	reported	52	1.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1549-1550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

MISCANTIDIABETIC: meds: miscellaneous antidiabetic agents

Meds: miscellaneous antidiabetic agents

Value	Label	Unweighted Frequency	%
0	not reported	2974	99.0 %
1	reported	2	0.1 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1551-1552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

DIBENZAZEPINEANT: meds: dibenzazepine anticonvulsants

Meds: dibenzazepine anticonvulsants

Value	Label	Unweighted Frequency	%
0	not reported	2966	98.7 %
1	reported	10	0.3 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1553-1554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CHOLINERGICAGONI: meds: cholinergic agonists

Meds: cholinergic agonists

Value	Label	Unweighted Frequency	%
0	not reported	2971	98.9 %
1	reported	5	0.2 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1555-1556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CHOLINESTERASEIN: meds: cholinesterase inhibitors

Meds: cholinesterase inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2946	98.0 %
1	reported	30	1.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1557-1558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIDIABETICCOMB: meds: antidiabetic combinations

Meds: antidiabetic combinations

Value	Label	Unweighted Frequency	%
0	not reported	2924	97.3 %
1	reported	52	1.7 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1559-1560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

CHOLESTEROLABSOR: meds: cholesterol absorption inhibitors

Meds: cholesterol absorption inhibitors

Value	Label	Unweighted Frequency	%
0	not reported	2834	94.3 %
1	reported	142	4.7 %
	Missing Data		
-7	insufficient data	29	1.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1561-1562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

ANTIHYPLIPCOMBIN: meds: antihyperlipidemic combinations

Meds: antihyperlipidemic combinations

Value	Label	Unweighted Frequency	%
0	not reported	2903	96.6 %
1	reported	73	2.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1563-1564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -7

SMOKINGCESSATION: meds: smoking cessation agents

Meds: smoking cessation agents

Value	Label	Unweighted Frequency	%
0	not reported	2946	98.0 %
1	reported	30	1.0 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1565-1566 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -7

OTHERSUPPLEMENTS: meds: other supplements (non-Multum category)

Meds: other supplements (non-Multum category)

Value	Label	Unweighted Frequency	%
0	not reported	2934	97.6 %
1	reported	42	1.4 %
	Missing Data		
-7	insufficient data	29	1.0 %
	Total	3,005	100%

Based upon 2,976 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1567-1568 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -7

TST_INTRO: introduction to taste module

We are going to use flavored pieces of paper to identify tastes. The papers could taste salty, sweet, bitter, or sour. Some choices may not be used, while other choices may be used more than once. Some may have no taste at all. We will use the computer again to rate these, just as we did for smell. Note: 1. respondents were given a choice of recording their answers to the taste questions directly on the computer or using a paper and pencil 2. 10009890 started on computer and marked 'tried, unable to do' for taste_2, but then continued on paper and recorded the following responses: taste_3 marked 'sweet' with an X at 10.0 and taste_4 marked 'salty' with an X at 10.0 3. taste data for 31 respondents who elected to use the paper version were lost in the field; these have been coded as .f (missing in error) 4. 10024360 wrote 'no taste' next to each of the taste items

Value	Label	Unweighted Frequency	%
1	computer version	1171	39.0 %
2	paper version	1638	54.5 %
3	equipment problem	58	1.9 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	137	4.6 %
	Total	3,005	100%

Based upon 2,867 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1569-1570 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -1

TASTE_1: taste identification: sour

Using these choices, how would you identify the taste on this filter paper?

Skip if: TST_INTRO does not equal "computer version" or "paper version"

Note: 10041430 and 10008340 marked all four responses; 10037980 marked responses 1, 2 and 4; 10009130 marked responses 1, 2 and 3; 10001470 marked responses 1 and 3; 10037280 and 10014540 marked responses 1 and 4; 10001180, 10018100 and 10018510 marked responses 3 and 4

Value	Label	Unweighted Frequency	%
1	salty	1154	38.4 %
2	sweet	89	3.0 %
3	bitter	368	12.2 %
4	sour	1063	35.4 %
5	tried, unable to do	22	0.7 %
	Missing Data		
-6	missing in error	31	1.0 %
-4	no answer	67	2.2 %
-3	not applicable	196	6.5 %
-2	don't know	9	0.3 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,696 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1571-1572 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3 , -2 , -1

TASTEID_1: taste ident. certainty: sour

On a scale of 0 to 10, how certain are you that you identified the taste correctly?

Skip if: TASTE_1 equals "not applicable", or TST_INTRO equals "computer version" and TASTE_1 equals "refused" or "tried, unable to do"

- Note:
1. warning: in some cases respondents who used the paper version wrote a number rather than marking an X (see tasteid_flag_1 for details)
 2. 10016260 marked scale twice at 3.9 and 8.1; 10009430 wrote 3/4

Value	Label	Unweighted Frequency	%
0.000000000000	-	81	2.7 %
0.085470087826	-	3	0.1 %
0.100000001490	-	15	0.5 %
0.113960117102	-	1	0.0 %
0.142450138927	-	4	0.1 %
0.170940175653	-	1	0.0 %
0.199430197477	-	7	0.2 %
0.200000002980	-	16	0.5 %
0.227920234203	-	7	0.2 %
0.256410270929	-	1	0.0 %
0.284900277853	-	3	0.1 %
0.300000011921	-	17	0.6 %
0.313390314579	-	2	0.1 %
0.341880351305	-	4	0.1 %
0.370370358229	-	3	0.1 %
0.398860394955	-	1	0.0 %
0.400000005960	-	15	0.5 %
0.427350431681	-	5	0.2 %
0.455840468407	-	7	0.2 %
0.484330475330	-	5	0.2 %
0.500000000000	-	15	0.5 %
0.512820541859	-	1	0.0 %
0.541310548782	-	1	0.0 %
0.569800555706	-	3	0.1 %
0.598290622234	-	4	0.1 %
0.600000023842	-	12	0.4 %
0.626780629158	-	3	0.1 %
0.655270636082	-	2	0.1 %
0.683760702610	-	2	0.1 %
0.699999988079	-	18	0.6 %
0.712250709534	-	2	0.1 %
0.740740716457	-	2	0.1 %
0.769230782986	-	2	0.1 %
0.797720789909	-	1	0.0 %
0.800000011921	-	16	0.5 %
0.854700863361	-	2	0.1 %
0.883190870285	-	1	0.0 %
0.899999976158	-	9	0.3 %
0.911680936813	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.968660950661	-	1	0.0 %
0.997151017189	-	5	0.2 %
1.000000000000	-	23	0.8 %
1.025641083717	-	3	0.1 %
1.054131031036	-	4	0.1 %
1.082621097565	-	2	0.1 %
1.100000023842	-	13	0.4 %
1.111111164093	-	4	0.1 %
1.139601111412	-	4	0.1 %
1.168091177940	-	1	0.0 %
1.200000047684	-	8	0.3 %
	Missing Data		
-6.000000000000	missing in error	31	1.0 %
-4.000000000000	no answer	48	1.6 %
-3.000000000000	not applicable	223	7.4 %
-1.000000000000	refused	1	0.0 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,702 valid cases out of 3,005 total cases.

- Mean: 5.779240021908
- Minimum: 0.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 3.326360842423

Location: 1573-1587 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -8.000000000000 , -6.000000000000 , -5.000000000000 , -4.000000000000 , -3.000000000000 , -2.000000000000 , -1.000000000000

TASTEID_FLAG_1: numeric response flag: sour

Numeric response flag: sour

Skip if: TST_INTRO equals "computer version" or TASTEID_1 is missing

Value	Label	Unweighted Frequency	%
0	r marked X	1274	42.4 %
1	r wrote number	284	9.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-3	not applicable	1447	48.2 %
	Total	3,005	100%

Based upon 1,558 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1588-1589 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

TASTE_2: taste identification: bitter

Using these choices, how would you identify the taste on this filter paper?

Skip if: TST_INTRO does not equal "computer version" or "paper version", or TASTE_1 equals "tried, unable to do"

Note: 10034940 and 10041080 marked responses 1, 2, 3 and 4; 10008780 and 10017320 marked responses 2 and 3; 10038730 marked responses 2 and 4; 10023090 marked responses 1, 2 and 4

Value	Label	Unweighted Frequency	%
1	salty	195	6.5 %
2	sweet	204	6.8 %
3	bitter	1788	59.5 %
4	sour	346	11.5 %
5	tried, unable to do	21	0.7 %
	Missing Data		
-6	missing in error	31	1.0 %
-4	no answer	161	5.4 %
-3	not applicable	218	7.3 %
-2	don't know	20	0.7 %
-1	refused	21	0.7 %
	Total	3,005	100%

Based upon 2,554 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1590-1591 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3 , -2 , -1

TASTEID_2: taste ident. certainty: bitter

On a scale of 0 to 10, how certain are you that you identified the taste correctly?

Skip if: TASTE_2 equals "not applicable", or TST_INTRO equals "computer version" and TASTE_2 equals "refused" or "tried, unable to do"

Note: warning: in some cases respondents who used the paper version wrote a number rather than marking an X (see tasteid_flag_2 for details)

Value	Label	Unweighted Frequency	%
0.000000000000	-	140	4.7 %
0.028490029275	-	1	0.0 %
0.085470087826	-	5	0.2 %
0.100000001490	-	20	0.7 %
0.113960117102	-	3	0.1 %
0.142450138927	-	6	0.2 %
0.170940175653	-	5	0.2 %
0.199430197477	-	4	0.1 %
0.200000002980	-	25	0.8 %
0.227920234203	-	4	0.1 %
0.256410270929	-	6	0.2 %
0.284900277853	-	7	0.2 %
0.300000011921	-	29	1.0 %
0.313390314579	-	5	0.2 %
0.341880351305	-	5	0.2 %
0.370370358229	-	8	0.3 %
0.398860394955	-	6	0.2 %
0.400000005960	-	17	0.6 %
0.427350431681	-	4	0.1 %
0.455840468407	-	7	0.2 %
0.484330475330	-	4	0.1 %
0.500000000000	-	22	0.7 %
0.512820541859	-	3	0.1 %
0.541310548782	-	2	0.1 %
0.569800555706	-	5	0.2 %
0.598290622234	-	6	0.2 %
0.600000023842	-	10	0.3 %
0.626780629158	-	4	0.1 %
0.655270636082	-	7	0.2 %
0.683760702610	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.699999988079	-	27	0.9 %
0.712250709534	-	3	0.1 %
0.740740716457	-	5	0.2 %
0.769230782986	-	4	0.1 %
0.797720789909	-	2	0.1 %
0.800000011921	-	15	0.5 %
0.826210796833	-	3	0.1 %
0.854700863361	-	7	0.2 %
0.883190870285	-	6	0.2 %
0.899999976158	-	7	0.2 %
0.911680936813	-	6	0.2 %
0.940170943737	-	5	0.2 %
0.968660950661	-	3	0.1 %
0.997151017189	-	4	0.1 %
1.000000000000	-	22	0.7 %
1.025641083717	-	5	0.2 %
1.054131031036	-	6	0.2 %
1.082621097565	-	5	0.2 %
1.100000023842	-	12	0.4 %
1.111111164093	-	3	0.1 %
	Missing Data		
-6.000000000000	missing in error	31	1.0 %
-4.000000000000	no answer	77	2.6 %
-3.000000000000	not applicable	259	8.6 %
-2.000000000000	don't know	5	0.2 %
-1.000000000000	refused	1	0.0 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,632 valid cases out of 3,005 total cases.

- Mean: 5.468021238183
- Minimum: 0.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 3.654619183113

Location: 1592-1606 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -8.000000000000 , -6.000000000000 , -5.000000000000 , -4.000000000000 , -3.000000000000 , -2.000000000000 , -1.000000000000

TASTEID_FLAG_2: numeric response flag: bitter

Numeric response flag: bitter

Skip if: TST_INTRO equals "computer version" or TASTEID_2 is missing

Value	Label	Unweighted Frequency	%
0	r marked X	1266	42.1 %
1	r wrote number	258	8.6 %
	Missing Data		
-3	not applicable	1481	49.3 %
	Total	3,005	100%

Based upon 1,524 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1607-1608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

TASTE_3: taste identification: sweet

Using these choices, how would you identify the taste on this filter paper?

Skip if: TST_INTRO does not equal "computer version" or "paper version", or either TASTE_1 or TASTE_2 equals "tried, unable to do"

Note: 10008660 marked responses 1 and 2; 10037980 marked responses 1 and 3; 10005830 marked responses 1 and 4; 10030730 marked responses 2 and 4

Value	Label	Unweighted Frequency	%
1	salty	128	4.3 %
2	sweet	2285	76.0 %
3	bitter	107	3.6 %
4	sour	105	3.5 %
5	tried, unable to do	7	0.2 %
	Missing Data		
-6	missing in error	31	1.0 %
-4	no answer	75	2.5 %
-3	not applicable	239	8.0 %
-2	don't know	17	0.6 %
-1	refused	11	0.4 %
	Total	3,005	100%

Based upon 2,632 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1609-1610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3 , -2 , -1

TASTEID_3: taste ident. certainty: sweet

On a scale of 0 to 10, how certain are you that you identified the taste correctly?

Skip if: TASTE_3 equals "not applicable", or TST_INTRO equals "computer version" and TASTE_3 equals "refused" or "tried, unable to do"

Note: 1. warning: in some cases respondents who used the paper version wrote a number rather than marking an X (see tasteid_flag_3 for details)

2. 10037510 circled 0 and wrote 7; 10028530 marked scale twice at 0.1 and 8.6

Value	Label	Unweighted Frequency	%
0.000000000000	-	62	2.1 %
0.056980058551	-	1	0.0 %
0.100000001490	-	17	0.6 %
0.142450138927	-	1	0.0 %
0.170940175653	-	2	0.1 %
0.199430197477	-	1	0.0 %
0.200000002980	-	14	0.5 %
0.227920234203	-	1	0.0 %
0.256410270929	-	1	0.0 %
0.284900277853	-	1	0.0 %
0.300000011921	-	12	0.4 %
0.313390314579	-	2	0.1 %
0.341880351305	-	3	0.1 %
0.370370358229	-	2	0.1 %
0.398860394955	-	1	0.0 %
0.400000005960	-	7	0.2 %
0.427350431681	-	2	0.1 %
0.455840468407	-	1	0.0 %
0.484330475330	-	4	0.1 %
0.500000000000	-	14	0.5 %
0.512820541859	-	2	0.1 %
0.541310548782	-	3	0.1 %
0.569800555706	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.598290622234	-	1	0.0 %
0.600000023842	-	7	0.2 %
0.655270636082	-	2	0.1 %
0.683760702610	-	5	0.2 %
0.699999988079	-	8	0.3 %
0.712250709534	-	2	0.1 %
0.740740716457	-	1	0.0 %
0.769230782986	-	4	0.1 %
0.800000011921	-	9	0.3 %
0.826210796833	-	3	0.1 %
0.854700863361	-	1	0.0 %
0.883190870285	-	2	0.1 %
0.899999976158	-	5	0.2 %
0.911680936813	-	2	0.1 %
0.940170943737	-	1	0.0 %
0.997151017189	-	1	0.0 %
1.000000000000	-	15	0.5 %
1.025641083717	-	1	0.0 %
1.100000023842	-	5	0.2 %
1.111111164093	-	1	0.0 %
1.139601111412	-	1	0.0 %
1.196581244469	-	4	0.1 %
1.200000047684	-	6	0.2 %
1.225071191788	-	2	0.1 %
1.253561258316	-	1	0.0 %
1.282051324844	-	1	0.0 %
1.299999952316	-	6	0.2 %
	Missing Data		
-6.000000000000	missing in error	31	1.0 %
-4.000000000000	no answer	50	1.7 %
-3.000000000000	not applicable	257	8.6 %
-2.000000000000	don't know	2	0.1 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,665 valid cases out of 3,005 total cases.

- Mean: 6.832877160698
- Minimum: 0.000000000000

- Maximum: 10.000000000000
- Standard Deviation: 3.232460361571

Location: 1611-1625 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -8.000000000000 , -6.000000000000 , -5.000000000000 , -4.000000000000 , -3.000000000000 , -2.000000000000 , -1.000000000000

TASTEID_FLAG_3: numeric response flag: sweet

Numeric response flag: sweet

Skip if: TST_INTRO equals "computer version" or TASTEID_3 is missing

Value	Label	Unweighted Frequency	%
0	r marked X	1287	42.8 %
1	r wrote number	268	8.9 %
	Missing Data		
-3	not applicable	1450	48.3 %
	Total	3,005	100%

Based upon 1,555 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1626-1627 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

TASTE_4: taste identification: salty

Using these choices, how would you identify the taste on this filter paper?

Skip if: TST_INTRO does not equal "computer version" or "paper version", or either TASTE_1, TASTE_2, or TASTE_3 equals "tried, unable to do"

Note: 10037980 marked responses 2 and 3; 10039780 and 10005350 marked responses 1 and 2; 10033230 marked responses 1 and 4

Value	Label	Unweighted Frequency	%
1	salty	1785	59.4 %
2	sweet	90	3.0 %
3	bitter	247	8.2 %
4	sour	516	17.2 %
5	tried, unable to do	9	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	missing in error	31	1.0 %
-4	no answer	66	2.2 %
-3	not applicable	246	8.2 %
-2	don't know	10	0.3 %
-1	refused	5	0.2 %
	Total	3,005	100%

Based upon 2,647 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1628-1629 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -4 , -3 , -2 , -1

TASTEID_4: taste ident. certainty: salty

On a scale of 0 to 10, how certain are you that you identified the taste correctly?

Skip if: TASTE_4 equals "not applicable", or TST_INTRO equals "computer version" and TASTE_4 equals "refused" or "tried, unable to do"

Note: 1. warning: in some cases respondents who used the paper version wrote a number rather than marking an X (see tasteid_flag_4 for details)
2. 10037890 marked scale twice at 1.0 and 10.0; 10003520 wrote 1-2

Value	Label	Unweighted Frequency	%
0.000000000000	-	43	1.4 %
0.100000001490	-	9	0.3 %
0.113960117102	-	2	0.1 %
0.199430197477	-	1	0.0 %
0.200000002980	-	14	0.5 %
0.227920234203	-	2	0.1 %
0.256410270929	-	1	0.0 %
0.284900277853	-	1	0.0 %
0.300000011921	-	16	0.5 %
0.341880351305	-	1	0.0 %
0.370370358229	-	2	0.1 %
0.400000005960	-	10	0.3 %
0.455840468407	-	1	0.0 %
0.484330475330	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.500000000000	-	11	0.4 %
0.541310548782	-	2	0.1 %
0.598290622234	-	2	0.1 %
0.600000023842	-	9	0.3 %
0.626780629158	-	3	0.1 %
0.655270636082	-	2	0.1 %
0.683760702610	-	3	0.1 %
0.699999988079	-	9	0.3 %
0.712250709534	-	1	0.0 %
0.740740716457	-	3	0.1 %
0.769230782986	-	2	0.1 %
0.797720789909	-	1	0.0 %
0.800000011921	-	9	0.3 %
0.826210796833	-	1	0.0 %
0.854700863361	-	3	0.1 %
0.883190870285	-	1	0.0 %
0.899999976158	-	5	0.2 %
0.911680936813	-	1	0.0 %
0.940170943737	-	1	0.0 %
0.997151017189	-	1	0.0 %
1.000000000000	-	24	0.8 %
1.025641083717	-	3	0.1 %
1.054131031036	-	3	0.1 %
1.082621097565	-	2	0.1 %
1.100000023842	-	7	0.2 %
1.111111164093	-	1	0.0 %
1.139601111412	-	1	0.0 %
1.168091177940	-	3	0.1 %
1.200000047684	-	9	0.3 %
1.225071191788	-	2	0.1 %
1.253561258316	-	3	0.1 %
1.282051324844	-	2	0.1 %
1.299999952316	-	8	0.3 %
1.310541272163	-	4	0.1 %
1.396011352539	-	3	0.1 %
1.399999976158	-	4	0.1 %
	Missing Data		
-6.000000000000	missing in error	31	1.0 %
-4.000000000000	no answer	47	1.6 %

Value	Label	Unweighted Frequency	%
-3.000000000000	not applicable	260	8.7 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,667 valid cases out of 3,005 total cases.

- Mean: 6.712459227972
- Minimum: 0.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 3.210677752374

Location: 1630-1644 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -8.000000000000 , -6.000000000000 , -5.000000000000 , -4.000000000000 , -3.000000000000 , -2.000000000000 , -1.000000000000

TASTEID_FLAG_4: numeric response flag: salty

Numeric response flag: salty

Skip if: TST_INTRO equals "computer version" or TASTEID_4 is missing

Value	Label	Unweighted Frequency	%
0	r marked X	1282	42.7 %
1	r wrote number	278	9.3 %
	Missing Data		
-3	not applicable	1445	48.1 %
	Total	3,005	100%

Based upon 1,560 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1645-1646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

VS_INTRO: introduction to vaginal swab collection

We are asking all of the women in our study to provide a vaginal sample to help doctors better understand and treat conditions that can cause vaginal irritation or infections in older women. This is not a Pap smear. Most women we've interviewed have found it goes very smoothly. I have instructions for you to do this on your own, in the privacy of your bathroom. [PROMPT IF NEEDED: A Pap smear is a routine medical test in which the doctor examines the cervix (internal female organ)]

and sends a cell sample to the lab.] To collect the vaginal sample you will be using a swab in your vagina. This is a simple and sanitary process.

Skip if: GENDER equals "male"

Value	Label	Unweighted Frequency	%
1	continue	1028	34.2 %
	Missing Data		
-6	missing in error	2	0.1 %
-3	not applicable	1454	48.4 %
-1	refused	521	17.3 %
	Total	3,005	100%

Based upon 1,028 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1647-1648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -1

BLUESWAB: blue-tipped swab

PLACE SWAB IN CORRESPONDING TRANSPORT

Skip if: VS_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	complete sample	1017	33.8 %
2	equipment problem	0	0.0 %
3	tried, unable to do	11	0.4 %
	Missing Data		
-3	not applicable	1977	65.8 %
	Total	3,005	100%

Based upon 1,028 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1649-1650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

STMSWAB: stm swab

PLACE SWAB IN CORRESPONDING TRANSPORT

Skip if: VS_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	complete sample	1013	33.7 %
2	equipment problem	6	0.2 %
3	tried, unable to do	9	0.3 %
Missing Data			
-3	not applicable	1977	65.8 %
Total		3,005	100%

Based upon 1,028 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1651-1652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

BVYSWAB: BV/yeast swab received by Magee

BV/yeast swab received by Magee

Skip if: BLUESWAB does not equal "complete sample"

Note: swab for 10016910 lost during shipping

Value	Label	Unweighted Frequency	%
0	no	1	0.0 %
1	yes	1016	33.8 %
Missing Data			
-3	not applicable	1988	66.2 %
Total		3,005	100%

Based upon 1,017 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1653-1654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BV: BV score

BV score

Skip if: BV_FLAG does not equal "actual value"

Note: 58 samples marked 'insufficient material', 50 marked 'lacked normal or BV-like flora' and 1 marked 'lost/ruined' are coded as 'not applicable' (see bv_flag for details)

Value	Label	Unweighted Frequency	%
0	-	92	3.1 %
1	-	95	3.2 %
2	-	54	1.8 %
3	-	84	2.8 %
4	-	176	5.9 %
5	-	65	2.2 %
6	-	117	3.9 %
7	-	88	2.9 %
8	-	67	2.2 %
9	-	32	1.1 %
10	-	37	1.2 %
	Missing Data		
-3	not applicable	2098	69.8 %
	Total	3,005	100%

Based upon 907 valid cases out of 3,005 total cases.

- Mean: 4.41
- Median: 4.00
- Mode: 4.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.78

Location: 1655-1656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BVCAT: 3-category recode of BV score

3-category recode of BV score

Skip if: BV_FLAG does not equal "actual value"

Value	Label	Unweighted Frequency	%
1	normal	325	10.8 %

Value	Label	Unweighted Frequency	%
2	intermediate	358	11.9 %
3	BV	224	7.5 %
	Missing Data		
-3	not applicable	2098	69.8 %
	Total	3,005	100%

Based upon 907 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1657-1658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

BV_FLAG: BV flag

BV flag

Skip if: BVYSWAB does not equal "yes"

Value	Label	Unweighted Frequency	%
0	actual value	907	30.2 %
1	insufficient material	58	1.9 %
2	lost/ruined	1	0.0 %
3	lacked normal or BV-like flora	50	1.7 %
	Missing Data		
-3	not applicable	1989	66.2 %
	Total	3,005	100%

Based upon 1,016 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1659-1660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

YEAST: yeast result

Yeast result

Skip if: BVYSWAB does not equal "yes"

Value	Label	Unweighted Frequency	%
1	positive	62	2.1 %
2	negative	895	29.8 %
3	insufficient material	58	1.9 %
4	lost/ruined	1	0.0 %
	Missing Data		
-3	not applicable	1989	66.2 %
	Total	3,005	100%

Based upon 1,016 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1661-1662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

CYTLCSENT: sample sent for cytology

Sample sent for cytology

Skip if: BVYSWAB does not equal "yes"

Value	Label	Unweighted Frequency	%
0	no	0	0.0 %
1	yes	1016	33.8 %
	Missing Data		
-3	not applicable	1989	66.2 %
	Total	3,005	100%

Based upon 1,016 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1663-1664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BASAL_PARABASAL: exfoliated vaginal cells: percent basal-parabasal

Exfoliated vaginal cells: percent basal-parabasal

Skip if: cytlscnt does not equal "yes"

Note: 147 samples were not adequate for determining the maturation index using traditional

criteria and methods; these were excluded from the data file received from the lab

Value	Label	Unweighted Frequency	%
0	-	327	10.9 %
2	-	1	0.0 %
4	-	2	0.1 %
5	-	103	3.4 %
7	-	1	0.0 %
10	-	88	2.9 %
15	-	49	1.6 %
20	-	34	1.1 %
25	-	24	0.8 %
30	-	35	1.2 %
35	-	22	0.7 %
40	-	32	1.1 %
45	-	16	0.5 %
50	-	22	0.7 %
55	-	12	0.4 %
60	-	21	0.7 %
65	-	13	0.4 %
70	-	14	0.5 %
75	-	10	0.3 %
80	-	13	0.4 %
85	-	13	0.4 %
90	-	11	0.4 %
95	-	6	0.2 %
	Missing Data		
-3	not applicable	1989	66.2 %
.	-	147	4.9 %
	Total	3,005	100%

Based upon 869 valid cases out of 3,005 total cases.

- Mean: 19.04
- Median: 10.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 95.00
- Standard Deviation: 25.06

Location: 1665-1666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1 , .

INTERMEDIATE: exfoliated vaginal cells: percent intermediate

Exfoliated vaginal cells: percent intermediate

Skip if: cytlsent does not equal "yes"

Note: 147 samples were not adequate for determining the maturation index using traditional criteria and methods; these were excluded from the data file received from the lab

Value	Label	Unweighted Frequency	%
0	-	7	0.2 %
5	-	14	0.5 %
8	-	1	0.0 %
10	-	30	1.0 %
15	-	16	0.5 %
20	-	13	0.4 %
25	-	10	0.3 %
30	-	22	0.7 %
35	-	24	0.8 %
40	-	32	1.1 %
43	-	1	0.0 %
45	-	24	0.8 %
50	-	35	1.2 %
55	-	49	1.6 %
58	-	1	0.0 %
60	-	44	1.5 %
65	-	43	1.4 %
70	-	43	1.4 %
75	-	40	1.3 %
80	-	72	2.4 %
83	-	1	0.0 %
85	-	80	2.7 %
90	-	109	3.6 %
91	-	1	0.0 %
94	-	1	0.0 %
95	-	115	3.8 %
96	-	1	0.0 %
98	-	5	0.2 %
100	-	35	1.2 %
	Missing Data		
-3	not applicable	1989	66.2 %

Value	Label	Unweighted Frequency	%
.	-	147	4.9 %
	Total	3,005	100%

Based upon 869 valid cases out of 3,005 total cases.

- Mean: 67.47
- Median: 75.00
- Mode: 95.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 26.72

Location: 1667-1669 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1 , .

SUPERFICIAL: exfoliated vaginal cells: percent superficial

Exfoliated vaginal cells: percent superficial

Skip if: cytlsent does not equal "yes"

Note: 147 samples were not adequate for determining the maturation index using traditional criteria and methods; these were excluded from the data file received from the lab

Value	Label	Unweighted Frequency	%
0	-	125	4.2 %
2	-	10	0.3 %
5	-	358	11.9 %
10	-	154	5.1 %
15	-	43	1.4 %
20	-	34	1.1 %
25	-	16	0.5 %
30	-	17	0.6 %
35	-	17	0.6 %
40	-	18	0.6 %
45	-	23	0.8 %
50	-	9	0.3 %
55	-	8	0.3 %
60	-	9	0.3 %
65	-	4	0.1 %
70	-	2	0.1 %
75	-	4	0.1 %
85	-	6	0.2 %

Value	Label	Unweighted Frequency	%
90	-	4	0.1 %
95	-	2	0.1 %
100	-	6	0.2 %
	Missing Data		
-3	not applicable	1989	66.2 %
.	-	147	4.9 %
	Total	3,005	100%

Based upon 869 valid cases out of 3,005 total cases.

- Mean: 13.49
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 18.37

Location: 1670-1672 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1 , .

MATURATION: maturation value

Maturation value

Skip if: cytlsent does not equal "yes"

Note: gen maturation = (intermediate * 0.5) + superficial; replace maturation = .c if

cytlsent!="yes".yesno; replace maturation = .g if maturation==.

Value	Label	Unweighted Frequency	%
2.5	-	5	0.2 %
5.0	-	5	0.2 %
6.0	-	1	0.0 %
7.5	-	9	0.3 %
10.0	-	12	0.4 %
12.5	-	10	0.3 %
15.0	-	15	0.5 %
17.5	-	8	0.3 %
20.0	-	20	0.7 %
22.5	-	13	0.4 %
23.5	-	1	0.0 %
25.0	-	13	0.4 %
27.5	-	19	0.6 %

Value	Label	Unweighted Frequency	%
30.0	-	21	0.7 %
31.0	-	1	0.0 %
32.5	-	19	0.6 %
35.0	-	24	0.8 %
37.5	-	33	1.1 %
40.0	-	28	0.9 %
42.5	-	23	0.8 %
45.0	-	46	1.5 %
47.5	-	49	1.6 %
49.0	-	1	0.0 %
50.0	-	97	3.2 %
50.5	-	1	0.0 %
51.0	-	5	0.2 %
51.5	-	1	0.0 %
52.5	-	135	4.5 %
55.0	-	80	2.7 %
57.5	-	29	1.0 %
60.0	-	22	0.7 %
62.5	-	15	0.5 %
65.0	-	13	0.4 %
67.5	-	12	0.4 %
70.0	-	13	0.4 %
72.5	-	21	0.7 %
75.0	-	11	0.4 %
77.5	-	6	0.2 %
80.0	-	9	0.3 %
82.5	-	4	0.1 %
87.5	-	1	0.0 %
90.0	-	4	0.1 %
92.5	-	2	0.1 %
95.0	-	4	0.1 %
97.5	-	2	0.1 %
100.0	-	6	0.2 %
	Missing Data		
-7.0	-	147	4.9 %
-3.0	not applicable	1989	66.2 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 869 valid cases out of 3,005 total cases.

- Mean: 47.23
- Median: 50.00
- Mode: 52.50
- Minimum: 2.50
- Maximum: 100.00
- Standard Deviation: 17.45

Location: 1673-1677 (width: 5; decimal: 1)

Variable Type: numeric

(Range of) Missing Values: -8.0 , -7.0 , -6.0 , -5.0 , -4.0 , -3.0 , -2.0 , -1.0

DV_INTRO: introduction to distance vision module

Now, we will do a quick distance vision check. If you wear glasses for distance vision, please use them.

Skip if: PATH equals 1, 3 or 5

Value	Label	Unweighted Frequency	%
1	continue	1441	48.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-3	not applicable	1499	49.9 %
-1	refused	64	2.1 %
	Total	3,005	100%

Based upon 1,441 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1678-1679 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

DVDISTCE: distance at which vision chart read

Distance at which vision chart read

Skip if: DV_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	3 meters	1414	47.1 %

Value	Label	Unweighted Frequency	%
2	equipment problem	4	0.1 %
3	tried, unable to perform at 3 meters	23	0.8 %
	Missing Data		
-3	not applicable	1564	52.0 %
	Total	3,005	100%

Based upon 1,441 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1680-1681 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

DVLINE: smallest line read at 3 meters

With both eyes open, please read the smallest row where you can still read each letter. Read slowly and loudly. (IF R IS LEANING FORWARD: Please stand up straight.) IF CORRECT: Any guess on the next line? IF INCORRECT: Could you please read the next largest line above what you just read?

Skip if: DVDISTCE does not equal 3 meters

Value	Label	Unweighted Frequency	%
1	cohzv 20/200	4	0.1 %
2	szndc 20/160	11	0.4 %
3	vkcnr 20/125	9	0.3 %
4	kcrhn 20/100	26	0.9 %
5	zkdvc 20/80	39	1.3 %
6	hvork 20/63	80	2.7 %
7	rhson 20/50	149	5.0 %
8	ksvrh 20/40	262	8.7 %
9	hnkcd 20/32	286	9.5 %
10	ndvko 20/25	329	10.9 %
11	dhosz 20/20	129	4.3 %
12	vrndo 20/16	78	2.6 %
13	czhks 20/12.5	11	0.4 %
14	orzsk 20/10	1	0.0 %
	Missing Data		
-3	not applicable	1591	52.9 %
	Total	3,005	100%

Based upon 1,414 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 14.00

Location: 1682-1683 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

GLASSES: did r wear glasses to read chart?

DID THE RESPONDENT WEAR GLASSES OR CONTACTS TO READ THE CHART?

Skip if: DVDISTCE does not equal 3 meters

Value	Label	Unweighted Frequency	%
1	no	359	11.9 %
2	no, but r usually wears glasses/contacts for distance	20	0.7 %
3	yes	1035	34.4 %
	Missing Data		
-3	not applicable	1591	52.9 %
	Total	3,005	100%

Based upon 1,414 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1684-1685 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

GUP_INTRO: introduction to get up and go (GUG)

Next we are going to do a walking exercise. Let me first demonstrate this measure.

Skip if: PATH equals 1, 3 or 5

Value	Label	Unweighted Frequency	%
1	continue	1377	45.8 %
2	wheelchair	20	0.7 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-3	not applicable	1499	49.9 %
-1	refused	108	3.6 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 1,397 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1686-1687 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

GUPSTAND: stand up from chair

When I say "Go" you may begin. START TIMER ON GO.

Skip if: GUP_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	able to do	1371	45.6 %
2	equipment problem	1	0.0 %
3	tried, unable to do	5	0.2 %
	Missing Data		
-3	not applicable	1628	54.2 %
	Total	3,005	100%

Based upon 1,377 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1688-1689 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

B3TIME1: GUG: elapsed time 1 (seconds)

R STANDS, WALKS TO END OF STRING: (LAP 1)

Skip if: GUPSTAND does not equal "able to do"

Note: timing data were captured only partially or not at all for 25 respondents; these observations have been coded as .f (missing in error)

Value	Label	Unweighted Frequency	%
1	-	42	1.4 %
2	-	39	1.3 %

Value	Label	Unweighted Frequency	%
3	-	154	5.1 %
4	-	296	9.9 %
5	-	275	9.2 %
6	-	200	6.7 %
7	-	121	4.0 %
8	-	81	2.7 %
9	-	46	1.5 %
10	-	21	0.7 %
11	-	18	0.6 %
12	-	11	0.4 %
13	-	3	0.1 %
14	-	8	0.3 %
15	-	7	0.2 %
16	-	3	0.1 %
17	-	3	0.1 %
18	-	4	0.1 %
19	-	4	0.1 %
20	-	3	0.1 %
21	-	1	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
27	-	2	0.1 %
28	-	1	0.0 %
30	-	2	0.1 %
38	-	1	0.0 %
43	-	1	0.0 %
	Missing Data		
-6	missing in error	22	0.7 %
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,349 valid cases out of 3,005 total cases.

- Mean: 5.67
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 43.00
- Standard Deviation: 3.44

Location: 1690-1691 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

B3TIME2: GUG: elapsed time 2 (seconds)

R TURNS AROUND, REACHES CHAIR: (LAP 2)

Skip if: GUPSTAND does not equal "able to do"

Note: timing data were captured only partially or not at all for 25 respondents; these observations have been coded as .f (missing in error)

Value	Label	Unweighted Frequency	%
1	-	58	1.9 %
2	-	124	4.1 %
3	-	249	8.3 %
4	-	310	10.3 %
5	-	247	8.2 %
6	-	146	4.9 %
7	-	63	2.1 %
8	-	50	1.7 %
9	-	34	1.1 %
10	-	18	0.6 %
11	-	13	0.4 %
12	-	9	0.3 %
13	-	8	0.3 %
14	-	4	0.1 %
15	-	3	0.1 %
16	-	1	0.0 %
17	-	2	0.1 %
20	-	2	0.1 %
22	-	2	0.1 %
23	-	2	0.1 %
25	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
49	-	1	0.0 %
66	-	1	0.0 %
72	-	1	0.0 %
	Missing Data		
-6	missing in error	19	0.6 %
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,352 valid cases out of 3,005 total cases.

- Mean: 4.93
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 72.00
- Standard Deviation: 4.00

Location: 1692-1693 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

B3TIME3: GUG: elapsed time 3 (seconds)

R SEATED: (LAP 3)

Skip if: GUPSTAND does not equal "able to do"

Note: timing data were captured only partially or not at all for 25 respondents; these observations have been coded as .f (missing in error)

Value	Label	Unweighted Frequency	%
1	-	392	13.0 %
2	-	459	15.3 %
3	-	227	7.6 %
4	-	100	3.3 %
5	-	74	2.5 %
6	-	37	1.2 %
7	-	28	0.9 %
8	-	6	0.2 %
9	-	8	0.3 %
10	-	3	0.1 %
11	-	3	0.1 %
12	-	6	0.2 %
13	-	2	0.1 %
14	-	3	0.1 %
15	-	1	0.0 %
24	-	1	0.0 %
30	-	1	0.0 %
	Missing Data		
-6	missing in error	20	0.7 %
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,351 valid cases out of 3,005 total cases.

- Mean: 2.64
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 2.14

Location: 1694-1695 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GUPPROB_1: GUG obs: r walked unsteadily

CHECK ALL THAT APPLY.

Skip if: GUPSTAND does not equal "able to do"

Value	Label	Unweighted Frequency	%
0	no	1223	40.7 %
1	yes	148	4.9 %
	Missing Data		
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,371 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1696-1697 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GUPPROB_2: GUG obs: r limped, shuffled or dragged a leg

CHECK ALL THAT APPLY.

Skip if: GUPSTAND does not equal "able to do"

Value	Label	Unweighted Frequency	%
0	no	1317	43.8 %
1	yes	54	1.8 %
	Missing Data		
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,371 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1698-1699 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GUPPROB_3: GUG obs: r unsteady turn

CHECK ALL THAT APPLY.

Skip if: GUPSTAND does not equal "able to do"

Value	Label	Unweighted Frequency	%
0	no	1291	43.0 %
1	yes	80	2.7 %
	Missing Data		
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,371 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1700-1701 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GUPPROB_4: GUG obs: r uses a cane or walker

CHECK ALL THAT APPLY.

Skip if: GUPSTAND does not equal "able to do"

Value	Label	Unweighted Frequency	%
0	no	1344	44.7 %
1	yes	27	0.9 %
	Missing Data		
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,371 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1702-1703 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GUPPROB_5: GUG obs: r stated painful

CHECK ALL THAT APPLY.

Skip if: GUPSTAND does not equal "able to do"

Value	Label	Unweighted Frequency	%
0	no	1339	44.6 %
1	yes	32	1.1 %
	Missing Data		
-3	not applicable	1634	54.4 %
	Total	3,005	100%

Based upon 1,371 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1704-1705 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

TOUCH_INTRO: introduction to touch module

Now we are going to measure your sensitivity to touch.

Skip if: PATH equals 1, 3 or 5

Value	Label	Unweighted Frequency	%
1	continue	1474	49.1 %
2	equipment problem	3	0.1 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-3	not applicable	1499	49.9 %
-1	refused	28	0.9 %
	Total	3,005	100%

Based upon 1,477 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1706-1707 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -1

PT_12MM: 2-point discrimination: 12mm

How many points do you feel? One or two? IF R FEELS SOMETHING (INCLUDING RESPONSES SUCH AS '3 POINTS' OR 'I FEEL SOMETHING, BUT I'M NOT SURE HOW MANY POINTS') BUT NOT 1 OR 2 POINTS, CODE AS 1 POINT.

Skip if: TOUCH_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	1 point	273	9.1 %
2	2 points	1171	39.0 %
3	didn't feel any points	24	0.8 %
4	tried, unable to do	6	0.2 %
Missing Data			
-3	not applicable	1531	50.9 %
Total		3,005	100%

Based upon 1,474 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1708-1709 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

PT_DUMMY: 2-point discrimination: single point (dummy)

How many points do you feel? One or two? IF R FEELS SOMETHING (INCLUDING RESPONSES SUCH AS '3 POINTS' OR 'I FEEL SOMETHING, BUT I'M NOT SURE HOW MANY POINTS') BUT NOT 1 OR 2 POINTS, CODE AS 1 POINT.

Skip if: TOUCH_INTRO does not equal "continue" or PT_12MM equals "tried, unable to do"

Value	Label	Unweighted Frequency	%
1	1 point	1263	42.0 %
2	2 points	186	6.2 %
3	didn't feel any points	19	0.6 %
4	tried, unable to do	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-3	not applicable	1537	51.1 %
	Total	3,005	100%

Based upon 1,468 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1710-1711 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

PT_8MM: 2-point discrimination: 8mm

How many points do you feel? One or two? IF R FEELS SOMETHING (INCLUDING RESPONSES SUCH AS '3 POINTS' OR 'I FEEL SOMETHING, BUT I'M NOT SURE HOW MANY POINTS') BUT NOT 1 OR 2 POINTS, CODE AS 1 POINT.

Skip if: TOUCH_INTRO does not equal "continue", or either PT12MM or PT_DUMMY equals "tried, unable to do"

Value	Label	Unweighted Frequency	%
1	1 point	237	7.9 %
2	2 points	1165	38.8 %
3	didn't feel any points	61	2.0 %
4	tried, unable to do	5	0.2 %
	Missing Data		
-3	not applicable	1537	51.1 %
	Total	3,005	100%

Based upon 1,468 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1712-1713 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

PT_4MM: 2-point discrimination: 4mm

How many points do you feel? One or two? IF R FEELS SOMETHING (INCLUDING RESPONSES SUCH AS '3 POINTS' OR 'I FEEL SOMETHING, BUT I'M NOT SURE HOW MANY POINTS') BUT NOT 1 OR 2 POINTS, CODE AS 1 POINT.

Skip if: TOUCH_INTRO does not equal "continue", or either PT_12MM, PT_DUMMY, or PT_8MM equals "tried, unable to do"

Value	Label	Unweighted Frequency	%
1	1 point	812	27.0 %
2	2 points	594	19.8 %
3	didn't feel any points	29	1.0 %
4	tried, unable to do	28	0.9 %
	Missing Data		
-3	not applicable	1542	51.3 %
	Total	3,005	100%

Based upon 1,463 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1714-1715 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

HAND2PT: hand used for touch test

WHAT HAND WAS USED FOR THE TEST?

Skip if: TOUCH_INTRO does not equal "continue" or PT_12MM equals "tried, unable to do"

Value	Label	Unweighted Frequency	%
1	right hand	1108	36.9 %
2	left hand	360	12.0 %
	Missing Data		
-3	not applicable	1537	51.1 %
	Total	3,005	100%

Based upon 1,468 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1716-1717 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

BS_INTRO: introduction to blood spot collection

Now I'm going to use a device called a lancet to quickly prick your finger. This device is commonly used by children and adults to check their blood sugar at home. It is sterile and made for one-time use. Most people tell us this feels like a small pin prick.

Skip if: PATH equals 2

Value	Label	Unweighted Frequency	%
1	continue	2105	70.0 %
	Missing Data		
-3	not applicable	511	17.0 %
-1	refused	389	12.9 %
	Total	3,005	100%

Based upon 2,105 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1718-1719 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -1

BLDSPOT: blood spot collection outcome

Blood spot collection outcome

Skip if: BS_INTRO does not equal "continue"

Value	Label	Unweighted Frequency	%
1	1 or more spots collected	2048	68.2 %
2	equipment problem	9	0.3 %
3	tried, unable to do (0 spots)	48	1.6 %
	Missing Data		
-3	not applicable	900	30.0 %
	Total	3,005	100%

Based upon 2,105 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1720-1721 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

NUM_BS: number of blood spots collected

Number of blood spots collected

Skip if: BLDSPOT does not equal "1 or more spots collected"

Value	Label	Unweighted Frequency	%
1	-	22	0.7 %
2	-	36	1.2 %
3	-	79	2.6 %
4	-	415	13.8 %
5	-	1496	49.8 %
	Missing Data		
-3	not applicable	957	31.8 %
	Total	3,005	100%

Based upon 2,048 valid cases out of 3,005 total cases.

- Mean: 4.62
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.74

Location: 1722-1723 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BLDPRICK: number of finger pricks

Number of finger pricks

Skip if: BLDSPOT does not equal "1 or more spots collected"

Value	Label	Unweighted Frequency	%
1	-	1348	44.9 %
2	-	516	17.2 %
3	-	176	5.9 %
	Missing Data		
-6	missing in error	8	0.3 %
-3	not applicable	957	31.8 %
	Total	3,005	100%

Based upon 2,040 valid cases out of 3,005 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.65

Location: 1724-1725 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BS_SAMPLE: final status of blood spot sample

Final status of blood spot sample

Skip if: BLDSPOT does not equal "1 or more spots collected"

Value	Label	Unweighted Frequency	%
1	received by lab	2032	67.6 %
2	lost in transit	5	0.2 %
3	problem identifying sample	11	0.4 %
Missing Data			
-3	not applicable	957	31.8 %
Total		3,005	100%

Based upon 2,048 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1726-1727 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3

CRP: c-reactive protein (mg/L)

C-reactive protein (mg/L)

Skip if: CRP_FLAG equals "too high to obtain value", "insufficient sample", or "not applicable"

Note: 1. warning: certain values may represent lower bound only (see crp_flag for details);
 result for 1 sample (10017860) was reported by the lab as being 'too high' to obtain a value
 2. cases where there was insufficient sample are coded as 'not applicable' (see crp_flag for details)

Value	Label	Unweighted Frequency	%
0.0000000000	-	6	0.2 %

Value	Label	Unweighted Frequency	%
0.03099999949	-	1	0.0 %
0.03500000015	-	1	0.0 %
0.06400000304	-	1	0.0 %
0.07100000232	-	2	0.1 %
0.07199999690	-	1	0.0 %
0.07400000095	-	1	0.0 %
0.07699999958	-	1	0.0 %
0.08399999887	-	1	0.0 %
0.08900000155	-	1	0.0 %
0.09200000018	-	1	0.0 %
0.10199999809	-	1	0.0 %
0.10800000280	-	2	0.1 %
0.10999999940	-	1	0.0 %
0.11100000143	-	1	0.0 %
0.11200000346	-	2	0.1 %
0.11299999803	-	1	0.0 %
0.11500000209	-	1	0.0 %
0.11599999666	-	1	0.0 %
0.11800000072	-	1	0.0 %
0.11900000274	-	3	0.1 %
0.12300000340	-	1	0.0 %
0.12500000000	-	1	0.0 %
0.12800000608	-	2	0.1 %
0.13199999928	-	1	0.0 %
0.13300000131	-	2	0.1 %
0.13500000536	-	3	0.1 %
0.13699999452	-	1	0.0 %
0.13799999654	-	1	0.0 %
0.14000000060	-	1	0.0 %
0.14100000262	-	1	0.0 %
0.14300000668	-	1	0.0 %
0.14399999380	-	1	0.0 %
0.14499999583	-	1	0.0 %
0.14800000191	-	1	0.0 %
0.14900000393	-	2	0.1 %
0.15199999511	-	1	0.0 %
0.15399999917	-	2	0.1 %
0.15700000525	-	1	0.0 %
0.15800000727	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.15899999440	-	1	0.0 %
0.15999999642	-	2	0.1 %
0.16099999845	-	2	0.1 %
0.16300000250	-	2	0.1 %
0.16699999571	-	1	0.0 %
0.17200000584	-	1	0.0 %
0.17299999297	-	1	0.0 %
0.17399999499	-	1	0.0 %
0.17599999905	-	2	0.1 %
0.17700000107	-	1	0.0 %
	Missing Data		
-6.00000000000	missing in error	1	0.0 %
-3.00000000000	not applicable	1065	35.4 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,939 valid cases out of 3,005 total cases.

- Mean: 3.19997473576
- Minimum: 0.00000000000
- Maximum: 100.00000000000
- Standard Deviation: 6.03322126642

Location: 1728-1742 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -8.00000000000 , -6.00000000000 , -5.00000000000 , -4.00000000000 , -3.00000000000 , -2.00000000000 , -1.00000000000

CRP_FLAG: CRP flag

CRP flag

Skip if: BS_SAMPLE does not equal "received by lab"

Value	Label	Unweighted Frequency	%
0	actual value	1936	64.4 %
1	too high to obtain value	1	0.0 %
2	lower bound	3	0.1 %
3	insufficient sample	91	3.0 %
	Missing Data		
-6	missing in error	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	not applicable	973	32.4 %
	Total	3,005	100%

Based upon 2,031 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1743-1744 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

EBV: Epstein-Barr virus (ELISA units)

Epstein-Barr virus (ELISA units)

Skip if: EBV_FLAG equals "insufficient sample" or "not applicable"

Note: cases where there was insufficient sample are coded as 'not applicable' (see ebv_flag for details)

Value	Label	Unweighted Frequency	%
12.72000026703	-	1	0.0 %
13.11999988556	-	1	0.0 %
13.14999961854	-	1	0.0 %
13.31000041962	-	1	0.0 %
13.51000022889	-	1	0.0 %
13.71000003815	-	1	0.0 %
13.89000034333	-	1	0.0 %
14.14000034333	-	1	0.0 %
14.14999961854	-	1	0.0 %
14.21000003815	-	1	0.0 %
14.39000034333	-	1	0.0 %
14.72999954224	-	1	0.0 %
14.78999996186	-	1	0.0 %
14.96000003815	-	1	0.0 %
15.00000000000	-	1	0.0 %
15.06000041962	-	1	0.0 %
15.25000000000	-	1	0.0 %
15.42000007630	-	1	0.0 %
15.50000000000	-	1	0.0 %
15.71000003815	-	2	0.1 %
15.78999996186	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.88000011445	-	1	0.0 %
15.92000007630	-	1	0.0 %
16.20000076294	-	1	0.0 %
16.30999946595	-	1	0.0 %
16.43000030518	-	1	0.0 %
16.56999969483	-	1	0.0 %
16.70000076294	-	1	0.0 %
16.79999923707	-	1	0.0 %
16.80999946595	-	1	0.0 %
16.82999992372	-	1	0.0 %
16.85000038147	-	1	0.0 %
17.29000091553	-	1	0.0 %
17.40999984742	-	1	0.0 %
17.61000061036	-	1	0.0 %
17.62999916078	-	1	0.0 %
17.79999923707	-	1	0.0 %
18.02000045777	-	1	0.0 %
18.12000083924	-	1	0.0 %
18.73999977112	-	1	0.0 %
18.79999923707	-	1	0.0 %
19.06999969483	-	1	0.0 %
19.22999954225	-	1	0.0 %
19.27000045777	-	1	0.0 %
19.75000000000	-	1	0.0 %
19.82999992372	-	1	0.0 %
19.87000083924	-	1	0.0 %
19.88999938965	-	1	0.0 %
19.89999961854	-	1	0.0 %
19.94000053406	-	1	0.0 %
	Missing Data		
-6.00000000000	missing in error	1	0.0 %
-3.00000000000	not applicable	1027	34.2 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,977 valid cases out of 3,005 total cases.

- Mean: 156.61562966553
- Minimum: 12.72000026703

- Maximum: 371.35000610352
- Standard Deviation: 77.11902276680

Location: 1745-1759 (width: 15; decimal: 11)

Variable Type: numeric

(Range of) Missing Values: -8.000000000000 , -6.000000000000 , -5.000000000000 , -4.000000000000 , -3.000000000000 , -2.000000000000 , -1.000000000000

EBV_FLAG: EBV flag

EBV flag

Skip if: BS_SAMPLE does not equal "received by lab"

Note: a power outage during run 38 for EBV resulted in the loss of some results; these were re-run except in 4 cases (10018210, 10021460, 10024830, and 10038950) where there was insufficient sample for a second assay (coded as 'insufficient sample')

Value	Label	Unweighted Frequency	%
0	actual value	1977	65.8 %
1	too high to obtain value	0	0.0 %
2	lower bound	0	0.0 %
3	insufficient sample	54	1.8 %
Missing Data			
-6	missing in error	1	0.0 %
-3	not applicable	973	32.4 %
	Total	3,005	100%

Based upon 2,031 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1760-1761 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

HB: hemoglobin (g/dL)

Hemoglobin (g/dL)

Skip if: HB_FLAG equals "insufficient sample" or "not applicable"

Note: cases where there was insufficient sample are coded as 'not applicable' (see hb_flag for details)

Value	Label	Unweighted Frequency	%
4.504000186920	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.576000213623	-	1	0.0 %
6.639999866486	-	1	0.0 %
7.136000156403	-	1	0.0 %
7.519999980927	-	1	0.0 %
7.559999942780	-	1	0.0 %
7.607999801636	-	1	0.0 %
7.647999763489	-	1	0.0 %
7.719999790192	-	1	0.0 %
7.783999919891	-	2	0.1 %
7.888000011444	-	1	0.0 %
7.952000141144	-	1	0.0 %
7.975999832153	-	1	0.0 %
8.008000373840	-	1	0.0 %
8.119999885559	-	1	0.0 %
8.128000259399	-	1	0.0 %
8.208000183105	-	1	0.0 %
8.399999618530	-	1	0.0 %
8.496000289917	-	1	0.0 %
8.503999710083	-	1	0.0 %
8.512000083923	-	2	0.1 %
8.600000381470	-	1	0.0 %
8.607999801636	-	1	0.0 %
8.616000175476	-	1	0.0 %
8.711999893188	-	1	0.0 %
8.720000267029	-	1	0.0 %
8.751999855042	-	1	0.0 %
8.791999816895	-	1	0.0 %
8.847999572754	-	2	0.1 %
8.855999946594	-	1	0.0 %
8.864000320435	-	1	0.0 %
8.871999740601	-	1	0.0 %
8.887999534607	-	1	0.0 %
8.920000076294	-	1	0.0 %
8.944000244141	-	1	0.0 %
8.984000205994	-	1	0.0 %
9.055999755859	-	1	0.0 %
9.079999923706	-	1	0.0 %
9.088000297546	-	1	0.0 %
9.095999717712	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.128000259399	-	1	0.0 %
9.168000221252	-	1	0.0 %
9.175999641418	-	1	0.0 %
9.208000183105	-	1	0.0 %
9.248000144958	-	1	0.0 %
9.255999565125	-	1	0.0 %
9.263999938965	-	1	0.0 %
9.279999732971	-	1	0.0 %
9.312000274658	-	1	0.0 %
9.328000068665	-	2	0.1 %
	Missing Data		
-6.000000000000	missing in error	1	0.0 %
-3.000000000000	not applicable	1145	38.1 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,859 valid cases out of 3,005 total cases.

- Mean: 12.678541143970
- Minimum: 4.504000186920
- Maximum: 18.687999725342
- Standard Deviation: 1.857330301077

Location: 1762-1776 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -8.000000000000 , -6.000000000000 , -5.000000000000 , -4.000000000000 , -3.000000000000 , -2.000000000000 , -1.000000000000

HB_FLAG: Hb flag

Hb flag

Skip if: BS_SAMPLE does not equal "received by lab"

Value	Label	Unweighted Frequency	%
0	actual value	1859	61.9 %
1	too high to obtain value	0	0.0 %
2	lower bound	0	0.0 %
3	insufficient sample	172	5.7 %
	Missing Data		
-6	missing in error	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	not applicable	973	32.4 %
	Total	3,005	100%

Based upon 2,031 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1777-1778 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

HBA1C: glycosylated hemoglobin (percent of total hemoglobin)

Glycosylated hemoglobin (percent of total hemoglobin)

Skip if: HBA1C_FLAG equals "insufficient sample" or "not applicable"

Note: cases where there was insufficient sample are coded as 'not applicable' (see hba1c_flag for details)

Value	Label	Unweighted Frequency	%
4.199999809265	-	1	0.0 %
4.300000190735	-	1	0.0 %
4.500000000000	-	2	0.1 %
4.599999904633	-	4	0.1 %
4.699999809265	-	8	0.3 %
4.800000190735	-	7	0.2 %
4.900000095367	-	12	0.4 %
5.000000000000	-	17	0.6 %
5.099999904633	-	35	1.2 %
5.199999809265	-	64	2.1 %
5.300000190735	-	84	2.8 %
5.400000095367	-	103	3.4 %
5.500000000000	-	127	4.2 %
5.599999904633	-	132	4.4 %
5.699999809265	-	176	5.9 %
5.800000190735	-	143	4.8 %
5.900000095367	-	108	3.6 %
6.000000000000	-	96	3.2 %
6.099999904633	-	95	3.2 %
6.199999809265	-	75	2.5 %
6.300000190735	-	45	1.5 %

Value	Label	Unweighted Frequency	%
6.400000095367	-	45	1.5 %
6.500000000000	-	39	1.3 %
6.599999904633	-	29	1.0 %
6.699999809265	-	27	0.9 %
6.800000190735	-	22	0.7 %
6.900000095367	-	21	0.7 %
7.000000000000	-	24	0.8 %
7.099999904633	-	15	0.5 %
7.199999809265	-	28	0.9 %
7.300000190735	-	7	0.2 %
7.400000095367	-	14	0.5 %
7.500000000000	-	8	0.3 %
7.599999904633	-	16	0.5 %
7.699999809265	-	8	0.3 %
7.800000190735	-	11	0.4 %
7.900000095367	-	6	0.2 %
8.000000000000	-	8	0.3 %
8.100000381470	-	4	0.1 %
8.199999809265	-	4	0.1 %
8.300000190735	-	1	0.0 %
8.399999618530	-	3	0.1 %
8.500000000000	-	7	0.2 %
8.600000381470	-	5	0.2 %
8.699999809265	-	7	0.2 %
8.800000190735	-	4	0.1 %
8.899999618530	-	2	0.1 %
9.000000000000	-	2	0.1 %
9.100000381470	-	5	0.2 %
9.199999809265	-	3	0.1 %
	Missing Data		
-6.000000000000	missing in error	1	0.0 %
-3.000000000000	not applicable	1258	41.9 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,746 valid cases out of 3,005 total cases.

- Mean: 6.096907209558
- Median: 5.800000190735

- Mode: 5.699999809265
- Minimum: 4.199999809265
- Maximum: 14.199999809265
- Standard Deviation: 1.025503806689

Location: 1779-1793 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -8.000000000000 , -6.000000000000 , -5.000000000000 , -4.000000000000 , -3.000000000000 , -2.000000000000 , -1.000000000000

HBA1C_FLAG: HbA1c flag

HbA1c flag

Skip if: BS_SAMPLE does not equal "received by lab"

Value	Label	Unweighted Frequency	%
0	actual value	1746	58.1 %
1	too high to obtain value	0	0.0 %
2	lower bound	0	0.0 %
3	insufficient sample	285	9.5 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	973	32.4 %
	Total	3,005	100%

Based upon 2,031 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1794-1795 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3

HAPPY: self-rated general happiness

Now we will turn to thoughts and feelings you may have about your life or yourself. By asking about your thoughts and feelings in addition to your physical health, we can paint a more complete picture of your life.

If you were to consider your life in general these days, how happy or unhappy would you say you are, on the whole... [HAND CARD DD]

Value	Label	Unweighted Frequency	%
1	unhappy usually	37	1.2 %

Value	Label	Unweighted Frequency	%
2	unhappy sometimes	254	8.5 %
3	pretty happy	1046	34.8 %
4	very happy	1238	41.2 %
5	extremely happy	420	14.0 %
Missing Data			
-8	incomplete interview	1	0.0 %
-2	don't know	5	0.2 %
-1	refused	4	0.1 %
Total		3,005	100%

Based upon 2,995 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1796-1797 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

SLFESTEM: self-rated self-esteem

How true is the following statement for you: I have high self-esteem. [HAND CARD EE] Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	not very true of me	111	3.7 %
2	somewhat untrue of me	239	8.0 %
3	neither true or untrue	257	8.6 %
4	somewhat true of me	898	29.9 %
5	very true of me	1275	42.4 %
Missing Data			
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	34	1.1 %
-2	don't know	19	0.6 %
-1	refused	4	0.1 %
Total		3,005	100%

Based upon 2,780 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1798-1799 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

NOTEAT: cesd: did not feel like eating

Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.

During the past week... I did not feel like eating; my appetite was poor. [HAND CARD FF]

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2204	73.3 %
2	some of the time	439	14.6 %
3	occasionally	242	8.1 %
4	most of the time	113	3.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,998 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1800-1801 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -3 , -2 , -1

FLTDEP: cesd: felt depressed

During the past week... I felt depressed. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2011	66.9 %
2	some of the time	527	17.5 %

Value	Label	Unweighted Frequency	%
3	occasionally	375	12.5 %
4	most of the time	83	2.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	6	0.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,996 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1802-1803 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

FLTEFF: cesd: felt everything was an effort

During the past week... I felt that everything I did was an effort. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	1724	57.4 %
2	some of the time	740	24.6 %
3	occasionally	289	9.6 %
4	most of the time	239	8.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	8	0.3 %
-1	refused	4	0.1 %
	Total	3,005	100%

Based upon 2,992 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1804-1805 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

NOSLEEP: cesd: sleep was restless

During the past week... My sleep was restless. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	1370	45.6 %
2	some of the time	903	30.0 %
3	occasionally	371	12.3 %
4	most of the time	354	11.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,998 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1806-1807 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

WASHAPY: cesd: was happy

During the past week... I was happy. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	65	2.2 %
2	some of the time	457	15.2 %
3	occasionally	237	7.9 %
4	most of the time	2238	74.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	5	0.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,997 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1808-1809 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

WASLONLY: cesd: felt lonely

During the past week... I felt lonely. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2039	67.9 %
2	some of the time	448	14.9 %
3	occasionally	378	12.6 %
4	most of the time	132	4.4 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
-1	refused	4	0.1 %
	Total	3,005	100%

Based upon 2,997 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1810-1811 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

UNFRIEND: cesd: people were unfriendly

During the past week... People were unfriendly. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2447	81.4 %
2	some of the time	299	10.0 %
3	occasionally	185	6.2 %
4	most of the time	61	2.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	9	0.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,992 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1812-1813 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

ENJLIFE: cesd: enjoyed life

During the past week... I enjoyed life. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	64	2.1 %
2	some of the time	273	9.1 %
3	occasionally	141	4.7 %
4	most of the time	2512	83.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	12	0.4 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,990 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1814-1815 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

FLTSAD: cesd: felt sad

During the past week... I felt sad. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	1778	59.2 %
2	some of the time	647	21.5 %
3	occasionally	499	16.6 %
4	most of the time	71	2.4 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	6	0.2 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,995 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1816-1817 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

DISLIKD: cesd: felt people disliked me

During the past week... I felt that people disliked me. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2534	84.3 %
2	some of the time	283	9.4 %
3	occasionally	137	4.6 %
4	most of the time	34	1.1 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	12	0.4 %
-1	refused	4	0.1 %
	Total	3,005	100%

Based upon 2,988 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1818-1819 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

NOTGETGO: cesd: could not get going

During the past week... I could not get "going". [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	1643	54.7 %
2	some of the time	827	27.5 %
3	occasionally	357	11.9 %
4	most of the time	168	5.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	6	0.2 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,995 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1820-1821 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

FLTTENS: hads: felt tense or wound up

During the past week... I felt tense or "wound up". [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	1413	47.0 %
2	some of the time	797	26.5 %
3	occasionally	462	15.4 %
4	most of the time	116	3.9 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	40	1.3 %
-2	don't know	7	0.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,788 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1822-1823 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FRIGHT: hads: something awful about to happen

During the past week... I got a frightened feeling as if something awful was about to happen.
[HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2280	75.9 %
2	some of the time	283	9.4 %
3	occasionally	188	6.3 %
4	most of the time	40	1.3 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	38	1.3 %
-2	don't know	5	0.2 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,791 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1824-1825 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WORRY: hads: worrying thoughts went through mind

During the past week... Worrying thoughts went through my mind. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over

your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	1259	41.9 %
2	some of the time	950	31.6 %
3	occasionally	475	15.8 %
4	most of the time	109	3.6 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	39	1.3 %
-2	don't know	2	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,793 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1826-1827 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RELAXED: hads: could sit at ease and feel relaxed

During the past week... I could sit at ease and feel relaxed. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	167	5.6 %
2	some of the time	489	16.3 %
3	occasionally	280	9.3 %
4	most of the time	1858	61.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %

Value	Label	Unweighted Frequency	%
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	38	1.3 %
-2	don't know	2	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,794 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1828-1829 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

BUTRFLY: hads: butterflies in my stomach

During the past week... I got a frightened feeling like butterflies in my stomach. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2260	75.2 %
2	some of the time	294	9.8 %
3	occasionally	206	6.9 %
4	most of the time	18	0.6 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	50	1.7 %
-2	don't know	6	0.2 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,778 valid cases out of 3,005 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 1830-1831 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RESTLES: hads: felt restless

During the past week... I felt restless as if I had to be on the move. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	1614	53.7 %
2	some of the time	641	21.3 %
3	occasionally	358	11.9 %
4	most of the time	170	5.7 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	41	1.4 %
-2	don't know	10	0.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,783 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1832-1833 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PANIC: hads: sudden feeling of panic

During the past week... I had a sudden feeling of panic. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over

your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2423	80.6 %
2	some of the time	208	6.9 %
3	occasionally	134	4.5 %
4	most of the time	22	0.7 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	44	1.5 %
-2	don't know	3	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,787 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1834-1835 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

UNCNTRL: pss: unable to control important things

During the past week... I was unable to control important things in my life. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2078	69.2 %
2	some of the time	437	14.5 %
3	occasionally	163	5.4 %
4	most of the time	108	3.6 %
	Missing Data		
-8	incomplete interview	1	0.0 %

Value	Label	Unweighted Frequency	%
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	45	1.5 %
-2	don't know	3	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,786 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1836-1837 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CONFIDENT: pss: confident about my ability

During the past week... I felt confident about my ability to handle personal problems. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	164	5.5 %
2	some of the time	261	8.7 %
3	occasionally	154	5.1 %
4	most of the time	2210	73.5 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	41	1.4 %
-2	don't know	4	0.1 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,789 valid cases out of 3,005 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 1838-1839 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

GOMYWAY: pss: things are going my way

During the past week... I felt that things are going my way. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	129	4.3 %
2	some of the time	519	17.3 %
3	occasionally	354	11.8 %
4	most of the time	1773	59.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	38	1.3 %
-2	don't know	21	0.7 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,775 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1840-1841 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PILEDIFF: pss: difficulties piling up

During the past week... I felt difficulties were piling up so high that I could not overcome them. [HAND CARD FF]

(Now let's talk about thoughts and feelings you may have had during the past week. I will read a series of statements. Tell me how often during the past week you felt like this: rarely or

none of the time, some of the time, occasionally, or most of the time? Don't take too long over your replies; your immediate reaction to each item will probably be more accurate than a long thought out response.)

Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
1	rarely or none of the time	2151	71.6 %
2	some of the time	354	11.8 %
3	occasionally	217	7.2 %
4	most of the time	58	1.9 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	42	1.4 %
-2	don't know	12	0.4 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,780 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1842-1843 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

COMPANION: ucla loneliness scale: lack companionship

How often do you feel that you lack companionship? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	1530	50.9 %
2	some of the time	727	24.2 %
3	often	158	5.3 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	108	3.6 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,415 valid cases out of 3,005 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 1844-1845 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

LEFTOUT: ucla loneliness scale: feel left out

How often do you feel left out? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	1664	55.4 %
2	some of the time	669	22.3 %
3	often	76	2.5 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	114	3.8 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,409 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1846-1847 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

ISOLATED: ucla loneliness scale: feel isolated

How often do you feel isolated from others? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	hardly ever (or never)	1816	60.4 %
2	some of the time	529	17.6 %
3	often	71	2.4 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	107	3.6 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,416 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1848-1849 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

JOBSTAT_1: employment status: currently working

We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other (specify)? [HAND CARD GG]

Value	Label	Unweighted Frequency	%
0	no	2065	68.7 %
1	yes	938	31.2 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1850-1851 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_2: employment status: retired

Employment status: retired

(We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other (specify)? [HAND CARD GG])

Value	Label	Unweighted Frequency	%
0	no	1110	36.9 %
1	yes	1893	63.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1852-1853 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_3: employment status: disabled

Employment status: disabled

(We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other (specify)? [HAND CARD GG])

Value	Label	Unweighted Frequency	%
0	no	2675	89.0 %
1	yes	328	10.9 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1854-1855 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_4: employment status: unemployed

Employment status: unemployed

(We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other (specify)? [HAND CARD GG])

Value	Label	Unweighted Frequency	%
0	no	2969	98.8 %
1	yes	34	1.1 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1856-1857 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_5: employment status: homemaker

Employment status: homemaker

(We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other (specify)? [HAND CARD GG])

Value	Label	Unweighted Frequency	%
0	no	2645	88.0 %
1	yes	358	11.9 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1858-1859 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

JOBSTAT_6: employment status: other

Employment status: other

(We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other (specify)? [HAND CARD GG])

Value	Label	Unweighted Frequency	%
0	no	2979	99.1 %
1	yes	24	0.8 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-1	refused	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1860-1861 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WORKPAY: ever worked for pay?

Have you ever worked for pay?

Skip if: JOBSTAT_1 equals "yes", or JOBSTAT_2 equals "yes"

(We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other (specify)? [HAND CARD GG])

Value	Label	Unweighted Frequency	%
0	no	48	1.6 %
1	yes	336	11.2 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-3	not applicable	2620	87.2 %
	Total	3,005	100%

Based upon 384 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1862-1863 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

FULLPART: currently working for pay?

Are you working for pay, either full-time or part-time, at the present time?

Skip if: JOBSTAT_6 does not equal "yes"

(We are interested in the financial circumstances that might affect the health of older Americans, so I'd like to ask you some questions about your employment and finances. Are you... other

(specify)? [HAND CARD GG]

Value	Label	Unweighted Frequency	%
0	no	14	0.5 %
1	yes	10	0.3 %
	Missing Data		
-3	not applicable	2981	99.2 %
	Total	3,005	100%

Based upon 24 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1864-1865 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

WEEKPAY: worked for pay last week?

I am first going to ask a few questions about work-related activities in the last week. By last week, I mean the week beginning on Sunday, [DATE], and ending on Saturday, [DATE].

Last week, did you do any work for pay?

Value	Label	Unweighted Frequency	%
0	no	2076	69.1 %
1	yes	920	30.6 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	3	0.1 %
-1	refused	5	0.2 %
	Total	3,005	100%

Based upon 2,996 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1866-1867 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HRSCJOB: how many hours/week does r work?

How many hours per week do you usually work on this job?

Skip if: WEEKPAY does not equal "yes"

(I am first going to ask a few questions about work-related activities in the last week. By last week, I mean the week beginning on Sunday, [DATE], and ending on Saturday, [DATE].)

Note: recorded value for 10015190 was 155; this has been recoded to 'missing in error'

Value	Label	Unweighted Frequency	%
1	-	5	0.2 %
2	-	16	0.5 %
3	-	7	0.2 %
4	-	8	0.3 %
5	-	9	0.3 %
6	-	12	0.4 %
7	-	7	0.2 %
8	-	12	0.4 %
9	-	4	0.1 %
10	-	22	0.7 %
11	-	1	0.0 %
12	-	19	0.6 %
13	-	2	0.1 %
14	-	5	0.2 %
15	-	27	0.9 %
16	-	17	0.6 %
17	-	2	0.1 %
18	-	12	0.4 %
19	-	2	0.1 %
20	-	54	1.8 %
21	-	2	0.1 %
22	-	2	0.1 %
23	-	4	0.1 %
24	-	20	0.7 %
25	-	22	0.7 %
26	-	1	0.0 %
28	-	6	0.2 %
30	-	59	2.0 %
31	-	1	0.0 %
32	-	10	0.3 %
33	-	1	0.0 %
35	-	32	1.1 %

Value	Label	Unweighted Frequency	%
36	-	14	0.5 %
37	-	9	0.3 %
38	-	13	0.4 %
39	-	1	0.0 %
40	-	251	8.4 %
41	-	1	0.0 %
42	-	5	0.2 %
43	-	2	0.1 %
44	-	5	0.2 %
45	-	42	1.4 %
46	-	3	0.1 %
48	-	18	0.6 %
50	-	65	2.2 %
52	-	3	0.1 %
54	-	1	0.0 %
55	-	11	0.4 %
56	-	4	0.1 %
57	-	1	0.0 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	2085	69.4 %
-2	don't know	6	0.2 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 913 valid cases out of 3,005 total cases.

- Mean: 33.85
- Median: 40.00
- Mode: 40.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 16.32

Location: 1868-1869 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HEARN_RECOTE: household income (last year) recode

Value	Label	Unweighted Frequency	%
-8	incomplete interview	1	0.0 %

Value	Label	Unweighted Frequency	%
-3	not applicable	0	0.0 %
-2	don't know	601	20.0 %
-1	refused	279	9.3 %
1	0-24,999	762	25.4 %
2	25,000-49,999	589	19.6 %
3	50,000-99,999	526	17.5 %
4	100k or higher	247	8.2 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: -8.00
- Maximum: 4.00

Location: 1870-1871 (width: 2; decimal: 0)

Variable Type: numeric

IML50K: HH income more/less than 50k?

Would you say the income of your household in [CURRENT YEAR MINUS 1] was more than \$50,000 or less than \$50,000?

Skip if: HEARN does not equal "don't know" or "refused"

Value	Label	Unweighted Frequency	%
1	less than \$50,000	473	15.7 %
2	about \$50,000	34	1.1 %
3	more than \$50,000	167	5.6 %
	Missing Data		
-3	not applicable	2125	70.7 %
-2	don't know	76	2.5 %
-1	refused	130	4.3 %
	Total	3,005	100%

Based upon 674 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1872-1873 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IML25K: HH income more/less than 25k?

Would you say the income of your household in [CURRENT YEAR MINUS 1] was more than \$25,000 or less than \$25,000?

Skip if: IML50K does not equal "less than \$50,000"

Value	Label	Unweighted Frequency	%
1	less than \$25,000	203	6.8 %
2	about \$25,000	80	2.7 %
3	more than \$25,000	144	4.8 %
Missing Data			
-3	not applicable	2532	84.3 %
-2	don't know	28	0.9 %
-1	refused	18	0.6 %
Total		3,005	100%

Based upon 427 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1874-1875 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

IML100K: HH income more/less than 100k?

Would you say the income of your household in [CURRENT YEAR MINUS 1] was more than \$100,000 or less than \$100,000?

Skip if: IML50K does not equal "more than \$50,000"

Value	Label	Unweighted Frequency	%
1	less than \$100,000	81	2.7 %
2	about \$100,000	18	0.6 %
3	more than \$100,000	47	1.6 %
Missing Data			
-3	not applicable	2838	94.4 %
-2	don't know	6	0.2 %
-1	refused	15	0.5 %
Total		3,005	100%

Based upon 146 valid cases out of 3,005 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 1876-1877 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

INCOME_1: HH income relative to people you know

Compared with most of the people you know personally, like your friends, family, neighbors, and work associates, would you say that your household income is far below average, below average, average, above average, or far above average? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	far below average	243	8.1 %
2	below average	493	16.4 %
3	average	1160	38.6 %
4	above average	427	14.2 %
5	far above average	47	1.6 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	150	5.0 %
-2	don't know	3	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,370 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1878-1879 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -2 , -1

INCOME_2: HH income relative to American families

Compared with American families in general, would you say that your household income is far below average, below average, average, above average, or far above average? Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	far below average	265	8.8 %
2	below average	546	18.2 %
3	average	984	32.7 %
4	above average	470	15.6 %
5	far above average	97	3.2 %
	Missing Data		
-5	not returned	481	16.0 %

Value	Label	Unweighted Frequency	%
-4	no answer	158	5.3 %
-2	don't know	3	0.1 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,362 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1880-1881 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -2 , -1

HSASSETS_RECODE: total household assets recode

Value	Label	Unweighted Frequency	%
-8	incomplete interview	1	0.0 %
-3	not applicable	0	0.0 %
-2	don't know	818	27.2 %
-1	refused	333	11.1 %
1	0-9,999	185	6.2 %
2	10,000-49,999	226	7.5 %
3	50,000-99,999	193	6.4 %
4	100,000-499,999	709	23.6 %
5	500k or higher	540	18.0 %
	Total	3,005	100%

Based upon 3,005 valid cases out of 3,005 total cases.

- Minimum: -8.00
- Maximum: 5.00

Location: 1882-1883 (width: 2; decimal: 0)

Variable Type: numeric

HAML50K: HH assets more/less than 50k?

Would you say that all of your assets combined amount to more or less than \$50,000?

Skip if: HSASSETS does not equal "don't know" or "refused"

Value	Label	Unweighted Frequency	%
1	less than \$50,000	211	7.0 %

Value	Label	Unweighted Frequency	%
2	about \$50,000	42	1.4 %
3	more than \$50,000	535	17.8 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	1854	61.7 %
-2	don't know	156	5.2 %
-1	refused	206	6.9 %
	Total	3,005	100%

Based upon 788 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1884-1885 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAML10K: HH assets more/less than 10k?

Would you say that all of your assets combined amount to more or less than \$10,000?

Skip if: HAML50K does not equal "less than \$50,000"

Value	Label	Unweighted Frequency	%
1	less than \$10,000	72	2.4 %
2	about \$10,000	39	1.3 %
3	more than \$10,000	85	2.8 %
	Missing Data		
-3	not applicable	2794	93.0 %
-2	don't know	12	0.4 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 196 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1886-1887 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAML500K: HH assets more/less than 500k?

Would you say that all of your assets combined amount to more or less than \$500,000?

Skip if: HAML50K does not equal "more than \$50,000" of your assets combined amount to more or less than \$500,000?

Value	Label	Unweighted Frequency	%
1	less than \$500,000	318	10.6 %
2	about \$500,000	48	1.6 %
3	more than \$500,000	121	4.0 %
Missing Data			
-3	not applicable	2470	82.2 %
-2	don't know	26	0.9 %
-1	refused	22	0.7 %
Total		3,005	100%

Based upon 487 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1888-1889 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HAML100K: HH assets more/less than 100k?

Would you say that all of your assets combined amount to more or less than \$100,000?

Skip if: HAML500K does not equal "less than \$500,000"

Value	Label	Unweighted Frequency	%
1	less than \$100,000	61	2.0 %
2	about \$100,000	41	1.4 %
3	more than \$100,000	194	6.5 %
Missing Data			
-3	not applicable	2687	89.4 %
-2	don't know	14	0.5 %
-1	refused	8	0.3 %
Total		3,005	100%

Based upon 296 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1890-1891 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

RELIGION: current religious preference

What is your current religious preference? (PROBE IF NECESSARY: Is it Protestant, Catholic, Jewish, or some other religion or no religion at all?)

Value	Label	Unweighted Frequency	%
1	none	191	6.4 %
2	protestant	1365	45.4 %
3	catholic	859	28.6 %
4	jewish	51	1.7 %
5	other	523	17.4 %
Missing Data			
-8	incomplete interview	1	0.0 %
-2	don't know	9	0.3 %
-1	refused	6	0.2 %
Total		3,005	100%

Based upon 2,989 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1892-1893 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -3 , -2 , -1

BRANCH: specific denomination or branch

What specific denomination or branch is that, if any?

Skip if: RELIGION does not equal "protestant"

Value	Label	Unweighted Frequency	%
1	baptist	445	14.8 %
2	episcopalian	46	1.5 %
3	lutheran	165	5.5 %
4	methodist	227	7.6 %
5	mormon	6	0.2 %
6	presbyterian	112	3.7 %
7	united church of christ (congregational)	53	1.8 %
8	christian - no denomination	155	5.2 %

Value	Label	Unweighted Frequency	%
9	other	131	4.4 %
	Missing Data		
-3	not applicable	1640	54.6 %
-2	don't know	23	0.8 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 1,340 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1894-1895 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -3 , -2 , -1

BORNAGN: have you been 'born again'?

Would you say that you have been "born again" or have had a "born again" experience?

Skip if: RELIGION does not equal "protestant" or "catholic"

Value	Label	Unweighted Frequency	%
0	no	1387	46.2 %
1	yes	787	26.2 %
	Missing Data		
-3	not applicable	781	26.0 %
-2	don't know	48	1.6 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,174 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1896-1897 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

ATNDSERV: freq. of attending religious services

Thinking about the past 12 months, about how often have you attended religious services? [HAND CARD HH]

Value	Label	Unweighted Frequency	%
0	never	580	19.3 %
1	less than once a year	147	4.9 %
2	about once or twice a year	281	9.4 %
3	several times a year	321	10.7 %
4	about once a month	289	9.6 %
5	every week	1012	33.7 %
6	several times a week	360	12.0 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-2	don't know	8	0.3 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 2,990 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 1898-1899 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -3 , -2 , -1

BELIEFS: carry religious beliefs into other dealings in life?

How much do you agree with this statement: "I try hard to carry my religious beliefs over into all my other dealings in life." Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	strongly disagree	143	4.8 %
2	disagree	330	11.0 %
3	agree	1064	35.4 %
4	strongly agree	789	26.3 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	196	6.5 %
-2	don't know	1	0.0 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,326 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1900-1901 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

TOUCHPET: last yr, how often did r touch pet?

In the last 12 months, how often have you engaged in the following activities: Petting or touching a cat, dog, or other pet? [HAND CARD II] Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
0	never	497	16.5 %
1	less than once a year	124	4.1 %
2	about once or twice a year	148	4.9 %
3	several times a year	234	7.8 %
4	about once a month	237	7.9 %
5	about once every week	226	7.5 %
6	several times a week	1313	43.7 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	40	1.3 %
-2	don't know	15	0.5 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,779 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 1902-1903 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

EMBRACE: last yr, how often did r greet someone with embrace?

In the last 12 months, how often have you engaged in the following activities: Greeting someone with an embrace, kiss, or pat on the back? [HAND CARD II] Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
0	never	86	2.9 %
1	less than once a year	36	1.2 %
2	about once or twice a year	56	1.9 %
3	several times a year	176	5.9 %
4	about once a month	266	8.9 %
5	about once every week	630	21.0 %

Value	Label	Unweighted Frequency	%
6	several times a week	1531	50.9 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	38	1.3 %
-2	don't know	15	0.5 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,781 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 1904-1905 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

PLAYCHLD: last yr, how often did r play with child?

In the last 12 months, how often have you engaged in the following activities: Playing or cuddling with a grandchild or other child?
[HAND CARD II] Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
0	never	298	9.9 %
1	less than once a year	104	3.5 %
2	about once or twice a year	168	5.6 %
3	several times a year	409	13.6 %
4	about once a month	416	13.8 %
5	about once every week	507	16.9 %
6	several times a week	873	29.1 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	35	1.2 %
-2	don't know	24	0.8 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,775 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 1906-1907 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HUGPTNR: last yr, how often did r hug spouse/partner?

In the last 12 months, how often have you engaged in the following activities: Hugging, kissing, caressing, or other close physical contact with [partner]? [HAND CARD II] Note: 1. asked in leave-behind for path(s) 5 and 6 2. although leave-behind item did not include a skip, data are provided only for those respondents with a current spouse/partner

Value	Label	Unweighted Frequency	%
0	never	37	1.2 %
1	less than once a year	24	0.8 %
2	about once or twice a year	24	0.8 %
3	several times a year	52	1.7 %
4	about once a month	95	3.2 %
5	about once every week	201	6.7 %
6	several times a week	1423	47.4 %
	Missing Data		
-8	incomplete interview	1	0.0 %
-6	missing in error	16	0.5 %
-5	not returned	98	3.3 %
-4	no answer	28	0.9 %
-3	not applicable	992	33.0 %
-2	don't know	8	0.3 %
-1	refused	6	0.2 %
	Total	3,005	100%

Based upon 1,856 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 1908-1909 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

HUGHOLD: last yr, how often did r hug another adult?

In the last 12 months, how often have you engaged in the following activities: Hugging, holding, or other close physical contact with another adult (IF R HAS A CURRENT PARTNER, other than [partner])? [HAND CARD II] (INTERVIEWER NOTE: THIS INCLUDES HUGGING, HOLDING, OR OTHER CLOSE CONTACT WITH ANOTHER ADULT IN A CONTEXT OTHER THAN A GREETING.) Note: asked in leave-behind for path(s) 5 and 6

Value	Label	Unweighted Frequency	%
0	never	764	25.4 %
1	less than once a year	133	4.4 %
2	about once or twice a year	139	4.6 %
3	several times a year	243	8.1 %
4	about once a month	339	11.3 %
5	about once every week	559	18.6 %
6	several times a week	583	19.4 %
Missing Data			
-8	incomplete interview	1	0.0 %
-6	missing in error	5	0.2 %
-5	not returned	162	5.4 %
-4	no answer	42	1.4 %
-2	don't know	26	0.9 %
-1	refused	9	0.3 %
Total		3,005	100%

Based upon 2,760 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 6.00

Location: 1910-1911 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CAREGIVER: currently assisting adult with day-to-day activities?

Are you currently assisting an adult who needs help with day-to-day activities because of age or disability? Note: 1. asked in leave-behind only 2. 1 'no answer' response backcoded to 'no' and 14 backcoded to 'yes', based on responses to care_rel-care_hrs

Value	Label	Unweighted Frequency	%
0	no	1966	65.4 %
1	yes	401	13.3 %
Missing Data			
-5	not returned	481	16.0 %
-4	no answer	157	5.2 %
Total		3,005	100%

Based upon 2,367 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1912-1913 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CARE_REL: relationship to r of adult receiving care

What is this person's relationship to you? Is this person your spouse, your parent, your child, or other?

Skip if: CAREGIVER equals "no"

(Are you currently assisting an adult who needs help with day-to-day activities because of age or disability?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	spouse	104	3.5 %
2	parent	87	2.9 %
3	child	14	0.5 %
4	other (specify)	176	5.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	177	5.9 %
-3	not applicable	1966	65.4 %
	Total	3,005	100%

Based upon 381 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1914-1915 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CARE_AGE: age of adult receiving care

How old is this person?

Skip if: CAREGIVER equals "no"

(Are you currently assisting an adult who needs help with day-to-day activities because of age or disability?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
18	-	2	0.1 %
20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
24	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
33	-	1	0.0 %
34	-	2	0.1 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	3	0.1 %
40	-	1	0.0 %
42	-	2	0.1 %
43	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.1 %
51	-	3	0.1 %
53	-	1	0.0 %
55	-	3	0.1 %
56	-	4	0.1 %
57	-	1	0.0 %
58	-	3	0.1 %
59	-	3	0.1 %
60	-	1	0.0 %
61	-	3	0.1 %
62	-	3	0.1 %
63	-	4	0.1 %
64	-	2	0.1 %
65	-	3	0.1 %
66	-	3	0.1 %
67	-	4	0.1 %
68	-	4	0.1 %
69	-	7	0.2 %
70	-	4	0.1 %
71	-	2	0.1 %
72	-	4	0.1 %
73	-	5	0.2 %
74	-	8	0.3 %
75	-	11	0.4 %

Value	Label	Unweighted Frequency	%
76	-	7	0.2 %
77	-	6	0.2 %
78	-	12	0.4 %
79	-	10	0.3 %
80	-	7	0.2 %
81	-	17	0.6 %
82	-	13	0.4 %
83	-	16	0.5 %
84	-	14	0.5 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	197	6.6 %
-3	not applicable	1966	65.4 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 359 valid cases out of 3,005 total cases.

- Mean: 77.97
- Median: 82.00
- Minimum: 18.00
- Maximum: 108.00
- Standard Deviation: 15.42

Location: 1916-1918 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CARE_RSN: reason adult requires care

Why does this person require care?

Skip if: CAREGIVER equals "no"

(Are you currently assisting an adult who needs help with day-to-day activities because of age or disability?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	alzheimers disease or dementia	83	2.8 %
2	other (describe)	288	9.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-5	not returned	481	16.0 %
-4	no answer	187	6.2 %
-3	not applicable	1966	65.4 %
	Total	3,005	100%

Based upon 371 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1919-1920 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

CARE_PRIM: is r primary caregiver?

Do you consider yourself the primary caregiver?

Skip if: CAREGIVER equals "no"

(Are you currently assisting an adult who needs help with day-to-day activities because of age or disability?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	186	6.2 %
1	yes	205	6.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	167	5.6 %
-3	not applicable	1966	65.4 %
	Total	3,005	100%

Based upon 391 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1921-1922 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CARE_MST: does r provide most care?

Are you the person who provides the most help or care for this person?

Skip if: CAREGIVER equals "no"

(Are you currently assisting an adult who needs help with day-to-day activities because of age or disability?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	no	172	5.7 %
1	yes	212	7.1 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	174	5.8 %
-3	not applicable	1966	65.4 %
	Total	3,005	100%

Based upon 384 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1923-1924 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CARE_DAY: days per week r spends caring for adult

How many days per week do you typically spend caring for this person?

Skip if: CAREGIVER equals "no"

(Are you currently assisting an adult who needs help with day-to-day activities because of age or disability?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	52	1.7 %
2	-	37	1.2 %
3	-	36	1.2 %
4	-	11	0.4 %
5	-	24	0.8 %
6	-	9	0.3 %
7	-	158	5.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-6	missing in error	1	0.0 %
-5	not returned	481	16.0 %
-4	no answer	225	7.5 %
-3	not applicable	1966	65.4 %
	Total	3,005	100%

Based upon 332 valid cases out of 3,005 total cases.

- Mean: 4.69
- Median: 6.00
- Mode: 7.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.49

Location: 1925-1926 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

CARE_HRS: hours per day r spends caring for adult

How many hours per day do you typically spend caring for this person?

Skip if: CAREGIVER equals "no"

(Are you currently assisting an adult who needs help with day-to-day activities because of age or disability?)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	less than 2 hours	114	3.8 %
2	2 hours or more but less than 4 hours	108	3.6 %
3	4 to 8 hours	60	2.0 %
4	more than 8 hours	25	0.8 %
5	all of the time	60	2.0 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	191	6.4 %
-3	not applicable	1966	65.4 %
	Total	3,005	100%

Based upon 367 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1927-1928 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

INFIDELITY_1: attitude toward marital infidelity

Below is a list of statements. For each one, please choose if you think this is always wrong, almost always wrong, wrong only sometimes, or not wrong at all. All of these statements refer to adults.

A married person having sexual relations with someone other than their marriage partner.
Is this...

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	always wrong	2011	66.9 %
2	almost always wrong	311	10.3 %
3	wrong only sometimes	79	2.6 %
4	not wrong at all	54	1.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	67	2.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,455 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1929-1930 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

INFIDELITY_2: marital infidelity in case of dementia

What about if the spouse is in advanced stages of dementia, such as Alzheimer's or other mental disease? Is this...

(Below is a list of statements. For each one, please choose if you think this is always wrong, almost always wrong, wrong only sometimes, or not wrong at all. All of these statements refer to adults.)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	always wrong	1623	54.0 %

Value	Label	Unweighted Frequency	%
2	almost always wrong	332	11.0 %
3	wrong only sometimes	200	6.7 %
4	not wrong at all	243	8.1 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	122	4.1 %
-2	don't know	2	0.1 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,398 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1931-1932 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

INFIDELITY_3: marital infidelity in case of long-term illness

What about if the spouse has a serious, long-term physical illness and cannot have sex?
Is this...

(Below is a list of statements. For each one, please choose if you think this is always wrong, almost always wrong, wrong only sometimes, or not wrong at all. All of these statements refer to adults.)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	always wrong	1610	53.6 %
2	almost always wrong	323	10.7 %
3	wrong only sometimes	186	6.2 %
4	not wrong at all	285	9.5 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	116	3.9 %
-2	don't know	2	0.1 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,404 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1933-1934 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SEX_LOVE: love necessary for sex

For the next set of statements, please choose whether you strongly agree, agree, disagree, or strongly disagree. These are just general statements; they are not about your specific relationship.

I would not have sex with someone unless I was in love with them.

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	strongly disagree	151	5.0 %
2	disagree	444	14.8 %
3	agree	657	21.9 %
4	strongly agree	1169	38.9 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	100	3.3 %
-1	refused	3	0.1 %
	Total	3,005	100%

Based upon 2,421 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1935-1936 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SEX_RELIG: religion shaped sexual behavior

My religious beliefs have shaped and guided my sexual behavior.

(For the next set of statements, please choose whether you strongly agree, agree, disagree, or strongly disagree. These are just general statements; they are not about your specific relationship.)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	strongly disagree	210	7.0 %
2	disagree	513	17.1 %

Value	Label	Unweighted Frequency	%
3	agree	744	24.8 %
4	strongly agree	956	31.8 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	99	3.3 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,423 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1937-1938 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SEX_MAINT: sex necessary for relationship

Satisfactory sexual relations are essential to the maintenance of a relationship.

(For the next set of statements, please choose whether you strongly agree, agree, disagree, or strongly disagree. These are just general statements; they are not about your specific relationship.)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	strongly disagree	98	3.3 %
2	disagree	545	18.1 %
3	agree	1078	35.9 %
4	strongly agree	697	23.2 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	102	3.4 %
-2	don't know	2	0.1 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,418 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1939-1940 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

SEX_AGE: sexual ability decreases with age

The ability to have sex decreases as a person grows older.

(For the next set of statements, please choose whether you strongly agree, agree, disagree, or strongly disagree. These are just general statements; they are not about your specific relationship.)

Note: asked in leave-behind only

Value	Label	Unweighted Frequency	%
1	strongly disagree	94	3.1 %
2	disagree	496	16.5 %
3	agree	1288	42.9 %
4	strongly agree	548	18.2 %
	Missing Data		
-5	not returned	481	16.0 %
-4	no answer	96	3.2 %
-1	refused	2	0.1 %
	Total	3,005	100%

Based upon 2,426 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1941-1942 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -5 , -4 , -3 , -2 , -1

PERSPRES: others present during interview?

Other persons were present:

Value	Label	Unweighted Frequency	%
0	during none of the interview	1991	66.3 %
1	occasionally passing through the interview area	554	18.4 %
2	during 1/4 of the interview	128	4.3 %
3	during half of the interview	71	2.4 %
4	during 3/4 of the interview	87	2.9 %
5	for the entire interview	169	5.6 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	4	0.1 %
	Total	3,005	100%

Based upon 3,000 valid cases out of 3,005 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1943-1944 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

CANDID: how candid was respondent?

How candid was the respondent?

Value	Label	Unweighted Frequency	%
1	probably not candid at all	113	3.8 %
2	somewhat candid	213	7.1 %
3	mostly candid	806	26.8 %
4	entirely candid	1839	61.2 %
Missing Data			
-6	missing in error	1	0.0 %
-2	don't know	33	1.1 %
Total		3,005	100%

Based upon 2,971 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1945-1946 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RFHLTHR: r's hearing (interviewer rated)

Please rate the respondent's functional health and behavior during the interview on the following scales: practically deaf versus normal hearing?

Value	Label	Unweighted Frequency	%
1	1 (practically deaf)	32	1.1 %
2	2	151	5.0 %
3	3	392	13.0 %
4	4	701	23.3 %
5	5 (normal hearing)	1727	57.5 %
Missing Data			
-6	missing in error	1	0.0 %
-2	don't know	1	0.0 %
Total		3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1947-1948 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RFHLTH2R: r's vision (interviewer rated)

Please rate the respondent's functional health and behavior during the interview on the following scales: practically blind versus normal vision?

Value	Label	Unweighted Frequency	%
1	1 (practically blind)	21	0.7 %
2	2	58	1.9 %
3	3	366	12.2 %
4	4	891	29.7 %
5	5 (normal vision)	1652	55.0 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	16	0.5 %
	Total	3,005	100%

Based upon 2,988 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1949-1950 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RFHLTH3R: r's literacy (interviewer rated)

Please rate the respondent's functional health and behavior during the interview on the following scales: unable to read versus normal adult literacy?

Value	Label	Unweighted Frequency	%
1	1 (unable to read)	58	1.9 %
2	2	119	4.0 %
3	3	257	8.6 %
4	4	492	16.4 %
5	5 (normal adult literacy)	2040	67.9 %
	Missing Data		
-6	missing in error	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	don't know	38	1.3 %
	Total	3,005	100%

Based upon 2,966 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1951-1952 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR1: r's physical attractiveness

Describe the respondent using the following scales: physically attractive versus not physically attractive?

Value	Label	Unweighted Frequency	%
1	1 (physically attractive)	450	15.0 %
2	2	1085	36.1 %
3	3	1150	38.3 %
4	4	275	9.2 %
5	5 (not physically attractive)	42	1.4 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	2	0.1 %
	Total	3,005	100%

Based upon 3,002 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1953-1954 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR2: r's personality

Describe the respondent using the following scales: attractive personality versus not attractive personality?

Value	Label	Unweighted Frequency	%
1	1 (attractive personality)	1038	34.5 %
2	2	1079	35.9 %
3	3	688	22.9 %
4	4	172	5.7 %
5	5 (not attractive personality)	26	0.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1955-1956 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR3: r's attire

Describe the respondent using the following scales: well-dressed versus poorly dressed?

Value	Label	Unweighted Frequency	%
1	1 (well-dressed)	773	25.7 %
2	2	970	32.3 %
3	3	976	32.5 %
4	4	235	7.8 %
5	5 (poorly dressed)	49	1.6 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	1	0.0 %
	Total	3,005	100%

Based upon 3,003 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1957-1958 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR4: r's hygiene

Describe the respondent using the following scales: hygienic versus not hygienic?

Value	Label	Unweighted Frequency	%
1	1 (hygienic)	1910	63.6 %
2	2	569	18.9 %
3	3	386	12.8 %

Value	Label	Unweighted Frequency	%
4	4	94	3.1 %
5	5 (not hygienic)	29	1.0 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	16	0.5 %
	Total	3,005	100%

Based upon 2,988 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1959-1960 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR5: r's posture

Describe the respondent using the following scales: straight posture versus stooped/slouching?

Value	Label	Unweighted Frequency	%
1	1 (straight posture)	1113	37.0 %
2	2	989	32.9 %
3	3	575	19.1 %
4	4	267	8.9 %
5	5 (stooped/slouching)	47	1.6 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	13	0.4 %
	Total	3,005	100%

Based upon 2,991 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1961-1962 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR6: r's stomach shape

Describe the respondent using the following scales: flat stomach versus pot belly?

Value	Label	Unweighted Frequency	%
1	1 (flat stomach)	451	15.0 %

Value	Label	Unweighted Frequency	%
2	2	696	23.2 %
3	3	851	28.3 %
4	4	646	21.5 %
5	5 (pot belly)	344	11.4 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	16	0.5 %
	Total	3,005	100%

Based upon 2,988 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1963-1964 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

RDESCR7: r's body shape

Describe the respondent using the following scales: thin versus obese?

Value	Label	Unweighted Frequency	%
1	1 (thin)	311	10.3 %
2	2	662	22.0 %
3	3	1252	41.7 %
4	4	594	19.8 %
5	5 (obese)	178	5.9 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	6	0.2 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,997 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1965-1966 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC1: interview room temperature

Describe the room(s) in which the interview was conducted, using the following scales: cold versus hot?

Value	Label	Unweighted Frequency	%
1	1 (cold)	42	1.4 %
2	2	342	11.4 %
3	3	1940	64.6 %
4	4	469	15.6 %
5	5 (hot)	192	6.4 %
Missing Data			
-6	missing in error	1	0.0 %
-2	don't know	18	0.6 %
-1	refused	1	0.0 %
Total		3,005	100%

Based upon 2,985 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1967-1968 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC2: interview room lighting

Describe the room(s) in which the interview was conducted, using the following scales: dark versus light?

Value	Label	Unweighted Frequency	%
1	1 (dark)	30	1.0 %
2	2	265	8.8 %
3	3	968	32.2 %
4	4	992	33.0 %
5	5 (light)	730	24.3 %
Missing Data			
-6	missing in error	1	0.0 %
-2	don't know	18	0.6 %
-1	refused	1	0.0 %
Total		3,005	100%

Based upon 2,985 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1969-1970 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC3: interview room cleanliness

Describe the room(s) in which the interview was conducted, using the following scales: clean versus dirty?

Value	Label	Unweighted Frequency	%
1	1 (clean)	1703	56.7 %
2	2	540	18.0 %
3	3	447	14.9 %
4	4	194	6.5 %
5	5 (dirty)	93	3.1 %
Missing Data			
-6	missing in error	1	0.0 %
-2	don't know	26	0.9 %
-1	refused	1	0.0 %
Total		3,005	100%

Based upon 2,977 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1971-1972 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC4: interview room tidiness

Describe the room(s) in which the interview was conducted, using the following scales: neat and tidy versus messy?

Value	Label	Unweighted Frequency	%
1	1 (neat and tidy)	1622	54.0 %
2	2	578	19.2 %
3	3	399	13.3 %
4	4	236	7.9 %
5	5 (messy)	144	4.8 %
Missing Data			
-6	missing in error	1	0.0 %
-2	don't know	24	0.8 %
-1	refused	1	0.0 %
Total		3,005	100%

Based upon 2,979 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1973-1974 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC5: interview room noise

Describe the room(s) in which the interview was conducted, using the following scales: quiet versus noisy?

Value	Label	Unweighted Frequency	%
1	1 (quiet)	2061	68.6 %
2	2	550	18.3 %
3	3	264	8.8 %
4	4	90	3.0 %
5	5 (noisy)	25	0.8 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	13	0.4 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,990 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1975-1976 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC6: interview room odor

Describe the room(s) in which the interview was conducted, using the following scales: no smell versus strong smell?

Value	Label	Unweighted Frequency	%
1	1 (no smell)	2406	80.1 %
2	2	270	9.0 %
3	3	161	5.4 %
4	4	83	2.8 %
5	5 (strong smell)	63	2.1 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	20	0.7 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,983 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1977-1978 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

IWLOC7: interview room odor pleasantness

Describe the room(s) in which the interview was conducted, using the following scales: pleasant smell versus unpleasant smell?

Skip if: IWLOC6 equals "1 (no smell)"

Value	Label	Unweighted Frequency	%
1	1 (pleasant smell)	53	1.8 %
2	2	149	5.0 %
3	3	196	6.5 %
4	4	112	3.7 %
5	5 (unpleasant smell)	64	2.1 %
	Missing Data		
-6	missing in error	1	0.0 %
-3	not applicable	2406	80.1 %
-2	don't know	23	0.8 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 574 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1979-1980 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

STRUCTQ: type of structure in which r lives

Type of structure in which respondent lives?

Skip if: IWPLACE does not equal "respondent's home"

Value	Label	Unweighted Frequency	%
1	trailer	153	5.1 %
2	detached single family house	2169	72.2 %

Value	Label	Unweighted Frequency	%
3	two-family house, two units side-by-side	63	2.1 %
4	two-family house, two units one above the other	52	1.7 %
5	detached 3-4 family house	17	0.6 %
6	rowhouse (3 or more units in an attached row)	85	2.8 %
7	apartment house (5 or more units, 3 stories or less)	163	5.4 %
8	apartment house (5 or more units, 4 stories or more)	94	3.1 %
9	apartment in a partly-commercial structure	6	0.2 %
10	assisted living facility or group home	4	0.1 %
11	nursing home	0	0.0 %
12	other	46	1.5 %
	Missing Data		
-6	missing in error	4	0.1 %
-3	not applicable	149	5.0 %
	Total	3,005	100%

Based upon 2,852 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 1981-1982 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

BUILD: how well-kept is bldng in which r lives?

How well-kept is the building in which the respondent lives?

Skip if: IWPLACE does not equal "respondent's home"

Value	Label	Unweighted Frequency	%
1	very poorly kept (needs major repairs)	90	3.0 %
2	poorly kept (needs minor repairs)	201	6.7 %
3	fairly well kept (needs cosmetic work)	863	28.7 %
4	very well kept	1693	56.3 %
	Missing Data		
-6	missing in error	4	0.1 %
-3	not applicable	149	5.0 %
-2	don't know	5	0.2 %
	Total	3,005	100%

Based upon 2,847 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1983-1984 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

OTBUILD: how well-kept are other bldgs on street?

How well kept are most of the buildings on the street (one block, both sides) where the respondent lives?

Skip if: IWPLACE does not equal "respondent's home"

Value	Label	Unweighted Frequency	%
1	very poorly kept (needs major repairs)	59	2.0 %
2	poorly kept (needs minor repairs)	214	7.1 %
3	fairly well kept (needs cosmetic work)	1165	38.8 %
4	very well kept	1377	45.8 %
	Missing Data		
-6	missing in error	4	0.1 %
-3	not applicable	149	5.0 %
-2	don't know	36	1.2 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,815 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1985-1986 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

COMBUILD: r's home compared to others in neighborhood

Compared to other houses/apartments in the neighborhood, would you say that the respondent's house/apartment was:

Skip if: IWPLACE does not equal "respondent's home"

Value	Label	Unweighted Frequency	%
1	far below average	42	1.4 %
2	below average	208	6.9 %

Value	Label	Unweighted Frequency	%
3	average	1726	57.4 %
4	above average	698	23.2 %
5	far above average	156	5.2 %
	Missing Data		
-6	missing in error	4	0.1 %
-3	not applicable	149	5.0 %
-2	don't know	21	0.7 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,830 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1987-1988 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

CASECOMP: no. interviews completed by interviewer

Counting this case, how many interviews have you completed for this survey so far?

Value	Label	Unweighted Frequency	%
1	this is my first case	130	4.3 %
2	second case	128	4.3 %
3	third case	128	4.3 %
4	fourth case	127	4.2 %
5	fifth case	120	4.0 %
6	sixth case	113	3.8 %
7	seventh case	110	3.7 %
8	eighth case	114	3.8 %
9	ninth case	106	3.5 %
10	tenth case	104	3.5 %
11	eleventh case or more	1808	60.2 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	15	0.5 %
-1	refused	1	0.0 %
	Total	3,005	100%

Based upon 2,988 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 1989-1990 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1

CASEDIF: how difficult was this case to get?

How difficult was this case to get?

Value	Label	Unweighted Frequency	%
1	very difficult	485	16.1 %
2	somewhat difficult	824	27.4 %
3	not very difficult	814	27.1 %
4	not at all difficult	862	28.7 %
	Missing Data		
-6	missing in error	1	0.0 %
-2	don't know	19	0.6 %
	Total	3,005	100%

Based upon 2,985 valid cases out of 3,005 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1991-1992 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -6 , -3 , -2 , -1