

ICPSR 20541

**National Social Life, Health, and  
Aging Project (NSHAP): Round 1,  
[United States], 2005-2006**

ICPSR Codebook for Sexual Partners Data,  
Restricted-Use

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

**National Social Life, Health, and Aging Project (NSHAP): Round 1, [United States], 2005-2006**

Linda J. Waite

*University of Chicago. Department of Sociology*

Edward O. Laumann

*University of Chicago. Department of Sociology*

Wendy S. Levinson

*University of Toronto. Department of Medicine*

Stacy Tessler Lindau

*University of Chicago. School of Medicine. Departments of Obstetrics and Gynecology/Medicine-Geriatrics*

Colm A. O'Muircheartaigh

*University of Chicago. Irving B. Harris Graduate School of Public Policy Studies*

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/web/ICPSR/studies/20541/terms>

## Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## **ICPSR PROCESSING NOTES FOR #20541**

*National Social Life, Health, and Aging Project (NSHAP): Round 1, [United States],  
2005 – 2006*

*DS7: Sexual Partners Data, Restricted-Use*

- 1) Restricted-Use/Confidentiality:** Users interested in obtaining the restricted-use data from NACDA must request and complete the NSHAP Restricted Data Use Agreement form. Users can download this form from the download page associated with this dataset. Completed forms with original signature(s) should be emailed to [icpsr-nacda@umich.edu](mailto:icpsr-nacda@umich.edu).
- 2) Related Data Collections:** Please refer to the related data collection [ICPSR 34921](#), National Social Life, Health, and Aging Project (NSHAP): Round 2 and Partner Data Collection, [United States], 2010-2011, as well as [ICPSR 36873](#), National Social Life, Health, and Aging Project (NSHAP): Round 3 and COVID-19 Study, [United States], 2015-2016, 2020-2021 for further information regarding the NSHAP project.
- 3) Stata Notes:** Stata notes have been added by the P.I. in the original Stata files within the zip package in Dataset 8: P.I. NSHAP Wave 1 Restricted-Use Stata Data Files. These notes provide additional information for variables across the data collection. For example, any time a question was asked in the leave-behind questionnaire for either some or all of the respondents, a note indicating this has been attached to the corresponding variable. Users may reference the zip package found in Part 8 and access notes attached to variables by entering the command “. notes” within the Stata command syntax for a particular data file.
- 4) Missing Data/Documentation:**
  - a)** Variables for NSHAP Module D: Orasure are not included in the data.
  - b)** Variables for Green Pen #1 – Green Pen #5 and Red Pen #1 – Red Pen #5 in the NSHAP Biomarker Core: Smell section are not included in the data.

**5) Additional Data Files:** This collection is being released in nine parts: Parts 1 through 7 contain the ICPSR-processed files; Part 8 contains the public-use original Stata data files provided by the P.I. in a zip file package. Part 9 contains the restricted-use original Stata data files with extended and nonextended missing values provided by the P.I. in a zip file package.

**6) Additional Information:**

- a) Users should note that the National Social Life, Health, and Aging Project (NSHAP) Release Manual applies to all NSHAP Waves (ICPSR 20541, 34921, and 36873) found within the P.I. Documentation in the ICPSR Codebook.
- b) Please note that the NSHAP Release Manual found within the P.I. Documentation in the ICPSR Codebook refers to a README file in the introduction of Chapter 2: Multum Drug Category Hierarchy that is not being released by ICPSR.
- c) Users should refer to the P.I. Wave 1 In-Person Interview & Leave Behind Questionnaire for further information and an in-depth description of the individual interview paths used throughout the data.
- d) Please visit the [NORC at the University of Chicago](#) website for more information on this collection, including information on sampling and weights.
- e) ICPSR has included two Excel crosswalk documents which detail the variables present across the waves of NSHAP, as well as which variables are included in the public and restricted-use versions of each wave.

# **ICPSR 20541**

## **National Social Life, Health, and Aging Project (NSHAP): Round 1, [United States], 2005-2006**

### **Variable Description and Frequencies**

**Note:** Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

# Sexual Partners Data, Restricted-Use

**SU\_ID: respondent id**

Respondent ID

| Value    | Label | Unweighted Frequency | %     |
|----------|-------|----------------------|-------|
| 10000050 | -     | 1                    | 0.0 % |
| 10000070 | -     | 1                    | 0.0 % |
| 10000080 | -     | 1                    | 0.0 % |
| 10000090 | -     | 1                    | 0.0 % |
| 10000100 | -     | 1                    | 0.0 % |
| 10000110 | -     | 2                    | 0.1 % |
| 10000120 | -     | 1                    | 0.0 % |
| 10000130 | -     | 1                    | 0.0 % |
| 10000140 | -     | 3                    | 0.1 % |
| 10000200 | -     | 1                    | 0.0 % |
| 10000210 | -     | 1                    | 0.0 % |
| 10000220 | -     | 1                    | 0.0 % |
| 10000250 | -     | 1                    | 0.0 % |
| 10000290 | -     | 1                    | 0.0 % |
| 10000300 | -     | 1                    | 0.0 % |
| 10000310 | -     | 1                    | 0.0 % |
| 10000320 | -     | 1                    | 0.0 % |
| 10000390 | -     | 1                    | 0.0 % |
| 10000400 | -     | 1                    | 0.0 % |
| 10000410 | -     | 1                    | 0.0 % |
| 10000420 | -     | 1                    | 0.0 % |
| 10000430 | -     | 1                    | 0.0 % |
| 10000460 | -     | 1                    | 0.0 % |
| 10000470 | -     | 1                    | 0.0 % |
| 10000480 | -     | 1                    | 0.0 % |
| 10000490 | -     | 1                    | 0.0 % |
| 10000510 | -     | 1                    | 0.0 % |
| 10000520 | -     | 1                    | 0.0 % |
| 10000540 | -     | 1                    | 0.0 % |
| 10000550 | -     | 1                    | 0.0 % |
| 10000590 | -     | 1                    | 0.0 % |
| 10000600 | -     | 1                    | 0.0 % |
| 10000610 | -     | 1                    | 0.0 % |

| Value    | Label        | Unweighted Frequency | %           |
|----------|--------------|----------------------|-------------|
| 10000620 | -            | 1                    | 0.0 %       |
| 10000650 | -            | 1                    | 0.0 %       |
| 10000680 | -            | 1                    | 0.0 %       |
| 10000690 | -            | 1                    | 0.0 %       |
| 10000720 | -            | 1                    | 0.0 %       |
| 10000740 | -            | 1                    | 0.0 %       |
| 10000750 | -            | 1                    | 0.0 %       |
| 10000770 | -            | 2                    | 0.1 %       |
| 10000780 | -            | 1                    | 0.0 %       |
| 10000790 | -            | 1                    | 0.0 %       |
| 10000800 | -            | 1                    | 0.0 %       |
| 10000810 | -            | 1                    | 0.0 %       |
| 10000830 | -            | 1                    | 0.0 %       |
| 10000840 | -            | 1                    | 0.0 %       |
| 10000880 | -            | 1                    | 0.0 %       |
| 10000890 | -            | 1                    | 0.0 %       |
| 10000900 | -            | 1                    | 0.0 %       |
|          | <b>Total</b> | <b>2,743</b>         | <b>100%</b> |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,743 valid cases out of 2,743 total cases.

*Location:* 1-8 (width: 8; decimal: 0)

*Variable Type:* character

---

## SPID: sex partner id

Sex partner ID

Note: this id uniquely identifies (within respondent) all sex partners described in boxes A and B of Section 3a; ids in the range 301-304 correspond to partners who are (or were) spouses or cohabs and thus were initially identified in the marital/cohabiting history section, while ids in the range 401-403 correspond to additional sex partners within the last 5 years

| Value | Label | Unweighted Frequency | %      |
|-------|-------|----------------------|--------|
| 301   | -     | 2242                 | 81.7 % |
| 302   | -     | 72                   | 2.6 %  |
| 303   | -     | 4                    | 0.1 %  |
| 304   | -     | 1                    | 0.0 %  |
| 401   | -     | 245                  | 8.9 %  |



| Value | Label        | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| 402   | -            | 117                  | 4.3 %       |
| 403   | -            | 62                   | 2.3 %       |
|       | <b>Total</b> | <b>2,743</b>         | <b>100%</b> |

Based upon 2,743 valid cases out of 2,743 total cases.

- Mean: 316.58
- Median: 301.00
- Mode: 301.00
- Minimum: 301.00
- Maximum: 403.00
- Standard Deviation: 36.35

Location: 9-11 (width: 3; decimal: 0)

Variable Type: numeric

---

## FSTSEX: month of first sex

Now we would like to ask you some questions about your sexual relationships. By "sex" or "sexual activity," we mean any mutually voluntary activity with another person that involves sexual contact, whether or not intercourse or orgasm occurs.

In what month and year did you first have sexual activity with ([partner]/that person, even if it was more than five years ago)?

Skip if: SEXBOX equals "box a" and SPCOHAB\_BMT5 equals "yes"

| Value | Label               | Unweighted Frequency | %      |
|-------|---------------------|----------------------|--------|
| 1     | jan                 | 27                   | 1.0 %  |
| 2     | feb                 | 28                   | 1.0 %  |
| 3     | mar                 | 24                   | 0.9 %  |
| 4     | apr                 | 24                   | 0.9 %  |
| 5     | may                 | 22                   | 0.8 %  |
| 6     | jun                 | 43                   | 1.6 %  |
| 7     | jul                 | 28                   | 1.0 %  |
| 8     | aug                 | 33                   | 1.2 %  |
| 9     | sep                 | 29                   | 1.1 %  |
| 10    | oct                 | 23                   | 0.8 %  |
| 11    | nov                 | 22                   | 0.8 %  |
| 12    | dec                 | 31                   | 1.1 %  |
|       | <b>Missing Data</b> |                      |        |
| -3    | not applicable      | 2112                 | 77.0 % |
| -2    | don't know          | 264                  | 9.6 %  |
| -1    | refused             | 33                   | 1.2 %  |

| Value | Label        | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>2,743</b>         | <b>100%</b> |

Based upon 334 valid cases out of 2,743 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 12-13 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -4 , -3 , -2 , -1

---

## FSTSEXY: year of first sex

In what month and year did you first have sexual activity with ([partner]/that person, even if it was more than five years ago)?

Skip if: SEXBOX equals "box a" and SPCOHAB\_BMT5 equals "yes"

(Now we would like to ask you some questions about your sexual relationships. By "sex" or "sexual activity," we mean any mutually voluntary activity with another person that involves sexual contact, whether or not intercourse or orgasm occurs.)

| Value | Label | Unweighted Frequency | %     |
|-------|-------|----------------------|-------|
| 1948  | -     | 1                    | 0.0 % |
| 1957  | -     | 2                    | 0.1 % |
| 1959  | -     | 1                    | 0.0 % |
| 1960  | -     | 1                    | 0.0 % |
| 1961  | -     | 1                    | 0.0 % |
| 1965  | -     | 1                    | 0.0 % |
| 1967  | -     | 1                    | 0.0 % |
| 1969  | -     | 1                    | 0.0 % |
| 1970  | -     | 5                    | 0.2 % |
| 1971  | -     | 1                    | 0.0 % |
| 1973  | -     | 3                    | 0.1 % |
| 1974  | -     | 2                    | 0.1 % |
| 1975  | -     | 1                    | 0.0 % |
| 1976  | -     | 4                    | 0.1 % |
| 1977  | -     | 2                    | 0.1 % |
| 1978  | -     | 1                    | 0.0 % |
| 1980  | -     | 7                    | 0.3 % |
| 1981  | -     | 2                    | 0.1 % |
| 1982  | -     | 3                    | 0.1 % |
| 1983  | -     | 2                    | 0.1 % |

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 1984  | -                   | 2                    | 0.1 %       |
| 1985  | -                   | 9                    | 0.3 %       |
| 1986  | -                   | 1                    | 0.0 %       |
| 1987  | -                   | 2                    | 0.1 %       |
| 1988  | -                   | 2                    | 0.1 %       |
| 1989  | -                   | 2                    | 0.1 %       |
| 1990  | -                   | 8                    | 0.3 %       |
| 1991  | -                   | 2                    | 0.1 %       |
| 1992  | -                   | 9                    | 0.3 %       |
| 1993  | -                   | 7                    | 0.3 %       |
| 1994  | -                   | 5                    | 0.2 %       |
| 1995  | -                   | 11                   | 0.4 %       |
| 1996  | -                   | 12                   | 0.4 %       |
| 1997  | -                   | 14                   | 0.5 %       |
| 1998  | -                   | 18                   | 0.7 %       |
| 1999  | -                   | 20                   | 0.7 %       |
| 2000  | -                   | 62                   | 2.3 %       |
| 2001  | -                   | 48                   | 1.7 %       |
| 2002  | -                   | 47                   | 1.7 %       |
| 2003  | -                   | 67                   | 2.4 %       |
| 2004  | -                   | 65                   | 2.4 %       |
| 2005  | -                   | 65                   | 2.4 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2112                 | 77.0 %      |
| -2    | don't know          | 80                   | 2.9 %       |
| -1    | refused             | 31                   | 1.1 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 520 valid cases out of 2,743 total cases.

- Mean: 1998.27
- Median: 2001.00
- Mode: 2003.00
- Minimum: 1948.00
- Maximum: 2005.00
- Standard Deviation: 8.91

*Location:* 14-17 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## RCTSEX: month of most recent sex

In what month and year did you most recently have sexual activity with ([name]/that person)?

(Now we would like to ask you some questions about your sexual relationships. By "sex" or "sexual activity," we mean any mutually voluntary activity with another person that involves sexual contact, whether or not intercourse or orgasm occurs.)

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 1     | jan                 | 121                  | 4.4 %       |
| 2     | feb                 | 83                   | 3.0 %       |
| 3     | mar                 | 49                   | 1.8 %       |
| 4     | apr                 | 43                   | 1.6 %       |
| 5     | may                 | 63                   | 2.3 %       |
| 6     | jun                 | 117                  | 4.3 %       |
| 7     | jul                 | 274                  | 10.0 %      |
| 8     | aug                 | 413                  | 15.1 %      |
| 9     | sep                 | 242                  | 8.8 %       |
| 10    | oct                 | 155                  | 5.7 %       |
| 11    | nov                 | 91                   | 3.3 %       |
| 12    | dec                 | 86                   | 3.1 %       |
|       | <b>Missing Data</b> |                      |             |
| -2    | don't know          | 823                  | 30.0 %      |
| -1    | refused             | 183                  | 6.7 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 1,737 valid cases out of 2,743 total cases.

- Minimum: 1.00
- Maximum: 12.00

*Location:* 18-19 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -4 , -3 , -2 , -1

---

## RCTSEXY: year of most recent sex

In what month and year did you most recently have sexual activity with ([name]/that person)?

(Now we would like to ask you some questions about your sexual relationships. By "sex" or "sexual activity," we mean any mutually voluntary activity with another person that involves sexual contact, whether or not intercourse or orgasm occurs.)

| Value | Label | Unweighted Frequency | %     |
|-------|-------|----------------------|-------|
| 1937  | -     | 1                    | 0.0 % |
| 1951  | -     | 1                    | 0.0 % |

| Value | Label | Unweighted Frequency | %     |
|-------|-------|----------------------|-------|
| 1952  | -     | 1                    | 0.0 % |
| 1953  | -     | 2                    | 0.1 % |
| 1954  | -     | 1                    | 0.0 % |
| 1955  | -     | 2                    | 0.1 % |
| 1956  | -     | 1                    | 0.0 % |
| 1957  | -     | 1                    | 0.0 % |
| 1958  | -     | 2                    | 0.1 % |
| 1959  | -     | 1                    | 0.0 % |
| 1960  | -     | 1                    | 0.0 % |
| 1961  | -     | 2                    | 0.1 % |
| 1963  | -     | 3                    | 0.1 % |
| 1965  | -     | 1                    | 0.0 % |
| 1966  | -     | 1                    | 0.0 % |
| 1968  | -     | 2                    | 0.1 % |
| 1970  | -     | 2                    | 0.1 % |
| 1972  | -     | 2                    | 0.1 % |
| 1973  | -     | 2                    | 0.1 % |
| 1974  | -     | 2                    | 0.1 % |
| 1975  | -     | 3                    | 0.1 % |
| 1976  | -     | 1                    | 0.0 % |
| 1977  | -     | 2                    | 0.1 % |
| 1978  | -     | 2                    | 0.1 % |
| 1980  | -     | 8                    | 0.3 % |
| 1981  | -     | 1                    | 0.0 % |
| 1982  | -     | 6                    | 0.2 % |
| 1983  | -     | 1                    | 0.0 % |
| 1984  | -     | 2                    | 0.1 % |
| 1985  | -     | 19                   | 0.7 % |
| 1986  | -     | 5                    | 0.2 % |
| 1987  | -     | 10                   | 0.4 % |
| 1988  | -     | 5                    | 0.2 % |
| 1989  | -     | 4                    | 0.1 % |
| 1990  | -     | 30                   | 1.1 % |
| 1991  | -     | 10                   | 0.4 % |
| 1992  | -     | 11                   | 0.4 % |
| 1993  | -     | 17                   | 0.6 % |
| 1994  | -     | 8                    | 0.3 % |
| 1995  | -     | 45                   | 1.6 % |
| 1996  | -     | 9                    | 0.3 % |

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 1997  | -                   | 18                   | 0.7 %       |
| 1998  | -                   | 40                   | 1.5 %       |
| 1999  | -                   | 41                   | 1.5 %       |
| 2000  | -                   | 120                  | 4.4 %       |
| 2001  | -                   | 100                  | 3.6 %       |
| 2002  | -                   | 105                  | 3.8 %       |
| 2003  | -                   | 147                  | 5.4 %       |
| 2004  | -                   | 185                  | 6.7 %       |
| 2005  | -                   | 1287                 | 46.9 %      |
|       | <b>Missing Data</b> |                      |             |
| -2    | don't know          | 190                  | 6.9 %       |
| -1    | refused             | 180                  | 6.6 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,373 valid cases out of 2,743 total cases.

- Mean: 2002.17
- Median: 2005.00
- Mode: 2005.00
- Minimum: 1937.00
- Maximum: 2006.00
- Standard Deviation: 6.60

*Location:* 20-23 (width: 4; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## RCT1M: most recent sex within last month?

Was it sometime within the last month?

Skip if: RCTSEXY does not equal "refused" or "don't know" and either RCTSEXM does not equal "refused" or "don't know" or RCTSEXY\_SY equals "no"

(In what month and year did you most recently have sexual activity with ([name]/that person)?)

| Value | Label               | Unweighted Frequency | %      |
|-------|---------------------|----------------------|--------|
| 0     | no                  | 252                  | 9.2 %  |
| 1     | yes                 | 39                   | 1.4 %  |
|       | <b>Missing Data</b> |                      |        |
| -3    | not applicable      | 2329                 | 84.9 % |
| -2    | don't know          | 16                   | 0.6 %  |

| Value | Label        | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -1    | refused      | 107                  | 3.9 %       |
|       | <b>Total</b> | <b>2,743</b>         | <b>100%</b> |

Based upon 291 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 24-25 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## RCT3M: most recent sex within last three months?

Was that within the last 3 months?

Skip if: RCT1M equals "yes", or RCTSEXY does not equal "refused" or "don't know" and either RCTSEXM does not equal "refused" or "don't know" or RCTSEXY\_SY2 equals "no"

(In what month and year did you most recently have sexual activity with ([name]/that person)?)

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 0     | no                  | 225                  | 8.2 %       |
| 1     | yes                 | 20                   | 0.7 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2368                 | 86.3 %      |
| -2    | don't know          | 19                   | 0.7 %       |
| -1    | refused             | 111                  | 4.0 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 245 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 26-27 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## RCT1YR: most recent sex within last year?

Was that within the last year?

Skip if: either RCT1M equals "yes" or RCT3M equals "yes", or RCTSEXY does not equal "refused" or "don't know" and either RCTSEXM does not equal "refused" or "don't know" or RCTSEXY\_PY equals "no"

(In what month and year did you most recently have sexual activity with ([name]/that person)?)

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 0     | no                  | 233                  | 8.5 %       |
| 1     | yes                 | 67                   | 2.4 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2315                 | 84.4 %      |
| -2    | don't know          | 20                   | 0.7 %       |
| -1    | refused             | 108                  | 3.9 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 300 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 28-29 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## WAITSX: time known prior to having sex

How long did you know (him/her) prior to having sexual activity for the first time?

Skip if: SEXBOX does not equal "box b"

(In what month and year did you most recently have sexual activity with ([name]/that person)?)

| Value | Label                         | Unweighted Frequency | %           |
|-------|-------------------------------|----------------------|-------------|
| 1     | click here to enter in days   | 16                   | 0.6 %       |
| 2     | click here to enter in weeks  | 10                   | 0.4 %       |
| 3     | click here to enter in months | 51                   | 1.9 %       |
| 4     | click here to enter in years  | 93                   | 3.4 %       |
|       | <b>Missing Data</b>           |                      |             |
| -3    | not applicable                | 2556                 | 93.2 %      |
| -2    | don't know                    | 13                   | 0.5 %       |
| -1    | refused                       | 4                    | 0.1 %       |
|       | <b>Total</b>                  | <b>2,743</b>         | <b>100%</b> |

Based upon 170 valid cases out of 2,743 total cases.

- Minimum: 1.00
- Maximum: 4.00

*Location:* 30-31 (width: 2; decimal: 0)



Variable Type: numeric  
(Range of Missing Values: -3 , -2 , -1

## WAITSD: time known before sex (days)

Time known before sex (days)

Skip if: WAITSD does not equal "click here to enter in days"

(In what month and year did you most recently have sexual activity with ([name])/that person?)

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 1     | -                   | 10                   | 0.4 %       |
| 2     | -                   | 3                    | 0.1 %       |
| 4     | -                   | 1                    | 0.0 %       |
| 7     | -                   | 1                    | 0.0 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2727                 | 99.4 %      |
| -2    | don't know          | 1                    | 0.0 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 15 valid cases out of 2,743 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.66

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

## WAITSW: time known before sex (weeks)

Time known before sex (weeks)

Skip if: WAITSW does not equal "click here to enter in weeks"

(In what month and year did you most recently have sexual activity with ([name])/that person?)

| Value | Label | Unweighted Frequency | %     |
|-------|-------|----------------------|-------|
| 1     | -     | 1                    | 0.0 % |
| 2     | -     | 5                    | 0.2 % |
| 3     | -     | 3                    | 0.1 % |

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 5     | -                   | 1                    | 0.0 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2733                 | 99.6 %      |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 10 valid cases out of 2,743 total cases.

- Mean: 2.50
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.08

*Location:* 34-35 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## WAITSM: time known before sex (months)

Time known before sex (months)

Skip if: WAITSM does not equal "click here to enter in months"

(In what month and year did you most recently have sexual activity with ([name]/that person)?)

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 1     | -                   | 12                   | 0.4 %       |
| 2     | -                   | 11                   | 0.4 %       |
| 3     | -                   | 10                   | 0.4 %       |
| 4     | -                   | 4                    | 0.1 %       |
| 5     | -                   | 1                    | 0.0 %       |
| 6     | -                   | 11                   | 0.4 %       |
| 9     | -                   | 1                    | 0.0 %       |
| 18    | -                   | 1                    | 0.0 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2692                 | 98.1 %      |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 51 valid cases out of 2,743 total cases.

- Mean: 3.49
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 18.00
- Standard Deviation: 2.88

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

## WAITSXY: time known before sex (years)

Time known before sex (years)

Skip if: WAITSX does not equal "click here to enter in years"

(In what month and year did you most recently have sexual activity with ([name]/that person)?)

| Value | Label               | Unweighted Frequency | %      |
|-------|---------------------|----------------------|--------|
| 1     | -                   | 17                   | 0.6 %  |
| 2     | -                   | 14                   | 0.5 %  |
| 3     | -                   | 6                    | 0.2 %  |
| 4     | -                   | 5                    | 0.2 %  |
| 5     | -                   | 8                    | 0.3 %  |
| 6     | -                   | 1                    | 0.0 %  |
| 7     | -                   | 1                    | 0.0 %  |
| 8     | -                   | 1                    | 0.0 %  |
| 10    | -                   | 4                    | 0.1 %  |
| 12    | -                   | 1                    | 0.0 %  |
| 13    | -                   | 1                    | 0.0 %  |
| 15    | -                   | 7                    | 0.3 %  |
| 18    | -                   | 1                    | 0.0 %  |
| 20    | -                   | 9                    | 0.3 %  |
| 22    | -                   | 1                    | 0.0 %  |
| 25    | -                   | 1                    | 0.0 %  |
| 30    | -                   | 4                    | 0.1 %  |
| 34    | -                   | 1                    | 0.0 %  |
| 35    | -                   | 2                    | 0.1 %  |
| 36    | -                   | 1                    | 0.0 %  |
| 40    | -                   | 1                    | 0.0 %  |
| 42    | -                   | 2                    | 0.1 %  |
| 48    | -                   | 1                    | 0.0 %  |
| 50    | -                   | 1                    | 0.0 %  |
| 63    | -                   | 1                    | 0.0 %  |
|       | <b>Missing Data</b> |                      |        |
| -3    | not applicable      | 2650                 | 96.6 % |

| Value | Label        | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
| -2    | don't know   | 1                    | 0.0 %       |
|       | <b>Total</b> | <b>2,743</b>         | <b>100%</b> |

Based upon 92 valid cases out of 2,743 total cases.

- Mean: 12.00
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 63.00
- Standard Deviation: 13.68

*Location:* 38-39 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## SEXAGAIN: do you expect to have sex again?

Do you expect to have sexual activity with (him/her) again?

Skip if: SXPAGE equals "deceased"

(In what month and year did you most recently have sexual activity with ([name]/that person)?)

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 0     | no                  | 914                  | 33.3 %      |
| 1     | yes                 | 1490                 | 54.3 %      |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 86                   | 3.1 %       |
| -2    | don't know          | 164                  | 6.0 %       |
| -1    | refused             | 89                   | 3.2 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 2,404 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 40-41 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## SPCOHAB\_BMT5: capi-computed: most recent spouse/cohab began > 5 yrs ago

CAP-computed: most recent spouse/cohab began > 5 yrs ago Note: warning: not intended for analytic use

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 0     | no                  | 444                  | 16.2 %      |
| 1     | yes                 | 2112                 | 77.0 %      |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 187                  | 6.8 %       |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 2,556 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## RCTSEXY\_SY: capi-computed: most recent sex this cal yr or previous cal yr if interview in ja (1)

CAPi-computed: most recent sex this cal yr or previous cal yr if interview in ja Note: warning: not intended for analytic use

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 0     | no                  | 593                  | 21.6 %      |
| 1     | yes                 | 44                   | 1.6 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2106                 | 76.8 %      |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 637 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## RCTSEXY\_SY2: capi-computed: most recent sex this cal yr or previous cal yr if interview in ja (2)

CAPi-computed: most recent sex this cal yr or previous cal yr if interview in ja Note: warning: not intended for analytic use

| Value | Label               | Unweighted Frequency | %      |
|-------|---------------------|----------------------|--------|
| 0     | no                  | 593                  | 21.6 % |
| 1     | yes                 | 33                   | 1.2 %  |
|       | <b>Missing Data</b> |                      |        |
| -3    | not applicable      | 2117                 | 77.2 % |

| Value | Label        | Unweighted Frequency | %           |
|-------|--------------|----------------------|-------------|
|       | <b>Total</b> | <b>2,743</b>         | <b>100%</b> |

Based upon 626 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 46-47 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1

---

## RCTSEXY\_PY: capi-computed: most recent sex in previous cal year

CAPi-computed: most recent sex in previous cal year Note: warning: not intended for analytic use

| Value | Label               | Unweighted Frequency | %           |
|-------|---------------------|----------------------|-------------|
| 0     | no                  | 531                  | 19.4 %      |
| 1     | yes                 | 92                   | 3.4 %       |
|       | <b>Missing Data</b> |                      |             |
| -3    | not applicable      | 2120                 | 77.3 %      |
|       | <b>Total</b>        | <b>2,743</b>         | <b>100%</b> |

Based upon 623 valid cases out of 2,743 total cases.

- Minimum: 0.00
- Maximum: 1.00

*Location:* 48-49 (width: 2; decimal: 0)

*Variable Type:* numeric

*(Range of) Missing Values:* -8 , -6 , -5 , -4 , -3 , -2 , -1