# **Doulos SIL - Font Features**

Doulos SIL is an OpenType-enabled font that supports the Latin and Cyrillic scripts. It includes a number of optional features that may be useful or required for particular uses or languages. This document lists all the available features.

These OpenType features are primarily specified using four-letter tags (e.g. 'cv17'), although some applications may provide a direct way to control certain common features such as small caps. For more information on how to access OpenType features in specific environments and applications, see Using Font Features.

Please note that Graphite support has been removed in the current release, but continues to be available in the version 5 fonts. See our Previous Versions archive.

This page uses web fonts (WOFF2) to demonstrate font features and should display correctly in all modern browsers. For a more concise example of how to use Doulos SIL as a web font see *DoulosSIL-webfont-example.html* in the font package *web* folder. For detailed information see Using SIL Fonts on Web Pages.

If this document is not displaying correctly a PDF version is also provided in the documentation/pdf folder of the release package.

# **Complete feature list**

# Stylistic alternates

#### Small caps from lowercase

Affects: all lowercase letters with capital equivalents

Feature	Sample	Feature setting
Standard	a Z (all letters with capital equivalents)	smcp=0
Small caps	$A  \ldots  Z$ (all letters with capital equivalents)	smcp=1

#### Small caps from capitals

Affects: all capitals

Feature	Sample	Feature setting
Standard	A   Z (all capitals)	c2sc=0
Small caps	A Z (all capitals)	c2sc=1

#### Literacy a and g

Affects: U+0061 U+00E0 U+00E1 U+00E2 U+00E3 U+00E4 U+00E5 U+0101 U+0103 U+0105 U+01CE U+01DF U+01E1 U+01FB U+0201 U+0203 U+0227 U+1E01 U+1E9A U+1E9A U+1E9A U+1E9A U+1E9A U+1E9A U+1E9A U+1E9B U+1E9B

Feature	Sample	Feature setting
Standard	a à á â ã ä å ā ă ą ǎ ā ā å å à â à a a a a á ấ à ấ ấ ấ ấ ấ ấ ấ à ắ ẵ ặ ạ a a a g g g g g g g g g g g	ss01=0
Single-story	a à á â ã ä å ā ă ą ă ā̄ ā́ ǻ à â à a d a d ấ ầ ầ â̂ ậ ấ ằ ἄ ẵ ¤ a a a g g g g ġ ģ g g g g g	ss01=1

# Literacy a (only)

Affects: U+0061 U+00E0 U+00E1 U+00E2 U+00E3 U+00E4 U+00E5 U+0101 U+0103 U+0105 U+01CE U+01DF U+01E1 U+01FB U+0201 U+0203 U+0227 U+1E01 U+1E9A U+1EA1 U+1EA3 U+1EA5 U+1EA7 U+1EA9 U+1EAB U+1EAD U+1EAF U+1EB1 U+1EB3 U+1EB5 U+1EB7 U+2C65 U+2090 U+1D43 U+0363

Feature	Sample	Feature setting
Standard	a à á â ã ä å ā ă ą ǎ ā ā å å à à a a a a a á â à â â â â á á ã å å å å å å å å å å å å å å å å å	ss11=0
Single-story	a à á â ã ä å ā ă ą ă ā̄ ā́ å â â à a d a d â ầ ầ â̂ â ấ ằ ằ ã ặ ø a <sup>a</sup> ී	ss11=1

# Literacy g (only)

Affects: U+0067 U+011D U+011F U+0121 U+0123 U+01E7 U+01F5 U+01E5 U+1E21 U+A7A1 U+1D4D

Feature	Sample	Feature setting
Standard	gĝġġģģģġg <sup>g</sup>	ss12=0
Single-story	g ĝ ğ ġ ģ ǧ ġ g ḡ � <sup>g</sup>	ss12=1

#### **Barred-bowl forms**

Affects: U+0111 U+0180 U+01E5

Feature	Sample	Feature setting
Standard	đbg	ss04=0
Barred-bowl	d b g	ss04=1

# **Character alternates**

# B hook

Affects: U+0181

Feature	Sample	Feature setting
Standard	В	cv13=0
Lowercase-style	Б	cv13=1

# D hook

Affects: U+018A

Feature	Sample	Feature setting
Standard	D	cv17=0
Lowercase-style	Ъ	cv17=1

# H stroke

Affects: U+0126

Feature	Sample	Feature setting
Standard	Ħ	cv28=0
Vertical stroke	H	cv28=1

# J stroke hook

Affects: U+0284

Feature	Sample	Feature setting
Standard	f	cv37=0
Top serif	ţ	cv37=1

# Eng

Affects: U+014A

Feature	Sample	Feature setting
Standard	ŋ	cv43=0
Lowercase style on baseline	n	cv43=1
Uppercase style with descender	Ŋ	cv43=2
Alt. lowercase style on baseline	ŋ	cv43=3

# N left hook

Affects: U+019D

Feature	Sample	Feature setting
Standard	N	cv44=0
Lowercase-style	Ŋ	cv44=1

# Open-O

Affects: U+0186 U+0254 U+1D10 U+1D53 U+1D97

Feature	Sample	Feature setting
Standard	G o o o	cv46=0
Top serif	$\mathbf{G}^{\circ} \mathbf{C} \mathbf{C} \mathbf{C}$	cv46=1

# ΟU

Affects: U+0222 U+0223 U+1D3D U+1D15

Feature	Sample	Feature setting
Standard	888 <sup>8</sup>	cv47=0
Open	8888	cv47=1

# p hook

Affects: U+01A5

Feature	Sample	Feature setting
Standard	β	cv49=0
Right hook	p°	cv49=1

# R tail

Affects: U+2C64

Feature	Sample	Feature setting
Standard	ß	cv55=0
Lowercase-style	r	cv55=1

# T hook

Affects: U+01AC

Feature	Sample	Feature setting
Standard	Т	cv57=0
Right hook	T	cv57=1

# V hook

Affects: U+01B2 U+028B U+1DB9

Feature	Sample	Feature setting
Standard	$\mathcal{U}\upsilon^{\upsilon}$	cv62=0
Straight with low hook	Vν <sup>ν</sup>	cv62=1
Straight with high hook	$\nabla$ $\vec{\mathrm{v}}$	cv62=2

# Y hook

Affects: U+01B3

Feature	Sample	Feature setting
Standard	Y	cv68=0
Left hook	Υ	cv68=1

#### Ezh

Affects: U+01B7 U+04E0

Feature	Sample	Feature setting
Standard	3 3	cv20=0
Reversed sigma	ΣΣ	cv20=1

#### ezh curl

Affects: U+0293

Feature	Sample	Feature setting
Standard	3	cv19=0
Large bowl	3	cv19=1

#### rams horn

Affects: U+0264

Feature	Sample	Feature setting
Standard	Y	cv25=0
Large bowl	$\sigma$	cv25=1
Small gamma	Y	cv25=2

# Diacritic and symbol alternates

# Vietnamese-style diacritics

Affects: U+1EA4 U+1EA5 U+1EA6 U+1EA7 U+1EA8 U+1EA9 U+1EA4 U+1EAB U+1EAE U+1EAF U+1EB0 U+1EB1 U+1EB1 U+1EB2 U+1EB3 U+1EB4 U+1EB5 U+1EBE U+1EBF U+1EC0 U+1EC1 U+1EC2 U+1EC3 U+1EC3 U+1EC5 U+1ED0 U+1ED1 U+1ED2 U+1ED3 U+1ED4 U+1ED5 U+1ED6 U+1ED7

Feature	Sample	Feature setting
Standard	Áấ Àầ Ảẩ Ãã Áắ Àắ Àằ Ẩắ Ấế Êề Êể ễễ Óố Òồ ổổ ỗỗ	cv75=0
Vietnamese- style	ấá Àầ Ẩẩ Ấã Ấắ Ăắ Àằ Ẩắ Ếế Èề ểể ễễ ốố Òồ ổổ ỗỗ	cv75=1

# **Kayan diacritics**

Affects: U+0300 U+0301

Feature	Sample	Feature setting
Standard	Ś	cv79=0
Side by side	ř	cv79=1

#### **Ogonek**

Affects: U+0328 U+0104 U+0105 U+0118 U+0119 U+012E U+012F U+0172 U+0173 U+01EA U+01EB U+01ED U+01ED

Feature	Sample	Feature setting
Standard	anything with $\circ$ (Aa Ee Ii Ųų Qo $\bar{Q}\bar{Q}$ )	cv76=0
Straight	anything with ુ (Aa Ee Ii Uu Qo Ōō)	cv76=1

#### Caron

Affects: U+010F U+013D U+013E U+0165

Feature	Sample	Feature setting
Standard	^ť	cv77=0
Global-style	ď Ľ ľ ť	cv77=1

# Modifier apostrophe

Affects: U+02BC U+A78B U+A78C

Feature	Sample	Feature setting
Standard	,1,	cv70=0
Large	,11	cv70=1

#### **Modifier colon**

Affects: U+A789

Feature	Sample	Feature setting
Standard	:	cv71=0
Expanded	:	cv71=1

# **Empty set**

Affects: U+2205

Feature	Sample	Feature setting
Standard	Ø	cv98=0
Zero-style	Ø	cv98=1

# **Cyrillic alternates**

There are also Cyrillic characters affected by the "Ezh" and "Small capitals" features. Some languages may also use the "Modifier apostrophe".

# Cyrillic E

Affects: U+042D U+044D

Feature	Sample	Feature setting
Standard	Ээ	cv80=0
Mongolian-style	Ээ	cv80=1

# Cyrillic shha

Affects: U+04BB

Feature	Sample	Feature setting
Standard	h	cv81=0
Uppercase-style	h	cv81=1

#### **Cyrillic breve**

Affects: U+0306

Feature	Sample	Feature setting
Standard	anything with ŏ (ðð)	cv82=0
Cyrillic-style	anything with \( (\){\text{d}}\( )	cv82=1

# **Serbian Cyrillic alternates**

Unlike other features this is activated by tagging the span of text as being in the Serbian language, not by turning on an OpenType feature.

#### Affects: U+0431

Feature	Sample	Feature setting
Standard	б	
Serbian	δ	lang='sr'

# **Tone alternates**

#### **Chinantec tones**

Affects: U+02CB U+02C8 U+02C9 U+02CA

Feature	Sample	Feature setting
Standard	\ I = /	cv90=0
Chinantec-style	<b>\1-</b> /	cv90=1

#### **Tone numbers**

Affects: U+02E5 U+02E6 U+02E7 U+02E8 U+02E9 U+A712 U+A713 U+A714 U+A715 U+A716

Feature	Sample	Feature setting
Standard	]	cv91=0
Numbers	5 4 3 2 1 5 4 3 2 1	cv91=1

#### **Hide tone contour staves**

Affects: U+02E5 U+02E6 U+02E7 U+02E8 U+02E9 U+A712 U+A713 U+A714 U+A715 U+A716

Feature	Sample	Feature setting
Standard	1141][t+t[(\(\(\(\(\)\(\)\))	cv92=0
Hide staves	<sub>-</sub> <sub>-</sub> (	cv92=1

This guide is from the  $\frac{\text{Doulos SIL project}}{\text{Doulos SIL project}}$  version 6.001 and is copyright © 1994-2021 SIL International.