

Web Font

Web Font Instructions

This document may be updated at any time. We advise that you regularly check for updates and download a copy of this document for your records. If you have any issues or queries regarding the installation or use of your Font Club Belgica web fonts, please do not hesitate to contact us!

§A: The Parties

§B: General Terms

§C: Web EULA Terms

§D: Definitions

§E: Contact

SECTION A: WEB FONT INSTRUCTIONS

Please ensure you read these terms thoroughly

A-01 → INSTALLATION ON APACHE WEB SERVERS

The file named htaccess.txt has a line named your-domain\.com in it — this needs to be changed to the domain you are serving the font software from. Retain a backslash before any period (\.) to escape that character. It then needs to be renamed to .htaccess and placed inside of the folder where the fonts are stored on the relevant web server (E.G. /fonts).

```
SetEnvIf Referer yourdomain\.com localreferer
```

```
<FilesMatch \.(eot|woff|woff2|ttf|svg)$>
```

```
    Order deny,allow
```

```
    Deny from all
```

```
    Allow from env=localreferer
```

```
FileETag None
```

```
<ifModule mod_headers.c>
```

```
    Header unset ETag
```

```
    Header set Cache-Control "max-age=0,  
                               no-cache, no-store, must-revalidate"
```

```
    Header set Pragma "no-cache"
```

```
    Header set Expires "Wed, 11 Jan 1984  
                       05:00:00 GMT"
```

```
</ifModule>
```

```
</FilesMatch>
```

A-02 → INSTALLATION ON IIS6 WEB SERVERS

1. Open Internet Information Service (IIS) Manager.
2. Right click the site and choose Properties.
3. Change to the HTTP Headers tab.

Font Club Belgica

Web End User License Agreement

§A: The Parties

§B: General Terms

§C: Web EULA Terms

§D: Definitions

§E: Contact

4. In the Custom HTTP headers section, click Add.
5. Enter Access-Control-Allow-Origin as the header name.
6. Enter your-domain.com as the header value.
7. Click OK twice.

A-03 → INSTALLATION ON IIS7 WEB SERVERS

Add the following to the *web.config* file in the folder where the font files reside on the webserver and change *your-domain.com* to the appropriate domain:

```
<?xml version="1.0" encoding="utf-8"?>
<configuration>
  <system.webServer>
    <httpProtocol>
      <customHeaders>
        <add name="Access-Control-Allow Origin"
          value="www.your-domain.com" />
      </customHeaders>
    </httpProtocol>
  </system.webServer>
</configuration>
```

SECTION B: CONTACT

Thank you for supporting our business with the purchase of the appropriate license. We hope you enjoy using our font software.

ADDRESS	Halvemaanstraat 40 9040 Sint-Amandsberg Ghent Belgium	Emiel Maeyensstraat 25 9040 Sint-Amandsberg Ghent Belgium
TELEPHONE	+32(0)474 01 23 45	
EMAIL	support@fontclubbelgica.xyz	
INSTAGRAM	@fontclubbelgica	