


FONT CLUB BELGICA

P



U

- 2 FAMILY OVERVIEW
- 4 Design Information
- 5 Language Support
- 7 Latin
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

FC PDU is a faithful digitization and exploration into the limits of the Plaque Découpée Universelle, a stencil based system originally designed by Joseph A. David in 1876.

Scripts:

LATIN EXTENDED

Tags:

DISPLAY

GRID

SYSTEM BASED

SANS

FC PDU comes in 3 styles with a matching pattern cut.

PDU

Regular

62962962

Stencil


XXXXXX

Outline

62962962

FC PDU

2	Family Overview
4	DESIGN INFORMATION
5	Language Support
7	Latin
14	OpenType Features
22	Character Set
27	Font Packages
28	Design Credits



All glyphs of PDU adhere to the limits
of the original stencil.

Initiated as a project at *Werkplaats Typografie*, *Dries Wiewauters*. began exploring a stencil based system originally designed by *Joseph A. David*. In 1876, *David* acquired the patent for a universal stenciling device system that he had invented for sign-writers,

whereby all UPPERCASE, lowercase, numbers, punctuation, accents etc. could be sourced from the grid of the stencil. *Dries* used this stencil, named the *Plaque Découpée Universelle (PDU)*, to begin an exploration into the liberties and restrictions of a unified grid. *PDU* is the culmination of that effort.

The font itself has three cuts: *Regular*, a filled version of the stencil; *Outline*, a cut staying true to the hand rendering of the stencil; and *Stencil*. Alongside these cuts are corresponding pattern cuts. *PDU* boasts a glyph count of 1,578 for each cut, alongside 229 glyphs included in the patterns. The corresponding pattern cut is provided free with the purchased regular and outline cuts of *PDU*. *PDU* is available in three cuts — *Regular*, *Outline*, and *Stencil* — with corresponding *Pattern* cuts, and contains copious alternative glyphs and other OpenType features.

FC PDU

2	Family Overview
4	Design Information
5	LANGUAGE SUPPORT
7	Latin
14	Opentype Features
22	Character Set
27	Font Packages
28	Design Credits

LANGUAGE SUPPORT

LATIN

Achinese, Afar, Afrikaans, Alago, Albanian, Alekano, Aleut, Anaang, Ao Naga, Arabic, Chadian Spoken, Aragonese, Aromanian, Asu, Awak, Aymara, Balinese, Banda, West Central, Bangwinji, Bapuku, Basque, Batak Toba, Bedawiyet, Bekwarra, Bemba, Bena, Bench, Benga, Bikol, Bilen, Bislama, Bokobaru, Bosnian, Bube, C'Lela, Catalan, Cebuano, Chamorro, Chiduruma, Chiga, Chimborazo Highland Quichua, Chokwe, Chuukese, Colognian, Comorian, Ngazidja, Cornish, Corsican, Crioulo, Upper Guinea, Croatian, Czech, Danish, Dawro, Delaware, Dikaka, Ekajuk, Embu, English, Esperanto, Estonian, Faroese, Fijian, Filipino, Finnish, French, Friulian, Fuliiru, Gagauz, Gamo, Ganda, German, Gheg Albanian, Gilbertese, Gofa, Gourmanchéma, Gusii, Gwich'in, Gyele, Haitian Creole, Harari, Hiligaynon, Hmong, Hopi, Hungarian, Icelandic, Iloko, Inari Sami, Indonesian, Innu, Interlingua, Iraqw, Irish, Italian, Izere, Jamaican Creole English, Javanese, Jibu, Jola-Fonyi, Kaingang, Kalanga, Kalenjin, Kamba, Karelian, Kashubian, Khasi, Kikuyu, Kimbundu, Kinyarwanda, Kirmanjki, Kituba, Kombe, Kongo, Konjo, Kuanyama, Kunama, Kurdish (Latin), Kutep, Kutu, Kwere, K'iche', Lamba, Lango, Uganda, Latgalian, Latin, Latvian, Lele, Ligurian, Lombard, Lomwe, Low German, Lower Sorbian, Luba-Lulua, Luguru, Lule Sami, Lunda, Luvale, Luwo, Luxembourgish, Luyia, Machame, Makhuwa, Makhuwa-Meetto, Makonde, Malagasy, Malay (Latin), Maltese, Mam, Mambila, Nigeria, Mandinka, Mandjak, Mankanya, Manx, Manyika, Maori, Mapuche, Masaaba, Meru, Minangkabau, Mirandese, Mohawk, Morisyen, Muscogee, Mwani, Nara, Ndamba, Ndau, Ndonga, Neapolitan, Ngindo, Ngulu, Niuean, North Ndebele, Northern Sami, Northern Sotho, Norwegian, Norwegian Bokmål, Norwegian Nynorsk, Novial, Nyanja, Nyankole, Nyasa Tonga, Nyemba, Nyoro, Occitan, Ogbah, Okiek, Oromo, Otuhó, Palauan, Pampanga, Papiamentu, Picard, Piedmontese, Pogolo, Pohnpeian, Pökoot, Polish, Portuguese, Prussian, Rarotongan, Rendille, Réunion Creole French, Rinconada Bikol, Romanian, Romansh, Romany, Rombo, Ronga, Rundi, Rwa, Saho, Samburu, Samoan, Sandawe, Sango, Sangu, Sãotomense, Sapiny, Sardinian, Sassarese Sardinian, Scots, Scottish Gaelic, Sena, Serbian (Latin), Seri, Seselwa Creole French, Shambala, Shilluk, Shona, Sidamo, Silesian, Slovak, Slovenian, Soga, Somali, Soninke, South Ndebele, Southern Sami, Southern Sotho, Spanish, Sranan Tongo, Suba, Sukuma, Sundanese, Swahili, Swahili,

FC PDU

2	Family Overview
4	Design Information
5	LANGUAGE SUPPORT
7	Latin
14	Opentype Features
22	Character Set
27	Font Packages
28	Design Credits

Congo, Swati, Swedish, Swiss German, Tahitian, Taita, Takwane, Tedim Chin, Tetum, Tiv, Tok Pisin, Tokelau, Tonga, Tooro, Tsonga, Tsuvadi, Tswana, Tula, Tumbuka, Turkish, Turkmen (Latin), Tuvalu, Uab Meto, Umbundu, Upper Sorbian, Uyghur (Latin), Venetian, Veps, Vidunda, Volapük, Vöro, Vunjo, Walloon, Walser, Waray, Warlpiri, Wayuu, Welsh, West Albay Bikol, Western Frisian, Wolaytta (Latin), Wolof, Xavánte, Xhosa, Yao, Yapese, Yasa, Yucateco, Zaghawa, Zande, Zayse, Zaza, Zigula, Zulu

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 **LATIN**
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

Anatolia

PDU Regular | 40pt

Catalinova

PDU Stencil | 40pt

Esmeralda

PDU Outline | 40pt



PDU Pattern Regular | 40pt



PDU Pattern Stencil | 40pt



PDU Pattern Outline | 40pt

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 **LATIN**
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

3 Fonteinen

PDU Regular | 100pt

Girardin

PDU Stencil | 100pt

Lindemans

PDU Outline | 100pt

FC PDU


- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 **LATIN**
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits



PDU Pattern Regular | 100pt



PDU Pattern Stencil | 100pt



PDU Pattern Outline | 100pt

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 **LATIN**
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

Geuze is een traditioneel Belgisch bier dat een mix

PDU Regular | 40pt

les jeunes et les vieilles lambics, qui sont des bières

PDU Stencil | 40pt

The young lambic adds sweetness, while the older

PDU Outline | 40pt



PDU Pattern Regular | 40pt



PDU Pattern Stencil | 40pt



PDU Pattern Outline | 40pt

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 **LATIN**
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

Ghent is a vibrant city in Belgium, located in the Flanders region. It's known for its rich history, stunning architecture, and lively cultural scene. Ghent features medieval buildings, such as the Gravensteen castle and the Saint Bavo's Cathedral.

PDU Regular | 22/25pt

Ghent is a vibrant city in Belgium, located in the Flanders region. It's known for its rich history, stunning architecture, and lively cultural scene. Ghent features medieval buildings, such as the Gravensteen castle and the Saint Bavo's Cathedral.

PDU Stencil | 22/25pt

Ghent is a vibrant city in Belgium, located in the Flanders region. It's known for its rich history, stunning architecture, and lively cultural scene. Ghent features medieval buildings, such as the Gravensteen castle and the Saint Bavo's Cathedral.

PDU Outline | 22/25pt

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 LATIN
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

//// = UU UUUUUU VVVVVV AAAA AAUUUU 88888888 OX
XXXX XX 88888 HH H N L V UUUU ZZ
ZZ ZZS SSSS LL LL UUUUUU UUUUUU

PDU Pattern Regular | 22/25pt

//// = UU UUUUUU VVVVVV AAAA AAUUUU 88888888 OX
XXXX XX 88888 HH H N L V UUUU ZZ
ZZ ZZS SSSS LL LL UUUUUU UUUUUU

PDU Pattern Stencil | 22/25pt

//// = UU UUUUUU VVVVVV AAAA AAUUUU 88888888 OX
XXXX XX 88888 HH H N L V UUUU ZZ
ZZ ZZS SSSS LL LL UUUUUU UUUUUU

PDU Pattern Outline | 22/25pt

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 LATIN
- 14 Opentype Features
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

Ghent is a vibrant city in Belgium, located in the Flanders region. I known for its rich history, stunning architecture, and lively cultura scene. Ghent features medieval buildings, such as the Gravenstee castle and the Saint Bavo's Cathedral.

PDU Regular | 15/17pt

Ghent is a vibrant city in Belgium, located in the Flanders region. I known for its rich history, stunning architecture, and lively cultura scene. Ghent features medieval buildings, such as the Gravenstee castle and the Saint Bavo's Cathedral.

PDU Stencil | 15/17pt

Ghent is a vibrant city in Belgium, located in the Flanders region. I known for its rich history, stunning architecture, and lively cultura scene. Ghent features medieval buildings, such as the Gravenstee castle and the Saint Bavo's Cathedral.

PDU Outline | 15/17pt

//// = UU UUUUUU VVVVVV AAAA AA SS
88888888 00 XXXX 00 8888 HH HH
VV VV VV VV ZZ ZZ ZZ &
77 66 6666 6666

PDU Pattern Regular | 15/17pt

//// = UU UUUUUU VVVVVV AAAA AA SS
88888888 00 XXXX 00 8888 HH HH
VV VV VV VV ZZ ZZ ZZ &
77 66 6666 6666

PDU Stencil Pattern | 15/17pt

//// = UU UUUUUU VVVVVV AAAA AA SS
88888888 00 XXXX 00 8888 HH HH
VV VV VV VV ZZ ZZ ZZ &
77 66 6666 6666

PDU Outline Pattern | 15/17pt

Small Capitals From Capitals

c2sc

!&()/?atABCDEF GHIJKLMNOPQRSTU

WXYZ[\]{};:~ÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑ

ÓÔÕÖØÙÚÛÜÝÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑ

ĠĤĦĨĨĨĨĲĴĶĹĻĿŁŃŅŇŊŌŰŲŴŶŸŹŻŽÆŠŢŴŶŸ

ŠŤŦŦŦ

Case-Sensitive Forms

()+-/<=>at[\]{}i|<<.>¿x÷--•<)-

Character Variants

ÀÁÂÃÄÅÆÇ

Character Variants

B

Character Variants

CĈĊĊĊ

Character Variants

EÈÉÊËĒĒĒĒĒ

Character Variants

F

→ ŪŪŪŴŶŸŸŹŻŽÆŠŢŴŶŸ•

!&()/?atABCDEF GHIJKLMNOPQRS

TUVWXYZ[\]{};:~ÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÓÔÕÖØÙ

ŪŪŪŴŶŸŸŹŻŽÆŠŢŴŶŸĠĤĦĨĨĨĨĲĴĶĹĻĿŁŃŅŇŊŌŰŲŴŶŸŹŻŽÆŠŢŴŶŸ•

ŌŰŲŴŶŸŸŹŻŽÆŠŢŴŶŸŤŦŦŦŦŪŪŪŴŶŸŸŹŻŽÆŠŢŴŶŸ•

case

→ ()+-/<=>at[\]{}i|<<.>¿x÷--•<)-

cv01

→ ÀÁÂÃÄÅÆÇ

cv02

→ B

cv03

→ CĈĊĊĊ

cv04

→ EÈÉÊËĒĒĒĒĒ

cv05

→ F

2 Family Overview
4 Design Information
5 Language Support
7 Latin
14 OPENTYPE FEATURES
22 Character Set
27 Font Packages
28 Design Credits

GGGGG

JJ

KK

M

NNNNN

P

RRRR

SSSSSS

U U U U U U U U

→ **G G G G G**

→ JJ

→ **KK**

→ **M**

→ **NNNNN**

→ **P**

→ **KKKK**

→ SSSSSS

→ **U** **U** **U** **U** **U** **U** **U** **U** **U** **U**

cv14

FC PDU

2	Family Overview
4	Design Information
5	Language Support
7	Latin
14	OPENTYPE FEATURES
22	Character Set
27	Font Packages
28	Design Credits

Character Variants

W̃W̃W̃W̃

Character Variants

X

Character Variants

ẎẎẎẎ

Character Variants

ŻŻŻŻ

Character Variants

ÀÁÂÃÄÅ Æ Æ

Character Variants

B

Character Variants

ĈĈĈĈĈ

Character Variants

ÊÊÊÊÊÊÊÊ

Character Variants

F

→ W̃W̃W̃W̃W̃

→ X

→ ẎẎẎẎẎ

→ ŻŻŻŻŻ

→ ÀÁÂÃÄÅ Æ Æ

→ B

→ ĈĈĈĈĈ

→ ÊÊÊÊÊÊÊÊ

→ F

cv15

cv16

cv17

cv18

cv19

cv20

cv21

cv22

cv23

FC PDU

2	Family Overview
4	Design Information
5	Language Support
7	Latin
14	OPENTYPE FEATURES
22	Character Set
27	Font Packages
28	Design Credits

Character Variants

G̃G̃G̃G̃G̃

Character Variants

K̃K̃

Character Variants

M̃

Character Variants

P̃

Character Variants

R̃R̃R̃R̃

Character Variants

S̃S̃S̃S̃S̃S̃

Character Variants

ŨŨŨŨŨŨŨŨŨŨŨŨŨŨŨŨ

Character Variants

X̃

Character Variants

ỸỸỸỸỸ

→ G̃G̃G̃G̃G̃

→ K̃K̃

→ M̃

→ P̃

→ R̃R̃R̃R̃

→ S̃S̃S̃S̃S̃S̃

→ ŨŨŨŨŨŨŨŨŨŨŨŨŨŨŨŨ

→ X̃

→ ỸỸỸỸỸ

cv24

cv25

cv26

cv27

cv28

cv29

cv30

cv31

cv32

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 Latin
- 14 OPENTYPE FEATURES
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

Character Variants

À Á Â Ã Ä Å Æ Æ

Character Variants

M

Character Variants

R R R R

Character Variants

S S S S S

Fractions

0 1 2 3 4 5 6 7 8 9 / 0 1 2 3 4 5 6 7 8 9

Oldstyle Figures

\$ % 0 1 2 3 4 5 6 7 8 9 Ç È É Ÿ Þ % ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾

¼ ½ ¾

Stylistic Alternates

E F E E E E E E E E

Scientific Inferiors

0 1 2 3 4 5 6 7 8 9

→ À Á Â Ã Ä Å Æ Æ

→ M

→ R R R R

→ S S S S S

→ 0 1 2 3 4 5 6 7 8 9 / 0 1 2 3 4 5 6 7 8 9

→ \$ % 0 1 2 3 4 5 6 7 8 9 Ç È É Ÿ Þ % ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ ¶ · ¸ ¹ º » ¼ ½ ¾

→ E F E E E E E E E E

→ 0 1 2 3 4 5 6 7 8 9

cv33

cv34

cv35

cv36

frac

onum

salt

sinf

2 Family Overview
4 Design Information
5 Language Support
7 Latin
14 OPENTYPE FEATURES
22 Character Set
27 Font Packages
28 Design Credits

smcp

→

İıŁÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝŸĀĂĄĆĈĊ

[illegible]

Š Ŧ Ţ Ũ Ū Ŭ Ů Ű Ų Ŵ Ŷ Ÿ Ž Ż Ź Æ Š Ţ Ĵ ŵ ŷ Ÿ •

ss01

→

ss02

→

IIIIIIIIII

ss03

→

ss04

→

RRRR

ss05

→

ss06

→

A

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 Latin
- 14 OPENTYPE FEATURES
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

Looped g

g̃g̃g̃g̃g̃

→ g̃g̃g̃g̃g̃

ss07

Looped r

r̃r̃r̃r̃

→ r̃r̃r̃r̃

ss08

Alternate Numbers

2345691/41/23/41/32/31/83/85/87/8

→ 2345691/41/23/41/32/31/83/85/87/8

ss09

Alternate Ampersand

ǻ

→ &

ss10

Randomise Uppercase

ABCDEFGHIJKLMNOPQRSTUVWXYZ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ

→ ABCDEFGHIJKLMNOPQRSTU VWXYZ ÅÄ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ
 ÅÄÅÄÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖØÙÚÛÜÝÀ

ss11

Superscript

0123456789

→ 0123456789

supr

Numerators

0123456789

→ 0123456789

numr

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 Latin
- 14 OPENTYPE FEATURES**
- 22 Character Set
- 27 Font Packages
- 28 Design Credits

Denominators

dnom

0123456789

→ 0123456789

Scientific Inferiors & Subscript

sinf + subs

0123456789

→ 0123456789

Tabular Figures

tnum

\$0123456789Ç£¥ƒBCŒCNRSWŦŦd

→ \$0123456789Ç£¥ƒBCŒCNRSWŦŦdC

CKTPçTRLPB

KTPçTRLPB

Slashed Zero

zero

0⁰₀

→ 0⁰₀

FC PDU

2	Family Overview
4	Design Information
5	Language Support
7	Latin
14	Opentype Features
22	CHARACTER SET
27	Font Packages
28	Design Credits

Basic Latin:

! " # \$ % & ' () * + , - . / 0 1 2 3
4 5 6 7 8 9 : ; < = > ? @ A B C D E
F G H I J K L M N O P Q R S T U V
W X Y Z [\] ^ _ ` a b c d e f g h i j
k l m n o p q r s t u v w x y z { | } ~

Latin-1 Supplement:

¡ ¢ £ ¤ ¥ ¦ § ¨ © ª « ¬ ® ¯ ° ± ² ³ ´ µ
¶ · ¸ ¹ º » ¼ ½ ¾ ¿ À Á Â Ã Ä Å Æ
Ç È É Ê Ë Ì Í Î Ï Ð Ñ Ò Ó Ô Õ Ö × Ø
Ù Ú Û Ü Ý Þ ß à á â ã ä å æ ç è é ê
ë ì í î ï ð ñ ò ó ô õ ö ÷ ø ù ú û ü ý þ ÿ

Latin Extended-A:

Ā ā Ą Ć ć Ĉ ĉ Ċ ċ Ď ě Ě ě Ė ė Ĝ ğ Ğ
Ġ ġ Ĥ ĥ Ħ ħ Ĩ ĩ Ĵ ĵ Ķ ĳ Ĺ ĺ Ľ ĺ Ļ Ļ Ñ ñ
Ŋ ŋ Ō ō Œ œ Ŕ ŕ Ŗ ŗ Š š Ś ś Ţ ţ Ŧ ŧ Ũ

Ū ū Ŭ ŭ Ů ů Ű ű Ų ų Ŵ ŵ Ŷ ŷ Ź ź Ż ż Ž ž
Č č Ď ě Ě ě Ė ė Ĝ ğ Ğ ġ Ĥ ĥ Ħ ħ Ĩ ĩ Ĵ ĵ
Ķ ĳ Ĺ ĺ Ľ ĺ Ļ Ļ Ñ ñ Ŋ ŋ Ō ō Œ œ Ŕ ŕ Ŗ ŗ
Š š Ś ś Ţ ţ Ŧ ŧ Ũ Ū ū Ŭ ŭ Ů ů Ű ű Ų ų
Ŵ ŵ Ŷ ŷ Ź ź Ż ż Ž ž

Latin Extended-B:

Ž ž Æ æ Š š Ţ ţ Ŧ ŧ Ũ

Latin Extended Additional:

Ų ų Ŵ ŵ Ŷ ŷ Ź ź Ż ż Ž ž

Alphabetic Presentation Forms:

fi fi

Localized Forms:

ı

Small Capitals:

Š š Ţ ţ Ŧ ŧ Ũ Ą Ć ć Ĉ ĉ Ċ ċ Ď ě Ě ě Ė ė Ĝ ğ Ğ
Ġ ġ Ĥ ĥ Ħ ħ Ĩ ĩ Ĵ ĵ Ķ ĳ Ĺ ĺ Ľ ĺ Ļ Ļ Ñ ñ
Ŋ ŋ Ō ō Œ œ Ŕ ŕ Ŗ ŗ Š š Ś ś Ţ ţ Ŧ ŧ Ũ
Ū ū Ŭ ŭ Ů ů Ű ű Ų ų Ŵ ŵ Ŷ ŷ Ź ź Ż ż Ž ž
Č č Ď ě Ě ě Ė ė Ĝ ğ Ğ ġ Ĥ ĥ Ħ ħ Ĩ ĩ Ĵ ĵ
Ķ ĳ Ĺ ĺ Ľ ĺ Ļ Ļ Ñ ñ Ŋ ŋ Ō ō Œ œ Ŕ ŕ Ŗ ŗ
Š š Ś ś Ţ ţ Ŧ ŧ Ũ Ū ū Ŭ ŭ Ů ů Ű ű Ų ų
Ŵ ŵ Ŷ ŷ Ź ź Ż ż Ž ž

FC PDU

- 2 Family Overview
- 4 Design Information
- 5 Language Support
- 7 Latin
- 14 OpenType Features
- 22 CHARACTER SET
- 27 Font Packages
- 28 Design Credits

Ÿ Ÿ Ā
 Ġ
 Ō
 Ū

Small Capitals From Capitals:

Š Ţ ! • & () / ? at A B C D E F G H I J
 K L M N O P Q R S T U V W X Y Z [\]
 { | } W W W i ! & Ā
 Ē
 Ā
 Ĥ
 Œ
 Ŵ

Character Variants:

Ā
 Ċ

Ġ
 Ĥ
 Ū
 Ŵ
 Ŷ
 Ċ
 Ġ
 Ŷ
 Ĥ

Randomise Uppercase:

Š Ţ A B C D E F G H I J K L M N O
 P Q R S T U V W X Y Z Ŵ Ŵ Ŵ
 Ā
 Ō
 Ċ
 Ġ