
Difference: BPW Drag APC-PBS Drag APC




Mean: (BPW Drag APC+PBS Drag APC)/2

BPW Drag APC 7.59954 t-Ratio 1.308754 PBS Drag APC 7.45931 DF 47 Mean Difference 0.14023 Prob > |t| 0.1970 Std Error 0.10715 Prob > t 0.0985 Upper 95% 0.35579 Prob < t 0.9015 Lower 95% -0.0753


Ν 48 Correlation 0.44204

Difference: BPW Boot TC-PBS Boot TC




BPW Boot TC	6.726	t-Ratio	-0.23147
PBS Boot TC	6.74238	DF	47
Mean Difference	-0.0164	Prob > t	0.8180
Std Error	0.07079	Prob > t	0.5910
Upper 95%	0.12602	Prob < t	0.4090
Lower 95%	-0.1588		
N	48		
Correlation	0.85793		

Difference: BPW Drag TC-PBS Drag TC



BPW Drag TC	6.67295	t-Ratio	2.954335
PBS Drag TC	6.40903	DF	47
Mean Difference	0.26392	Prob > t	0.0049*
Std Error	0.08933	Prob > t	0.0024*
Upper 95%	0.44363	Prob < t	0.9976
Lower 95%	0.0842		
N	48		
Correlation	0.85579		

Difference: BPW Boot APC-PBS Boot APC



BPW Boot APC 7.69304 t-Ratio -0.23976 PBS Boot APC 7.71526 DF 47 Mean Difference -0.0222 Prob > |t| 0.8116 Std Error 0.0927 Prob > t 0.5942 Upper 95% 0.16427 Prob < t 0.4058 Lower 95% -0.2087 Ν 48 Correlation 0.72167