

Treatment	Treatment Description	# Werks	Participating Students	# Student that consumed Fruit	Consumption Rate	Total Fruit Items	Food Security Portion				Students				Dose Response		
							Total Fruit Consumed	Total Fruit Discarded	Percent Consumed	Percent Discarded	0 GEC NoV	>0-100 GEC NoV	100-999 GEC NoV	>1,000 GEC NoV	Exposed Students	Sick Students Mean[95% variability Interval]	Intervention Illness Effectiveness
1	ST ON. No internvetions	30	48,750	19,759	40.53128205	27,444	21,188	6,256	77.2%	22.80%	82.1%	7.2%	3.9%	6.8%	17.9%	1.17% [0.42%-2.32%]	105.4%
2	ST OFF (Baseline). No Interventions	30	48,750	17,230	35.34358974	29,243	17,230	12,013	58.9%	41.10%	84.7%	5.9%	3.6%	5.8%	15.3%	1.11% [0.34%-2.16%]	100.0%
3	ST ON, Wash ON Wrapp OFF	30	48,750	19,904	40.82871795	27,472	21,330	6,142	77.6%	22.40%	82.2%	7.6%	3.9%	6.3%	17.8%	1.13% [0.40%-2.10%]	101.8%
4	ST ON, Wash OFF Wrapp ON	30	48,750	19,841	40.69948718	27,376	21,254	6,122	77.6%	22.40%	85.6%	7.6%	2.9%	3.9%	14.4%	0.69% [0.14%-1.41%]	62.2%
5	ST OFF, Wash ON Wrapp OFF	30	48,750	17,366	35.6225641	29,472	17,366	12,106	58.9%	41.10%	84.4%	6.2%	3.2%	6.2%	15.6%	1.08% [0.32%-2.32%]	97.3%
6	ST OFF, Wash OFF Wrapp ON	30	48,750	17,181	35.24307692	29,236	17,181	12,055	58.7%	41.20%	87.6%	6.2%	2.5%	3.6%	12.4%	0.67% [0.16%-1.58%]	60.3%