Supplement for: Carbon cycling in mature and regrowth forests globally: a macroecological synthesis based on the global Forest Carbon (ForC) database

#### Contents

6	Appendix S1. Duplicates and Conflicting Records within ForC	2
7	Table S#(variable mapping))	3
8	Figure S1. Age trends and biome differences for $NEP$	4
9	Figure S2. Age trends and biome differences for $GPP$	5
10	Figure S3. Age trends and biome differences for $NPP$	6
11	Figure S4. Age trends and biome differences for $ANPP$	7
12	Figure S5. Age trends and biome differences for $ANPP_{woody}$	8
13	Figure S6. Age trends and biome differences for $ANPP_{stem}$	9
14	Figure S7. Age trends and biome differences for $ANPP_{foliage}$	10
15	Figure S8. Age trends and biome differences for $ANPP_{litterfall}$	11
16	Figure S9. Age trends and biome differences for $BNPP$	12
17	Figure S10. Age trends and biome differences for $BNPP_{coarse}$	13
18	Figure S11. Age trends and biome differences for $BNPP_{fine}$	14
19	Figure S12. Age trends and biome differences for $R_{eco}$	15
20	Figure S13. Age trends and biome differences for $R_{root}$	16
21	Figure S14. Age trends and biome differences for $R_{soil}$	17
22	Figure S15. Age trends and biome differences for $R_{het-soil}$	18
23	Figure S16. Age trends and biome differences for $B_{tot}$	19
24	Figure S17. Age trends and biome differences for $B_{ag}$	20
25	Figure S18. Age trends and biome differences for $B_{ag-wood}$	21
26	Figure S19. Age trends and biome differences for $B_{foliage}$	22
27	Figure S20. Age trends and biome differences for $B_{root}$	23
28	Figure S21. Age trends and biome differences for $B_{root-coarse}$	24
29	Figure S22. Age trends and biome differences for $B_{root-fine}$	25
30	Figure S23. Age trends and biome differences for $DW_{tot}$	26
31	Figure S24. Age trends and biome differences for $DW_{standing}$	27
32	Figure S25. Age trends and biome differences for $DW_{down}$	28
22	Figure S26. Age trends and biome differences for QL	20

#### Appendix S1. Duplicates and Conflicting Records within ForC

- 35 Status of duplicates and conflicting records within ForC
- 36 Generating ForC\_simplified
- <sup>37</sup> Replicate measurements (*i.e.*, replicates from within a single study) were averaged. Records that subsumed
- $_{38}$  others— i.e., the time period included that of  $\geq 2$  other records or dates were unknown and therefore
- conflicted with  $\geq 2$  other records—were removed. For each group of duplicate records—i.e., measurements of
- 40 the same variable in the same plot at the same time—one record was assigned precedence (recorded in
- 41 D.precedence field). When measurement periods overlapped or were not specified, precedence was given first
- to records representing longer measurement periods (i.e., end.date start.date) and then to more recently
- 43 published values. We manually reviewed duplicates that differed only in methodology, assigning precedence
- to the record employing a more comprehensive approach (e.g., inclusion of understory, lianas, or bamboo as
- opposed to just trees) or using a favored methodology.

- Table  $S\#(variable\ mapping))$
- this table)

### $_{48}$ Figure S1. Age trends and biome differences for NEP




Figure S1 | Age trends and biome differences for NEP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S2. Age trends and biome differences for GPP




Figure S2 | Age trends and biome differences for GPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S3. Age trends and biome differences for NPP




Figure S3 | Age trends and biome differences for NPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### $_{51}$ Figure S4. Age trends and biome differences for ANPP




Figure S4 | Age trends and biome differences for ANPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S5. Age trends and biome differences for $ANPP_{woody}$




Figure S5 | Age trends and biome differences for  $ANPP_{woody}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes.

### Figure S6. Age trends and biome differences for $ANPP_{stem}$




Figure S6 | Age trends and biome differences for  $ANPP_{stem}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

# Figure S7. Age trends and biome differences for $ANPP_{foliage}$




Figure S7 | Age trends and biome differences for  $ANPP_{foliage}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

## 55 Figure S8. Age trends and biome differences for ANPP<sub>litterfall</sub>




Figure S8 | Age trends and biome differences for  $ANPP_{litterfall}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S9. Age trends and biome differences for BNPP




Figure S9 | Age trends and biome differences for BNPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S10. Age trends and biome differences for $BNPP_{coarse}$




Figure S10 | Age trends and biome differences for  $BNPP_{coarse}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

# Figure S11. Age trends and biome differences for $BNPP_{fine}$




Figure S11 | Age trends and biome differences for  $BNPP_{fine}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes.

### Figure S12. Age trends and biome differences for $R_{eco}$




Figure S12 | Age trends and biome differences for  $R_{eco}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

## Figure S13. Age trends and biome differences for $R_{root}$




Figure S13 | Age trends and biome differences for  $R_{root}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

## $_{61}$ Figure S14. Age trends and biome differences for $R_{soil}$




Figure S14 | Age trends and biome differences for  $R_{soil}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S15. Age trends and biome differences for $R_{het-soil}$




Figure S15 | Age trends and biome differences for  $R_{het-soil}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S16. Age trends and biome differences for $B_{tot}$




Figure S16 | Age trends and biome differences for  $B_{tot}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### <sub>64</sub> Figure S17. Age trends and biome differences for $B_{ag}$




Figure S17 | Age trends and biome differences for  $B_{ag}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S18. Age trends and biome differences for $B_{ag-wood}$




Figure S18 | Age trends and biome differences for  $B_{ag-wood}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

# Figure S19. Age trends and biome differences for $B_{foliage}$




Figure S19 | Age trends and biome differences for  $B_{foliage}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S20. Age trends and biome differences for $B_{root}$




Figure S20 | Age trends and biome differences for  $B_{root}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S21. Age trends and biome differences for $B_{root-coarse}$




Figure S21 | Age trends and biome differences for  $B_{root-coarse}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S22. Age trends and biome differences for $B_{root-fine}$




Figure S22 | Age trends and biome differences for  $B_{root-fine}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes.

### Figure S23. Age trends and biome differences for $DW_{tot}$




Figure S23 | Age trends and biome differences for  $DW_{tot}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### Figure S24. Age trends and biome differences for $DW_{standing}$




Figure S24 | Age trends and biome differences for  $DW_{standing}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes.

### Figure S25. Age trends and biome differences for $DW_{down}$




Figure S25 | Age trends and biome differences for  $DW_{down}$ . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

### $_{73}$ Figure S26. Age trends and biome differences for OL




Figure S26 | Age trends and biome differences for OL. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.