Supplement for: Carbon cycling in mature and regrowth forests globally: a macroecological synthesis based on the global Forest Carbon (ForC) database

Contents

| 6 | Appendix S1. Duplicates and Conflicting Records within ForC | 2 |
|----|---|----|
| 7 | Table S#(variable mapping)) | 3 |
| 8 | Figure S1. Age trends and biome differences for NEP | 4 |
| 9 | Figure S2. Age trends and biome differences for GPP | 5 |
| 10 | Figure S3. Age trends and biome differences for NPP | 6 |
| 11 | Figure S4. Age trends and biome differences for $ANPP$ | 7 |
| 12 | Figure S5. Age trends and biome differences for $ANPP_{woody}$ | 8 |
| 13 | Figure S6. Age trends and biome differences for $ANPP_{stem}$ | 9 |
| 14 | Figure S7. Age trends and biome differences for $ANPP_{foliage}$ | 10 |
| 15 | Figure S8. Age trends and biome differences for $ANPP_{litterfall}$ | 11 |
| 16 | Figure S9. Age trends and biome differences for $BNPP$ | 12 |
| 17 | Figure S10. Age trends and biome differences for $BNPP_{coarse}$ | 13 |
| 18 | Figure S11. Age trends and biome differences for $BNPP_{fine}$ | 14 |
| 19 | Figure S12. Age trends and biome differences for R_{eco} | 15 |
| 20 | Figure S13. Age trends and biome differences for R_{root} | 16 |
| 21 | Figure S14. Age trends and biome differences for R_{soil} | 17 |
| 22 | Figure S15. Age trends and biome differences for $R_{het-soil}$ | 18 |
| 23 | Figure S16. Age trends and biome differences for B_{tot} | 19 |
| 24 | Figure S17. Age trends and biome differences for B_{ag} | 20 |
| 25 | Figure S18. Age trends and biome differences for $B_{ag-wood}$ | 21 |
| 26 | Figure S19. Age trends and biome differences for $B_{foliage}$ | 22 |
| 27 | Figure S20. Age trends and biome differences for B_{root} | 23 |
| 28 | Figure S21. Age trends and biome differences for $B_{root-coarse}$ | 24 |
| 29 | Figure S22. Age trends and biome differences for $B_{root-fine}$ | 25 |
| 30 | Figure S23. Age trends and biome differences for DW_{tot} | 26 |
| 31 | Figure S24. Age trends and biome differences for $DW_{standing}$ | 27 |
| 32 | Figure S25. Age trends and biome differences for DW_{down} | 28 |
| 22 | Figure S26. Age trends and biome differences for QL | 20 |

Appendix S1. Duplicates and Conflicting Records within ForC

- 35 Status of duplicates and conflicting records within ForC
- 36 Generating ForC_simplified
- ³⁷ Replicate measurements (*i.e.*, replicates from within a single study) were averaged. Records that subsumed
- $_{38}$ others— i.e., the time period included that of ≥ 2 other records or dates were unknown and therefore
- conflicted with ≥ 2 other records—were removed. For each group of duplicate records—i.e., measurements of
- 40 the same variable in the same plot at the same time—one record was assigned precedence (recorded in
- 41 D.precedence field). When measurement periods overlapped or were not specified, precedence was given first
- to records representing longer measurement periods (i.e., end.date start.date) and then to more recently
- 43 published values. We manually reviewed duplicates that differed only in methodology, assigning precedence
- to the record employing a more comprehensive approach (e.g., inclusion of understory, lianas, or bamboo as
- opposed to just trees) or using a favored methodology.

- Table $S\#(variable\ mapping))$
- this table)

Figure S1. Age trends and biome differences for NEP




Figure S1 | Age trends and biome differences for NEP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

$_{49}$ Figure S2. Age trends and biome differences for GPP




Figure S2 | Age trends and biome differences for GPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

$_{50}$ Figure S3. Age trends and biome differences for NPP




Figure S3 | Age trends and biome differences for NPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

$_{51}$ Figure S4. Age trends and biome differences for ANPP




Figure S4 | Age trends and biome differences for ANPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S5. Age trends and biome differences for $ANPP_{woody}$




Figure S5 | Age trends and biome differences for $ANPP_{woody}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S6. Age trends and biome differences for $ANPP_{stem}$




Figure S6 | Age trends and biome differences for $ANPP_{stem}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

$_{54}$ Figure S7. Age trends and biome differences for $ANPP_{foliage}$




Figure S7 | Age trends and biome differences for $ANPP_{foliage}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes.

55 Figure S8. Age trends and biome differences for ANPP_{litterfall}




Figure S8 | Age trends and biome differences for $ANPP_{litterfall}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S9. Age trends and biome differences for BNPP




Figure S9 | Age trends and biome differences for BNPP. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S10. Age trends and biome differences for $BNPP_{coarse}$




Figure S10 | Age trends and biome differences for $BNPP_{coarse}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S11. Age trends and biome differences for $BNPP_{fine}$




Figure S11 | Age trends and biome differences for $BNPP_{fine}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes.

Figure S12. Age trends and biome differences for R_{eco}




Figure S12 | Age trends and biome differences for R_{eco} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S13. Age trends and biome differences for R_{root}




Figure S13 | Age trends and biome differences for R_{root} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S14. Age trends and biome differences for R_{soil}




Figure S14 | Age trends and biome differences for R_{soil} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S15. Age trends and biome differences for $R_{het-soil}$




Figure S15 | Age trends and biome differences for $R_{het-soil}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

$_{63}$ Figure S16. Age trends and biome differences for B_{tot}




Figure S16 | Age trends and biome differences for B_{tot} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes.

Figure S17. Age trends and biome differences for B_{ag}




Figure S17 | Age trends and biome differences for B_{ag} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifiant differences between biomes

Figure S18. Age trends and biome differences for $B_{ag-wood}$




Figure S18 | Age trends and biome differences for $B_{ag-wood}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S19. Age trends and biome differences for $B_{foliage}$




Figure S19 | Age trends and biome differences for $B_{foliage}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S20. Age trends and biome differences for B_{root}




Figure S20 | Age trends and biome differences for B_{root} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S21. Age trends and biome differences for $B_{root-coarse}$




Figure S21 | Age trends and biome differences for $B_{root-coarse}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S22. Age trends and biome differences for $B_{root-fine}$




Figure S22 | Age trends and biome differences for $B_{root-fine}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S23. Age trends and biome differences for DW_{tot}




Figure S23 | Age trends and biome differences for DW_{tot} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S24. Age trends and biome differences for $DW_{standing}$




Figure S24 | Age trends and biome differences for $DW_{standing}$. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

Figure S25. Age trends and biome differences for DW_{down}




Figure S25 | Age trends and biome differences for DW_{down} . Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.

$_{73}$ Figure S26. Age trends and biome differences for OL




Figure S26 | Age trends and biome differences for OL. Map shows data sources (x and o indicate young and mature stands, respectively). Left plot shows age trends in forests up to 100 years old, as characterized by a linear mixed effects model with fixed effects of age and biome. Solid lines indicate significant effect of age, non-pareallel lines indicate a significant age x biome interaction. Boxplot illustrates distribution across mature forests, with different letters indicating signifant differences between biomes.