Supplementary Information: Global patterns of forest autotrophic carbon fluxes

Rebecca Banbury Morgan Valentine Herrmann Norbert Kunert Ben Bond-Lamberty Helene C. Muller-Landau Kristina J. Anderson-Teixeira

List of Tables

| 1 | Table S1. Climate variable definitions, sources, and abbreviations | 2 |
|------------|--|----|
| 2 | Table S2. Model form, delta AIC, and R2 for each climate variables as a single fixed effect in models for each C flux. Model forms include first-order linear (Lin), second-order polynomial (Poly), and logarithmic (Log) | (|
| 3 | Table S3. Joint effects of MAT and MAP on forest C fluxes | 4 |
| 4 | Table S4. Comparison of growing season length and MAT as predictors of forest C fluxes | Ę |
| 5 | Table S5. Best models by carbon flux. Models where delta AIC $ are presented$ | 6 |
| ${f List}$ | of Figures | |
| 1 | Figure S1: Maps showing distribution of samples for the nine forest C fluxes analyzed here $$. | 7 |
| 2 | Figure S2: Correlations among latitude and climate variables | 8 |
| 3 | Figure S3: Ratios among forest C fluxes as a function of latitude and climate variables | ć |
| 4 | Figure S4: Individual plots of forest C fluxes in relation to mean annual climate, part 1 | 10 |
| 5 | Figure S5: Individual plots of forest C fluxes in relation to mean annual climate, part 2 | 11 |
| 6 | Figure S6: Individual plots of forest C fluxes in relation to mean climate seasonality, part $1.$ | 12 |
| 7 | Figure S7: Individual plots of forest C fluxes in relation to mean climate seasonality, part 2 | 13 |
| 8 | Figure S8: Growing season length-standardized forest C fluxes in relation to mean growing season climate, part 1 | 14 |
| 9 | Figure S9: Growing season length-standardized forest C fluxes in relation to mean growing season climate, part 2 | 15 |

Table S1. Climate variable definitions, sources, and abbreviations

| Abbreviation | Climate variable | Units | Definition | Time span | Source |
|--------------|------------------------------------|------------------------------|--|-----------|---|
| MAT | Mean annual temperature | $^{\circ}\mathrm{C}$ | Annual mean temperature, from primary literature or WorldClim if not reported | NA | Primary literature; WorldClim ¹ |
| MAP | Mean annual precipitation | $\text{mm } yr^{-1}$ | Annual mean precipitation, from primary literature or WorldClim if not reported | NA | Primary literature; WorldClim ¹ |
| T Seas | Temperature seasonality | $^{\circ}\mathrm{C} \ge 100$ | Standard deviation (variation) of monthly temperature averages | NA | $WorldClim^1$ |
| P Seas | Precipitation seasonality | % | Coefficient of variation of mean monthly precipitation x 100 | NA | $WorldClim^1$ |
| ART | Annual temperature range | $^{\circ}\mathrm{C}$ | Maximum temperature of warmest month - minimum temperature of coldest month | NA | $WorldClim^1$ |
| Solar R | Solar radiation | $\mathrm{kJ}\ m^{-2}yr^{-1}$ | Solar radiation | NA | $WorldClim2^2$ |
| Cloud | Cloud cover | % | Cloud percentage cover | NA | CRU time-series dataset v 4.03^3 |
| AFD | Annual frost days | days yr^{-1} | Number of freeze days annually | NA | CRU time-series dataset v 4.03 ³ |
| AWD | Annual wet days | days yr^{-1} | Number of days with precipitation >0.1 mm annually | NA | CRU time-series dataset v 4.03^3 |
| PET | Potential evapotranspiration | $mm yr^{-1}$ | Mean annual potential evapotranspiration | NA | Global Aridity Index and Potential Evapotranspiration Climate Database ⁴ |
| AI | Aridity | | MAP/mean annual PET | NA | Global Aridity Index and Potential Evapotranspiration Climate Database ⁴ |
| VPD | Vapour pressure deficit | kPa | Vapour pressure deficit | NA | $TerraClimate^5$ |
| Max VPD | Maximum vapour pressure deficit | kPa | Maximum vapour pressure deficit | NA | Derived |
| WSM | Water stress months | months yr^{-1} | Number of months annually with MAP $<$ PET | NA | Derived |
| LGS | Length of growing season | months yr^{-1} | Number of months annually with mean minimum temperature > 0.5 $^{\circ}\mathrm{C}$ | NA | Derived |
| gsT | growing season temperature | $^{\circ}\mathrm{C}$ | | NA | Derived |
| gsP | growing season precipitation | | | NA | Derived |
| gsPET | growing season PET | | | NA | Derived |
| gsR | growing season solar radiation | | | NA | Derived |

 $^{^{-1}}$ Hijmans et al. (2005) 2 Fick et al. (2017) 3 Harris et al. (2017) 4 Abatzoglou et al. (2018)

Table S2. Model form, delta AIC, and R2 for each climate variables as a single fixed effect in models for each C flux. Model forms include first-order linear (Lin), second-order polynomial (Poly), and logarithmic (Log).

| | I | Latitude | , | | MAT | | | MAP | | | T Seas | | | P Seas | | | ATR | | | Solar R | | | AI | |
|-------------------------|-------|----------|------|-------|------|------|-------|------|------|-------|--------|------|-------|--------|------|-------|------|------|-------|---------|------|-------|------|------|
| Carbon Flux | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC |
| GPP | Lin | 0.64 | 54.9 | Lin | 0.61 | 52.5 | Lin | 0.18 | 33.3 | Poly | 0.71 | 69.5 | - | - | - | Poly | 0.69 | 63.0 | Log | 0.16 | 8.9 | - | - | - |
| NPP | Log | 0.50 | 44.3 | Lin | 0.42 | 41.5 | Poly | 0.21 | 16.7 | Log | 0.52 | 44.3 | - | - | - | Log | 0.49 | 42.3 | Poly | 0.16 | 12.5 | Lin | 0.04 | 2.8 |
| ANPP | Lin | 0.44 | 63.4 | Lin | 0.44 | 80.5 | Poly | 0.16 | 19.7 | Log | 0.41 | 58.7 | - | - | - | Log | 0.37 | 51.9 | Lin | 0.11 | 12.3 | Lin | 0.05 | 2.1 |
| ANPP stem | Lin | 0.18 | 22.2 | Lin | 0.24 | 38.5 | Log | 0.05 | 7.3 | Lin | 0.14 | 17.6 | Poly | 0.05 | 5 | Lin | 0.12 | 13.6 | Log | 0.06 | 6.8 | Lin | 0.07 | 4 |
| ANPP foliage | Lin | 0.50 | 37.7 | Lin | 0.58 | 52.9 | Poly | 0.25 | 13.3 | Lin | 0.48 | 34.1 | - | - | - | Lin | 0.50 | 36.1 | Log | 0.17 | 10.1 | Lin | 0.11 | 6.8 |
| BNPP root | Lin | 0.34 | 22.9 | Log | 0.31 | 21.0 | Poly | 0.15 | 6.2 | Log | 0.36 | 26.6 | - | - | - | Log | 0.33 | 23.6 | Poly | 0.29 | 18.8 | - | - | - |
| BNPP fine root | Lin | 0.17 | 8.0 | Lin | 0.15 | 7.2 | Log | 0.11 | 5.4 | Lin | 0.17 | 8.4 | - | - | - | Log | 0.19 | 10.9 | Log | 0.14 | 7.2 | Log | 0.06 | 2.4 |
| Autotrophic respiration | Lin | 0.65 | 13.1 | Lin | 0.59 | 10.9 | Poly | 0.60 | 8.6 | Log | 0.65 | 13.1 | - | - | - | Log | 0.60 | 11.5 | Log | 0.27 | 2.4 | Poly | 0.48 | 3.7 |
| Root respiration | Log | 0.22 | 8.8 | Lin | 0.24 | 8.3 | Lin | 0.15 | 6.8 | Log | 0.24 | 9.5 | - | - | - | Log | 0.22 | 8.8 | - | - | - | Lin | 0.16 | 7.3 |

| | | Cloud | | | AFD | | | AWD | | | PET | | | VPD | | N | fax VP | D | | WSM | | | LGS | |
|-------------------------|-------|-------|------|-------|------|------|-------|------|------|-------|------|------|-------|------|------|-------|--------|------|-------|----------------------|------|-------|------|------|
| Carbon Flux | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC | Model | R-sq | dAIC |
| GPP | - | - | - | Log | 0.54 | 50.0 | Lin | 0.11 | 5.7 | Poly | 0.36 | 19.7 | Poly | 0.31 | 15.9 | - | - | - | - | - | - | Lin | 0.53 | 38.2 |
| NPP | Lin | 0.06 | 3.6 | Lin | 0.40 | 38.5 | Lin | 0.11 | 7.3 | Poly | 0.32 | 24.3 | Poly | 0.18 | 15.3 | - | - | - | Lin | 0.04 | 4 | Lin | 0.38 | 28.4 |
| ANPP | Poly | 0.09 | 7.1 | Log | 0.41 | 61.6 | Lin | 0.17 | 18.7 | Poly | 0.27 | 24.5 | Poly | 0.23 | 21.4 | Poly | 0.06 | 2.2 | Poly | 0.06 | 3 | Lin | 0.34 | 44.0 |
| ANPP stem | Poly | 0.09 | 5.4 | Log | 0.17 | 22.3 | - | - | - | Poly | 0.20 | 14.0 | Poly | 0.21 | 17.7 | Log | 0.14 | 7.5 | - | - | - | Log | 0.11 | 12.6 |
| ANPP foliage | - | - | - | Lin | 0.53 | 43.4 | Lin | 0.15 | 7 | Log | 0.32 | 24.2 | Log | 0.35 | 30.0 | Poly | 0.07 | 4.9 | Poly | 0.17 | 7.8 | Log | 0.46 | 32.9 |
| BNPP root | - | - | - | Lin | 0.28 | 19.1 | Poly | 0.11 | 3.4 | Poly | 0.36 | 23.2 | Poly | 0.26 | 13.9 | - | - | - | - | - | - | Lin | 0.26 | 14.7 |
| BNPP fine root | - | - | - | Lin | 0.16 | 9.2 | Lin | 0.08 | 2.7 | Log | 0.14 | 7.1 | Log | 0.06 | 1.9 | - | - | - | - | - | - | Lin | 0.13 | 5.8 |
| Autotrophic respiration | - | - | - | Log | 0.57 | 9.4 | Null | 0.26 | 0.6 | Log | 0.36 | 4.8 | Log | 0.35 | 4.3 | - | - | - | Null | 0.3 | 1.5 | Lin | 0.47 | 5.8 |
| Root respiration | Log | 0.16 | 1.9 | Log | 0.19 | 7.3 | Lin | 0.17 | 3.5 | Poly | 0.19 | 1.7 | Poly | 0.27 | 6.7 | - | - | - | Lin | 0.14 | 6.1 | Lin | 0.19 | 5.9 |

Table S3. Joint effects of MAT and MAP on forest C fluxes

| Carbon flux | Significant interactive effect | Significant additive effect | Significant effect of MAT | p-value | R-squared value |
|------------------|--------------------------------|-----------------------------|---------------------------|----------|--------------------|
| GPP | FALSE | TRUE | TRUE | < 0.0001 | 0.66 |
| NPP | TRUE | TRUE | TRUE | 0.018 | 0.48 |
| ANPP | FALSE | TRUE | TRUE | 0.0349 | 0.45 |
| ANPP woody stem | TRUE | TRUE | TRUE | 0.021 | 0.26 |
| ANPP foliage | FALSE | FALSE | TRUE | < 0.0001 | 0.59 |
| BNPP root | FALSE | FALSE | TRUE | < 0.0001 | 0.29 |
| BNPP fine root | FALSE | FALSE | TRUE | 0.002 | 0.15 |
| Autotrophic | FALSE | TRUE | TRUE | 0.041 | 0.71 |
| respiration | | | | | |
| Root respiration | FALSE | FALSE | TRUE | 0.001 | 0.25 |

Table S4. Comparison of growing season length and MAT as predictors of forest C fluxes

| Fixed effect | AIC value | Delta AICc | Marginal R squared |
|-------------------------|-----------|------------|--------------------|
| GPP | | | |
| MAT | 126.42617 | 0.000000 | 0.6196780 |
| Growing season length | 140.80589 | 14.379717 | 0.5411935 |
| None | 178.96179 | 52.535617 | 0.0000000 |
| NPP | | | |
| MAT | 174.88249 | 0.000000 | 0.5156614 |
| Growing season length | 191.53714 | 16.654650 | 0.4006999 |
| None | 216.16976 | 41.287265 | 0.0000000 |
| ANPP | | | |
| MAT | 249.50512 | 0.000000 | 0.2925950 |
| Growing season length | 254.20763 | 4.702509 | 0.2612187 |
| None | 268.94008 | 19.434966 | 0.0000000 |
| ANPP woody stem | | | |
| MAT | 235.95797 | 0.000000 | 0.1548800 |
| Growing season length | 237.28992 | 1.331943 | 0.1370243 |
| None | 243.13700 | 7.179027 | 0.0000000 |
| ANPP foliage | | | |
| MAT | 484.87610 | 0.000000 | 0.4462629 |
| Growing season length | 520.96482 | 36.088722 | 0.3497750 |
| None | 560.34915 | 75.473049 | 0.0000000 |
| BNPP root | | | |
| MAT | 184.54480 | 0.000000 | 0.5921282 |
| Growing season length | 204.92685 | 20.382054 | 0.4644116 |
| None | 237.46554 | 52.920743 | 0.0000000 |
| BNPP fine root | | | |
| MAT | 540.19217 | 0.000000 | 0.2429540 |
| Growing season length | 566.36955 | 26.177388 | 0.1060029 |
| None | 578.65529 | 38.463119 | 0.0000000 |
| Autotrophic respiration | | | |
| MAT | 45.25818 | 0.000000 | 0.6271133 |
| Growing season length | 50.35515 | 5.096972 | 0.5041004 |
| None | 56.16877 | 10.910597 | 0.0000000 |
| Root respiration | | | |
| MAT | 133.53500 | 0.000000 | 0.2507631 |
| Growing season length | 135.92632 | 2.391311 | 0.1990489 |
| None | 141.78719 | 8.252190 | 0.0000000 |

Table S5. Best models by carbon flux. Models where delta AIC $<\!\!/=2$ are presented

| Carbon flux | Climate variable | Model type | dAIC | R squared |
|-------------------------|------------------|------------|-------|-----------|
| GPP | T Seas | Poly | 6.55 | 0.71 |
| | MAT | Lin | 0.21 | 0.42 |
| NPP | T Seas | Log | 0.21 | 0.52 |
| ANPP | MAT | Lin | 21.40 | 0.44 |
| ANPP foliage | MAT | Lin | 11.05 | 0.58 |
| ANPP stem | MAT | Lin | 15.87 | 0.24 |
| BNPP root | T Seas | Log | 3.01 | 0.36 |
| BNPP fine root | ATR | Log | 2.11 | 0.19 |
| | T Seas | Log | 1.62 | 0.65 |
| Autotrophic respiration | ATR | Log | 1.62 | 0.60 |
| | T Seas | Log | 0.76 | 0.24 |
| Root respiration | ATR | Log | 0.76 | 0.22 |
| 1 | MAT | Lin | 1.30 | 0.24 |




Figure S1: Maps showing distribution of samples for the nine forest C fluxes analyzed here




Figure S2: Correlations among latitude and climate variables




Figure S3: Ratios among forest C fluxes as a function of latitude and climate variables




Figure S4: Individual plots of forest C fluxes in relation to mean annual climate, part 1.




Figure S5: Individual plots of forest C fluxes in relation to mean annual climate, part 2.




Figure S6: Individual plots of forest C fluxes in relation to mean climate seasonality, part 1.




Figure S7: Individual plots of forest C fluxes in relation to mean climate seasonality, part 2.



Figure S8: Growing season length-standardized forest C fluxes in relation to mean growing season climate, part 1.




Figure S9: Growing season length-standardized forest C fluxes in relation to mean growing season climate, part 2.

References

Abatzoglou, J. T., Dobrowski, S. Z., Parks, S. A., & Hegewisch, K. C. (2018). TerraClimate, a high-resolution global dataset of monthly climate and climatic water balance from 1958–2015. *Scientific Data*, 5, 170191. https://doi.org/10.1038/sdata.2017.191

Fick, S. E., & Hijmans, R. J. (2017). WorldClim 2: New 1-km spatial resolution climate surfaces for global land areas. *International Journal of Climatology*, 37(12), 4302–4315. https://doi.org/10.1002/joc.5086

Harris, I., Jones, P., Osborn, T., & Lister, D. (2014). Updated high-resolution grids of monthly climatic observations - the CRU TS3.10 dataset: *International Journal of Climatology*, 34(3), 623–642. https://doi.org/10.1002/joc.3711

Hijmans, R. J., Cameron, S. E., Parra, J. L., Jones, P. G., & Jarvis, A. (2005). Very high resolution interpolated climate surfaces for global land areas. *International Journal of Climatology*, 25(15), 1965-1978. https://doi.org/10.1002/joc.1276