

The E-Ink Reading Pipeline

source · github.com/forcewake

Содержание

1. Typography tuned for the panel	3
2. Portraits in newspaper halftone	4
3. One more plate	6
4. Navigation is automatic	7
5. Ship it	8

A tour of what remarkable-send does to a plain markdown file before it lands on a reMarkable tablet. Every feature below is exercised by this document.

Typography tuned for the panel

The page is exactly 157.7×210.3 mm — the reMarkable 2 screen at 226 dpi, edge to edge. Body text is a true 12 pt at 16 CSS px; margins are 13 mm sides and top, 15 mm at the bottom for the thumb. Nothing needs pinching, zooming or panning: one PDF page is one screen.

1. Pages sized 1:1 to the device — no fit-to-width scaling
2. 12 pt body with 1.55 leading — the e-ink legibility floor
3. Single column, ~65 characters per line
4. Pure black on white; no fills that ghost on partial refresh

Portraits in newspaper halftone




Ada Lovelace, portrait

Photos never ship raw: they are converted to grayscale, auto-contrasted and dithered with 1-bit Floyd–Steinberg at device

resolution — newspaper plates, not blurry gray mush.

One more plate



Albert Einstein, 1921

A figure shares its page with the heading and text: the plate is capped at two thirds of page height, so sections read like magazine spreads.

Navigation is automatic

Every render gets a PDF outline for the tablet's sidebar and real metadata. Documents with four or more sections — like this one — get a clickable table of contents with measured page numbers: render once, find where each section really landed, render again.

Ship it

```
remarkable_send.py --file showcase.md --source  
github.com/forcewake
```

That is the whole pipeline: markdown in, a folder on the tablet out.