

Brutal Layout Stress Test

source · github.com/forcewake

Brutal Layout Stress Test

A document designed to break naive PDF pipelines: wide tables, code taller than a page, unicode soup, zalgo, base64 and 300-word walls of text.

Wide table: 6 columns

Feature Claude Code 4.5 Codex GPT-6 Hermes 0.21 Aider 0.9
Cursor 2.0 Copilot Agent --- --- --- --- --- --- Context, tokens 1
000 000 ([1m] flag) 2 000 000 (X-mode) 320 000 + in-place
compaction 200 000 (repo map) 1 500 000 (composer) 128 000
(index) Subagents yes (delegate_task) yes (threads) yes
(peer) no yes (background) no Price per 1M in \$3.00 promo
\$2.25 off-peak GLM-5.3: \$0.60 bulk \$1.20 cache miss \$2.80
\$1.95 Local run no no yes (headless) yes no no Sandbox
container container landlock + seccomp none VM ephemeral

Code taller than a page

```
commit f6bd1634a9c1e2d3b4a5f6a7b8c9d0e1f2a3b4c5
```

```
Author: forcewake <pavel@example.dev>
```

```
Date:   Fri Sep 5 03:14:07 2026 +0200
```

```
gateway: fix root AGENTS.md truncation at 100 797 bytes
```

```
diff --git a/gateway/run.py b/gateway/run.py
```

```
index 1a2b3c4..5d6e7f8 100644
```

```
--- a/gateway/run.py
```

```
+++ b/gateway/run.py
```

```
@@ -15256,10 +15256,18 @@ def dispatch_message(payload):
```

```
-     raw = read_file(AGENTS_PATH)
```

```
-     if len(raw) > ROOT_LIMIT:
```

```
-         raw = raw[:ROOT_LIMIT]
```

```
-         log.warning("root AGENTS.md truncated")
```

```
+     raw = read_file_bytes(AGENTS_PATH)
```

```
+     # decode per-chunk: multibyte UTF-8 at the cut boundary  
previously
```

```
+     # produced a surrogate that ate the next 3 bytes
```

```
+     decoded = b"".join(
```

```
+         chunk.decode("utf-8", errors="surrogatepass")
```

```
+         for chunk in chunked(raw, 65536)
```

```
+     )
```

```
+     if len(decoded) > ROOT_LIMIT:
```

```
+         cut = decoded[:ROOT_LIMIT]
```

```
+         # snap back to the last complete grapheme cluster
```

```
+         while cut and unicodedata.combining(cut[-1]):
```

```
+             cut = cut[:-1]
```

```
+         decoded = cut
```

```
+         log.warning("root AGENTS.md truncated to grapheme  
boundary")
```

```
         return render_context(decoded)
```

```

# page-height block on purpose
import hashlib, pathlib, sys

def fingerprint_tree(root: pathlib.Path) -> dict[str, str]:
    out = {}
    for p in sorted(root.rglob("*")):
        if not p.is_file():
            continue
        if any(x in p.parts for x in (".git", "__pycache__",
"node_modules")):
            continue
        h = hashlib.sha256()
        with p.open("rb") as fh:
            for chunk in iter(lambda: fh.read(1 << 16), b''):
                h.update(chunk)
        out[str(p.relative_to(root))] = h.hexdigest()
    return out

def verify(manifest: dict[str, str], root: pathlib.Path) ->
list[str]:
    current = fingerprint_tree(root)
    drift = []
    for rel, digest in manifest.items():
        got = current.get(rel)
        if got is None:
            drift.append(f"missing: {rel}")
        elif got != digest:
            drift.append(f"changed: {rel} {digest[:12]} ->
{got[:12]}")
    for rel in current:
        if rel not in manifest:
            drift.append(f"extra: {rel}")
    return drift

if __name__ == "__main__":
    problems = verify(

```

```

dict(l.split(" ", 1) for l in
pathlib.Path(sys.argv[2]).read_text().splitlines() if
l.strip()),
pathlib.Path(sys.argv[1]))
print("\n".join(problems))
sys.exit(1 if problems else 0)

```

30-row table

#	Package	Version	Downloads/mo	Deps	License				
1	hermes-agent	0.21.0	412 889	34	Apache-2.0	2			
	deerflow-core	2.3.1	89 133	18	MIT	3	zai-sdk	1.14.0	1 204 556
		6	MIT	4	glm-flash-bulk	0.9.7	55 402	2	proprietary
	honcho-memory	3.0.2	71 930	12	MIT	6	kanban-swarm	1.7.4	
		22 118	9	Apache-2.0	7	rmapi-ddvk	0.0.35	17 653	0
		8	MIT	8	rmfakecloud	1.2.9	9 844	3	AGPL-3.0
		9	9 844	3	AGPL-3.0	9	docx-cp	0.4.1	3
		127	22	internal	10	serving-compiler	0.6.0	812	41
		11	agentfield	2.1.3	134 005	27	BSD-3	12	copilot-credit-lab
		0.2.0	1 940	15	internal	13	epam-pptx-next	3.3.3	6 208
		19	internal	14	faceless-explainer	1.9.2	44 719	8	MIT
		15	hyperframes	4.0.1	96 214	33	Apache-2.0	16	media-use
		2.5.0	61 880	11	MIT	17	grill-me	0.8.8	5 555
		1	MIT	18	humanizer	1.3.1	78 909	4	MIT
		19	dsh-lane	0.5.5	2 246	5	internal	20	remarkable-send
		1.0.0	890	3	MIT	21	minsk-watch	0.7.0	433
		6	internal	22	receipt-pipeline	2.2.8	15 662	29	MIT
		23	mfo-blueprint	1.1.1	2 077	24	internal	24	book-recompiler
		0.3.9	1 155	7	MIT	25	prototype-furnace	0.1.4	76
		38	internal	26	forge-workshops	1.0.6	3 044	13	internal
		27	sovereign-devops	2.4.0	8 231	20	Apache-2.0	28	

groundwell | 5.1.2 | 190 447 | 26 | MIT | | 29 | sdlc-conveyor | 0.9.3 | 7
806 | 31 | internal | | 30 | azure-voice | 1.6.7 | 13 209 | 9 | MIT |

Unicode soup

Chinese: 人工智能体正在安装未经验证的代码.

يعمل الوكلاء الذكيون على تثبيت تعليمات برمجية غير موثوقة

Hebrew: סוכני בינה מלאכותית מתקינים קוד לא מהימן

Japanese: エージェントは検証されていないコードをインストールします。

Zalgo: Z'ALGO/dōn't'āgion/

SHA-256 with no break points:

a3f5d8e91c04b7f6a2d3e4f5061728394a5b6c7d8e9f0a1b2c3d4e5f60718293 and one more:

```
ff11aa22bb33cc44dd55ee66ff77889900112233445566778899aabbcc
ddeeff.
```

Monster URL:

https://example.com/very/long/path/segments/that/keep/going/and/going?

```
query=1&another=2&more=3&even=4&more=5&still=6&going=7&on=
8&forever=9&yes=10#anchor-at-the-end
```

German compound words:

Donaudampfschiffahrtsgesellschaftskapitän,
Grundstücksverkehrsgenehmigungszuständigkeitsübertragungsverord-
nung.

Dashes and quotes: "straight" vs 'single' vs “double”, hyphen-minus -, real minus −, em-dash —, en-dash – in one sentence.

Nesting and quotes

1. Level 1

- Level 2
- Level 3
- Level 4 with `inline code` and **bold**
- Level 5 (markdown allows it; layout says hold my beer)

1. Back to level 1

First-level quote with a long line that must wrap somewhere in the middle of the sentence, otherwise it runs past the margins. Nested quote: researchers registered unclaimed package names and got a phone-home from a Fortune 500 within an hour. Third level of nesting. More text to check indents and borders.

A footnote about Schneier^[^1] and one about the researchers^[^2].

[^1]: Bruce Schneier, blog, September 4, 2026. [^2]: Hertz et al., 6 214 domains scanned, 120 pointed at unregistered packages.

The monograph

This paragraph intentionally has no line breaks for over three hundred words, because the real stress for justification is an unbroken stream of English text with embedded German compounds and technical

terms like gateway, sandbox, supply-chain attack and landlock, with numbers like 100 797 bytes and 6 214 domains, with fractions like 3.5–4.0 GB and percentages like 78% used, with nested parentheses (like this (twice (thrice))) and dashes — long and short –, with hyphenated compounds like e-ink and reMarkable-compatible, with slashes like SSL/TLS and MCP/API, and all of it must sit neatly in lines of about sixty-five characters without spilling into the margins or leaving rivers three centimeters wide, because left-aligned text with anywhere-wrap either breaks monsters like Donaudampfschiffahrtsgesellschaftskapitän gracefully or mangles the layout; there are also runs of exclamation marks!!!!!!! and ellipses..., and the camera obscura of typography: CAPITAL LETTERS OF CYRILLIC AND LATIN MIXД ОМОДЕЛЬ FOR TRACKING CHECKS, plus WeIrD CaSe and a run of numbers 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20, and finally a link <https://example.com/a/very/long/link/inside/flow/of/text/without/protecti> on right in the middle of everything.

Micro sections

Crumb A

One line.

Crumb B

One line.

Crumb C

One line.

Struck-through conclusion

~~First render had no margins~~ → 13 mm margins → **12pt** → shipped .

End of the stress test. If this reads well on e-ink, the layout holds.