ETAS RTA-A2L 12.7.0

Release Notes

Copyright

The data in this document may not be altered or amended without special notification from ETAS GmbH. ETAS GmbH undertakes no further obligation in relation to this document. The software described in it can only be used if the customer is in possession of a general license agreement or single license. Using and copying is only allowed in concurrence with the specifications stipulated in the contract.

Under no circumstances may any part of this document be copied, reproduced, transmitted, stored in a retrieval system, or translated into another language without the express written permission of ETAS GmbH.

© Copyright 2025 ETAS GmbH, Stuttgart

The names and designations used in this document are trademarks or brands belonging to the respective owners.

ETAS RTA-A2L 12.7.0 - RTA-A2L Release Notes R01 EN - 05.2025

Table of Contents

Copyright 2
1. Introduction 5
1.1. Definitions and Abbreviations 5
1.2. References 5
1.3. User Documentation 5
2. Product Definition 5
2.1. Functions at a glance 5
2.2. General Description 6
2.2.1. System Prerequisites 6
2.2.2. Software Prerequisites 6
2.2.3. Release Test Configuration 6
2.2.4. Restrictions 6
2.2.5. Miscellaneous 6
2.3. Delivery 6
2.3.1. Used 3rd Party Software 7
2.4. Installation 7
2.4.1. Installation Hints 7
2.5. Licensing 7
2.6. EULA for Installable Features Shipping with this Product 7
2.6.1. Delivery 7
2.6.2. Licensing 8
2.6.3. EULA for Such Features that can be used “Free Of Charge” 8
2.7. Data protection 9
2.8. Data and information security 9
2.8.1. Data and storage locations 9
2.8.2. Technical and organizational measures 9
3. Changes 9
3.1. What’s New 10
3.1.1 What’s in RTA-A2L 10
3.2. Compatibility to Earlier Releases 10
3.3. Fixed Problems 10
3.4. Known Issue Reports 11
3.5. Known Issues 11
3.5.1. Software related Items 11
3.5.2. Hardware related Items 11

4. Hints 11
5. Hotfix Information 11
6. Contact Information 12
6.1. Technical Support 12
6.2. ETAS Headquarters 12

1. Introduction

1.1. Definitions and Abbreviations

Term/Abbreviation	Definition
EHI	**E**TAS **H**elp Desk **I**nternational
HW	Hardware
KIR	**K**nown **I**ssue **R**eport – For severe Problem Reports which occur after a release, ETAS has introduced the Known Issue Report to inform affected customer immediately. The current Known Issues of former versions can be found on the ETAS website: www.etas.com/kir
PR	Problem Report
SW	SoftWare
ASW	AUTOSAR **A**pplication **S**oft**W**are
BSW	AUTOSAR **B**asic **S**oft**W**are
NA	**N**ot **A**pplicable
A2L	**A**SAM MCD-**2** MC (aka ASAP2) description format (.a2l)
MCSupport	**M**easurement and **C**alibration data

1.2. References

RTA-A2L Getting Started Guide is available in the Documentation folder of installation directory.

1.3. User Documentation

The RTA-A2L Reference Manual and RTA-A2L Help Error Description document can be found in the Documentation folder of the installation directory in PDF format.

2. Product Definition

2.1. Functions at a glance

RTA-A2L supports user to generate A2L files compliant to ASAM standard. RTA-A2L reads mcSupport data from BSW module implementation, elf file generated by HighTec compiler/adx file/Symbols file and generate elements in A2L file with absolute addresses.

2.2. General Description

2.2.1. System Prerequisites

Please refer to the latest RTA-CAR Release Notes for more details

2.2.2. Software Prerequisites

RTA-A2L comes with and requires an installation of RTA-CAR, the ETAS Classic AUTOSAR solution. RTA-CAR installation includes a compatible version of RTA-A2L.

Versions tested and released for compatibility:

RTA-A2L	RTA-CAR
V12.7.0	V12.7.0

2.2.3. Release Test Configuration

The following configuration has been used for release test:

- 2.5 GHz PC, 32 GB RAM, Windows® 10 & Windows® 11 64-bit
- 2.5GHz PC, 8GB RAM, Debian 11 and Ubuntu 20.04

2.2.4. Restrictions

- Use of RTA-A2L through remote desktop is not supported.
- A2L generation is supported for up to below AUTOSAR schema versions.
  - AUTOSAR_00052 (AUTOSAR 23-11 version)
- RTA-A2L shall be able to dump only High-Tec ELF file with DWARF2 format.

2.2.5. Miscellaneous

None.

2.3. Delivery

The software is delivered with an installation routine on a DVD including RTA-A2L V12.7.0 software, documentation, tools, utilities, and further information. All software documentation is available in the Portable Document Format (PDF), which requires Adobe® Reader®.
The DVD contains the following items:

The <CD/DVD> contains the following items:

Directory	Meaning / Explanation

\3rdPartyLicenseInformation	License information of 3rd-party software (ASLR, EPL-v1.0)
\Documentation	Release Notes (this document) and other documentations
\RTA-A2L_V12.7.0.zip	Contains the standalone RCP software of RTA-A2L
ReadMe.txt	Any last-minute information (if available)

2.3.1. Used 3rd Party Software

RTA-A2L does not use any third-party software.

2.4. Installation

Refer getting started guide of RTA-A2L.

2.4.1. Installation Hints

Refer getting started guide of RTA-A2L.

2.5. Licensing

The use of unlicensed ETAS software, including RTA-A2L, is prohibited. The use of RTA-A2L is protected by electronic licensing. Valid licenses are necessary for RTA-A2L.
When you purchase RTA-A2L licenses, you receive a separate entitlement letter. You can activate the license using a self-service portal on the ETAS website (https://www.etas.com/support/licensing).
For assistance, please consult the help file available on the start page of the self-service portal. During the activation process, you will receive the necessary license keys via E-mail.

Product version	Feature Name, Version
RTA-A2L V12.x	RTA_A2L, 12

All features in RTA-A2L are associated with a license and these can be used if the corresponding license is available, otherwise the tool will show the "no license available" message.

2.6. EULA for Installable Features Shipping with this Product

EULA stands for **E**nd-**U**ser **L**icense **A**greement. This section provides the EULA for features that ship with this product.

2.6.1. Delivery

The (DVD) installation medium of this product may ship additionally installable features of ETAS GmbH. Such features are not part of, and are not installed together with, this product.

2.6.2. Licensing

Unless stated differently, such features require separate licensing and installation.

Each installable feature may come with its terms and conditions, e.g. for licensing, warranty, and liability. Refer the documentation provided with a feature for further details.

A valid license is required to use the software. You can obtain a license in one of the following ways:

- from your tool coordinator
- via the self-service portal on the ETAS website at www.etas.com/support/licensing
- via the ETAS License Manager

To activate the license, you must enter the Activation ID that you received from ETAS during the ordering process.

For more information about ETAS license management, see the ETAS License Management FAQ or the ETAS License Manager help.

<u>To open the ETAS License Manager help</u>

The ETAS License Manager is available on your computer after the installation of any ETAS software.

1. From the Windows Start menu, select E > ETAS > ETAS License Manager. (1. Under Linux, use LiMaQt.sh, which you can find at the following location: /usr/share/ETAS/LiMa/x32/bin/.) The ETAS License Manager opens.
2. Click in the ETAS License Manager window and press F1.

   The ETAS License Manager help opens.

2.6.3. EULA for Such Features that can be used “Free Of Charge”

a) Licensing
ETAS grants to you a non-exclusive, perpetual license to use a feature for evaluation and testing purposes. Any other use of the feature, in particular any use in series development or any other production or commercial environment shall be prohibited.
You are NOT entitled to modify, translate or fragment parts of the feature or to remove any alphanumerical or other identification from the data media (and/or the feature).
b) Disclaimer of Warranty
Due to the gratuitous character of the license grant and unless required by applicable law or agreed to in writing, this feature is provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using this feature and assume any risks associated with your use of the feature.
c) Limitation of Liability
Unless required by applicable law or agreed to in writing, in no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall ETAS be liable to you for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this agreement or out of the use or inability to use the feature (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if ETAS has been advised of the possibility of such damages.

2.7. Data protection

If the product contains functions that process personal data, legal requirements of data protection and data privacy laws shall be complied with by the customer. As the data controller, the customer usually designs subsequent processing. Therefore, he must check if the protective measures are sufficient.

2.8. Data and information security

To securely handle data in the context of this product, see the next sections about data and storage locations as well as technical and organizational measures.

2.8.1. Data and storage locations

The following sections give information about data and their respective storage locations for various use cases.

2.8.1.1. License management

When using the ETAS License Manager in combination with user-based licenses that are managed on the FNP license server within the customer's network, the following data are stored for license management purposes:

Data:

- Communication data: IP address
- User data: User ID

Storage location:

- FNP license server log files on the customer network

When using the ETAS License Manager in combination with host-based licenses that are provided as FNE machine-based licenses, the following data are stored for license management purposes:

Data:

- Activation data: Activation ID
  - Used only for license activation, but not continuously during license usage.

Storage location:

Windows:

- FNE trusted storage
  C:\ProgramData\ETAS\FlexNet\fne\license\ts

Linux:

- /usr/share/ETAS/LiMa/fne/license/ts/

2.8.2. Technical and organizational measures

We recommend that your IT department takes appropriate technical and organizational measures, such as classic theft protection and access protection to hardware and software

3. Changes

This chapter describes changes with respect to the previous version of RTA-A2L V12.7.0.

3.1. What's New

Product improvements.

3.1.1 What's in RTA-A2L

A2L Generation:

Reads mcSupport data from BSW module implementation, elf file generated by HighTec compiler/adx file/Symbols file and generate elements in A2L file with absolute addresses.

The following AUTOSAR elements are processed by RTA-A2L

- MC-DATA-INSTANCE of type MC-PARAMETER-INSTANCES
- MC-DATA-INSTANCE of type MC-VARIABLE-INSTANCES
- UNIT
- COMPU-METHOD
- SW-RECORD-LAYOUT
- SW-BASE-TYPE
- DATA-CONSTR
- PHYSICAL-DIMENSION
- SW-SYSTEMCONST
- SW-SYSTEMCONSTANT-VALUE-SET
- MC-FUNCTION

RTA-A2L supports below blocks in A2L file:

- AXIS_PTS
- CHARACTERISTIC
- COMPU_METHOD
- FUNCTION
- MEASUREMENT
- RECORD_LAYOUT
- UNIT

3.2. Compatibility to Earlier Releases

NIL

3.3. Fixed Problems

This section describes the set of fixed problems of the released version of RTA-A2L V12.7.0

Problem Number	Title
ARCTOOLS-9103	NullPointerException thrown by RTA-A2L for invalid inputs

3.4. Known Issue Reports

If a product issue develops, ETAS will prepare a Known Issue Report (KIR) and post it on the internet. The report includes information regarding the technical impact and status of the solution. Therefore, you must check the KIR applicable to this ETAS product version and follow the relevant instructions prior to operation of the product.

The Known Issue Report (KIR) can be found here: www.etas.com/kir

3.5. Known Issues

This section describes the set of known problems of the released version of RTA-A2L V12.7.0

3.5.1. Software related Items

Problem Number	Title
NIL	

3.5.2. Hardware related Items

Problem Number	Title
NIL	

4. Hints

NIL

5. Hotfix Information

Currently no Hotfixes are available.

6. Contact Information

6.1. Technical Support

For details of your local sales office as well as your local technical support team and product hotlines, take a look at the website: www.etas.com/hotlines

6.2. ETAS Headquarters

ETAS GmbH

Borsigstraße 24	Phone:	+49 711 3423-0
70469 Stuttgart	Fax:	+49 711 3423-2106
Germany	Internet:	www.etas.com