UNIVERSITY OF KELANIYA / SENG 34213

FOREVER HOTEL MANAGEMENT SYSTEM

Test Case Register

Consolidated Test Case Evidence | 295 Recorded Cases

Reporting date: 25 October 2026. Evidence is identified by subsystem branch, commit, and run date; comparisons across different revisions are not a single hotel-wide release test.

Contents

1. Register overview and status definitions

2. Hotel Website (HW)

3. Manager Dashboard (MAD)

4. Front Desk System (FDS)

5. Food Ordering and Service Requests (FOSS)

6. Kitchen Management System (KMS)

7. Worker Management System (WKMS)

8. Acceptance and evidence conditions

---

1. Register overview and status definitions

The register includes every row in the six subsystem test-case lists, maintaining test identifiers, descriptions, requirements where supplied, test levels, preconditions, steps or inputs, expected and actual results, outcome labels and evidence references. Reported PASS (CI suite) means the containing named test suite passed; individual case-level logs are not always separately archived.

Subsystem	Recorded cases	Suite-backed passing cases	Unverified / not tested
HW	33	23	10
MAD	58	53	5
FDS	43	34	9
FOSS	42	34	8
KMS	82	76	6
WKMS	37	30	7
All six	295	250	45

FOSS and KMS registers do not provide an original per-case SRS identifier column. Their domain or area is preserved instead; an identifier is not invented. FOSS feature-branch results are kept separate from historical develop CI.

The entries below are grouped by subsystem. Where the source row contains no priority, requirement ID or evidence URL, the value is shown as not recorded rather than inferred.

2. Hotel Website (HW)

Repository: forever-hotel/hotel-website | Branch: pre-develop | Tested revision: 606acf0674a18621639bce572ce3577af933cd63 | CI date: 22 October 2026

Evidence: https://github.com/forever-hotel/hotel-website/actions/runs/39726186380, https://github.com/forever-hotel/hotel-website/actions/runs/39726186472, https://github.com/forever-hotel/hotel-website/actions/runs/39726186469

Register entries: 33; CI-suite-linked pass: 23; not tested/not verified: 10.

TC-HW-001 | PASS (CI suite)

only currently valid offers appear, including start and excluding end

Requirement: HW-01 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/promotions.test.mjs
Additional note	Client-facing offers rules, not live Manager promotion publication.

TC-HW-002 | PASS (CI suite)

empty and malformed responses produce an empty list

Requirement: HW-01 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/promotions.test.mjs

TC-HW-003 | NOT TESTED

Approved hotel background, policies and map content verified by hotel representative

Requirement: HW-02 | Level: Manual acceptance | Priority: P1

Preconditions	Client-approved content and browsers
Input / steps	Review public information
Expected result	Accurate location, policies and hotel information
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/src/features/home/content.ts
Additional note	Static content paths exist; client sign-off not evidenced.

TC-HW-004 | PASS (CI suite)

should return public catalogue fields given room types exist

Requirement: HW-03 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/room-types/room-types.service.spec.ts

TC-HW-005 | PASS (CI suite)

catalogue parses API records and formats minor units as LKR

Requirement: HW-03 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/rooms.test.mjs

TC-HW-006 | PASS (CI suite)

malformed catalogue records are not shown as bookable rooms

Requirement: HW-03 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/rooms.test.mjs

TC-HW-007 | PASS (CI suite)

room comparison supports two and three selections without duplicates

Requirement: HW-04 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/comparison.test.mjs

TC-HW-008 | PASS (CI suite)

a fourth room is blocked until an existing room is removed

Requirement: HW-04 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/comparison.test.mjs

TC-HW-009 | PASS (CI suite)

respects maintenance, active statuses, unassigned inventory and checkout boundaries

Requirement: HW-05 | Level: PostgreSQL integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/test/integration/availability.integration-spec.ts

TC-HW-010 | PASS (CI suite)

stay validation rejects invalid dates, ranges and occupancy

Requirement: HW-05 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/availability.test.mjs

TC-HW-011 | PASS (CI suite)

returns 503 rather than false availability on inventory failure

Requirement: HW-05 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/availability/availability.controller.spec.ts

TC-HW-012 | PASS (CI suite)

should return 201 with the public guest fields and store a bcrypt hash given valid details

Requirement: HW-06 | Level: PostgreSQL integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/test/integration/guest-registration.integration-spec.ts

TC-HW-013 | PASS (CI suite)

should return 409 EMAIL_ALREADY_REGISTERED given the email is used in a different case

Requirement: HW-06 | Level: PostgreSQL integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/test/integration/guest-registration.integration-spec.ts

TC-HW-014 | PASS (CI suite)

should return 400 given an unknown field such as a role

Requirement: HW-06 | Level: PostgreSQL integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/test/integration/guest-registration.integration-spec.ts

TC-HW-015 | PASS (CI suite)

should issue a JWT and return the authenticated profile given valid credentials

Requirement: HW-07 | Level: PostgreSQL integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/test/integration/guest-auth.integration-spec.ts

TC-HW-016 | PASS (CI suite)

should return the same unauthorized error given an unknown email or wrong password

Requirement: HW-07 | Level: PostgreSQL integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/test/integration/guest-auth.integration-spec.ts

TC-HW-017 | PASS (CI suite)

should reject an expired token

Requirement: HW-07 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/common/utils/jwt-token.service.spec.ts

TC-HW-018 | NOT TESTED

Guest completes new website reservation and receives a reference

Requirement: HW-08 | Level: Cross-service E2E | Priority: P1

Preconditions	Implemented reservation write API, live integration and approved test inventory
Input / steps	Create online reservation via website checkout
Expected result	Valid booking created without overbooking
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/src/bookings/bookings.module.ts
Additional note	pre-develop contains booking entity models but lacks end-to-end website reservation creation flow.

TC-HW-019 | NOT TESTED

Concurrent final-room booking never double-books inventory

Requirement: HW-09 | Level: Cross-service concurrency | Priority: P1

Preconditions	Real reservation command with row lock and disposable test DB
Input / steps	Two concurrent reservation attempts for last room
Expected result	Only one can confirm; correct rollback
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/test/integration/booking-payment.integration-spec.ts
Additional note	Existing integration test checks entity mapping, not an atomic reservation write race.

TC-HW-020 | NOT TESTED

Promotion code applied to checkout with authoritative eligibility

Requirement: HW-10 | Level: Cross-service E2E | Priority: P1

Preconditions	Approved MAD promotion and HW checkout integration
Input / steps	Enter valid code during booking
Expected result	Authoritative discount and redemption captured
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/tests/promotions.test.mjs
Additional note	Public offers parsing is not live checkout redemption.

TC-HW-021 | NOT TESTED

Online payment provider checkout, callback and receipt reconciliation

Requirement: HW-11 | Level: Provider integration | Priority: P1

Preconditions	Approved live/sandbox payment provider and exposed callback
Input / steps	Complete payment using provider
Expected result	Verified payment status/booking confirmation
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/src/payments/payments.module.ts
Additional note	Only payment model/module foundation exists in pre-develop branch.

TC-HW-022 | NOT TESTED

Booking confirmation email delivered after paid booking

Requirement: HW-12 | Level: Provider integration | Priority: P1

Preconditions	Integrated payment confirmation and email provider account
Input / steps	Confirm payment and inspect guest inbox
Expected result	One valid booking receipt email delivered
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/src/contact/contact.service.ts
Additional note	Contact email adapter is not payment-triggered confirmation evidence.

TC-HW-023 | NOT TESTED

Guest account profile and upcoming/past booking list accepted

Requirement: HW-13 | Level: Browser acceptance | Priority: P1

Preconditions	Authenticated guest and seeded historical bookings
Input / steps	View profile and booking dashboard
Expected result	Only owned upcoming/past bookings shown
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/src/app/profile/page.tsx
Additional note	Profile route exists; booking history acceptance unavailable.

TC-HW-024 | NOT TESTED

Guest modifies or cancels confirmed booking subject to policy

Requirement: HW-14 | Level: Cross-service E2E | Priority: P1

Preconditions	Confirmed booking and cancellation policy
Input / steps	Request cancellation before deadline
Expected result	Cancellation/refund and notifications enforce policy
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/src/app/profile/page.tsx

TC-HW-025 | NOT TESTED

Services and facilities public page accessibility/client acceptance

Requirement: HW-15 | Level: Manual acceptance | Priority: P1

Preconditions	Browser/accessibility review
Input / steps	Inspect service page at mobile/desktop resolutions
Expected result	Approved services are accurate and accessible
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/src/app/services/page.tsx

TC-HW-026 | PASS (CI suite)

sends plain-text email to configured management with guest reply-to

Requirement: HW-16 | Level: Unit / mocked provider | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/contact/contact.service.spec.ts
Additional note	Unit verifies dispatch contract, not real delivered email.

TC-HW-027 | PASS (CI suite)

contact feedback distinguishes provider acceptance, sandbox and failures

Requirement: HW-16 | Level: Frontend Node test | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/tests/contact.test.mjs

TC-HW-028 | PASS (CI suite)

limits each connection IP and expires the window

Requirement: HW-16 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/contact/contact-rate-limit.guard.spec.ts

TC-HW-029 | NOT TESTED

Responsive and accessible hotel website on mobile/tablet/desktop

Requirement: HW-17 | Level: Browser acceptance | Priority: P1

Preconditions	Defined viewport/browser/keyboard matrix
Input / steps	Run responsive, keyboard and screen-reader checks
Expected result	Approved display, navigation and WCAG checks
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/src/app/globals.css

TC-HW-030 | PASS (CI suite)

should attach verified claims given a valid bearer token

Requirement: NFR-12 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/common/guards/jwt-auth.guard.spec.ts

TC-HW-031 | PASS (CI suite)

should reject a signature with the correct length but incorrect value

Requirement: NFR-12 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/common/utils/jwt-token.service.spec.ts

TC-HW-032 | PASS (CI suite)

loads without schema synchronization and round-trips relationships, money, dates and payment references

Requirement: NFR-16 | Level: PostgreSQL integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/test/integration/booking-payment.integration-spec.ts

TC-HW-033 | PASS (CI suite)

Container CI verifies readyness under DB outage

Requirement: NFR-19 | Level: Docker CI | Priority: P1

Preconditions	Disposable docker-compose stack in GitHub Actions
Input / steps	Stop test PostgreSQL; request backend /health
Expected result	503 during DB outage; recovery once DB restored
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	docker-compose.yml
Additional note	This row maps to completed container CI step; source is workflow and compose.

3. Manager Dashboard (MAD)

Repository: forever-hotel/manager-dashboard | Branch: development | Tested revision: bba65a0762286d4b0ac902865d7a2dd1e683e9c7 | CI date: 24 October 2026

Evidence: https://github.com/forever-hotel/manager-dashboard/actions/runs/40137091073, https://github.com/forever-hotel/manager-dashboard/actions/runs/39847903811

Register entries: 58; CI-suite-linked pass: 53; not tested/not verified: 5.

TC-MAD-001 | PASS - CI suite

returns explicit check-in semantics, UTC boundaries and freshness

Requirement: MD-01 | Area: Booking totals | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/booking-analytics.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/booking-analytics.service.spec.ts

TC-MAD-002 | PASS - CI suite

TC-DDP-009-AC1: counts check-in dates with half-open day boundaries and hotel-local midnight

Requirement: MD-01 | Area: Booking totals | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/bookings.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/bookings.e2e-spec.ts

TC-MAD-003 | PASS - CI suite

TC-MAD-015-AC1: loads both metrics from one client and offers bar/line charts and a table

Requirement: MD-01 | Area: Booking dashboard | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/analytics.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/analytics.test.tsx

TC-MAD-004 | PASS - CI suite

TC-DDP-010-AC1: counts overlapping physical rooms once and excludes checkout day

Requirement: MD-02 | Area: Occupancy | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/occupancy.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/occupancy.e2e-spec.ts

TC-MAD-005 | PASS - CI suite

given zero capacity, returns a null rate and null source freshness

Requirement: MD-02 | Area: Occupancy | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/occupancy-analytics.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/occupancy-analytics.service.spec.ts

TC-MAD-006 | PASS - CI suite

TC-MAD-016-AC3: navigates leap February and does not display stale results

Requirement: MD-02 | Area: Calendar | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/occupancy.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/occupancy.test.tsx

TC-MAD-007 | PASS - CI suite

returns integer LKR cents and database-rounded percentage with shared timestamp

Requirement: MD-03 | Area: Revenue | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/revenue-analytics.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/revenue-analytics.service.spec.ts

TC-MAD-008 | PASS - CI suite

returns null and reason for zero previous revenue

Requirement: MD-03 | Area: Revenue | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/revenue-analytics.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/revenue-analytics.service.spec.ts

TC-MAD-009 | PASS - CI suite

AC1/AC2: includes only rates strictly below threshold and separates unknown rates

Requirement: MD-04 | Area: Low demand | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/low-booking-alerts.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/low-booking-alerts.service.spec.ts

TC-MAD-010 | PASS - CI suite

TC-MAD-057-AC3: distinguishes no alerts from unassessable dates

Requirement: MD-04 | Area: Low demand | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/low-demand.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/low-demand.test.tsx

TC-MAD-011 | PASS - CI suite

normalizes only ASCII codes and validates positive integer currency/limits

Requirement: MD-05 | Area: Create promotions | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/promotions/promotions.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/promotions/promotions.spec.ts

TC-MAD-012 | PASS - CI suite

rejects unknown room types and legacy duplicates before insert

Requirement: MD-05 | Area: Create promotions | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/promotions/promotions.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/promotions/promotions.spec.ts

TC-MAD-013 | PASS - CI suite

TC-MAD-020-AC1: saves a draft inactive atomically and exposes publication failure safely

Requirement: MD-05 | Area: Create promotions | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/promotions.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/promotions.e2e-spec.ts

TC-MAD-014 | PASS - CI suite

replaces editable fields and room associations, retaining redemptions

Requirement: MD-05b | Area: Promotion management | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/promotions/promotions.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/promotions/promotions.spec.ts

TC-MAD-015 | PASS - CI suite

TC-MAD-020-AC2: reloads a conflicting version and preserves unsaved input

Requirement: MD-05b | Area: Promotion management | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/promotions.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/promotions.test.tsx

TC-MAD-016 | PASS - CI suite

TC-MAD-040-AC1: routes a committed publication through a real confirmed broker contract queue

Requirement: MD-05c | Area: Promotion publication | Level: Backend PostgreSQL E2E | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/promotions.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/promotions.e2e-spec.ts

TC-MAD-017 | PASS - CI suite

retains failed work with capped exponential retry and a fixed safe error

Requirement: MD-05c | Area: Promotion publication | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/promotions/promotion-publication.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/promotions/promotion-publication.spec.ts

TC-MAD-018 | PASS - CI suite

TC-MAD-023-AC1: counts each order once, historical quantities and half-hour-offset peak hours

Requirement: MD-06 | Area: Food analytics | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/food-analytics.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/food-analytics.e2e-spec.ts

TC-MAD-019 | PASS - CI suite

returns zero-filled empty results and the documented policy

Requirement: MD-06 | Area: Food analytics | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/food-analytics.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/food-analytics.service.spec.ts

TC-MAD-020 | PASS - CI suite

TC-MAD-041-AC1: maps four states, independent item counts, stable pagination and delivered retention

Requirement: MD-07 | Area: Kitchen statuses | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/kitchen-realtime.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/kitchen-realtime.e2e-spec.ts

TC-MAD-021 | PASS - CI suite

TC-MAD-026-AC2: reconciles a status change exactly once and ignores duplicate/older versions

Requirement: MD-07 | Area: Kitchen statuses | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/kitchen.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/kitchen.test.tsx

TC-MAD-022 | PASS - CI suite

returns explicit cohorts, null average and zero-filled states

Requirement: MD-08 | Area: Service requests | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/service-request-analytics.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/service-request-analytics.service.spec.ts

TC-MAD-023 | PASS - CI suite

sanitizes missing or failed source results and forwards controller periods

Requirement: MD-08 | Area: Service requests | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/service-request-analytics.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/service-request-analytics.service.spec.ts

TC-MAD-024 | PASS - CI suite

TC-MAD-021-AC1: lists safe filtered/paginated complaints including a null worker

Requirement: MD-09 | Area: Complaint register | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/complaints.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/complaints.e2e-spec.ts

TC-MAD-025 | PASS - CI suite

TC-MAD-022-AC1: displays required fields, null worker and exact filters

Requirement: MD-09 | Area: Complaint register | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/complaints.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/complaints.test.tsx

TC-MAD-026 | PASS - CI suite

TC-MAD-021-AC2: records actor/time, both transitions, private notes and note-free events

Requirement: MD-09b | Area: Complaint resolution | Level: Backend PostgreSQL E2E | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/complaints.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/complaints.e2e-spec.ts

TC-MAD-027 | PASS - CI suite

allows exactly two forward transitions

Requirement: MD-09b | Area: Complaint resolution | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/complaints/complaints.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/complaints/complaints.spec.ts

TC-MAD-028 | PASS - CI suite

TC-MAD-025-AC1/AC3: independently aggregates historical completions and current referenced complaints

Requirement: MD-10 | Area: Worker metrics | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/worker-performance.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/worker-performance.e2e-spec.ts

TC-MAD-029 | PASS - CI suite

Given a worker without activity, returns zero counts and a null average with explicit cohorts

Requirement: MD-10 | Area: Worker metrics | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/analytics/worker-performance.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/analytics/worker-performance.service.spec.ts

TC-MAD-030 | PASS - CI suite

TC-MAD-030-AC3: supports empty reports and real PDF attachments for every type

Requirement: MD-11 | Area: Report export | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/reports.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/reports.e2e-spec.ts

TC-MAD-031 | PASS - CI suite

quotes commas/quotes/newlines and neutralizes formula prefixes after whitespace

Requirement: MD-11 | Area: Report export | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/reports/reports.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/reports/reports.spec.ts

TC-MAD-032 | PASS - CI suite

AC1: sends current filters, names the file and revokes temporary URLs

Requirement: MD-11 | Area: Report export | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/reports.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/reports.test.tsx

TC-MAD-033 | PASS - CI suite

TC-MAD-027-AC1: exposes every room with its stable ID, type and all four mapped states

Requirement: MD-12 | Area: Room status | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/rooms.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/rooms.e2e-spec.ts

TC-MAD-034 | PASS - CI suite

TC-MAD-027-AC2: publishes a committed authoritative room update through RabbitMQ to an authorized socket

Requirement: MD-12 | Area: Room status | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/rooms.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/rooms.e2e-spec.ts

TC-MAD-035 | PASS - CI suite

AC2: rereads authoritative data on events and reconnect

Requirement: MD-12 | Area: Room status | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/rooms.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/rooms.test.tsx

TC-MAD-036 | PASS - CI suite

TC-MAD-034-AC1/AC2: persists once, coalesces versions and clears on recovery without source writes

Requirement: MD-13 | Area: Notifications | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/stock.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/stock.e2e-spec.ts

TC-MAD-037 | PASS - CI suite

projects safe deduplicated issue links, consistent counts and empty/beyond-last pages

Requirement: MD-13 | Area: Notifications | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/notifications/notifications.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/notifications/notifications.spec.ts

TC-MAD-038 | PASS - CI suite

stores a cost-12 hash and encrypted delivery, returning only identifiers and state

Requirement: MD-14 | Area: Receptionist provisioning | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/staff/staff.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/staff/staff.spec.ts

TC-MAD-039 | PASS - CI suite

TC-MAD-012-AC3: concurrent requests enforce email and username uniqueness

Requirement: MD-14 | Area: Receptionist provisioning | Level: Backend PostgreSQL E2E | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/staff.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/staff.e2e-spec.ts

TC-MAD-040 | PASS - CI suite

authenticates ciphertext and delivery identity without storing plaintext

Requirement: MD-15 | Area: Worker provisioning | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/staff/staff.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/staff/staff.spec.ts

TC-MAD-041 | PASS - CI suite

TC-MAD-012-AC2: duplicate email returns 409 without another delivery

Requirement: MD-15 | Area: Worker provisioning | Level: Backend PostgreSQL E2E | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/staff.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/staff.e2e-spec.ts

TC-MAD-042 | PASS - CI suite

AC1: supports all roles and required fields and displays queued delivery

Requirement: MD-15b | Area: Kitchen staff provisioning | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/staff.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/staff.test.tsx

TC-MAD-043 | PASS - CI suite

validates optional and enabled email configuration without exposing values

Requirement: MD-15b | Area: Kitchen staff provisioning | Level: Backend unit | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/staff/staff.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/staff/staff.spec.ts

TC-MAD-044 | PASS - CI suite

given active staff, replaces credentials, increments version and records a secret-free audit

Requirement: MD-16 | Area: Password reset | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/staff/staff-reset.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/staff/staff-reset.spec.ts

TC-MAD-045 | PASS - CI suite

given no encryption key, fails before updating the account

Requirement: MD-16 | Area: Password reset | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/staff/staff-reset.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/staff/staff-reset.spec.ts

TC-MAD-046 | PASS - CI suite

accepts partial normalized profile changes and deactivation

Requirement: MD-16b | Area: Staff management | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/staff/staff-profiles.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/staff/staff-profiles.spec.ts

TC-MAD-047 | PASS - CI suite

AC2: edits fields and roles with the current version then refreshes

Requirement: MD-16b | Area: Staff management | Level: Frontend component | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/staff.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/staff.test.tsx

TC-MAD-048 | PASS - CI suite

TC-MAD-042-AC1: filters and paginates stable tasks with worker and completion details

Requirement: MD-17 | Area: Read-only task queue | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/tasks.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/tasks.e2e-spec.ts

TC-MAD-049 | PASS - CI suite

AC1/AC3: exposes all task groups and worker details without mutation controls

Requirement: MD-17 | Area: Read-only task queue | Level: Frontend component | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/tasks.test.tsx
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/tasks.test.tsx

TC-MAD-050 | PASS - CI suite

persists failed-login counters and locks after five guesses

Requirement: NFR-12 | Area: Authentication | Level: Backend unit | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/src/auth/auth.service.spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/src/auth/auth.service.spec.ts

TC-MAD-051 | PASS - CI suite

redirects direct links without a session and preserves the destination

Requirement: NFR-12 | Area: Access control | Level: Frontend component | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/protection.test.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/protection.test.ts

TC-MAD-052 | PASS - CI suite

protects pages and BFF routes without changing presentation or blocking sockets

Requirement: NFR-12 | Area: Secure headers | Level: Frontend component | Priority: P1

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	frontend/test/security-headers.test.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/frontend/test/security-headers.test.ts

TC-MAD-053 | PASS - CI suite

TC-MAD-041-AC1: maps four states, independent item counts, stable pagination and delivered retention

Requirement: MD-07 | Area: Realtime state mapping (not latency testing) | Level: Backend PostgreSQL E2E | Priority: P2

Preconditions	Test fixture and isolated CI dependencies defined in source file
Input / steps	Execute the named Jest/Vitest test with its checked-in fixtures
Expected result	Pass the exact named assertions shown in the linked test source
Recorded actual result	Matching unit, PostgreSQL E2E or Vitest suite passed in current CI; individual values are in source assertions
Test file / evidence	backend/test/kitchen-realtime.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/manager-dashboard/blob/bba65a0762286d4b0ac902865d7a2dd1e683e9c7/backend/test/kitchen-realtime.e2e-spec.ts

TC-MAD-054 | NOT VERIFIED

Live publication/redeem on deployed Hotel Website

Requirement: MD-05c | Area: Integration acceptance | Level: Cross-service acceptance | Priority: P1

Preconditions	Integrated deployment with approved test identities and separate test data
Input / steps	Execute scenario in a controlled integrated staging environment
Expected result	End-to-end business flow meets SRS acceptance requirement
Recorded actual result	No public cross-service acceptance record inspected.
Test file / evidence	Not independently demonstrated in retrieved CI evidence
Evidence reference	https://github.com/forever-hotel/manager-dashboard/actions

TC-MAD-055 | NOT VERIFIED

Live KMS event flow after independent service deployments

Requirement: MD-07 | Area: Integration acceptance | Level: Cross-service acceptance | Priority: P1

Preconditions	Integrated deployment with approved test identities and separate test data
Input / steps	Execute scenario in a controlled integrated staging environment
Expected result	End-to-end business flow meets SRS acceptance requirement
Recorded actual result	Isolated CI RabbitMQ tests do not establish fully deployed six-subsystem availability.
Test file / evidence	Not independently demonstrated in retrieved CI evidence
Evidence reference	https://github.com/forever-hotel/manager-dashboard/actions

TC-MAD-056 | NOT VERIFIED

Production email delivery to provisioned staff

Requirement: MD-14/15/15b | Area: Integration acceptance | Level: External-provider acceptance | Priority: P1

Preconditions	Integrated deployment with approved test identities and separate test data
Input / steps	Execute scenario in a controlled integrated staging environment
Expected result	End-to-end business flow meets SRS acceptance requirement
Recorded actual result	CI tests use controlled/fixture delivery; provider acceptance not independently confirmed.
Test file / evidence	Not independently demonstrated in retrieved CI evidence
Evidence reference	https://github.com/forever-hotel/manager-dashboard/actions

TC-MAD-057 | NOT VERIFIED

Concurrent real receptionist/worker/manager sessions

Requirement: MD-12/17 | Area: Integration acceptance | Level: Integrated staging acceptance | Priority: P1

Preconditions	Integrated deployment with approved test identities and separate test data
Input / steps	Execute scenario in a controlled integrated staging environment
Expected result	End-to-end business flow meets SRS acceptance requirement
Recorded actual result	No separately approved complete hotel staging UAT evidence inspected.
Test file / evidence	Not independently demonstrated in retrieved CI evidence
Evidence reference	https://github.com/forever-hotel/manager-dashboard/actions

TC-MAD-058 | NOT VERIFIED

Verified 100/300-user load and end-to-end UI timing

Requirement: NFR-01/02/03/14 | Area: Integration acceptance | Level: Performance acceptance | Priority: P1

Preconditions	Integrated deployment with approved test identities and separate test data
Input / steps	Execute scenario in a controlled integrated staging environment
Expected result	End-to-end business flow meets SRS acceptance requirement
Recorded actual result	Tools exist but signed, correlated measurements were not independently retrieved.
Test file / evidence	Not independently demonstrated in retrieved CI evidence
Evidence reference	https://github.com/forever-hotel/manager-dashboard/actions

4. Front Desk System (FDS)

Repository: forever-hotel/front-desk | Branch: develop | Tested revision: 503465b7eb2c29b56cc2ec0d329d91d6b40853d4 | CI date: 24 October 2026

Evidence: https://github.com/forever-hotel/front-desk/actions/runs/40057114169, https://github.com/forever-hotel/front-desk/actions/runs/40057114175

Register entries: 43; CI-suite-linked pass: 34; not tested/not verified: 9.

TC-FDS-001 | PASS (CI suite)

resolves a valid receptionist JWT

Requirement: FD-01 | Level: Unit | Priority: P1

Preconditions	JWT issuer/secret configured in isolated test
Input / steps	Valid signed receptionist bearer JWT
Expected result	Returns trusted receptionist principal; checks signature/issuer/expiry
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/security/auth/jwt-principal.resolver.spec.ts
Additional note	Does not prove manager-provisioned credential/login flow

TC-FDS-002 | NOT TESTED (integration)

Manager-provisioned receptionist login end-to-end

Requirement: FD-01 | Level: Cross-service E2E | Priority: P1

Preconditions	Live central authentication service
Input / steps	Manager provisions credentials; receptionist logs in
Expected result	Credentials provisioned; actual user can authenticate FDS
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - identity provisioning belongs to central auth/MAD integration
Additional note	FDS JWT authorization tests are not end-to-end account provisioning evidence

TC-FDS-003 | PASS (CI suite)

returns confirmed arrivals for the requested date

Requirement: FD-02 | Level: PostgreSQL integration | Priority: P1

Preconditions	Seeded bookings
Input / steps	Query arrivals for date
Expected result	Only confirmed arrivals for date returned
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-booking.repository.integration-spec.ts

TC-FDS-004 | PASS (CI suite)

returns checked-in departures for the requested date

Requirement: FD-02 | Level: PostgreSQL integration | Priority: P1

Preconditions	Seeded bookings
Input / steps	Query departures for date
Expected result	Only checked-in departures for date returned
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-booking.repository.integration-spec.ts

TC-FDS-005 | PASS (CI suite)

searches persisted bookings by guest name

Requirement: FD-03 | Level: PostgreSQL integration | Priority: P1

Preconditions	Seeded guest/booking
Input / steps	Search by guest name
Expected result	Returns matching persisted booking
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-booking.repository.integration-spec.ts

TC-FDS-006 | PASS (CI suite)

searches persisted bookings by NIC/passport

Requirement: FD-03 | Level: PostgreSQL integration | Priority: P1

Preconditions	Seeded guest/booking
Input / steps	Search by identity field
Expected result	Returns matching persisted booking
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-booking.repository.integration-spec.ts

TC-FDS-007 | PASS (CI suite)

creates a cash walk-in booking and completed payment

Requirement: FD-04 | Level: PostgreSQL integration | Priority: P1

Preconditions	Disposable database; valid room type
Input / steps	Create cash walk-in
Expected result	Booking and completed payment persisted in transaction
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-walk-in-booking.repository.integration-spec.ts

TC-FDS-008 | PASS (CI suite)

rolls back the booking when payment persistence fails

Requirement: FD-04 | Level: PostgreSQL integration | Priority: P1

Preconditions	Failure injected in payment stage
Input / steps	Create walk-in while payment persistence fails
Expected result	Booking is rolled back
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-walk-in-booking.repository.integration-spec.ts

TC-FDS-009 | PASS (CI suite)

checks in a confirmed booking with physical-document verification

Requirement: FD-05 | Level: PostgreSQL integration | Priority: P1

Preconditions	Confirmed booking, receptionist, vacant room
Input / steps	Physical-document verification on check-in
Expected result	Verification and check-in saved atomically
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-check-in.repository.integration-spec.ts

TC-FDS-010 | PASS (CI suite)

checks in a pre-assigned booking with scanned-copy metadata

Requirement: FD-05 | Level: PostgreSQL integration | Priority: P1

Preconditions	Confirmed booking, scanned-copy metadata
Input / steps	Check in with scanned document metadata
Expected result	Scanned-copy metadata persisted and booking checked in
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-check-in.repository.integration-spec.ts

TC-FDS-011 | PASS (CI suite)

rejects an occupied room

Requirement: FD-06 | Level: PostgreSQL integration | Priority: P1

Preconditions	Booked stay; occupied target room
Input / steps	Attempt room assignment on check-in
Expected result	Room conflict is rejected
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-check-in.repository.integration-spec.ts

TC-FDS-012 | PASS (CI suite)

checks in a confirmed booking with physical-document verification

Requirement: FD-06 | Level: PostgreSQL integration | Priority: P1

Preconditions	Confirmed booking, vacant compatible room
Input / steps	Check in and assign room
Expected result	Booking and room status updated
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-check-in.repository.integration-spec.ts

TC-FDS-013 | PASS (CI suite)

should check in and activate FOSS access after the domain transaction succeeds

Requirement: FD-07 | Level: Unit / mocked gateway | Priority: P1

Preconditions	Mock FOSS gateway injected
Input / steps	Successful check-in
Expected result	Service calls FOSS activation after successful domain operation
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/check-ins/check-in.service.spec.ts
Additional note	Mock is not proof of real FOSS integration

TC-FDS-014 | NOT TESTED (integration)

FDS-to-live-FOSS activation

Requirement: FD-07 | Level: Cross-service E2E | Priority: P1

Preconditions	Live FOSS contract & auth
Input / steps	Complete FDS check-in and inspect actual FOSS session
Expected result	FOSS session usable by checked-in guest
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - real FOSS cross-service test not present in reviewed FDS CI
Additional note	Mock activation is not production activation

TC-FDS-015 | PASS (CI suite)

should accept a registration-card print job

Requirement: FD-08 | Level: Unit / mock print | Priority: P1

Preconditions	Mock printer gateway
Input / steps	Request registration-card print
Expected result	Mock accepts print job
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/check-ins/gateways/mock-check-in-print.gateway.spec.ts
Additional note	No physical printer output demonstrated

TC-FDS-016 | NOT TESTED (hardware)

Registration card / receipt physically printed

Requirement: FD-08 | Level: Acceptance / hardware | Priority: P1

Preconditions	Printer device and real adapter connected
Input / steps	Request print and inspect paper output
Expected result	Physical registration card / receipt printed
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - real printer not integrated

TC-FDS-017 | PASS (CI suite)

atomically persists final payment, checked-out booking, cleaning room and checkout audit

Requirement: FD-09 | Level: PostgreSQL integration | Priority: P1

Preconditions	Checked-in booking; ready checkout
Input / steps	Persist checkout with settlement
Expected result	Payment, booking, room, audit remain consistent
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-checkout.repository.integration-spec.ts
Additional note	Payment gateway settlement is mocked separately

TC-FDS-018 | NOT TESTED (integration)

Real card/cash settlement at checkout

Requirement: FD-09 | Level: Payment integration | Priority: P1

Preconditions	Certified real payment adapter
Input / steps	Complete charge/refund/settlement
Expected result	Verified payment provider settlement
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - live payment adapter not evidenced

TC-FDS-019 | PASS (CI suite)

atomically persists final payment, checked-out booking, cleaning room and checkout audit

Requirement: FD-10 | Level: PostgreSQL integration | Priority: P1

Preconditions	Checked-in room, settled folio
Input / steps	Checkout booking
Expected result	Room marked for cleaning, booking checked out, audit persisted
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-checkout.repository.integration-spec.ts

TC-FDS-020 | NOT TESTED (integration)

Checkout-to-live-WKMS cleaning task and FOSS deactivation

Requirement: FD-10 | Level: Cross-service E2E | Priority: P1

Preconditions	Live RabbitMQ, WKMS, FOSS
Input / steps	Complete checkout; inspect WKMS and FOSS
Expected result	WKMS task created, FOSS access revoked
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - integrated checkout chain not verified

TC-FDS-021 | PASS (CI suite)

atomically reassigns a checked-in booking and audits the room change

Requirement: FD-11 | Level: PostgreSQL integration | Priority: P1

Preconditions	Checked-in booking, compatible new room
Input / steps	Change assigned room
Expected result	Booking, old/new rooms and audit update atomically
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-room-change.repository.integration-spec.ts

TC-FDS-022 | PASS (CI suite)

rejects an UNDER_MAINTENANCE target room

Requirement: FD-11 | Level: PostgreSQL integration | Priority: P1

Preconditions	Target room under maintenance
Input / steps	Try to move guest into target
Expected result	Unsafe room-change rejected
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-room-change.repository.integration-spec.ts

TC-FDS-023 | PASS (CI suite)

loads room-board data including all supported room states

Requirement: FD-12 | Level: PostgreSQL integration | Priority: P1

Preconditions	Seeded room inventory
Input / steps	GET room board snapshot
Expected result	Room-state snapshot includes supported states
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-room.repository.integration-spec.ts

TC-FDS-024 | PASS (CI suite)

allows a receptionist and delivers room events

Requirement: FD-12 | Level: Socket.IO E2E | Priority: P1

Preconditions	JWT receptionist; realtime gateway
Input / steps	Connect Socket.IO; publish room event
Expected result	Authenticated client receives room-status update
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/realtime.e2e-spec.ts

TC-FDS-025 | PASS (CI suite)

transitions a VACANT room to UNDER_MAINTENANCE and preserves lastClearedAt

Requirement: FD-13 | Level: PostgreSQL integration | Priority: P1

Preconditions	VACANT room
Input / steps	Block room for maintenance
Expected result	Status updates to UNDER_MAINTENANCE with required audit semantics
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-room.repository.integration-spec.ts

TC-FDS-026 | PASS (CI suite)

transitions UNDER_MAINTENANCE to VACANT

Requirement: FD-13 | Level: PostgreSQL integration | Priority: P1

Preconditions	Room under maintenance
Input / steps	Clear maintenance
Expected result	Status returns to VACANT
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-room.repository.integration-spec.ts

TC-FDS-027 | PASS (CI suite)

should create a WKMS task for a checked-in guest

Requirement: FD-14 | Level: Unit / mocked WKMS | Priority: P1

Preconditions	Checked-in guest; mocked WKMS
Input / steps	Request guest service task
Expected result	WKMS gateway method invoked with task payload
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/service-requests/service-requests.service.spec.ts
Additional note	No end-to-end WKMS execution proved

TC-FDS-028 | NOT TESTED (integration)

FDS-to-live-WKMS service request delivered

Requirement: FD-14 | Level: Cross-service E2E | Priority: P1

Preconditions	Both services deployed; API configured
Input / steps	Create FDS service request and inspect worker queue
Expected result	Worker task exists in WKMS
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - real WKMS flow not evidenced

TC-FDS-029 | PASS (CI suite)

loads the persisted checked-in booking context for a running folio

Requirement: FD-15 | Level: PostgreSQL integration | Priority: P1

Preconditions	Active stay and persisted booking total
Input / steps	Retrieve running folio
Expected result	Room charge based on authoritative booking data
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/postgres-folio.repository.integration-spec.ts

TC-FDS-030 | PASS (CI suite)

should return an empty external-charge list until live integration is connected

Requirement: FD-15 | Level: Unit / mock | Priority: P1

Preconditions	Mock external-charge gateway
Input / steps	Get external F&B/service charges
Expected result	Empty mock result, not fabricated charges
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/billing/gateways/mock-external-folio-charge.gateway.spec.ts
Additional note	Live kitchen/service charging not yet tested

TC-FDS-031 | PASS (CI suite)

rejects modification of an existing audit record

Requirement: FD-16 | Level: PostgreSQL integration | Priority: P1

Preconditions	Existing audit record + DB trigger
Input / steps	Attempt UPDATE audit_logs
Expected result	Database rejects mutation
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/audit-append-only.integration-spec.ts

TC-FDS-032 | PASS (CI suite)

rejects deletion of an existing audit record

Requirement: FD-16 | Level: PostgreSQL integration | Priority: P1

Preconditions	Existing audit record + DB trigger
Input / steps	Attempt DELETE audit_logs
Expected result	Database rejects deletion
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/database/audit-append-only.integration-spec.ts

TC-FDS-033 | PASS (CI suite)

allows a receptionist to read audit logs

Requirement: FD-16 | Level: HTTP E2E | Priority: P1

Preconditions	Receptionist bearer JWT
Input / steps	GET /audit-logs
Expected result	Authorized audit logs read
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/audit-rbac.e2e-spec.ts

TC-FDS-034 | PASS (CI suite)

should validate, push and ack a valid escalation

Requirement: FD-17 | Level: Unit / mocked broker | Priority: P1

Preconditions	Valid WKMS escalation fixture
Input / steps	Consume valid event
Expected result	Validate event; publish realtime notification; ack
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/realtime/task-escalation.consumer.spec.ts
Additional note	Unclaimed-after-15-min trigger requires WKMS evidence

TC-FDS-035 | NOT TESTED (integration)

Real WKMS 15-minute escalation policy

Requirement: FD-17 | Level: Cross-service integration | Priority: P1

Preconditions	Live WKMS task creation/timer
Input / steps	Leave task unclaimed for configured threshold
Expected result	WKMS generates proper escalation
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - WKMS timer test is outside FDS scope

TC-FDS-036 | PASS (CI suite)

should audit a successful manual assignment and remove its escalation

Requirement: FD-18 | Level: Unit / mocked WKMS | Priority: P1

Preconditions	Available worker returned by mock
Input / steps	Assign escalated task
Expected result	Assignment succeeds, audit written, escalation removed
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/service-requests/service-requests.service.spec.ts
Additional note	Test uses WKMS client mock

TC-FDS-037 | NOT TESTED (integration)

Real WKMS worker assignment

Requirement: FD-18 | Level: Cross-service E2E | Priority: P1

Preconditions	Live WKMS workers/assignment API
Input / steps	Assign task from FDS UI
Expected result	Correct real worker receives task
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - live WKMS mutation not verified

TC-FDS-038 | PASS (CI suite)

should subscribe to the task escalation queue

Requirement: FD-19 | Level: Unit / mocked broker | Priority: P1

Preconditions	RabbitMQ consumer mocked
Input / steps	Subscribe to escalation queue
Expected result	Consumer wiring requests expected queue subscription
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/src/realtime/task-escalation.consumer.spec.ts

TC-FDS-039 | PASS (CI suite)

updates both indicators from realtime

Requirement: FD-19 | Level: Frontend unit/component | Priority: P1

Preconditions	Mock realtime escalation
Input / steps	Emit escalation update into component
Expected result	Visible indicators update
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	frontend/src/components/layout/escalation-indicators.test.tsx

TC-FDS-040 | NOT TESTED (integration)

Live WKMS RabbitMQ event reaches receptionist UI

Requirement: FD-19 | Level: Cross-service E2E | Priority: P1

Preconditions	WKMS publisher, shared broker, FDS socket
Input / steps	Publish WKMS event; observe UI badge
Expected result	Notification and fallback consistent
Recorded actual result	No verified execution evidence.
Test file / evidence	N/A - live cross-subsystem scenario not verified

TC-FDS-041 | PASS (CI suite)

returns 403 when a worker reads bookings

Requirement: NFR-12 | Level: HTTP E2E | Priority: P1

Preconditions	Worker JWT
Input / steps	GET protected booking endpoint
Expected result	Forbidden for worker
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/bookings-rbac.e2e-spec.ts

TC-FDS-042 | PASS (CI suite)

rejects raw card properties before checkout service execution

Requirement: NFR-12 | Level: HTTP E2E | Priority: P1

Preconditions	Receptionist JWT
Input / steps	POST checkout with raw card property
Expected result	Request validation blocks card properties
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/folio-checkout-rbac.e2e-spec.ts

TC-FDS-043 | PASS (CI suite)

rejects a JWT with an invalid issuer

Requirement: NFR-12 | Level: Socket.IO E2E | Priority: P1

Preconditions	Wrong-issuer JWT
Input / steps	Connect socket with bad issuer
Expected result	Connection refused
Recorded actual result	Test assertions passed in named CI group; individual response payload not separately archived.
Test file / evidence	backend/test/realtime.e2e-spec.ts

5. Food Ordering and Service Requests (FOSS)

Repository: forever-hotel/food-ordering | Branch: develop / feature/34-booking-room-verification | Tested revision: 17af08411e / 343b7d0018 | CI date: 13 October 2026

Evidence: https://github.com/forever-hotel/food-ordering/actions/runs/38381405941, https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

Register entries: 42; CI-suite-linked pass: 34; not tested/not verified: 8.

TC-FOSS-001 | PASS (feature CI suite)

NestJS starter GET / returns the expected scaffold text

Requirement: Not recorded | Area: Backend scaffold | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	NestJS controller mocked/test module initialized
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: NestJS starter GET / returns the expected scaffold text.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/app.controller.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/app.controller.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-002 | PASS (feature CI suite)

FoodOrderStatus enum has its declared supported values

Requirement: Not recorded | Area: Food-order state model | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Enum metadata source at the tested commit
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: FoodOrderStatus enum has its declared supported values.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/food-orders/enums/food-order-status.enum.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/food-orders/enums/food-order-status.enum.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-003 | PASS (feature CI suite)

FossSession entity maps to foss_sessions

Requirement: Not recorded | Area: Guest session model | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	TypeORM entity metadata under Jest
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: FossSession entity maps to foss_sessions.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/entities/foss-session.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/entities/foss-session.entity.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-004 | PASS (feature CI suite)

FossSession maps its approved session fields

Requirement: Not recorded | Area: Guest session model | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	TypeORM entity metadata under Jest
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: FossSession maps its approved session fields.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/entities/foss-session.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/entities/foss-session.entity.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-005 | PASS (feature CI suite)

Repository finds a session by session ID

Requirement: Not recorded | Area: Guest session repository | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock TypeORM repository; no external service request
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Repository finds a session by session ID.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-006 | PASS (feature CI suite)

Repository finds a session by booking ID

Requirement: Not recorded | Area: Guest session repository | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock TypeORM repository; no external service request
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Repository finds a session by booking ID.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-007 | PASS (feature CI suite)

Repository queries only active sessions for a session token

Requirement: Not recorded | Area: Guest session repository | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock TypeORM repository; no external service request
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Repository queries only active sessions for a session token.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-008 | PASS (feature CI suite)

Repository saves a guest session

Requirement: Not recorded | Area: Guest session repository | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock TypeORM repository; no external service request
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Repository saves a guest session.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/repositories/foss-session.repository.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-009 | PASS (feature CI suite)

Mock provider returns a checked-in booking

Requirement: Not recorded | Area: Mock booking provider | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Explicit development-only mock booking records
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Mock provider returns a checked-in booking.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/providers/mock-booking.provider.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/providers/mock-booking.provider.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-010 | PASS (feature CI suite)

Mock provider returns null for unknown booking

Requirement: Not recorded | Area: Mock booking provider | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Explicit development-only mock booking records
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Mock provider returns null for unknown booking.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/providers/mock-booking.provider.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/providers/mock-booking.provider.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-011 | PASS (feature CI suite)

Mock provider protects stored mock records from caller mutation

Requirement: Not recorded | Area: Mock booking provider | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Explicit development-only mock booking records
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Mock provider protects stored mock records from caller mutation.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/providers/mock-booking.provider.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/providers/mock-booking.provider.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-012 | PASS (feature CI suite)

Accepts a valid checked-in booking with matching room

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Accepts a valid checked-in booking with matching room.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-013 | PASS (feature CI suite)

Rejects an empty booking ID

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects an empty booking ID.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-014 | PASS (feature CI suite)

Rejects an empty room number

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects an empty room number.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-015 | PASS (feature CI suite)

Rejects a missing booking

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects a missing booking.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-016 | PASS (feature CI suite)

Rejects a provider response with mismatched booking ID

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects a provider response with mismatched booking ID.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-017 | PASS (feature CI suite)

Rejects a RESERVED booking

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects a RESERVED booking.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-018 | PASS (feature CI suite)

Rejects a CANCELLED booking

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects a CANCELLED booking.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-019 | PASS (feature CI suite)

Rejects a CHECKED_OUT booking

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects a CHECKED_OUT booking.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-020 | PASS (feature CI suite)

Rejects room mismatch

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects room mismatch.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-021 | PASS (feature CI suite)

Rejects booking before its check-in date

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects booking before its check-in date.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-022 | PASS (feature CI suite)

Rejects booking after its checkout date

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects booking after its checkout date.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-023 | PASS (feature CI suite)

Rejects invalid booking dates

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Rejects invalid booking dates.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-024 | PASS (feature CI suite)

Returns service-unavailable on booking provider failure

Requirement: Not recorded | Area: Booking verification (mock provider) | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Mock BookingProvider. Parameterized states expand to three executed Jest tests.
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Returns service-unavailable on booking provider failure.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/guest-sessions/services/booking-verification.service.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-025 | PASS (feature CI suite)

ServiceRequestStatus enum contains its supported values

Requirement: Not recorded | Area: Service-request state model | Level: Unit | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Enum metadata source at the tested commit
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: ServiceRequestStatus enum contains its supported values.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/src/modules/service-requests/enums/service-request-status.enum.spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/src/modules/service-requests/enums/service-request-status.enum.spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-026 | PASS (feature CI suite)

GET / returns the expected scaffold response

Requirement: Not recorded | Area: Backend HTTP scaffold | Level: Nest E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Nest application booted in CI; not a guest ordering workflow
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: GET / returns the expected scaffold response.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/app.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/app.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-027 | PASS (feature CI suite)

CreateFossSessions migration creates foss_sessions table

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: CreateFossSessions migration creates foss_sessions table.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-028 | PASS (feature CI suite)

Migration creates all expected table columns

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Migration creates all expected table columns.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-029 | PASS (feature CI suite)

Database supplies generated UUID and default values

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Database supplies generated UUID and default values.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-030 | PASS (feature CI suite)

Database rejects duplicate booking IDs

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Database rejects duplicate booking IDs.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-031 | PASS (feature CI suite)

Database rejects duplicate session tokens

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Database rejects duplicate session tokens.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-032 | PASS (feature CI suite)

Database rejects missing mandatory values

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Database rejects missing mandatory values.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-033 | PASS (feature CI suite)

TypeORM persists and retrieves a guest session

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: TypeORM persists and retrieves a guest session.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

TC-FOSS-034 | PASS (feature CI suite)

Migration reverses and reapplies successfully

Requirement: Not recorded | Area: PostgreSQL migration | Level: PostgreSQL integration / E2E | Priority: Not recorded | Kind: Automated

Execution revision: feature/34-booking-room-verification 343b7d0018

Preconditions	Disposable PostgreSQL 16 / isolated test schema, migration run via CI
Input / steps	Run the named assertion in the linked Jest source suite using its defined test setup.
Expected result	The assertion establishes: Migration reverses and reapplies successfully.
Recorded actual result	The containing test suite passed in the cited feature-branch CI run.
Test file / evidence	backend/test/foss-session-migration.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/food-ordering/blob/343b7d0018/backend/test/foss-session-migration.e2e-spec.ts
CI run	https://github.com/forever-hotel/food-ordering/actions/runs/38419260802

FOSS-ACC-01 | NOT VERIFIED

Real FDS booking and room verification (no mock)

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	Real FDS booking and room verification (no mock)
Recorded actual result	Current feature tests use a development-only booking provider; authoritative FDS integration not demonstrated.
Test file / evidence	Not established by evaluated CI

FOSS-ACC-02 | NOT VERIFIED

FDS check-in activates and checkout revokes guest session

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	FDS check-in activates and checkout revokes guest session
Recorded actual result	No executed end-to-end FDS-to-FOSS lifecycle test in the inspected CI runs.
Test file / evidence	Not established by evaluated CI

FOSS-ACC-03 | NOT VERIFIED

Guest browses a real menu, builds a cart and submits a food order

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	Guest browses a real menu, builds a cart and submits a food order
Recorded actual result	Repository README identifies ordering flow as planned; no corresponding frontend/HTTP acceptance suite.
Test file / evidence	Not established by evaluated CI

FOSS-ACC-04 | NOT VERIFIED

Guest submits service requests and complaints through the UI

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	Guest submits service requests and complaints through the UI
Recorded actual result	Enum tests do not prove implemented endpoints or guest workflows.
Test file / evidence	Not established by evaluated CI

FOSS-ACC-05 | NOT VERIFIED

Food order is received and processed in live KMS with RabbitMQ

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	Food order is received and processed in live KMS with RabbitMQ
Recorded actual result	No verified broker-backed inter-service order workflow in inspected runs.
Test file / evidence	Not established by evaluated CI

FOSS-ACC-06 | NOT VERIFIED

Worker Management receives and completes a service task

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	Worker Management receives and completes a service task
Recorded actual result	No verified FOSS-to-WKMS integrated workflow or acceptance run.
Test file / evidence	Not established by evaluated CI

FOSS-ACC-07 | NOT VERIFIED

Guest authorization, expired/revoked tokens and role boundaries

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	Guest authorization, expired/revoked tokens and role boundaries
Recorded actual result	Mock booking guard unit tests are insufficient evidence of authenticated public-route enforcement.
Test file / evidence	Not established by evaluated CI

FOSS-ACC-08 | NOT VERIFIED

Staging performance and security acceptance under agreed load

Requirement: Not recorded | Area: Outstanding acceptance | Level: Cross-service / UAT | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Approved isolated staging; real integrated services with safe test data
Input / steps	Execute a documented end-to-end acceptance scenario; capture timestamps, requests, assertions and screenshots.
Expected result	Staging performance and security acceptance under agreed load
Recorded actual result	No p50/p95/throughput/error datasets or independent penetration-test evidence.
Test file / evidence	Not established by evaluated CI

6. Kitchen Management System (KMS)

Repository: forever-hotel/kitchen-management | Branch: develop | Tested revision: 89087002ac2df8f07b6140c00111979c75bc2799 | CI date: 10 October 2026

Evidence: https://github.com/forever-hotel/kitchen-management/actions/runs/38038213541

Register entries: 82; CI-suite-linked pass: 76; not tested/not verified: 6.

TC-KMS-APP-001 | PASS (CI suite)

AppController responds with the foundational Hello World message

Requirement: Not recorded | Area: Foundations | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	AppController responds with the foundational Hello World message
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/app.controller.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/app.controller.spec.ts

TC-ENV-001 | PASS (CI suite)

Required environment values use approved development defaults

Requirement: Not recorded | Area: Configuration | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Required environment values use approved development defaults
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/config/validation.schema.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/config/validation.schema.spec.ts

TC-ENV-002 | PASS (CI suite)

Invalid port configuration is rejected

Requirement: Not recorded | Area: Configuration | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Invalid port configuration is rejected
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/config/validation.schema.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/config/validation.schema.spec.ts

TC-ENV-003 | PASS (CI suite)

Unsupported runtime environment is rejected

Requirement: Not recorded | Area: Configuration | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Unsupported runtime environment is rejected
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/config/validation.schema.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/config/validation.schema.spec.ts

TC-KMS-DB-001 | PASS (CI suite)

Local PostgreSQL disables automatic synchronization and SSL

Requirement: Not recorded | Area: Database configuration | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Local PostgreSQL disables automatic synchronization and SSL
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/config/database.config.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/config/database.config.spec.ts

TC-KMS-DB-002 | PASS (CI suite)

Managed PostgreSQL enables SSL with certificate verification

Requirement: Not recorded | Area: Database configuration | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Managed PostgreSQL enables SSL with certificate verification
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/config/database.config.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/config/database.config.spec.ts

TC-KMS-DB-003 | PASS (CI suite)

Missing DATABASE_URL fails validation

Requirement: Not recorded | Area: Database configuration | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Missing DATABASE_URL fails validation
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/config/validation.schema.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/config/validation.schema.spec.ts

TC-KMS-DB-004 | PASS (CI suite)

Unsupported DATABASE_URL schemes fail validation

Requirement: Not recorded | Area: Database configuration | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Unsupported DATABASE_URL schemes fail validation
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/config/validation.schema.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/config/validation.schema.spec.ts

TC-KMS-DB-005 | PASS (CI suite)

Initialized responsive database returns ready

Requirement: Not recorded | Area: Database health | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Initialized responsive database returns ready
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/database/database-health.service.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/database/database-health.service.spec.ts

TC-KMS-DB-006 | PASS (CI suite)

Uninitialized database returns not ready

Requirement: Not recorded | Area: Database health | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Uninitialized database returns not ready
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/database/database-health.service.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/database/database-health.service.spec.ts

TC-KMS-DB-007 | PASS (CI suite)

Failed database query returns not ready without leaking the error

Requirement: Not recorded | Area: Database health | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Failed database query returns not ready without leaking the error
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/database/database-health.service.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/database/database-health.service.spec.ts

TC-KMS-HEALTH-001 | PASS (CI suite)

Liveness is available without checking PostgreSQL

Requirement: Not recorded | Area: Health endpoints | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Liveness is available without checking PostgreSQL
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/health/health.controller.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/health/health.controller.spec.ts

TC-KMS-HEALTH-002 | PASS (CI suite)

Readiness succeeds when PostgreSQL is ready

Requirement: Not recorded | Area: Health endpoints | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Readiness succeeds when PostgreSQL is ready
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/health/health.controller.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/health/health.controller.spec.ts

TC-KMS-HEALTH-003 | PASS (CI suite)

Readiness returns service-unavailable semantics when PostgreSQL is unavailable

Requirement: Not recorded | Area: Health endpoints | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Readiness returns service-unavailable semantics when PostgreSQL is unavailable
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/health/health.controller.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/health/health.controller.spec.ts

TC-KMS-MENU-001 | PASS (CI suite)

Menu stock enum contains only approved statuses

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Menu stock enum contains only approved statuses
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/enums/menu-item-stock-status.enum.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/enums/menu-item-stock-status.enum.spec.ts

TC-KMS-MENU-002 | PASS (CI suite)

MealCategory maps to the approved KMS table

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MealCategory maps to the approved KMS table
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts

TC-KMS-MENU-003 | PASS (CI suite)

MealCategory fields map to approved columns

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MealCategory fields map to approved columns
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts

TC-KMS-MENU-004 | PASS (CI suite)

MealCategory primary key uses UUID generation

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MealCategory primary key uses UUID generation
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts

TC-KMS-MENU-005 | PASS (CI suite)

MealCategory has a one-to-many relationship with MenuItems

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MealCategory has a one-to-many relationship with MenuItems
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu-categories/entities/meal-category.entity.spec.ts

TC-KMS-MENU-006 | PASS (CI suite)

MenuItem maps to the approved KMS table

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem maps to the approved KMS table
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-007 | PASS (CI suite)

MenuItem core fields have approved mappings

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem core fields have approved mappings
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-008 | PASS (CI suite)

MenuItem optional columns follow approved nullability

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem optional columns follow approved nullability
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-009 | PASS (CI suite)

MenuItem maps stock status to approved PostgreSQL enum and default

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem maps stock status to approved PostgreSQL enum and default
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-010 | PASS (CI suite)

MenuItem category is a required many-to-one relation

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem category is a required many-to-one relation
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-011 | PASS (CI suite)

MenuItem does not store allergens, dietary labels or calories in denormalized columns

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem does not store allergens, dietary labels or calories in denormalized columns
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-012 | PASS (CI suite)

Categories are retrieved in alphabetical order

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Categories are retrieved in alphabetical order
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu-categories/repositories/meal-category.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu-categories/repositories/meal-category.repository.spec.ts

TC-KMS-MENU-013 | PASS (CI suite)

Category lookup is filtered by identifier

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Category lookup is filtered by identifier
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu-categories/repositories/meal-category.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu-categories/repositories/meal-category.repository.spec.ts

TC-KMS-MENU-014 | PASS (CI suite)

Menu items are retrieved in alphabetical order

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Menu items are retrieved in alphabetical order
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/repositories/menu-item.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/repositories/menu-item.repository.spec.ts

TC-KMS-MENU-015 | PASS (CI suite)

Menu item lookup is filtered by identifier

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Menu item lookup is filtered by identifier
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/repositories/menu-item.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/repositories/menu-item.repository.spec.ts

TC-KMS-MENU-016 | PASS (CI suite)

MenuCategoriesModule loads

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuCategoriesModule loads
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu-categories/menu-categories.module.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu-categories/menu-categories.module.spec.ts

TC-KMS-MENU-017 | PASS (CI suite)

MenuModule loads

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuModule loads
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/menu.module.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/menu.module.spec.ts

TC-KMS-MENU-018 | PASS (CI suite)

Allergen entity maps to approved table

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Allergen entity maps to approved table
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/allergen.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/allergen.entity.spec.ts

TC-KMS-MENU-019 | PASS (CI suite)

Allergen UUID and unique name have approved mappings

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Allergen UUID and unique name have approved mappings
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/allergen.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/allergen.entity.spec.ts

TC-KMS-MENU-020 | PASS (CI suite)

Allergen has a many-to-many relation to MenuItem

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Allergen has a many-to-many relation to MenuItem
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/allergen.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/allergen.entity.spec.ts

TC-KMS-MENU-021 | PASS (CI suite)

DietaryLabel entity maps to approved table

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	DietaryLabel entity maps to approved table
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/dietary-label.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/dietary-label.entity.spec.ts

TC-KMS-MENU-022 | PASS (CI suite)

DietaryLabel UUID and unique name have approved mappings

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	DietaryLabel UUID and unique name have approved mappings
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/dietary-label.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/dietary-label.entity.spec.ts

TC-KMS-MENU-023 | PASS (CI suite)

DietaryLabel has a many-to-many relation to MenuItem

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	DietaryLabel has a many-to-many relation to MenuItem
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/dietary-label.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/dietary-label.entity.spec.ts

TC-KMS-MENU-024 | PASS (CI suite)

MenuItem uses the approved allergen junction table

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem uses the approved allergen junction table
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-025 | PASS (CI suite)

MenuItem uses the approved dietary-label junction table

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	MenuItem uses the approved dietary-label junction table
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/entities/menu-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/entities/menu-item.entity.spec.ts

TC-KMS-MENU-026 | PASS (CI suite)

Allergens are retrieved alphabetically

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Allergens are retrieved alphabetically
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/repositories/allergen.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/repositories/allergen.repository.spec.ts

TC-KMS-MENU-027 | PASS (CI suite)

Allergen lookup is filtered by identifier

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Allergen lookup is filtered by identifier
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/repositories/allergen.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/repositories/allergen.repository.spec.ts

TC-KMS-MENU-028 | PASS (CI suite)

Dietary labels are retrieved alphabetically

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Dietary labels are retrieved alphabetically
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/repositories/dietary-label.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/repositories/dietary-label.repository.spec.ts

TC-KMS-MENU-029 | PASS (CI suite)

Dietary-label lookup is filtered by identifier

Requirement: Not recorded | Area: Menu data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Dietary-label lookup is filtered by identifier
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/menu/repositories/dietary-label.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/menu/repositories/dietary-label.repository.spec.ts

TC-KMS-ORDER-001 | PASS (CI suite)

Food order status enum contains only approved statuses

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Food order status enum contains only approved statuses
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/enums/food-order-status.enum.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/enums/food-order-status.enum.spec.ts

TC-KMS-ORDER-002 | PASS (CI suite)

Meal-period enum contains only approved periods

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Meal-period enum contains only approved periods
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/enums/food-order-meal-period.enum.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/enums/food-order-meal-period.enum.spec.ts

TC-KMS-ORDER-003 | PASS (CI suite)

FoodOrder maps to kms_food_orders

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrder maps to kms_food_orders
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order.entity.spec.ts

TC-KMS-ORDER-004 | PASS (CI suite)

FoodOrder identifiers and kitchen-display fields use approved columns

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrder identifiers and kitchen-display fields use approved columns
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order.entity.spec.ts

TC-KMS-ORDER-005 | PASS (CI suite)

FoodOrder status and meal-period PostgreSQL enums and defaults are approved

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrder status and meal-period PostgreSQL enums and defaults are approved
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order.entity.spec.ts

TC-KMS-ORDER-006 | PASS (CI suite)

FoodOrder monetary fields and nullability are mapped correctly

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrder monetary fields and nullability are mapped correctly
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order.entity.spec.ts

TC-KMS-ORDER-007 | PASS (CI suite)

FoodOrder total check prohibits negative totals

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrder total check prohibits negative totals
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order.entity.spec.ts

TC-KMS-ORDER-008 | PASS (CI suite)

FoodOrder exposes order items through a one-to-many relation

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrder exposes order items through a one-to-many relation
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order.entity.spec.ts

TC-KMS-ORDER-009 | PASS (CI suite)

FoodOrder does not store order items as JSON/JSONB

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrder does not store order items as JSON/JSONB
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order.entity.spec.ts

TC-KMS-ORDER-010 | PASS (CI suite)

FoodOrderItem maps to kms_food_order_items

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem maps to kms_food_order_items
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-011 | PASS (CI suite)

FoodOrderItem identifiers use canonical UUID columns

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem identifiers use canonical UUID columns
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-012 | PASS (CI suite)

FoodOrderItem persists historical name and unit-price snapshots

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem persists historical name and unit-price snapshots
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-013 | PASS (CI suite)

FoodOrderItem quantity and note use canonical mappings

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem quantity and note use canonical mappings
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-014 | PASS (CI suite)

FoodOrderItem quantity and unit price require positive values

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem quantity and unit price require positive values
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-015 | PASS (CI suite)

FoodOrderItem required order relation cascades on FoodOrder deletion

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem required order relation cascades on FoodOrder deletion
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-016 | PASS (CI suite)

FoodOrderItem references MenuItem

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem references MenuItem
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-017 | PASS (CI suite)

FoodOrderItem does not store JSON/JSONB

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	FoodOrderItem does not store JSON/JSONB
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/entities/food-order-item.entity.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/entities/food-order-item.entity.spec.ts

TC-KMS-ORDER-018 | PASS (CI suite)

Orders are retrieved by placement time

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Orders are retrieved by placement time
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/repositories/food-order.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/repositories/food-order.repository.spec.ts

TC-KMS-ORDER-019 | PASS (CI suite)

Order lookup is filtered by identifier

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Order lookup is filtered by identifier
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/repositories/food-order.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/repositories/food-order.repository.spec.ts

TC-KMS-ORDER-020 | PASS (CI suite)

Order-item lookup is filtered by identifier

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Order-item lookup is filtered by identifier
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/repositories/food-order-item.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/repositories/food-order-item.repository.spec.ts

TC-KMS-ORDER-021 | PASS (CI suite)

Order line items are retrieved by order ID

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	Order line items are retrieved by order ID
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/repositories/food-order-item.repository.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/repositories/food-order-item.repository.spec.ts

TC-KMS-ORDER-022 | PASS (CI suite)

OrdersModule loads

Requirement: Not recorded | Area: Order data model / repository | Level: Unit | Priority: Not recorded | Kind: Automated

Preconditions	Test fixture/mocks as defined by the source file
Input / steps	Execute the named automated assertion in the source file
Expected result	OrdersModule loads
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/src/modules/orders/orders.module.spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/src/modules/orders/orders.module.spec.ts

TC-KMS-APP-E2E-001 | PASS (CI suite)

GET / responds successfully with scaffold greeting

Requirement: Not recorded | Area: HTTP & health | Level: E2E (application) | Priority: Not recorded | Kind: Automated

Preconditions	Nest application initialized with isolated PostgreSQL test service
Input / steps	Execute the named automated assertion in the source file
Expected result	GET / responds successfully with scaffold greeting
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/test/app.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/test/app.e2e-spec.ts

TC-KMS-APP-E2E-002 | PASS (CI suite)

GET /health/live responds with status ok

Requirement: Not recorded | Area: HTTP & health | Level: E2E (application) | Priority: Not recorded | Kind: Automated

Preconditions	Nest application initialized with isolated PostgreSQL test service
Input / steps	Execute the named automated assertion in the source file
Expected result	GET /health/live responds with status ok
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/test/app.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/test/app.e2e-spec.ts

TC-KMS-APP-E2E-003 | PASS (CI suite)

GET /health/ready responds with database up

Requirement: Not recorded | Area: HTTP & health | Level: E2E (application) | Priority: Not recorded | Kind: Automated

Preconditions	Nest application initialized with isolated PostgreSQL test service
Input / steps	Execute the named automated assertion in the source file
Expected result	GET /health/ready responds with database up
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/test/app.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/test/app.e2e-spec.ts

TC-KMS-DB-E2E-001 | PASS (CI suite)

TypeORM data source initializes with PostgreSQL

Requirement: Not recorded | Area: Database E2E | Level: E2E (PostgreSQL) | Priority: Not recorded | Kind: Automated

Preconditions	GitHub Actions PostgreSQL 15 ephemeral service
Input / steps	Execute the named automated assertion in the source file
Expected result	TypeORM data source initializes with PostgreSQL
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/test/database.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/test/database.e2e-spec.ts

TC-KMS-DB-E2E-002 | PASS (CI suite)

PostgreSQL connectivity query succeeds

Requirement: Not recorded | Area: Database E2E | Level: E2E (PostgreSQL) | Priority: Not recorded | Kind: Automated

Preconditions	GitHub Actions PostgreSQL 15 ephemeral service
Input / steps	Execute the named automated assertion in the source file
Expected result	PostgreSQL connectivity query succeeds
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	backend/test/database.e2e-spec.ts
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/backend/test/database.e2e-spec.ts

TC-KMS-FE-001 | PASS (CI suite)

Foundation page renders the KMS heading

Requirement: Not recorded | Area: Frontend foundation | Level: Frontend component | Priority: Not recorded | Kind: Automated

Preconditions	Jest/JSDOM React Testing Library test environment
Input / steps	Execute the named automated assertion in the source file
Expected result	Foundation page renders the KMS heading
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	frontend/src/app/page.test.tsx
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/frontend/src/app/page.test.tsx

TC-KMS-FE-002 | PASS (CI suite)

Ant Design control can render inside AppProviders

Requirement: Not recorded | Area: Frontend foundation | Level: Frontend component | Priority: Not recorded | Kind: Automated

Preconditions	Jest/JSDOM React Testing Library test environment
Input / steps	Execute the named automated assertion in the source file
Expected result	Ant Design control can render inside AppProviders
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	frontend/src/providers/app-providers.test.tsx
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/frontend/src/providers/app-providers.test.tsx

TC-KMS-FE-003 | PASS (CI suite)

Shared theme exposes approved tokens and accessible base control height

Requirement: Not recorded | Area: Frontend foundation | Level: Frontend component | Priority: Not recorded | Kind: Automated

Preconditions	Jest/JSDOM React Testing Library test environment
Input / steps	Execute the named automated assertion in the source file
Expected result	Shared theme exposes approved tokens and accessible base control height
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	frontend/src/providers/app-providers.test.tsx
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/frontend/src/providers/app-providers.test.tsx

TC-KMS-FE-004 | PASS (CI suite)

Shell exposes the KMS heading and main landmark

Requirement: Not recorded | Area: Frontend foundation | Level: Frontend component | Priority: Not recorded | Kind: Automated

Preconditions	Jest/JSDOM React Testing Library test environment
Input / steps	Execute the named automated assertion in the source file
Expected result	Shell exposes the KMS heading and main landmark
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	frontend/src/components/layout/kms-shell.test.tsx
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/frontend/src/components/layout/kms-shell.test.tsx

TC-KMS-FE-005 | PASS (CI suite)

Keyboard-accessible skip link focuses main content

Requirement: Not recorded | Area: Frontend foundation | Level: Frontend component | Priority: Not recorded | Kind: Automated

Preconditions	Jest/JSDOM React Testing Library test environment
Input / steps	Execute the named automated assertion in the source file
Expected result	Keyboard-accessible skip link focuses main content
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	frontend/src/components/layout/kms-shell.test.tsx
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/frontend/src/components/layout/kms-shell.test.tsx

TC-KMS-FE-006 | PASS (CI suite)

Shell renders the kitchen operations footer

Requirement: Not recorded | Area: Frontend foundation | Level: Frontend component | Priority: Not recorded | Kind: Automated

Preconditions	Jest/JSDOM React Testing Library test environment
Input / steps	Execute the named automated assertion in the source file
Expected result	Shell renders the kitchen operations footer
Recorded actual result	The containing test suite passed in the evaluated GitHub Actions run.
Test file / evidence	frontend/src/components/layout/kms-shell.test.tsx
Evidence reference	https://github.com/forever-hotel/kitchen-management/blob/89087002ac2df8f07b6140c00111979c75bc2799/frontend/src/components/layout/kms-shell.test.tsx

KMS-ACC-01 | NOT TESTED

Place new guest food order through live KMS UI and update status

Requirement: Not recorded | Area: Unverified acceptance | Level: Cross-service / acceptance | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Staging with services and safe test data
Input / steps	Execute an agreed acceptance scenario with observable outcome
Expected result	Place new guest food order through live KMS UI and update status
Recorded actual result	No completed workflow/UI test in evaluated develop snapshot
Test file / evidence	(No verified automated test)

KMS-ACC-02 | NOT TESTED

Accept FOSS order event via actual inter-service messaging

Requirement: Not recorded | Area: Unverified acceptance | Level: Cross-service / acceptance | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Staging with services and safe test data
Input / steps	Execute an agreed acceptance scenario with observable outcome
Expected result	Accept FOSS order event via actual inter-service messaging
Recorded actual result	Messaging directory is only a placeholder on evaluated develop
Test file / evidence	(No verified automated test)

KMS-ACC-03 | NOT TESTED

Print a real KOT and verify printer/persistence/retry

Requirement: Not recorded | Area: Unverified acceptance | Level: Cross-service / acceptance | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Staging with services and safe test data
Input / steps	Execute an agreed acceptance scenario with observable outcome
Expected result	Print a real KOT and verify printer/persistence/retry
Recorded actual result	KOT printing acceptance is not evidenced on evaluated develop
Test file / evidence	(No verified automated test)

KMS-ACC-04 | NOT TESTED

Dispatch completed food order to WKMS and verify delivery

Requirement: Not recorded | Area: Unverified acceptance | Level: Cross-service / acceptance | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Staging with services and safe test data
Input / steps	Execute an agreed acceptance scenario with observable outcome
Expected result	Dispatch completed food order to WKMS and verify delivery
Recorded actual result	Worker dispatch integration not evidenced on evaluated develop
Test file / evidence	(No verified automated test)

KMS-ACC-05 | NOT TESTED

Run approved concurrency and latency tests against a staged KMS

Requirement: Not recorded | Area: Unverified acceptance | Level: Cross-service / acceptance | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Staging with services and safe test data
Input / steps	Execute an agreed acceptance scenario with observable outcome
Expected result	Run approved concurrency and latency tests against a staged KMS
Recorded actual result	No timed load results or harness in evaluated develop
Test file / evidence	(No verified automated test)

KMS-ACC-06 | NOT TESTED

Prove authenticated role-specific access to operational endpoints

Requirement: Not recorded | Area: Unverified acceptance | Level: Cross-service / acceptance | Priority: Not recorded | Kind: Acceptance gap

Preconditions	Staging with services and safe test data
Input / steps	Execute an agreed acceptance scenario with observable outcome
Expected result	Prove authenticated role-specific access to operational endpoints
Recorded actual result	No audited KMS authorization tests for operational endpoints in develop
Test file / evidence	(No verified automated test)

7. Worker Management System (WKMS)

Repository: forever-hotel/worker-management | Branch: develop | Tested revision: 0f91f1c9d6390c80c9f12f82b834fee9bf374104 | CI date: 25 October 2026

Evidence: https://github.com/forever-hotel/worker-management/actions/runs/40174879698

Register entries: 37; CI-suite-linked pass: 30; not tested/not verified: 7.

TC-WKMS-001 | PASS (CI suite)

should authenticate an active WORKER and issue a token

Requirement: NFR-12 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/auth/auth.service.spec.ts

TC-WKMS-002 | PASS (CI suite)

should reject a non-WORKER role

Requirement: NFR-12 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/auth/auth.service.spec.ts

TC-WKMS-003 | PASS (CI suite)

rejects expired or invalid JWTs

Requirement: NFR-12 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/realtime/wkms-realtime.gateway.spec.ts

TC-WKMS-004 | PASS (CI suite)

should return available tasks ordered by submission time

Requirement: WM-01 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/database/repositories/task.repository.spec.ts

TC-WKMS-005 | PASS (CI suite)

should return the task queue from the repository

Requirement: WM-01 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/tasks/task.service.spec.ts

TC-WKMS-006 | PASS (CI suite)

renders shared queue data without fetching on mount

Requirement: WM-01 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/task-queue/components/task-queue-screen.test.tsx

TC-WKMS-007 | PASS (CI suite)

configures an authenticated Socket.IO connection

Requirement: WM-01b | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/lib/task-socket.test.ts
Additional note	Proves client config; cross-deployed event delivery requires separate test.

TC-WKMS-008 | PASS (CI suite)

registers only the expected realtime event names

Requirement: WM-01b | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/lib/task-socket.test.ts

TC-WKMS-009 | PASS (CI suite)

loads and renders a real unassigned task

Requirement: WM-02 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/tasks/components/task-detail-screen.test.tsx

TC-WKMS-010 | NOT TESTED

should reject task detail assigned to another worker

Requirement: WM-02 | Level: Jest local integration | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/test/integration/task.controller.integration.spec.ts
Additional note	Integration suite is not confirmed as executed in the 322-passed CI unit-group; manual follow-up.

TC-WKMS-011 | PASS (CI suite)

should claim an unassigned task for an active worker

Requirement: WM-03 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/database/repositories/task.repository.spec.ts

TC-WKMS-012 | PASS (CI suite)

should reject a claim when worker already has three active tasks

Requirement: WM-03 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/database/repositories/task.repository.spec.ts

TC-WKMS-013 | PASS (CI suite)

should reject a claim when task is not unassigned

Requirement: WM-03 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/database/repositories/task.repository.spec.ts

TC-WKMS-014 | PASS (CI suite)

starts an assigned task

Requirement: WM-04 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/tasks/components/task-detail-screen.test.tsx

TC-WKMS-015 | PASS (CI suite)

should reject starting a task owned by another worker

Requirement: WM-04 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/database/repositories/task.repository.spec.ts

TC-WKMS-016 | PASS (CI suite)

completes an in-progress task

Requirement: WM-05 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/tasks/components/task-detail-screen.test.tsx

TC-WKMS-017 | PASS (CI suite)

should reject completing a task owned by another worker

Requirement: WM-05 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/database/repositories/task.repository.spec.ts

TC-WKMS-018 | PASS (CI suite)

renders shared authenticated tasks without fetching on mount

Requirement: WM-06 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/assignments/components/my-tasks-screen.test.tsx

TC-WKMS-019 | PASS (CI suite)

displays completed tasks from the authenticated shift summary

Requirement: WM-06 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/assignments/components/my-tasks-screen.test.tsx

TC-WKMS-020 | PASS (CI suite)

broadcasts after successful database escalation

Requirement: WM-07 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/tasks/task-escalation.service.spec.ts

TC-WKMS-021 | PASS (CI suite)

remains safe across repeated scheduler runs

Requirement: WM-07 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/tasks/task-escalation.service.spec.ts

TC-WKMS-022 | PASS (CI suite)

publishes a pending event and marks it published

Requirement: WM-07 | Level: Unit / mocked broker | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/messaging/outbox/outbox-dispatcher.service.spec.ts
Additional note	Broker/outbox logic unit tested; deployed subscriber reception unverified.

TC-WKMS-023 | NOT TESTED

Worker escalation reflected on FDS UI through real event transport

Requirement: WM-07b | Level: Cross-service E2E | Priority: P1

Preconditions	FDS, WKMS and RabbitMQ in integrated staging
Input / steps	Leave real task unclaimed beyond 15 minutes
Expected result	Escalation appears on FDS within required latency
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/src/messaging/publishers/task-escalated.publisher.ts

TC-WKMS-024 | PASS (CI suite)

renders the real worker summary

Requirement: WM-09 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/shifts/components/shift-dashboard-screen.test.tsx

TC-WKMS-025 | PASS (CI suite)

renders completed task history using real turnaround values

Requirement: WM-09 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/features/shifts/components/shift-dashboard-screen.test.tsx

TC-WKMS-026 | PASS (CI suite)

creates a cleaning task from a valid FDS event

Requirement: WM-11 | Level: Unit / mocked DB | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/messaging/handlers/checkout-completed.handler.spec.ts
Additional note	Does not prove live FDS publisher-to-WKMS consumer E2E.

TC-WKMS-027 | PASS (CI suite)

treats an existing cleaning task as successfully processed

Requirement: WM-11 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/messaging/handlers/checkout-completed.handler.spec.ts

TC-WKMS-028 | PASS (CI suite)

creates a food-delivery task for a valid KMS event

Requirement: WM-01c | Level: Unit / mocked DB | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/messaging/handlers/order-ready.handler.spec.ts

TC-WKMS-029 | PASS (CI suite)

returns EXISTS when the task was already created

Requirement: WM-01c | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/messaging/handlers/order-ready.handler.spec.ts

TC-WKMS-030 | NOT TESTED

Live KMS food-ready event creates worker delivery task

Requirement: WM-01c | Level: Cross-service E2E | Priority: P1

Preconditions	KMS/WKMS integrated deploy and broker
Input / steps	Publish a real order-ready event from KMS
Expected result	WKMS task created and visible to workers
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/src/messaging/consumers/order-ready.consumer.ts

TC-WKMS-031 | PASS (CI suite)

accepts a valid token for an active worker

Requirement: NFR-12 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/realtime/wkms-realtime.gateway.spec.ts

TC-WKMS-032 | PASS (CI suite)

rejects missing or empty tokens

Requirement: NFR-12 | Level: Unit | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	backend/src/realtime/wkms-realtime.gateway.spec.ts

TC-WKMS-033 | PASS (CI suite)

refreshes shared data when the browser tab becomes visible

Requirement: NFR-03 | Level: Frontend Jest | Priority: P1

Preconditions	Prepared isolated fixtures
Input / steps	Run named test with fixture data
Expected result	Named assertions succeed
Recorded actual result	Test suite passed in matched GitHub Actions CI; individual assertion transcript not archived.
Test file / evidence	frontend/src/providers/task-data-provider.test.tsx

TC-WKMS-034 | NOT TESTED

Full realtime propagation latency meets SRS target under integrated load

Requirement: NFR-03 | Level: Performance / E2E | Priority: P1

Preconditions	Staging broker/socket + event timestamps
Input / steps	Publish real task and measure all browser updates
Expected result	All updates within specified latency
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	backend/src/realtime/wkms-realtime.gateway.ts

TC-WKMS-035 | NOT TESTED

Installable worker PWA works in supported browsers

Requirement: WM-P01 | Level: PWA acceptance | Priority: P1

Preconditions	Service worker/manifest installation path
Input / steps	Install worker application
Expected result	PWA installation accepted
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/src/app/layout.tsx

TC-WKMS-036 | NOT TESTED

Offline tasks cache and synchronize when connection returns

Requirement: WM-P02 | Level: Offline acceptance | Priority: P1

Preconditions	Offline persistence and sync design
Input / steps	Take offline, update task, reconnect
Expected result	Saved updates sync safely
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	frontend/src/providers/task-data-provider.tsx

TC-WKMS-037 | NOT TESTED

Cloud HTTPS end-to-end deployment and recovery verified

Requirement: NFR-19 | Level: Staging acceptance | Priority: P1

Preconditions	Secure public staging deployment
Input / steps	Smoke test TLS, broker and DB failover
Expected result	Deployment and recovery documented
Recorded actual result	No verified complete execution or acceptance evidence at this commit.
Test file / evidence	README.md

8. Acceptance and evidence conditions

• Recorded CI PASS status is retained with its original qualification; it is not upgraded to a manual or deployed UAT pass.

• Suite coverage and selected register rows are not synonymous with full test-case enumeration of every automated assertion.

• Obtain final tagged release-commit evidence, record actual case inputs and outputs where required by the teaching unit, and obtain documented reviewer approval.

• Resolve untested live guest ordering, kitchen/KOT, cross-service event, worker, payment, authentication, and performance scenarios according to their owners.

• Keep raw test artifacts, safe synthetic fixtures and repository links accessible; exclude passwords, connection strings, JWTs and real guest data.