Test Case Register

Document control

Forever Hotel ? Manager Dashboard ? Guide deliverable 7

Prepared 2026-10-25, Asia/Colombo. Source development, caef8822afc0c44b030bea2453e23eb01d4af42a. Approximate project progress: 80%, as declared by the owner. Author/student ID and reviewer: not supplied.

1. Scope and status rules

This register covers selected normal, negative, concurrency and security behaviors of the MAD features built at this milestone. The other five subsystem implementations, real inbox/provider acceptance, measured performance, production rollout and UAT are not claimed complete. Forty documented cases are a selected milestone register, not proof of 100% endpoint coverage or an 80% test pass rate.

Each case follows guide section 6.3.3: identifier, name, requirement, source, type, priority, preconditions, input, expected output, actual output and status. Additional steps support reproducibility. The assigned TC-MAD-M80 identifiers are documentation IDs; existing source TC-MAD identifiers remain unchanged. A related source file indicates relevant test implementation, not a verified one-to-one executed assertion audit for every step. New/missing assertions should be reconciled during execution.

No cases were executed for this package. Every status is Blocked ? current execution evidence pending, not a functional failure. Actual output is unobserved for this commit. Never copy an expected output into actual output without a real result.

2. Shared preconditions and environment

Use approved CI or disposable test services. Integration fixtures must not run against the hosted application database. Supply private TEST_DATABASE_URL/TEST_RABBITMQ_URL through secure environment configuration, never in the register. Tests use synthetic accounts/data and isolated roles. Unit/component cases use deterministic mocks; broker/reference-owner fixtures do not establish live third-party acceptance.

P1 identifies critical access, integrity or business workflows; P2 is important reporting/usability behavior. No current pass/fail totals can be calculated.

3. Register summary

Metric	Value
Documented milestone cases	40
Passed on selected commit	Not available
Failed on selected commit	Not available

Metric	Value
Blocked pending execution evidence	40
Claimed endpoint coverage	Not established
Claimed measured pass/coverage percentage	None

The 40 blocked entries mean results were not supplied; they are not 40 observed application defects. Previously observed intermittent 503s remain separate known issues and are not erased by this status convention.

4. Detailed test cases

TC-MAD-M80-001 ? Create initial manager once

Related requirement: NFR-12; SDS 6.1.3

Related test file: backend/src/auth/initial-manager.service.spec.ts

Type / priority: Unit / P1

Preconditions: No matching manager; mocked database transaction.

Input: Provide valid bootstrap email, username and generated test password.

Steps: Start initial provisioning.

Expected output: One MANAGER account is created with a hash and password-change-required flag.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-002 ? Preserve existing manager on restart

Related requirement: NFR-12; SDS 6.1.3

Related test file: backend/src/auth/initial-manager.service.spec.ts

Type / priority: Unit / P1

Preconditions: An existing manager already has a changed hash and flags.

Input: Different obsolete bootstrap credentials for the same email.

Steps: Run provisioning again.

Expected output: Existing username, password hash, active state and first-login flag remain unchanged.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-003 ? Wrong credentials stay on login

Related requirement: NFR-12

Related test file: frontend/test/restored-login.test.tsx

Type / priority: Component / P1

Preconditions: Mock failed authentication response; login form rendered.

Input: Synthetic username and invalid password.

Steps: Submit login and inspect navigation/error feedback.

Expected output: Safe error feedback; no authenticated dashboard navigation.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-004 ? Enforce first-login password change

Related requirement: NFR-12; SDS 6.1.3

Related test file: backend/src/auth/auth.service.spec.ts

Type / priority: Unit / P1

Preconditions: Valid manager claims; database flag requires change.

Input: Protected business-session request before password change.

Steps: Resolve session for normal business access.

Expected output: Business access is blocked until the required password change.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-005 ? Change password and invalidate old sessions

Related requirement: NFR-12; SDS 6.1.3

Related test file: backend/src/auth/auth.service.spec.ts

Type / priority: Unit / P1

Preconditions: Valid active session and current password.

Input: Valid new generated password; then an old session version.

Steps: Perform password change; check saved flag/version and old-session behavior.

Expected output: New hash saved, flag cleared, version advanced; old session cannot retain access.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-006 ? Logout persists revocation

Related requirement: NFR-12

Related test file: backend/src/auth/auth.service.spec.ts

Type / priority: Unit / P1

Preconditions: Active valid manager token and revocation repository.

Input: Logout followed by replay of the same session.

Steps: Invoke logout and check durable token-hash revocation/session rejection.

Expected output: Revocation persists; replay is rejected; no raw token is logged.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-007 ? Reject non-manager and locked accounts

Related requirement: NFR-12; guide A01/A07

Related test file: backend/src/auth/auth.service.spec.ts

Type / priority: Unit / P1

Preconditions: Signed non-manager token or account under lockout.

Input: Unauthorized session/failed-login conditions.

Steps: Resolve access and exercise failed-attempt threshold in isolated mocks.

Expected output: Non-manager access is denied; lockout state is enforced without accepting credentials.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-008 ? Booking calendar boundaries

Related requirement: MD-01

Related test file: backend/test/bookings.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Disposable booking fixture around local day/week/month boundaries.

Input: GET /mad/analytics/bookings with period=day, week or month.

Steps: Request each period using the fixture clock.

Expected output: Check-in-date totals and trends follow Asia/Colombo and Monday weeks.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-009 ? Booking status inclusion

Related requirement: MD-01

Related test file: backend/test/bookings.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Fixture includes confirmed, checked-in/out, pending and cancelled rows.

Input: Same calendar period with mixed statuses.

Steps: Read totals without modifying source records.

Expected output: Only approved booking statuses count; cancellation/pending do not inflate totals.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-010 ? Occupancy respects maintenance and dates

Related requirement: MD-02

Related test file: backend/test/occupancy.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Dated availability, assigned-room stays and maintenance in disposable DB.

Input: GET /mad/analytics/occupancy with a valid bounded date range.

Steps: Compare each returned day with fixture room-night calculations.

Expected output: Eligible denominator excludes maintenance; checkout/end boundaries are exclusive; rooms are not double-counted.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-011 ? Incomplete room history is unavailable

Related requirement: MD-02, MD-04

Related test file: backend/test/occupancy.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Fixture room lacks required activation history.

Input: Occupancy/low-demand calculation over that dataset.

Steps: Request the affected report.

Expected output: Unavailable is reported instead of fabricated zero occupancy.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-012 ? Low-demand threshold and invalid dates

Related requirement: MD-04

Related test file: backend/src/analytics/low-booking-alerts.service.spec.ts

Type / priority: Unit / P2

Preconditions: Controlled occupancy results/clock and configured threshold.

Input: Dates above/below threshold and unavailable days.

Steps: Evaluate upcoming low-booking alerts.

Expected output: Only valid low-demand dates alert; missing data is not labeled genuine low demand.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-013 ? Completed-payment revenue policy

Related requirement: MD-03

Related test file: backend/src/analytics/revenue-analytics.service.spec.ts

Type / priority: Unit / P1

Preconditions: Controlled completed, refunded, pending and failed payment aggregates.

Input: Period selection and payment-date cohorts.

Steps: Request revenue summary.

Expected output: Metric is completed-payment LKR cents; invalid aggregates fail safely; policy metadata is explicit.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-014 ? Zero previous revenue comparison

Related requirement: MD-03

Related test file: backend/src/analytics/revenue-analytics.service.spec.ts

Type / priority: Unit / P2

Preconditions: Previous-period completed revenue is zero.

Input: Current positive or zero total.

Steps: Read percentage comparison.

Expected output: Percentage is null with an unavailable reason, never an invented infinity/100 percent.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-015 ? Create staff and delivery work atomically

Related requirement: MD-14, MD-15, MD-15b

Related test file: backend/test/staff.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Authorized manager; disposable staff/delivery schema; test encryption key.

Input: Valid synthetic profile for each supported non-manager role.

Steps: POST /mad/staff and inspect committed state/public projection.

Expected output: Account and encrypted credential-delivery state commit together; secret is not exposed as a public profile field.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-016 ? Reject duplicate or invalid staff identity

Related requirement: MD-14, MD-15; NFR-12

Related test file: backend/test/staff.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Existing fixture identity; valid manager context.

Input: Duplicate email or invalid role/profile input.

Steps: Attempt staff creation and inspect affected state.

Expected output: Validation/conflict error; no partial duplicate account or orphaned delivery work.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-017 ? Reset staff password and session version

Related requirement: MD-16

Related test file: backend/src/staff/staff-reset.spec.ts

Type / priority: Unit / P1

Preconditions: Eligible fixture staff account, actor and expected version.

Input: Authorized reset, including stale/concurrent state variants.

Steps: Reset and inspect password/version/delivery mutations.

Expected output: Fresh temporary hash and forced-change state; old session versions invalidated; delivery queued consistently.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-018 ? Update/deactivate staff under protection

Related requirement: MD-16b

Related test file: backend/src/staff/staff-profiles.spec.ts

Type / priority: Unit / P1

Preconditions: Eligible staff row and manager actor; protected identity scenarios.

Input: Valid profile/role/active changes plus invalid/stale requests.

Steps: Apply profile update and compare permitted fields/session state.

Expected output: Only allowed updates persist; security-sensitive changes invalidate sessions; protected/invalid actions are rejected.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-019 ? Create promotion with normalized code

Related requirement: MD-05

Related test file: backend/src/promotions/promotions.spec.ts

Type / priority: Unit / P1

Preconditions: Known room types and transaction fixture.

Input: Trimmed/mixed-case ASCII code; valid integer discount and offset dates.

Steps: Create promotion and inspect junction/outbox changes.

Expected output: Normalized unique code, valid terms and applicability persist in one transaction with publication work.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-020 ? Reject invalid promotion terms

Related requirement: MD-05

Related test file: backend/src/promotions/promotions.spec.ts

Type / priority: Unit / P1

Preconditions: Known and unknown room-type fixture IDs.

Input: Percentage above 100, invalid dates, unknown room type or duplicate code.

Steps: Attempt creation/edit.

Expected output: Validation/conflict error; no partial promotion, junction or event is committed.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-021 ? Reject stale promotion edits

Related requirement: MD-05b

Related test file: backend/src/promotions/promotions.spec.ts

Type / priority: Unit / P1

Preconditions: Promotion version has advanced after another editor.

Input: Edit/activation request with an old version.

Steps: Apply stale mutation.

Expected output: Conflict response and current promotion remains unchanged.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-022 ? Logically delete promotion

Related requirement: MD-05b

Related test file: backend/src/promotions/promotions.spec.ts

Type / priority: Unit / P1

Preconditions: Existing promotion, references and current version.

Input: Delete action; later activation attempt.

Steps: Delete and examine logical state/history/publication work.

Expected output: Code/history retained; inactive/deleted state set; reactivation rejected; removal work queued atomically.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-023 ? Publish committed promotion through broker fixture

Related requirement: MD-05c

Related test file: backend/test/promotions.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Disposable RabbitMQ and reference HW consumer, not live HW.

Input: Committed upsert/removal event and restart/retry conditions.

Steps: Run confirmed-publication integration case.

Expected output: Same committed event is durably retried/confirmed without losing pending work; fixture consumption is observable.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-024 ? Resolve complaint with private note

Related requirement: MD-09, MD-09b

Related test file: backend/test/complaints.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Authorized manager; submitted complaint and private MAD support tables.

Input: Current version/nonblank note for review then resolution.

Steps: PATCH complaint along permitted sequence and inspect atomic state/history.

Expected output: Legal states only; private actor/note history saved; source status/resolved time consistent.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-025 ? Reject stale/invalid complaint transitions

Related requirement: MD-09b

Related test file: backend/test/complaints.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Existing complaint/version in disposable DB.

Input: Old version, blank note, direct shortcut or reopen attempt.

Steps: Apply invalid transition.

Expected output: Rejected without partial status/history/outbox changes or private-note disclosure.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-026 ? Food analytics counts and historical item names

Related requirement: MD-06

Related test file: backend/test/food-analytics.e2e-spec.ts

Type / priority: Integration / P2

Preconditions: KMS order/item fixtures with cancellations, ties and historical names.

Input: Day/week/month report.

Steps: Compare order counts, top items and peak-hour groups.

Expected output: Non-cancelled demand counted once per order; item quantities/name snapshots and deterministic ties honored.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-027 ? Service duration and unresolved backlog

Related requirement: MD-08

Related test file: backend/test/service-request-analytics.e2e-spec.ts

Type / priority: Integration / P2

Preconditions: Current/open/completed requests with valid and invalid timestamps.

Input: Selected calendar period.

Steps: Read service analytics and quality fields.

Expected output: Submissions/completions use their own cohorts; valid-duration average; current backlog not limited to period.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-028 ? Worker performance retains history

Related requirement: MD-10

Related test file: backend/test/worker-performance.e2e-spec.ts

Type / priority: Integration / P2

Preconditions: Current/inactive workers, retained assignees, completed tasks and direct complaint references.

Input: Period and optional worker filter.

Steps: Read worker summary and duration-quality fields.

Expected output: Correct completion cohorts, retained zero/history rows and open complaint counts; invalid durations excluded/flagged.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-029 ? Kitchen snapshot and versioned updates

Related requirement: MD-07

Related test file: backend/test/kitchen-realtime.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Disposable source/broker and authenticated socket fixture.

Input: Kitchen snapshot plus duplicate/out-of-order source changes.

Steps: Read snapshot and process versioned changes.

Expected output: Approved four groups are represented; stale/duplicate work does not corrupt authoritative snapshots.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-030 ? Socket ticket cannot bypass authentication

Related requirement: MD-07; NFR-12

Related test file: backend/src/realtime/realtime.spec.ts

Type / priority: Unit / P1

Preconditions: Controlled clock/origin/session and ticket state.

Input: Expired/reused ticket or wrong Origin.

Steps: Attempt ticket consumption/socket authorization.

Expected output: Unauthorized connection is rejected; valid ticket is short-lived and one-use.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-031 ? Room board source ownership

Related requirement: MD-12

Related test file: backend/test/rooms.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Rooms and versioned room-event fixtures.

Input: GET /mad/rooms/status; duplicate/stale status events.

Steps: Read snapshot and process notifications.

Expected output: Read-only source data; stable room IDs/status; event processing does not blindly overwrite newer state.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-032 ? Task queue read-only boundary

Related requirement: MD-17

Related test file: backend/test/tasks.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: WKMS task fixtures and manager/non-manager contexts.

Input: Task list plus claim/assign/complete mutation attempts.

Steps: Fetch queue and attempt unsupported MAD mutations.

Expected output: Queue projection is readable by authorized manager; mutations owned by WKMS are rejected.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-033 ? Stock alert persistence and clearing

Related requirement: MD-13

Related test file: backend/test/stock.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Stock source plus MAD projection/broker fixtures.

Input: Low/unavailable then available events, duplicate IDs and stale versions.

Steps: Process sequence/recovery and inspect projection.

Expected output: Active alerts clear correctly; stale/replayed work does not resurrect cleared alerts; durable handling preserved.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-034 ? Notification read state is not source resolution

Related requirement: MD-13

Related test file: backend/test/notifications.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Open complaint/stock alerts and authenticated manager.

Input: List and PATCH read state for a valid notification.

Steps: Read/acknowledge and compare counts/source rows.

Expected output: Manager read state updates without resolving a complaint or modifying source stock; invalid IDs rejected.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-035 ? Export reports as CSV/PDF

Related requirement: MD-11

Related test file: backend/test/reports.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Authorized fixture report data, including empty datasets.

Input: GET /mad/reports/:type with supported format/filters.

Steps: Download and inspect attachment type/headers/content.

Expected output: CSV/PDF uses same reporting policy and filters; empty report remains valid; export content bounded.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-036 ? Reject dangerous/oversized export

Related requirement: MD-11; guide A03

Related test file: backend/test/reports.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Fixture with special-character/formula names and excessive cohort/range variants.

Input: Invalid filters/types or oversized output request.

Steps: Attempt export and inspect safe handling.

Expected output: Invalid/oversized input rejected without silent truncation; CSV special/formula values escaped/ neutralized.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-037 ? Task-limit requested versus effective state

Related requirement: WKMS policy handoff; NFR-12

Related test file: backend/test/task-limit.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: MAD policy rows and reference WKMS role/ack fixture.

Input: Valid limit/version; then exact fixture acknowledgement.

Steps: Save requested policy, read pending, acknowledge transactionally and reread.

Expected output: No fake effectiveness on save; matching owner acknowledgement changes effective version; default/bounds preserved.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-038 ? Reject invalid/stale task-limit settings

Related requirement: WKMS policy handoff; NFR-12

Related test file: backend/test/task-limit.e2e-spec.ts

Type / priority: Integration / P1

Preconditions: Current policy version, isolated MAD/WKMS runtime roles.

Input: Limit 0/11, stale version or unauthorized confirmation.

Steps: Attempt save/ack and inspect policy/history.

Expected output: Validation/conflict/permission rejection; no unauthorized acknowledgement or lost policy update.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-039 ? Mobile/keyboard navigation and logout control

Related requirement: SRS 12.1.3; NFR-12

Related test file: frontend/test/navigation.test.tsx

Type / priority: Component / P2

Preconditions: Dashboard layout and mocked auth/navigation.

Input: Open mobile menu; keyboard navigation/Escape; logout interaction.

Steps: Inspect destinations, focus behavior and logout state.

Expected output: Destinations remain reachable; accessible navigation and logout feedback preserved; full browser/device acceptance still pending.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

TC-MAD-M80-040 ? Dependency status reports degraded state

Related requirement: NFR-06, NFR-18

Related test file: backend/src/operations/operations.spec.ts

Type / priority: Unit / P2

Preconditions: Mock dependency health and telemetry.

Input: Unavailable consumer/database or audit dependency.

Steps: Read operations status and safe projection.

Expected output: Status distinguishes degraded/unavailable dependencies without fabricated healthy values or secret leakage.

Actual output: Not observed ? no current execution result supplied.

Status: Blocked ? current execution evidence pending.

Run / date / artifact: Not executed for this report; run URL/date/artifact not available.

5. Remaining work and final acceptance

Map every controller method/action and intentional rejection route to at least one executed integration case before claiming the guide endpoint gate. Add real-service provider/SendGrid tests, approved load/event-timing runs, current browser/device acceptance, security negative tests and manager/supervisor UAT as evidence becomes available. These belong to the unfinished integration/hardening/acceptance scope.

For execution, record tested commit/environment, date, exact source case, observed output, Pass/Fail/Blocked and defect/run links per case. Keep failures visible. Attach coverage separately; documentation-case counts are not code coverage measurements.

References

Guide sections 6.3.3, 6.4 and 10.1; SRS section 4.2; cited source test files; documents/testing/coverage-sprint8.md; documents/security/owasp-checklist.md; documents/testing/performance-report.md.