WKMS Performance Testing Report

Evidence updated 25 October 2026 | WKMS subsystem | PR #53 / DDP-79

Document status: NOT TESTED for load and latency

No controlled concurrency, HTTP p50/p95 response-time, throughput, error-rate or WebSocket delivery-latency measurements were supplied. Jest execution durations and successful CI are not performance measurements.

Functional observations (not load metrics)

Authenticated demo_worker WebSocket connection to local backend passed on October 25. An invalid JWT was also rejected. RabbitMQ consumers had previously been observed connected, and backend health/database readiness passed in an earlier developer report.

Recommended isolated staging scenarios

ID	Scenario	Metrics needed	Status
PERF-WKMS-01	Authenticated task queue reads	p50/p95 latency; throughput; errors	NOT TESTED
PERF-WKMS-02	Concurrent claims	Conflict handling; p95; lock wait	NOT TESTED
PERF-WKMS-03	Socket.IO fanout	p50/p95 event delivery; client count	NOT TESTED
PERF-WKMS-04	Reconnect after interruption	Recovery time; stale queue reconciliation	NOT TESTED
PERF-WKMS-05	Escalation batch/outbox	Batch duration; query load	NOT TESTED

Safety and interpretation

Use an isolated Neon TEST branch, disposable synthetic tasks, and a dedicated RabbitMQ broker. Do not load test shared production infrastructure. Record tested SHA, configuration, concurrency, warmup, error rates, percentiles and hardware before making NFR claims.