Title:

Certificate of Analysis (CoA)

Date: 2/13/2026
Date Tested: 2/12/2026
Customer: Forge Amino
Testing material: GLP3-R
Lot Number: FA-GLP3022601
BT Sample ID: 005000038846049
Labeled Peptide Content/Potency: 20 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, silver crimp, light pink plastic cap.
Labeled as: GLP3-R
Manufacturer: Forge Amino
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	White powder	White powder
Mass	USP <41>	As recorded	133.7 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of GLP3-R with addition of excipient(s)/fillers such as mannitol.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.7 %
HPLC Potency Assay	USP <621>	Specifications: 95 – 105% of 20 mg	17.5 mg (87.5 %)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-I
BTLabs

Verna Zheng, AS
Scientist-I
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: GLP3-R Lot FA-GLP3022601



HPLC Purity and Potency Assay @ 280 nm: GLP3-R Lot FA-GLP3022601



GLP3-R Lot FA-GLP3022601 @ 280 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	9.837	661.3

BTLabs	Report #: IF-824-QSA-TR008-2026-80-06
	Page 1 of 1

Title:

Certificate of Analysis (CoA)

Bacterial Endotoxins Test (ABI- TEST 0012)

Date: 02/16/2026
Date Tested: 02/13/2026
Customer: Forge Amino
Testing material: GLP3-R
Lot Number: FA-GLP3022601
BT Sample ID: 005000038846064
Labeled Peptide Content/Potency: 20 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, silver crimp, light pink plastic cap.
Labeled as: GLP3-R
Manufacturer: Forge Amino
Testing Purpose: (ABI-TEST 0012) test quantifies bacterial endotoxin levels to confirm that the product does not elicit pyrogenic reactions, maintaining patient safety and product integrity.

Test	Method	Specification	Result
Bacterial Endotoxins Test	USP <85>	40 EU/vial reconstituted	PASS

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Bacterial Endotoxins Test GLP3-R Lot FA-GLP3022601

Sample ID	Description	Volume (mL)	Endotoxin Limit (EU/vial)	Lysate Sensitivity (λ, EU/mL)	Result
005000038846064	GLP3-R	3	40 EU/vial	0.25	0.37 EU/vial

The sample passed a valid gel clot endotoxin test based on the type, mode of administration and dosage.

Andrea Castro. AS
Scientist-I
BTLabs

Verna Zheng. AS
Scientist-I
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com