Title:

Certificate of Analysis (CoA)

Date: 4/22/2026
Date Tested: 4/21/2026
Customer: Forge Amino
Testing material: Mots-C
Lot Number: FA-MOT032601
BT Sample ID: 005000039725299
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, silver crimp, orange plastic cap.
Labeled as: Mots-C
Manufacturer: Forge Amino
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	57.2 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Mots-C with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	15.3 mg (153.1 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	15.3 : 41.9 mg (1:2.7)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-II
BTLabs

Verna Zheng, AS
Scientist-II
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com

Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Mots-C Lot FA-MOT032601



HPLC Purity and Potency Assay @ 220 nm: Mots-C Lot FA-MOT032601



Mots-C Lot FA-MOT032601 @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	5.861	4758.6

Title:

Certificate of Analysis (CoA)

Bacterial Endotoxins Test (ABI- TEST 0012)

Date: 4/23/2026
Date Tested: 4/17/2026
Customer: Forge Amino
Testing material: Mots-C
Lot Number: FA-MOT032601
BT Sample ID: 005000039725326
Labeled Peptide Content/Potency: 10 mg
Storage: R.T.
Visual Description: small clear vial: white sample, white label, silver crimp, orange plastic cap.
Labeled as: Mots-C
Manufacturer: Forge Amino
Testing Purpose: (ABI-TEST 0012) test quantifies bacterial endotoxin levels to confirm that the product does not elicit pyrogenic reactions, maintaining patient safety and product integrity.

Test	Method	Specification	Result
Bacterial Endotoxins Test	USP <85>	40 EU/vial reconstituted	FAIL

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Bacterial Endotoxins Test Mots-C Lot FA-MOT032601

Sample ID	Description	Volume (mL)	Endotoxin Limit (EU/vial)	Lysate Sensitivity (λ, EU/mL)	Result
FA-MOT032601	Mots-C	3	40 EU/vial	0.25	47.4 EU/vial

Andrea Castro. AS
Scientist-II
BTLabs

Verna Zheng. AS
Scientist-II
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com