F FORGED BY FREEDOM

Custom Coaching Program

Lean Recomposition Protocol

Katt Barr

Program Start: March 24, 2026

Client Overview

CURRENT WEIGHT	GOAL	APPROACH
135 lbs	125–128 lbs	Lean Recomp

EXPERIENCE
Advanced

- **Sex:** Female
- **Training Experience:** Very experienced lifter — advanced programming appropriate
- **Compound Status:** Currently active on Retatrutide + Tesofensine
- **Peptide Experience:** Experienced with peptides and GLP-1 compounds

- **Goal:** Body composition optimization — lean recomp at 135 lbs, target 125–128 lbs or maintain weight while trading fat for muscle
- **Weigh-In Day:** Monday mornings (fasted, before eating)

🎯 Daily Targets

CALORIES	PROTEIN	CARBS
1,500	145g	120g
FATS	**DAILY STEPS**	**WATER**
50g	8,000	80+ oz

Lean Recomp Nutrition Strategy

At 135 lbs and already relatively lean, this is a moderate deficit (~250–300 below maintenance) designed to preserve every ounce of muscle while chipping away at remaining body fat. Protein is set at 1.07g/lb to maximize muscle protein synthesis during recomp. Carbs are timed around training for performance. With Retatrutide already in play, appetite regulation is handled — focus on hitting macros consistently rather than fighting hunger.

FBF Recomp Protocol

HIGHLY RECOMMENDED

Body Recomposition — The Optimal Path

At 135 lbs with advanced training experience, active Retatrutide, and a structured peptide stack, you are in an elite position for a true lean recomp. The goal is not just weight loss — it's a complete body composition transformation. Trade fat for muscle, improve every line and curve, and end up looking dramatically different at the same (or similar) scale weight.

How the Recomp Protocol Works

- **High Protein Anchor (145g/day):** Protein stays constant every single day. At 1.07g/lb, this drives muscle protein synthesis and keeps you full — non-negotiable.
- **Strategic Carb Placement:** 120g carbs timed around training (pre/post workout) to fuel performance and recovery while keeping the deficit working.
- **Moderate Caloric Deficit:** 1,500 calories keeps you in a mild deficit (~250–300 below maintenance) without tanking energy, hormones, or recovery.
- **Progressive Overload Training:** You know how to train. The stimulus for muscle growth comes from systematically increasing weight/reps — the programming reflects your experience level.
- **Reta + Teso Synergy:** Your current Retatrutide handles appetite regulation and metabolic optimization. Tesofensine adds thermogenesis and focus. Together, they make this recomp significantly more effective.
- **Peptide Support:** The comprehensive peptide stack below accelerates fat oxidation, supports recovery, enhances sleep quality, and adds skin/hair/anti-aging benefits.

Expected Timeline

Weeks 1–4: Body adapts, strength begins climbing, scale may fluctuate ± 2 lbs (this is normal — water shifts, especially with creatine). Weeks 5–12: Visible changes in the mirror, clothes fit differently, strength PRs regularly. Weeks 12–24: Dramatic body composition shift — potentially 7–10 lbs of fat lost with lean mass preserved or gained. You may land at 125–128 lbs looking completely different, or stay at 135 lbs with a radically improved body composition. The InBody scan tells the real story.

Training Program

4-DAY UPPER/LOWER

Progressive overload: when you hit the top of the rep range with good form on all sets, increase weight by the smallest increment available next session. Advanced techniques (drop sets, rest-pause, myo-reps) are included on isolation movements — you know how to execute these. Log every set in the app.

Day 1 — Upper Body Push

MONDAY

EXERCISE	SETS	REPS	REST
Dumbbell Incline Press 30° incline, full stretch at bottom, controlled eccentric	4	8–10	90s
Machine Chest Press 3 sec eccentric, last set → drop set (strip 30%, rep to failure)	3	10–12	75s
Dumbbell Shoulder Press (Seated) Neutral or pronated grip, full lockout	3	10–12	75s
Cable Lateral Raise Behind body, last set → myo-reps (5+3+3+3)	3	12–15	60s
Tricep Rope Pushdown Squeeze and spread at bottom, last set → rest-pause (fail, 15s, fail)	3	12–15	60s
Overhead Dumbbell Tricep Extension Deep stretch at bottom, controlled tempo	3	10–12	60s

Day 2 — Lower Body Quad & Glute Focus

TUESDAY

EXERCISE	SETS	REPS	REST
Leg Press Feet shoulder width, mid-platform, full depth — go heavy	4	10–12	2 min
Hack Squat or Pendulum Squat Heels elevated, deep stretch, 3 sec eccentric	3	10–12	90s
Hip Thrust (Machine or Smith) Pause 2 sec at top, full hip extension, squeeze glutes hard	4	10–12	90s
Walking Dumbbell Lunges	3	12/leg	75s

EXERCISE	SETS	REPS	REST
Long stride for glute emphasis, controlled descent			
Leg Extension Pause 1 sec at top, last set → drop set	3	12–15	60s
Seated Calf Raise 2 sec pause at stretch, 1 sec squeeze at top	4	12–15	60s

Day 3 — Upper Body Pull

THURSDAY

EXERCISE	SETS	REPS	REST
Lat Pulldown (Wide Grip) Full stretch at top, drive elbows down into lats	4	8–10	90s
Seated Cable Row (Close Grip) V-handle, squeeze 1 sec at contraction, 3 sec eccentric	3	10–12	75s
Dumbbell Row (Single Arm) Bench supported, full stretch at bottom, drive elbow back	3	10–12	75s
Machine Rear Delt Fly Light weight, squeeze and hold 1 sec, last set → myo-reps	3	15–20	45s
Dumbbell Bicep Curl Alternating, slight supination, full ROM	3	10–12	60s
Incline Dumbbell Hammer Curl 45° incline, deep stretch, last set → rest-pause	3	10–12	60s

Day 4 — Lower Body Posterior & Glute Focus

FRIDAY

EXERCISE	SETS	REPS	REST
Romanian Dumbbell Deadlift Dumbbells along sides, deep hinge, feel hamstrings stretch — go heavy	4	8–10	90s
Lying Leg Curl Squeeze at top, slow release, last set → drop set	3	10–12	75s

EXERCISE	SETS	REPS	REST
Hip Thrust (Machine or Smith) Pause 2 sec at top, full hip extension — heavier than Day 2	4	8–10	90s
Cable Kickback Ankle strap, squeeze glute at full extension, controlled eccentric	3	12–15/leg	60s
Bulgarian Split Squat (Dumbbells) Rear foot on bench, lean slight forward for glute bias	3	10/leg	75s
Standing Calf Raise (Machine) Full ROM, 2 sec pause at bottom stretch	4	10–12	60s

🚶 Cardio Protocol

- **Daily (weekdays):** 8,000 steps minimum (walk the dog, take calls walking, park far, treadmill desk)
- **Weekends:** 10,000–12,000 steps target — use the extra time to your advantage
- **Post-Workout (3x/week):** 15–20 min incline treadmill walk (10–12% incline, 3.0–3.5 mph)
- **Optional (weekends):** 30–45 min moderate activity — hike, bike, yoga, swim, Pilates
- **LISS over HIIT:** Low-intensity steady state protects recovery capacity during recomp. Save your energy for the weights.

Meal Plan

1,500 CAL · HIGH PROTEIN

All meals are designed for easy batch prep. Macro targets: 145g protein, 120g carbs, 50g fat. With Reta managing appetite, the focus is on hitting protein targets and keeping meals practical and enjoyable.

MEAL 1 — PRE-WORKOUT (6:00 AM)

Protein Oats + Egg Whites

1/3 cup dry oats cooked with water, stir in 1/2 scoop whey isolate and 1 tsp cinnamon. Side: 3/4 cup liquid egg whites scrambled with spinach.

290 cal **32g** protein **28g** carbs **5g** fat

MEAL 2 — POST-WORKOUT (9:00 AM)

Chicken & Rice Bowl

5 oz grilled chicken breast, diced, over 1/2 cup cooked jasmine rice. Top with 1 cup steamed broccoli, squeeze of lemon, and 1 tsp olive oil.

370 cal **38g** protein **30g** carbs **10g** fat

MEAL 3 — LUNCH (12:30 PM)

Turkey & Veggie Power Bowl

5 oz 99% lean ground turkey browned with bell peppers and onions over 2 cups mixed greens. Top with 1/4 avocado, cherry tomatoes, and 1 tbsp balsamic vinaigrette.

340 cal **35g** protein **18g** carbs **14g** fat

MEAL 4 — DINNER (6:00 PM)

Salmon with Roasted Vegetables

5 oz wild-caught salmon fillet, baked with lemon and garlic. Side: 1.5 cups roasted asparagus and zucchini tossed in 1 tsp olive oil. 1/3 cup roasted sweet potato.

360 cal **33g** protein **22g** carbs **15g** fat

MEAL 5 — EVENING SNACK (8:00 PM)

Casein Pudding

1 scoop casein protein mixed thick with minimal water, stir in 1/2 tbsp natural almond butter. Slow-digesting to fuel overnight recovery and muscle protein synthesis.

160 cal **26g** protein **5g** carbs **5g** fat

TOTAL CALORIES	TOTAL PROTEIN	TOTAL CARBS
1,520	164g	103g
~1,500 target		

TOTAL FATS
49g

Meal Prep Tips

- Sunday: batch-cook chicken breasts, ground turkey, and salmon. Roast all vegetables for the week.
- Pre-portion oats in jars with dry cinnamon — just add water in the morning.
- Wash and chop salad greens, store with paper towel in containers.
- Cook rice in bulk — portion 1/2 cup servings into containers.
- **Water:** Minimum 80 oz daily. Keep a water bottle visible at all times.

Swap Options (variety without re-counting macros)

- **Chicken** → 99% lean ground turkey, shrimp, or white fish (same oz)
- **Salmon** → Cod + 1 tsp olive oil, or tuna steak
- **Egg whites** → 1 scoop whey + 1 whole egg
- **Rice** → 1/3 cup quinoa or 1/2 cup sweet potato
- **Broccoli** → Zucchini, green beans, Brussels sprouts, asparagus
- **Turkey** → 93% lean ground chicken, bison, or lean steak (4 oz)
- **Almond butter** → Natural peanut butter (same amount)

Weekly Shopping List

MEAL PREP

Everything you need for one week of meal prep. Shop Sunday, prep Sunday afternoon.

ITEM	QTY (7 DAYS)	NOTES
PROTEIN		
Chicken Breast (boneless, skinless)	2.5 lbs	5oz/day × 7 = ~35oz. Buy ~2.5 lbs to account for shrinkage.

ITEM	QTY (7 DAYS)	NOTES
99% Lean Ground Turkey	2.25 lbs	5oz/day × 7 = 35oz. One family-size pack.
Wild-Caught Salmon Fillets	2.25 lbs	5oz/day × 7 = 35oz. Fresh or frozen — both work.
Liquid Egg Whites	2 cartons (32oz each)	3/4 cup/day × 7. Two standard cartons covers the week.
DAIRY & PROTEIN POWDER		
Whey Protein Isolate	1 tub (2 lb)	1/2 scoop/day in oats. Low-carb isolate. Lasts 4+ weeks at this rate.
Casein Protein	1 tub (2 lb)	1 scoop/day. Lasts 2+ weeks.
VEGETABLES & PRODUCE		
Broccoli (fresh crowns)	2–3 heads	1 cup/day for post-workout bowl. Buy crowns for easy chopping.
Asparagus	2 bunches	For dinner roast veggies.
Zucchini	3–4 medium	Pairs with asparagus for dinner roast.
Baby Spinach	1 large container (16oz)	For egg white scrambles. Pre-washed saves time.
Mixed Greens (salad)	2 large containers (10oz each)	2 cups/day for lunch bowls.
Bell Peppers (any color)	3–4 peppers	For turkey scramble. Dice and store in container.
Yellow Onions	2	For turkey scramble.
Cherry Tomatoes	1 pint	Halved for lunch bowls.
Avocados	2	1/4 per day. Buy firm, they'll ripen through the week.
Sweet Potatoes	2–3 medium	1/3 cup roasted per day. Cube and roast in batch.

ITEM	QTY (7 DAYS)	NOTES
Lemons	3–4	For salmon prep and chicken bowl.
Garlic (whole head)	2 heads	For salmon + roasted veggies. Mince in bulk.
PANTRY & GRAINS		
Old-Fashioned Oats	1 canister (18oz)	1/3 cup dry per day. One canister lasts 2+ weeks.
Jasmine Rice	1 bag (2 lb)	1/2 cup cooked per day. Lasts multiple weeks.
Olive Oil (extra virgin)	1 bottle	For cooking + roasting. Lasts multiple weeks.
Balsamic Vinaigrette	1 bottle	1 tbsp/day for lunch bowl. Low-sugar variety.
Cinnamon (ground)	1 jar	For oats. Lasts months.
NUTS & BUTTERS		
Almond Butter (natural)	1 jar (16oz)	1/2 tbsp/day in casein pudding. No added sugar. Lasts 4+ weeks.
BEVERAGES		
Coffee (ground or beans)	1 bag (12oz)	Optional morning coffee. Lasts 1–2 weeks.
Water	80oz/day target	Keep a water bottle visible. Refill throughout the day.
LMNT Electrolyte Mix	1 box (30 packets)	1 serving/day. Critical for hydration, especially during a deficit.
MEAL PREP SUPPLIES		
Glass Meal Prep Containers	14–20 containers	2–3 per day (lunch + dinner + extra). Glass reheats better than plastic.
Parchment Paper or Foil	1 roll	Line sheet pans for easy roasting cleanup.

Prep Day Game Plan (Sunday)

- **Step 1:** Season and bake all chicken breasts and salmon fillets (425°F, 20–25 min)

- **Step 2:** While protein bakes — cube sweet potatoes, chop broccoli, asparagus, and zucchini, toss with olive oil, roast on separate sheet pans (400°F, 25 min)
- **Step 3:** Brown all ground turkey with diced peppers and onions in a large skillet. Season with salt, pepper, garlic powder.
- **Step 4:** Cook rice in bulk. Portion oats into 7 jars with cinnamon.
- **Step 5:** Wash and chop salad greens, tomatoes — store with paper towel in containers.
- **Step 6:** Assemble containers — protein + veggies + carb source per meal. Label if helpful.
- **Total time:** ~75–90 minutes for a full week of meals.

Estimated Weekly Grocery Cost

- **Protein:** ~$45–60 (chicken, turkey, salmon, egg whites)
- **Produce:** ~$20–30 (vegetables, avocados, sweet potatoes, lemons, garlic)
- **Pantry/Grains:** ~$8–12 (oats, rice, oils — many last multiple weeks)
- **Nuts/Butters:** ~$5–8 (almond butter — lasts 4+ weeks)
- **Beverages:** ~$8–12 (coffee, electrolytes)
- **Weekly total:** ~$85–120 (first week slightly higher for pantry staples)

Supplement Protocol

Creatine Monohydrate

5g/day

Any time (with meal)

Safe for women — it will NOT make you bulky. Improves body composition, strength, hydration, and cognitive function. Most researched supplement in existence.

Whey Protein Isolate

1 scoop/day (25g protein)

Mixed into oats or post-workout

Clean protein source to hit daily targets. Low-carb isolate preferred.

Casein Protein

1 scoop/day (25g protein)

Before bed

Slow-release for overnight recovery and muscle protein synthesis. Mix thick as pudding.

Potassium

99–200mg 2x/day

With meals (AM + PM)

Electrolyte balance, muscle function, blood pressure support. Critical during a deficit.

LMNT Electrolytes

1 serving/day

Morning or intra-workout

Sodium, potassium, magnesium. Prevents cramping, fatigue, brain fog. Especially important with Reta.

Omega-3 Fish Oil

2–3g EPA/DHA daily

With meals (split dose)

Anti-inflammatory, heart health, joint support, skin quality, hormone support.

Magnesium Glycinate

400mg/day

Before bed

Sleep quality, recovery, stress reduction, hormone optimization. Most people are deficient.

Vitamin D3 + K2

5,000 IU D3 + 100mcg K2

Morning with fat-containing meal

Immune function, bone health, hormone optimization. K2 ensures calcium goes to bones, not arteries.

Zinc (Optional)

15–30mg/day

With dinner

Immune support, hormone optimization, skin health. Don't take on empty stomach.

Biotin (Optional)

5,000–10,000mcg/day

Any time

Hair, nail, and skin support — especially relevant during a cut when nutrient partitioning changes.

Iron — Check Labs First

18–27mg/day (if deficient)

With vitamin C, away from calcium

Women are frequently low in iron/ferritin due to menstruation. Get ferritin checked in baseline labs — only supplement if levels are below 50 ng/mL. Do not supplement blindly.

Peptide Protocol

FBF RECOMP STACK

Comprehensive Peptide Protocol

You have the experience to run a full peptide stack. This protocol covers fat loss, recovery, anti-aging, skin/hair quality, cognitive enhancement, immune modulation, and sexual wellness. All peptides are subcutaneous injection ONLY. Layer in gradually using the schedule below — do not start everything at once.

CJC-1295 / Ipamorelin

300mcg CJC / 300mcg Ipamorelin

SubQ injection — before bed (fasted 2+ hours)

GH-releasing peptide combo. Enhances deep sleep, accelerates fat loss, supports lean muscle, improves skin quality and collagen turnover. The cornerstone of the recomp stack.

BPC-157

250–500mcg/day

SubQ injection — AM or split AM/PM

Tissue repair, gut healing, joint recovery. Excellent for anyone training at high intensity. Supports GI health — synergistic with Reta.

Tesamorelin

2mg/day

SubQ injection — before bed (fasted)

FDA-approved GHRH analog. Specifically targets visceral fat reduction. Ideal for lean recomp — preserves lean mass while reducing stubborn fat compartments.

Thymosin Alpha-1

1.6mg 2x/week

SubQ injection — any time

Immune modulation, enhanced recovery capacity, supports immune function during the stress of dieting and hard training.

TB-500 (Thymosin Beta-4)

2.5–5mg 2x/week

SubQ injection — any time

Tissue repair, flexibility, anti-inflammatory. Complements BPC-157 — together they are the ultimate recovery stack for joints, tendons, and soft tissue.

GHK-Cu

1–2mg/day

SubQ injection — AM

Skin rejuvenation, collagen synthesis, wound healing, anti-aging. One of the most powerful skin-quality peptides available. Visible improvements in 4–6 weeks.

Epithalon

5–10mg/day for 10–20 day cycles

SubQ injection — AM or PM

MOTS-c

5–10mg 3x/week

SubQ injection — AM (before activity)

Telomere lengthening, anti-aging, sleep quality improvement. Run in cycles (10–20 days on, 4–6 months off). The premier longevity peptide.

Mitochondrial peptide, exercise mimetic, metabolic optimization, insulin sensitivity. Enhances the metabolic benefits of training and supports fat oxidation.

AOD-9604

300mcg/day

SubQ injection — AM (fasted)

Fat loss fragment of GH. Targets adipose tissue without GH side effects. Synergistic with CJC/Ipa and Tesamorelin for comprehensive fat mobilization.

Selank

250–500mcg/day

SubQ injection — AM

Anxiolytic, cognitive enhancement, immune modulation. Reduces stress and anxiety without sedation. Supports focus and mood during a deficit.

Semax

200–600mcg/day

SubQ injection — AM

Nootropic, cognitive enhancement, neuroprotection. Enhances BDNF, focus, and mental clarity. Pairs well with Selank for a comprehensive cognitive stack.

PT-141 (Bremelanotide)

1–2mg as needed

SubQ injection — 2–4 hours before desired effect

FDA-approved for female sexual dysfunction (Vyleesi). Supports libido and sexual wellness via melanocortin receptor activation. Clinical data supports efficacy in women. Use as needed, not daily.

Dihexa

10–20mg 3x/week

SubQ injection — AM

Cognitive enhancement, BDNF upregulation, synaptogenesis. Research peptide — limited human clinical data but potent preclinical results. Use with awareness of its research status.

NAD+ (Injectable)

50–100mg SubQ or IV

SubQ injection — AM, or IV infusion 1–2x/month

Cellular energy, DNA repair, anti-aging, mitochondrial function. The master coenzyme for cellular health. SubQ for daily use, IV for periodic deep loading.

Pentosan Polysulfate (PPS)

2–3mg/kg SubQ weekly

SubQ injection — once per week

Joint and cartilage repair, disc regeneration, anti-inflammatory. Excellent for long-term joint health in experienced lifters with years of accumulated training stress.

Peptide Layering Schedule

Do not start everything at once. Layer in gradually to assess tolerance and response:

- **Weeks 1–2:** CJC-1295/Ipamorelin + BPC-157 — Establish the foundation. Assess sleep improvement, recovery, and any injection site reactions.
- **Weeks 3–4:** Add Tesamorelin + TB-500 — Layer in the visceral fat targeting and enhanced tissue repair. Monitor for any GH-related water retention.
- **Weeks 5–6:** Add GHK-Cu + Epithalon cycle — The skin/anti-aging stack. Run Epithalon for 10–20 days, then cycle off.
- **Weeks 7–8:** Add MOTS-c + AOD-9604 — The metabolic optimization layer. You should be seeing significant body composition changes by now.
- **Ongoing:** Layer in Selank, Semax, PT-141, Dihexa, NAD+, and PPS as desired based on your goals and budget. These are enhancement peptides — not required for the core recomp but highly beneficial.

Important Peptide Notes

- ALL peptides are subcutaneous injection ONLY — no nasal spray delivery for any peptide
- Store all peptides refrigerated. Reconstitute with bacteriostatic water only.
- Rotate injection sites (abdomen, thigh, upper arm) to prevent lipodystrophy
- Use insulin syringes (29–31 gauge, 1/2 inch) for SubQ injections
- Log peptide compliance daily in the FBF app check-in
- If you experience any unusual side effects, notify your coach and reduce dose or discontinue the most recently added peptide

Active Compounds

CURRENTLY ON

Retatrutide + Tesofensine — Active Protocol

You are already active on both compounds. This section covers maintenance protocols, what to monitor, and when to consider adjustments. No "discuss with your doctor" caveats — you know what you're doing.

Retatrutide (Reta)

Triple-hormone receptor agonist (GIP/GLP-1/Glucagon). You are currently active on Reta — this is your primary metabolic compound.

- **Maintenance Protocol:** If you've completed titration and are at a stable maintenance dose, continue at that dose. Reta's effects compound over time — consistency is more important than dose escalation.
- **Appetite Management:** At 1,500 cal with Reta, appetite should be well-controlled. If you're struggling to eat enough protein, prioritize protein shakes and casein pudding to hit 145g.
- **Dose Adjustment Triggers:** Consider dose adjustment if: (1) appetite suppression is too strong and you can't hit protein targets, (2) GI side effects persist beyond the first 2–3 weeks of a dose increase, (3) weight loss stalls for 3+ weeks despite adherence.
- **GI Management:** Eat slowly, chew thoroughly, avoid high-fat meals in a single sitting. Ginger tea and peppermint can help with nausea if it occurs.
- **Metabolic Benefits You Should Be Seeing:** Reduced appetite, improved insulin sensitivity, visceral fat reduction, better lipid profile, stabilized blood sugar, reduced systemic inflammation.
- **Titration Reference (if needed):** Standard titration is 1mg → 2mg → 4mg → 8mg → 12mg, with each dose held for 4 weeks minimum before escalation. Most women stabilize at 4–8mg maintenance.

Tesofensine (Teso)

Triple monoamine reuptake inhibitor (serotonin, norepinephrine, dopamine). You are currently active on Tesofensine.

- **Benefits You Should Be Seeing:** Enhanced thermogenesis (you may notice you run warmer), improved mood and focus, reduced appetite, increased energy expenditure at rest.
- **Monitoring — Heart Rate & Blood Pressure:** Tesofensine can increase resting HR by 5–10 bpm and modestly raise BP. Check resting HR and BP weekly. If resting HR consistently exceeds 90 bpm or BP exceeds 140/90, consider dose reduction.
- **Sleep Considerations:** Due to norepinephrine/dopamine activity, take Tesofensine in the morning only. If sleep quality declines, this is the first compound to evaluate timing on.
- **Synergy with Reta:** Reta handles appetite and metabolic signaling. Tesofensine adds thermogenesis and mood/focus support. Together, they are one of the most effective recomp compound stacks available.
- **Standard Dosing:** 0.25–0.5mg/day for women. Stay at the lowest effective dose — more is not better with Teso.
- **Cycling Consideration:** Some practitioners recommend cycling Teso (8–12 weeks on, 4 weeks off) to prevent receptor desensitization. Discuss with your coach based on your response.

🔬 Female Hormone Optimization IMPORTANT

Recommended Hormone Panel

As an experienced female lifter on active compounds and peptides, monitoring your hormonal landscape is critical. Request these labs at baseline and every 12 weeks:

- **Estradiol (E2):** Key estrogen marker. Affects body composition, mood, bone density, skin quality, and libido. Optimal range depends on cycle phase — track accordingly.
- **Progesterone:** Balances estrogen, affects sleep quality, anxiety, and body composition. Low progesterone is extremely common and often overlooked.
- **DHEA-S:** Precursor to both estrogen and testosterone. Affects energy, libido, muscle building capacity, and skin quality. Supplemental DHEA (10–25mg/day) may be appropriate if levels are low.

- **Thyroid Panel (TSH, Free T3, Free T4):** Thyroid drives metabolic rate. Caloric deficit and hard training can suppress thyroid output. Free T3 is the active hormone — if it drops below optimal, recomp stalls regardless of adherence.
- **Ferritin & Iron:** Women frequently have low ferritin (< 50 ng/mL) due to menstruation. Low ferritin causes fatigue, poor recovery, hair loss, and cold intolerance — often misdiagnosed as thyroid issues. Critical to check.
- **B12:** Energy, neurological function, red blood cell production. Deficiency is common and causes fatigue that mimics other issues.
- **Total Testosterone & Free Testosterone:** Even in women, testosterone matters for muscle building, energy, libido, and mood. Low levels can impair recomp results.
- **SHBG:** Sex hormone binding globulin — affects how much free testosterone and estradiol are available. High SHBG can bind up your hormones and reduce their effectiveness.
- **Cortisol (AM):** Stress hormone. Chronically elevated cortisol impairs fat loss, disrupts sleep, and causes water retention. One of the most overlooked barriers to body composition change.

Menstrual Cycle Considerations

- **Follicular Phase (Days 1–14):** Estrogen rises, insulin sensitivity is better, energy is higher. Best phase for pushing training intensity and hitting PRs. Carb tolerance is higher.
- **Luteal Phase (Days 15–28):** Progesterone rises, body temp increases, water retention is common, cravings may increase. Scale weight may be 2–5 lbs higher — this is water, not fat. Training may feel harder. This is normal.
- **Note on Reta:** GLP-1 compounds can affect menstrual regularity, especially during titration. Track your cycle and note any changes — report to your coach.
- **Training Periodization:** Push intensity in the follicular phase. In the luteal phase, if energy dips, maintain weights but reduce volume slightly. Do not panic about the scale during luteal phase.
- **Temperature Tracking:** Your daily temperature check will naturally be 0.3–0.5°F higher during the luteal phase due to progesterone. This is normal and expected — factor it into the reference table below.

Baseline Assessments

ACTION REQUIRED

Before we begin, we need two baseline data points to track your progress accurately and make informed adjustments throughout your program. Both should be completed within your first week.

1. Blood Lab Panel

UPLOAD TO APP

Obtain a current or recent comprehensive blood panel (within the last 60 days). If you don't have one, request the following from your physician:

- **Metabolic Panel:** Fasting glucose, fasting insulin, HbA1c
- **Lipid Panel:** Total cholesterol, LDL, HDL, triglycerides, VLDL
- **Liver Panel:** ALT, AST, GGT, alkaline phosphatase, bilirubin
- **Kidney Function:** BUN, creatinine, eGFR, uric acid
- **Thyroid:** TSH, Free T3, Free T4
- **Female Hormones:** Estradiol, progesterone, DHEA-S, total testosterone, free testosterone, SHBG
- **Inflammation:** hs-CRP, ESR, homocysteine
- **CBC:** Complete blood count with differential
- **Vitamins/Minerals:** Vitamin D (25-OH), B12, ferritin, iron, folate
- **Cortisol:** AM cortisol (drawn before 9 AM)

Why This Matters

Your blood work gives us a complete picture of your metabolic and hormonal health before we start. We'll re-test at 12 weeks and 24 weeks to measure improvements in hormones, lipids, liver enzymes, inflammation markers, and micronutrient status. Combined with your body composition changes, these objective markers tell the full story. Upload your results directly in the FBF app under your profile, or send a photo/PDF to your coach via chat.

2. InBody Composition Scan

FREE AT YOUR GYM

Most gyms have an InBody scanner available to members at no charge. Complete your baseline scan within the first week.

- **What it measures:** Body fat %, lean muscle mass (per limb), visceral fat level, total body water, basal metabolic rate
- **When to scan:** Morning, fasted (same conditions as your weigh-in). Before your Monday workout is ideal.
- **How often:** Baseline (Week 1), then every 4 weeks. The InBody tracks skeletal muscle vs. fat changes — this is how we measure recomp, not just the scale.
- **What to expect:** Takes ~60 seconds. Stand on the machine, grip the handles, hold still. Ask the front desk to print your results sheet.
- **Upload:** Take a photo of your InBody results sheet and upload it to the FBF app with your first check-in, or send it via chat.

Why InBody Over Scale Weight

During a lean recomp at 135 lbs, the scale can be extremely misleading — especially for women with hormonal water fluctuations. You might lose 5 lbs of fat and gain 3 lbs of muscle — the scale only shows a 2 lb change, but your body looks completely different. The InBody scan separates fat from muscle so we can verify the protocol is working. This is the gold standard for tracking recomp.

📱 Daily Check-In

Log Your Daily Check-In

Consistency is everything. Your daily check-in takes less than 2 minutes and gives your coach the data needed to keep your program dialed in. Tap the link below to open your check-in directly in the FBF app.

Open Daily Check-In

fbf://checkin

Scan to Check In

What to Log Every Day

- **Temperature:** Waking oral body temperature — immediately upon waking, before getting out of bed (see Temperature Check section below)
- **Body:** Morning weight (scale), how you look/feel, any progress photos
- **Nutrition:** Meals eaten, calorie/macro adherence, water intake
- **Activity:** Workout completed (exercises, weights, reps), step count
- **Sleep:** Hours slept, quality rating (1–10), any disruptions
- **Supplements:** Which supplements/peptides were taken (compliance tracking)
- **Notes:** Energy level, mood, hunger, soreness, menstrual cycle day, any Reta/Teso side effects

Weekly Check-In (Monday AM)

- **Weigh in** first thing Monday morning — after bathroom, before food/water
- **Progress photos** every 2 weeks (front, side, back) — same lighting, same time
- **Rate your week** 1–10 in the notes section — energy, mood, hunger, soreness
- **Cycle tracking:** Note menstrual cycle day and any hormonal symptoms
- **InBody scan** every 4 weeks (fasted, Monday morning before workout)

Communication

Message your coach anytime through the FBF app chat. Response time is typically same-day. Your coach can adjust macros, training, supplement timing, and peptide dosing based on your check-in data.

Daily Temperature Check

METABOLIC TRACKING

Why We Track Your Morning Temperature

Your waking body temperature is one of the most underused and powerful biomarkers in coaching. It gives us a direct, daily window into your metabolic rate, thyroid function, recovery status, and overall hormonal health — all without a blood draw. This single data point, tracked consistently, can reveal problems weeks before they show up on lab work or the scale.

How to Take Your Temperature

- **When:** Immediately upon waking, before getting out of bed, before drinking water, before any activity
- **How:** Use a digital oral thermometer. Place under your tongue for the full reading cycle (usually 30–60 seconds). Do not talk or breathe through your mouth.
- **Where to log:** Record it in your daily check-in in the FBF app under the body/notes section
- **Keep your thermometer on your nightstand** — if you forget and get up first, the reading is no longer valid for that day
- **Consistency is key:** Same thermometer, same method, every single morning. The trend over days and weeks is what matters, not any single reading.
- **Cycle Note:** Your temperature will naturally be 0.3–0.5°F higher during the luteal phase (post-ovulation). This is progesterone-driven and completely normal. Factor this into your trend analysis.

What Your Temperature Tells Us

Metabolic Rate & Thyroid Function

Your basal body temperature is a direct reflection of your metabolic rate. Thyroid hormones (T3 and T4) are the primary regulators. They control how every cell in your body converts nutrients into heat and energy.

- **Healthy range: 97.8°F – 98.6°F** upon waking indicates a well-functioning metabolism and adequate thyroid output

- **Consistently below 97.6°F** is a red flag for metabolic downregulation — your body is slowing its engine. This is the earliest warning sign that calories may be too low or thyroid function is suppressed.
- **Female-specific:** Women are at higher risk for thyroid dysfunction. Low waking temp combined with fatigue, cold hands/feet, hair loss, and irregular cycles warrants immediate thyroid labs.
- If we see a sustained drop, we can increase calories (refeed), adjust carb timing, or flag it for labs — all before you hit a plateau.

Adaptive Thermogenesis & Diet Response

When you diet, your body can fight back through adaptive thermogenesis — literally turning down the thermostat to burn fewer calories. This is the #1 reason diets stall.

- **A gradual temperature decline (0.3–0.5°F over 2–3 weeks)** while in a deficit tells us your metabolism is adapting. Some adaptation is normal, but too much requires intervention.
- **What we do about it:** Strategic refeed days (temporary calorie increase, especially carbs) to reset leptin signaling and bump thermogenesis back up.
- **Tesofensine interaction:** Teso increases thermogenesis — your waking temperature may actually be slightly higher than baseline. If it drops despite being on Teso, that's a stronger signal that metabolic suppression is occurring.
- **Reta interaction:** Reta can affect thermoregulation. Tracking temperature helps us distinguish between normal compound effects and genuine metabolic suppression.

Recovery, Stress & Overtraining

Your temperature reflects your autonomic nervous system balance — the interplay between your sympathetic and parasympathetic systems.

- **A sudden temperature drop (0.5°F+ from your baseline)** after a hard training week can indicate overreaching
- **A spike above your normal range** can indicate acute stress, inflammation, infection onset, or an immune response
- **Pattern recognition:** Over 4–6 weeks, we'll know your personal baseline. Then deviations become incredibly informative.

- **Cortisol connection:** Chronically elevated cortisol suppresses thyroid conversion (T4→T3) and lowers waking temperature. If we see this pattern, we address stress and recovery first.

Hormonal Health & Peptide Response

Temperature is a downstream marker of your entire hormonal cascade.

- **Tracking response to peptides:** When you add CJC/Ipamorelin and Tesamorelin, we expect improved sleep, better recovery, and a stable or slightly elevated waking temperature over 4–6 weeks.
- **Menstrual cycle tracking:** Your temperature naturally shifts across your cycle. Combining daily temp with cycle day tracking gives us a powerful hormonal health dataset.
- **Progesterone marker:** A clear temperature shift at ovulation (~0.3–0.5°F rise) confirms healthy ovulation. If this shift disappears, it may indicate anovulatory cycles worth investigating.
- **Sleep quality feedback loop:** CJC/Ipamorelin enhances deep sleep → better hormone output → higher waking temperature. If temperature isn't trending up after starting peptides, we investigate sleep quality first.

What to Expect

TEMPERATURE	WHAT IT MEANS	ACTION
98.0–98.6°F	Optimal. Metabolism humming, thyroid healthy, well-recovered.	Stay the course. Protocol is working.
97.6–97.9°F	Acceptable low-normal. Common during a caloric deficit. Monitor trend.	Watch for downward trend over 7–10 days. May schedule a refeed.
Below 97.5°F	Metabolic suppression likely. Thyroid, recovery, or caloric intake issue.	Notify coach immediately. Likely need calorie increase, deload, or thyroid labs.

TEMPERATURE	WHAT IT MEANS	ACTION
Above 99.0°F	Possible infection, acute inflammation, or luteal phase peak.	Check cycle day first. If not luteal, monitor. If sustained 2+ days, check with physician.

The Bottom Line

Most coaching programs only look at the scale and the mirror. We go deeper. Your daily temperature — combined with weight, training logs, sleep data, cycle tracking, and periodic InBody scans — gives us a complete metabolic picture. It takes 10 seconds each morning and gives your coach data that no other single metric can provide.

Coach Recommendations

Recovery & Sleep Optimization

- **Sleep Target: 7–9 hours/night.** Sleep is when GH peaks, muscle repairs, and fat oxidation accelerates. CJC/Ipamorelin will enhance deep sleep — protect your sleep window.
- **Blue light cutoff 60 min before bed.** Screen time suppresses melatonin. Use night mode on devices or blue-light blocking glasses.
- **Magnesium glycinate 400mg before bed** for sleep quality and recovery (already in your supplement stack).
- **Cool bedroom: 65–68°F.** Cold environment enhances deep sleep and GH release.
- **Consistent sleep/wake times** — even on weekends. Your circadian rhythm drives hormone production.

Skin, Hair & Anti-Aging Benefits

- **GHK-Cu:** You'll notice visible skin quality improvements within 4–6 weeks — tighter, more hydrated skin with improved collagen density.
- **Epithalon:** Telomere lengthening is the frontier of anti-aging. Run in 10–20 day cycles and you're investing in cellular longevity.

- **NAD+ (injectable):** Cellular energy and DNA repair. Many women report improved skin radiance, energy, and mental clarity.
- **Biotin + Omega-3 + Collagen Peptides:** Supplement stack supports hair, skin, and nails from the nutritional side. The peptides handle it from the cellular side.
- **Hydration:** 80+ oz water daily is non-negotiable for skin quality. Dehydrated skin looks older regardless of what else you do.

Stress Management

- **Cortisol is the recomp killer.** Chronic stress elevates cortisol, which increases water retention, impairs fat loss, and disrupts sleep. Address it proactively.
- **10 min daily mindfulness or breathwork.** Box breathing (4-4-4-4), meditation apps, or simple deep breathing before bed.
- **Selank** in your peptide stack provides anxiolytic support without sedation. It blunts the cortisol response to daily stressors.
- **Training IS stress management.** Your 4 training days provide a physical outlet. On rest days, walk, stretch, or do yoga to maintain the outlet.

Weekly Schedule

DAY	TRAINING	CARDIO	NOTES
Monday	Upper Push	15–20 min incline walk post-workout	Weigh-in (fasted AM)
Tuesday	Lower Quad & Glute	15–20 min incline walk post-workout	—
Wednesday	OFF	Steps only (8K)	Active recovery, stretching, yoga
Thursday	Upper Pull	15–20 min incline walk post-workout	—

DAY	TRAINING	CARDIO	NOTES
Friday	Lower Posterior & Glute	Steps only	—
Saturday	OFF	10K–12K steps + optional activity	Meal prep day
Sunday	OFF	10K–12K steps	Meal prep, rest, recover

FORGED BY FREEDOM

BUILD THE BODY. FREE THE MIND.

This program is designed for Katt Barr as a personalized coaching plan. It is not medical advice. All supplement, peptide, and compound recommendations should be reviewed with a licensed healthcare provider. Coordinate any protocol changes with your physician.

© 2026 Forged by Freedom Coaching. All rights reserved. I forgedbyfreedom@proton.me