F FORGED BY FREEDOM

Custom Coaching Program

Advanced Lean Gain Recomposition Protocol

Wendy Antonelli

Program Start: March 25, 2026

Client Overview

HEIGHT	CURRENT WEIGHT	BODY FAT
5'6"	120 lbs	12%
GOAL WEIGHT	**GOAL BF%**	**EXPERIENCE**
125 lbs	11%	25+ years

- **DOB:** November 22, 1975 (Age 50)
- **Location:** Reno, NV
- **Role:** FBF Co-Owner
- **Training Window:** Early morning (5:30 AM), 75-minute sessions

- **Facility:** Full commercial gym
- **Background:** Competitive bodybuilding, 25+ years training
- **Current Lifts:** Squat 185, Bench 115, Deadlift 225, OHP 75
- **Emergency Contact:** Bryan Antonelli — 775-555-0100
- **Physician:** Dr. Smith, Reno NV
- **Diet Approach:** 5 meals/day, every 3 hours, macro tracking, Sunday meal prep
- **Weigh-In Day:** Monday mornings (fasted, before eating)

🎯 Daily Targets

CALORIES	PROTEIN	CARBS
1,700	150g	140g
FATS	**DAILY STEPS**	**WATER**
55g	12,000	128 oz

Lean Gain Nutrition Strategy

At 120 lbs and 12% body fat, you are already exceptionally lean. This is a slight caloric surplus (~100-150 above maintenance) designed to fuel lean tissue accrual without adding body fat. Protein is set high at 1.25g/lb to maximize muscle protein synthesis. Carbs are strategically placed around training to fuel performance and recovery. The surplus is intentionally conservative — at your level of leanness and experience, even small surpluses drive muscle growth when combined with progressive overload and your current compound/peptide stack.

FBF Recomp Protocol

LEAN GAIN FOCUS

Advanced Lean Gain Recomposition

At 12% body fat with 25+ years of training, you are in elite condition. The goal is not fat loss — it is strategic lean tissue accrual while maintaining or slightly improving body composition. Your compound and peptide stack, combined with progressive overload training and precise nutrition timing, creates the ideal environment for lean muscle gain without fat accumulation.

How the Lean Gain Recomp Works at Your Level

- **High Protein Anchor (150g/day):** Protein stays constant every day. At 1.25g/lb, this maximizes muscle protein synthesis while supporting recovery from intense advanced training techniques.
- **Strategic Carb Timing:** The majority of your 140g carbs are placed pre- and post-workout (meals 1 and 2) to fuel performance and shuttle nutrients into muscle tissue during the anabolic window.
- **Conservative Surplus:** 1,700 calories keeps you in a slight surplus. At your body fat level, your body is incredibly efficient — large surpluses would add fat. Small, precise surpluses paired with your training stimulus drive lean gain.
- **Progressive Overload + Advanced Techniques:** Drop sets, rest-pause, myo-reps, and giant sets create the mechanical tension and metabolic stress needed to force adaptation in a highly trained athlete.
- **Compound Synergy:** Your TRT (40mg/week), GH (1 IU/day), and Retatrutide (2.5mg/week) create a hormonal environment that partitions nutrients toward muscle and away from fat storage.
- **Peptide Support:** Your comprehensive peptide stack accelerates recovery, enhances sleep quality, supports tissue repair, and optimizes body composition — all critical at the advanced level.

Expected Timeline

Weeks 1-4: Neuromuscular adaptation to new training intensifiers. Strength will increase as your body adapts to advanced techniques. Weight may fluctuate 1-2 lbs as glycogen stores normalize to the slight surplus. Weeks 5-12: Visible improvements in muscle fullness and density. Expect 0.5-1 lb of lean mass

per month — at your level, this is exceptional progress. Weeks 12-24: Target of 125 lbs at 11% BF achieved. This represents ~5 lbs of lean tissue gain with slight fat reduction — a dramatic visual transformation at your level of conditioning.

Training Program

5-DAY ADVANCED SPLIT

Advanced progressive overload: when you hit the top of the rep range with good form on all working sets, increase weight by the smallest increment available. Advanced techniques (drop sets, rest-pause, myo-reps, giant sets, pre-exhaust) are programmed to push beyond mechanical failure where indicated. Log every set in the app. Dumbbells and machines are prioritized for pressing movements.

Day 1 — Push (Chest/Triceps)

MONDAY

EXERCISE	SETS	REPS	REST
Machine Chest Press (Pre-Exhaust) 2 warm-up sets, then working sets. Slow eccentric (3s down). Pre-exhaust before incline work.	3	12-15	60s
Dumbbell Incline Press 30-45° incline, full stretch at bottom, squeeze at top. Last set: drop set (reduce weight 30%, rep to failure).	4	8-10	90s
Cable Fly (Low-to-High) Upper chest focus. Squeeze and hold 1 sec at peak contraction. Last set: myo-reps (hit failure, rest 5 breaths, 3-5 reps x 3 mini-sets).	3	12-15	60s
Dumbbell Flat Fly Deep stretch at bottom, slight bend in elbows. Control the negative.	3	10-12	60s
Tricep Rope Pushdown Spread the rope at bottom, squeeze hard. Last set: rest-pause (hit failure, rest 10s, rep to failure x 2).	3	12-15	60s
Overhead Dumbbell Tricep Extension Deep stretch at bottom. Controlled tempo. Last set: drop set.	3	10-12	60s
Tricep Dip Machine Lean slightly forward. Full lockout at bottom. Burnout finisher.	2	15-20	45s

Day 2 — Pull (Back/Biceps)

TUESDAY

EXERCISE	SETS	REPS	REST
Lat Pulldown (Wide Grip)	4	8-10	90s

EXERCISE	SETS	REPS	REST
Full stretch at top, drive elbows down and back. Squeeze 1s at bottom. Last set: drop set.			
Seated Cable Row (Close Grip V-Handle) Full stretch forward, drive elbows past torso. Squeeze 1s. Last set: rest-pause.	3	10-12	75s
Dumbbell Row (Single Arm) Bench supported. Full stretch at bottom, squeeze at top. Controlled eccentric.	3	10-12	75s
Machine Rear Delt Fly Light weight, squeeze and hold 2s. Last set: myo-reps.	3	15-20	45s
Straight-Arm Pulldown (Rope) Lat isolation. Full stretch overhead, squeeze at hips. Slow tempo.	3	12-15	60s
Dumbbell Bicep Curl (Alternating) Slight supination at top. Controlled negative. Last set: drop set.	3	10-12	60s
Incline Dumbbell Hammer Curl 45° incline bench. Deep stretch at bottom. Long head emphasis.	3	10-12	60s

Day 3 — Legs (Quad Focus + Glutes)

WEDNESDAY

EXERCISE	SETS	REPS	REST
Leg Extension (Pre-Exhaust) Pause 1s at top, slow eccentric (3s). Pre-exhaust quads before compound work.	3	15-20	60s
Hack Squat or Pendulum Squat Heels elevated, narrow stance. Full depth. Last set: drop set (reduce 30%, rep to failure).	4	8-10	2 min
Leg Press Feet mid-platform, shoulder width. Full depth. Last set: rest-pause.	3	10-12	90s
Bulgarian Split Squat (Dumbbells) Rear foot on bench. Quad-dominant stance (upright torso). Glute engagement at bottom.	3	10/leg	75s
Hip Thrust (Machine or Smith) Pause 2s at top, full hip extension. Squeeze glutes hard. Last set: myo-reps.	4	10-12	75s
Seated Calf Raise 2s pause at stretch, 1s squeeze at top. Full ROM.	4	12-15	60s

Day 4 — Shoulders & Arms

THURSDAY

EXERCISE	SETS	REPS	REST
Dumbbell Shoulder Press (Seated) Neutral or standard grip. Controlled tempo. Last set: drop set.	4	8-10	90s
Cable Lateral Raise Behind body, controlled tempo. Pause at top. Last set: myo-reps.	4	12-15	60s
Machine Reverse Fly / Rear Delt Fly Squeeze and hold 2s. Light weight, high reps. Superset with front raise.	3	15-20	45s
Dumbbell Front Raise (Alternating) Slight thumbs-up grip. Superset with rear delt fly above.	3	12-15	45s

EXERCISE	SETS	REPS	REST
GIANT SET: Biceps EZ Bar Curl → Hammer Curl → Cable Curl. No rest between exercises. Rest 90s between giant sets.	3	10-12 each	90s
GIANT SET: Triceps Rope Pushdown → Overhead Extension → Close-Grip Dip Machine. No rest between exercises. Rest 90s between giant sets.	3	10-12 each	90s

Day 5 — Legs (Glute/Ham Focus)

FRIDAY

EXERCISE	SETS	REPS	REST
Hip Thrust (Machine or Smith) Primary glute builder. Pause 2s at top, full hip extension. Progressive overload priority. Last set: rest-pause.	4	8-10	90s
Romanian Dumbbell Deadlift Dumbbells along sides. Deep hamstring stretch at bottom. Hinge from hips. Last set: drop set.	4	8-10	90s
Lying Leg Curl Squeeze at top (1s hold), slow release. Last set: myo-reps.	3	10-12	75s
Cable Kickback (Glute) Ankle strap. Full extension, squeeze glute hard at top. Lean slightly forward. High mind-muscle connection.	3	12-15/leg	60s
Bulgarian Split Squat (Dumbbells) — Glute Bias Wider stance, slight forward lean. Glute-dominant setup. Deep stretch at bottom.	3	10/leg	75s
Adductor Machine Inner thigh focus. Squeeze and hold 1s. Controlled eccentric.	3	15-20	45s
Standing Calf Raise (Machine) Full ROM, 2s pause at bottom stretch. Heavy progressive overload.	4	10-12	60s

Advanced Training Notes

- **Drop Sets:** On the last set of indicated exercises, reduce weight by ~30% immediately after failure and rep to failure again. One drop per set.
- **Rest-Pause:** Hit failure, rack the weight, rest 10-15 seconds, then rep to failure again. Repeat once more (3 total mini-sets within one set).
- **Myo-Reps:** Hit failure on the activation set, rest 5 deep breaths (10-15s), then do 3-5 reps. Repeat 3-4 times. Stop when you can no longer hit 3 reps.
- **Giant Sets:** Perform all exercises back-to-back with no rest between. Rest only after completing the full giant set circuit.
- **Pre-Exhaust:** Isolation movement before compound to pre-fatigue the target muscle, ensuring it fails before synergists.
- **Deload Week:** Every 4th week, reduce volume by 40% and intensity by 20%. Maintain frequency. This is mandatory for recovery at your training intensity.

Cardio Protocol

Cardio Schedule

- **Daily:** 12,000 steps minimum — 45-minute walk (morning or evening), plus accumulated steps throughout the day
- **Stairmaster (3x/week — Tue, Thu, Sat):** 20 minutes moderate intensity (level 6-8). Post-workout on training days, standalone on Saturday.
- **Incline Treadmill Walk (Post-Workout, Mon/Wed/Fri):** 15 minutes, 10-12% incline, 3.0-3.5 mph. Low-impact LISS to support recovery and step count.
- **Weekend Option:** Hiking, cycling, or other moderate activity (30-45 min) can replace stairmaster on Saturday.

Cardio Strategy for Lean Gain

Cardio volume is moderate — enough to support cardiovascular health, maintain insulin sensitivity, and keep body fat in check during the surplus, but not so much that it interferes with recovery or muscle growth. Your 12,000 daily steps are the foundation. The stairmaster and incline walks provide structured cardiovascular conditioning without excessive caloric expenditure. If weight gain exceeds target pace (more than 0.5 lb/week), we increase cardio before reducing calories.

Meal Plan

5 MEALS · LEAN GAIN

5 meals every 3 hours starting at 5:00 AM, timed around early morning training. Carbs are front-loaded around training for performance and recovery. All meals are designed for Sunday batch prep. Preferred foods prioritized. No organ meats. No cottage cheese.

MEAL 1 — PRE-WORKOUT (5:00 AM)

Oatmeal Power Bowl + Espresso

1/2 cup dry oats cooked with water, topped with 1/2 scoop whey isolate stirred in, 1/2 cup mixed berries (blueberries/strawberries), and 1 tbsp almond butter. Side: 1 espresso (black).

340 cal **22g** protein **40g** carbs **10g** fat

MEAL 2 — POST-WORKOUT (8:00 AM)

Egg White & Turkey Scramble with Sweet Potato

1 cup liquid egg whites scrambled with 3 oz 99% lean ground turkey, spinach, bell peppers, and a pinch of seasoning. Side: 4 oz roasted sweet potato.

350 cal **40g** protein **30g** carbs **6g** fat

MEAL 3 — LUNCH (11:00 AM)

Grilled Chicken Rice Bowl

5 oz grilled chicken breast over 1/2 cup cooked jasmine rice. Top with 1/4 avocado, cucumber, cherry tomatoes, and a squeeze of lemon. Side: 1 cup steamed broccoli.

410 cal **38g** protein **35g** carbs **13g** fat

MEAL 4 — AFTERNOON (2:00 PM)

Turkey & Greens with Avocado

5 oz roasted turkey breast sliced over 2 cups mixed greens. Top with 1/4 avocado, roasted asparagus, and 1 tbsp olive oil vinaigrette.

330 cal **35g** protein **10g** carbs **16g** fat

MEAL 5 — DINNER (5:00 PM)

Salmon with Roasted Vegetables & Rice

5 oz wild-caught salmon fillet baked with lemon and garlic. Side: 1 cup roasted green vegetables (broccoli, zucchini, green beans). 1/3 cup cooked jasmine rice.

370 cal **35g** protein **25g** carbs **13g** fat

TOTAL CALORIES	TOTAL PROTEIN	TOTAL CARBS
1,800	**170**g	**140**g
~1,700 target + buffer		

TOTAL FATS
58g

Meal Prep Tips (Sunday)

- Batch-cook chicken breasts, turkey breast, and salmon for the week. Season simply — lemon, garlic, salt, pepper, paprika.
- Roast sweet potatoes, broccoli, asparagus, zucchini, and green beans on sheet pans (400°F, 25 min).
- Cook jasmine rice in bulk — portion into containers for the week.
- Pre-portion oats in jars with frozen berries — just add hot water in the morning.
- Wash and prep salad greens, cucumbers, tomatoes — store with paper towel in containers.
- Pre-scramble and portion egg white/turkey mix into 7 containers — reheat in 2 minutes.
- **Water:** 1 gallon (128 oz) daily. Keep a gallon jug visible at all times.

Swap Options (variety without re-counting macros)

- **Chicken** → 99% lean ground turkey, shrimp, or white fish (same oz)
- **Salmon** → Cod + 1 tsp olive oil, or tuna steak
- **Egg whites** → 1 scoop whey + 2 whole eggs
- **Sweet potato** → 1/3 cup jasmine rice or 1/2 cup butternut squash
- **Jasmine rice** → Sweet potato (4 oz) or 1/2 cup cooked quinoa
- **Oats** → Cream of rice (same volume) or rice cakes (3) with almond butter
- **Broccoli** → Zucchini, green beans, Brussels sprouts, asparagus
- **Berries** → Any berry variety, or 1/2 banana

Weekly Shopping List

MEAL PREP

Everything you need for one week of meal prep. Shop Sunday, prep Sunday afternoon. Quantities are for Wendy only.

ITEM	QTY (7 DAYS)	NOTES
PROTEIN		
Chicken Breast (boneless, skinless)	2.5 lbs	5oz/day x 7 = ~35oz. Buy ~2.5 lbs to account for shrinkage.
99% Lean Ground Turkey	1.5 lbs	3oz/day for scramble. One pack.
Turkey Breast (whole or deli-sliced, no nitrates)	2.5 lbs	5oz/day for meal 4. Roast a whole breast or buy clean deli slices.
Wild-Caught Salmon Fillets	2.25 lbs	5oz/day x 7 = ~35oz. Fresh or frozen.
Liquid Egg Whites	2 cartons (32oz each)	1 cup/day x 7. Two standard cartons covers the week.
DAIRY & PROTEIN POWDER		
Whey Protein Isolate	1 tub (2 lb)	1/2 scoop/day in oats. Lasts 4+ weeks at this rate.
Collagen Peptides Powder	1 tub	15g/day in morning coffee or water. Lasts 2+ weeks.
VEGETABLES & PRODUCE		
Broccoli (fresh crowns)	3-4 heads	Part of roasted veggie rotation. Buy crowns for easy chopping.
Asparagus	2 bunches	For meal 4 and dinner rotation.
Zucchini	3-4	Roasted veggie rotation with broccoli and green beans.
Green Beans	1 lb bag	Part of dinner veggie rotation.
Baby Spinach	1 large container (16oz)	For egg white scrambles. Pre-washed saves time.
Mixed Greens (salad)	2 large containers (10oz each)	2 cups/day for meal 4 bowls.
Bell Peppers (any color)	3-4 peppers	For egg white scramble. Dice and store.

ITEM	QTY (7 DAYS)	NOTES
Cucumber	2-3	For lunch bowls.
Cherry Tomatoes	1 pint	Halved for lunch bowls.
Avocados	3-4	1/4 per meal x 2 meals = 1/2 per day. Buy firm, ripen through week.
Sweet Potatoes	3-4 medium	4oz/day. Cube and roast in batch.
Mixed Berries (blueberries, strawberries)	2 pints fresh or 2 bags frozen	1/2 cup/day for oats. Frozen works great — thaw overnight.
Lemons	4-5	For salmon, chicken, and salad dressing.
Garlic (whole head)	2 heads	For salmon + roasted veggies. Mince in bulk.
PANTRY & GRAINS		
Old-Fashioned Oats	1 canister (18oz)	1/2 cup dry per day. One canister lasts 2+ weeks.
Jasmine Rice	2 lb bag	~5/6 cup cooked per day. One bag lasts 2+ weeks.
Olive Oil (extra virgin)	1 bottle	For dressing + roasting. Lasts multiple weeks.
Olive Oil Vinaigrette	1 bottle	1 tbsp/day for salads. Low-sugar variety.
NUTS & BUTTERS		
Almond Butter (natural)	1 jar (16oz)	1 tbsp/day in oats. No added sugar. Lasts 2+ weeks.
BEVERAGES		
Espresso / Coffee Beans	1 bag (12oz)	1 espresso daily pre-training. Lasts 2+ weeks.
Water (gallon jugs or filter)	128oz/day target	1 gallon daily. Keep visible and track intake.

ITEM	QTY (7 DAYS)	NOTES
Sugar-Free Electrolyte Mix	1 tub or 7 packets	1 serving/day. LMNT or similar. Supports hydration and training.
MEAL PREP SUPPLIES		
Glass Meal Prep Containers	14-20 containers	3 per day (meals 2-4 prepped). Glass reheats better than plastic.
Parchment Paper or Foil	1 roll	Line sheet pans for easy roasting cleanup.

Prep Day Game Plan (Sunday)

- **Step 1:** Season and bake all chicken breasts, turkey breast, and salmon fillets (425°F, 20-25 min)
- **Step 2:** While protein bakes — cube sweet potatoes, chop broccoli/asparagus/zucchini/green beans, toss with olive oil, roast on sheet pans (400°F, 25 min)
- **Step 3:** Cook jasmine rice in bulk (rice cooker or pot). Let cool and portion.
- **Step 4:** Brown ground turkey with diced peppers and spinach for egg white scramble mix. Season with salt, pepper, garlic powder.
- **Step 5:** Portion oats into 7 jars with frozen berries on top. Just add hot water in the morning.
- **Step 6:** Wash and chop salad greens, cucumber, tomatoes — store with paper towel in containers.
- **Step 7:** Assemble containers — protein + veggies + carb source per meal. Label if helpful.
- **Total time:** ~75-90 minutes for a full week of meals.

Estimated Weekly Grocery Cost

- **Protein:** ~$50-65 (chicken, turkey, salmon, egg whites)
- **Produce:** ~$25-35 (vegetables, avocados, sweet potatoes, berries, lemons)
- **Pantry/Grains:** ~$8-12 (oats, rice, oils — many last multiple weeks)
- **Nuts/Butters:** ~$6-8 (almond butter — lasts 2+ weeks)
- **Beverages:** ~$8-12 (coffee, electrolytes)
- **Weekly total:** ~$95-130 (first week slightly higher for pantry staples)

Supplement Protocol

$200/MONTH BUDGET

Creatine Monohydrate

5g/day

Any time (with meal)

Most researched supplement. Strength, hydration, cognitive benefits. Critical for lean muscle gain at your level.

Omega-3 Fish Oil

3g EPA/DHA daily

With meals (split dose AM/PM)

Anti-inflammatory, joint support, heart health, hormone optimization. Essential at 50+.

Vitamin D3

5,000 IU daily

Morning with fat-containing meal

Immune function, bone density (critical at 50), hormone support, mood. Reno has good sun but supplementation ensures optimal levels year-round.

Magnesium Glycinate

400mg/day

Before bed

Sleep quality, muscle recovery, stress management, bone health. Glycinate form for superior absorption and calming effect.

Zinc

30mg/day

With dinner

Immune support, hormone optimization, skin health. Take with food to avoid nausea. Do not take with calcium.

B-Complex

1 capsule/day

Morning with breakfast

Energy metabolism, nervous system support, methylation. Quality matters — methylated forms (methylfolate, methylcobalamin) preferred.

Collagen Peptides

15g/day

Morning (in coffee or water)

Skin elasticity, joint health, hair/nail strength, gut lining support. Synergistic with your GHK-Cu peptide for anti-aging benefits.

Ashwagandha KSM-66

600mg/day

Morning or evening (consistent timing)

Adaptogen for stress/cortisol management, recovery, thyroid support, sleep quality. KSM-66 is the most studied extract with the best evidence.

CoQ10 (Ubiquinol)

200mg/day

With fat-containing meal

Mitochondrial energy production, heart health, anti-aging. Ubiquinol form is the active, bioavailable version. Critical at 50+.

Whey Protein Isolate

1/2-1 scoop as needed

In oats or as-needed to hit protein target

Flexible protein tool. Used in oats pre-workout. Add additional scoop if protein target is falling short from whole foods.

Peptide Protocol

FBF ADVANCED STACK

Comprehensive Peptide Protocol — Active & Recommended

This is a full-spectrum peptide stack covering recovery, anti-aging, cognitive enhancement, immune modulation, body composition, and longevity. Peptides marked "Currently Active" are part of your existing protocol with optimization notes. New recommendations are marked for discussion and layered introduction. ALL peptides are administered via subcutaneous (SubQ) injection only.

GHK-Cu

CURRENTLY ACTIVE

2mg SubQ daily

SubQ injection — morning

Skin remodeling, collagen synthesis, hair growth, wound healing, anti-aging powerhouse. Synergistic with your collagen peptides supplement. At 50, this is one of the most valuable peptides in your stack for skin elasticity, tissue repair, and overall anti-aging. Continue current protocol.

Semax

CURRENTLY ACTIVE

200mcg SubQ daily

SubQ injection — morning (pre-training or with AM routine)

Cognitive enhancement, focus, neuroprotection, BDNF upregulation. Excellent for mental clarity during early morning training. SubQ injection provides reliable, consistent bioavailability. Continue current protocol — optimize by timing 15-20 min before training for peak cognitive effect.

Selank

CURRENTLY ACTIVE

200mcg SubQ daily

SubQ injection — evening or as needed for anxiolytic effect

Anxiolytic, immune modulation, mood stabilization, GABA enhancement. Complements Semax beautifully — Semax for AM focus, Selank for PM calm. SubQ injection ensures consistent dosing and reliable absorption. Can stack AM dose with Semax if preferred. Continue current protocol.

NAD+

CURRENTLY ACTIVE

100mg SubQ 3x/week

SubQ injection — Mon/Wed/Fri, morning

Cellular energy, DNA repair, mitochondrial function, sirtuin activation. The cornerstone of your longevity stack. At 50, NAD+ levels have declined significantly — supplementation restores cellular repair mechanisms. Continue current protocol. Monitor energy levels and recovery as biomarkers of efficacy.

MOTS-c

CURRENTLY ACTIVE

10mg SubQ weekly

SubQ injection — Sunday (prep day)

Mitochondrial-derived peptide. Metabolic optimization, insulin sensitivity, exercise capacity, fat oxidation. Works synergistically with your training and

CJC-1295 / Ipamorelin

200mcg CJC / 200mcg Ipamorelin

SubQ injection — before bed (fasted 2+ hours)

Growth hormone releasing combo. Enhances deep sleep, accelerates recovery, supports lean muscle growth. Complements your 1 IU GH — CJC/Ipam

Retatrutide for body composition. Continue current protocol — optimal at weekly dosing.

amplifies natural GH pulsatility while exogenous GH provides baseline elevation. Recommended addition.

BPC-157

250mcg SubQ 2x/day (AM/PM)

SubQ injection — morning and evening

Tissue repair, gut healing, joint recovery, tendon/ligament support. At 25+ years of training, your connective tissue benefits enormously from BPC-157. Supports gut health alongside your GH and Reta protocols. Strongly recommended.

Tesamorelin

1mg SubQ daily

SubQ injection — before bed (fasted)

FDA-approved GHRH analog. Targets visceral fat specifically while preserving lean mass. At your low body fat, Tesamorelin helps maintain elite conditioning by preventing visceral fat accumulation. Also supports liver health and lipid profiles.

Thymosin Alpha-1 (TA-1)

1.6mg SubQ 2x/week

SubQ injection — Monday and Thursday

Immune system modulator. Enhances T-cell function, immune surveillance, and recovery capacity. At 50, immune function naturally declines — TA-1 supports robust immune health year-round. Recommended addition after first 4 weeks.

PT-141 (Bremelanotide)

1mg SubQ as needed (max 2x/week)

SubQ injection — 45-60 min before desired effect

Melanocortin receptor agonist. Supports sexual health, desire, and arousal in women. FDA-approved for female hypoactive sexual desire. Use as-needed, not daily. May cause mild nausea — start with 0.5mg to assess tolerance.

TB-500 (Thymosin Beta-4)

2.5mg SubQ 2x/week (loading), then 2.5mg weekly

SubQ injection — any time

Tissue repair, wound healing, anti-inflammatory, cardiac protection. Synergistic with BPC-157 for comprehensive tissue recovery. Load for 4 weeks (2x/week), then maintain weekly. Supports joint health at 25+ years of training.

Epithalon

5mg SubQ daily (10-20 day cycles, 2-3x/year)

SubQ injection — evening

Telomerase activator. Lengthens telomeres, supports cellular longevity, regulates circadian rhythm, enhances melatonin production. The premier anti-aging peptide. Run in cycles: 10-20 days on, then off for 4-6 months. Pairs beautifully with your NAD+ protocol.

AOD-9604

300mcg SubQ daily

SubQ injection — morning (fasted)

Modified GH fragment targeting fat metabolism. Stimulates lipolysis without affecting blood sugar or growth. Helps maintain ultra-lean conditioning. Complements Retatrutide for body comp optimization without the anabolic side effects of full GH.

Dihexa

10mg SubQ 3x/week

SubQ injection — morning on non-consecutive days

Potent nootropic peptide. Enhances synaptogenesis, memory formation, and cognitive function. 10 million times more potent than BDNF for nerve growth. Pairs with Semax for comprehensive cognitive optimization. Use in cycles: 4 weeks on, 4 weeks off.

PPS (Pentapeptide-18 / Pentosan Polysulfate)

2mg SubQ 2x/week

SubQ injection — any time

Joint protection, cartilage repair, anti-inflammatory. GAG (glycosaminoglycan) that supports joint health and mobility. At 25+ years of heavy training, joint preservation is critical. Complements BPC-157 and TB-500 for comprehensive joint/tissue stack.

Peptide Layering Schedule (New Additions)

- **Weeks 1-2:** Continue all current peptides (GHK-Cu, Semax, Selank, NAD+, MOTS-c). Add CJC-1295/Ipamorelin at bedtime.
- **Weeks 3-4:** Add BPC-157 (AM/PM). Add TB-500 (loading phase 2x/week).
- **Weeks 5-6:** Add TA-1 (2x/week). Add Tesamorelin at bedtime.
- **Weeks 7-8:** Add AOD-9604 (AM fasted). Consider Epithalon cycle (10-20 days).
- **Weeks 9+:** Add Dihexa cycle if cognitive enhancement is desired. PT-141 and PPS as-needed.
- **Important:** All peptides are SubQ injection only. Store refrigerated. Reconstitute with bacteriostatic water. Rotate injection sites (abdomen, thigh, upper arm). Use insulin syringes (29-31 gauge).

Active Compound Protocol

CURRENTLY ON

Active Hormone & Compound Protocol

These are your currently active compounds. All protocols should be monitored by your physician (Dr. Smith, Reno NV) with regular bloodwork. Dosages have been optimized for a 50-year-old female with competitive bodybuilding background seeking lean muscle gain while maintaining health markers.

Testosterone Cypionate (TRT)

40mg/week — SubQ or IM injection

Split dose: 20mg 2x/week (Mon/Thu) for stable blood levels

Female TRT maintenance dose. Supports lean muscle retention, bone density, mood, libido, and metabolic function. At 50, natural testosterone production has declined significantly — replacement restores optimal physiological levels. Monitor free testosterone, total testosterone, SHBG, and estradiol every 8-12 weeks. Watch for signs of androgenization (voice changes, acne, excess hair growth) — adjust dose downward if needed. Current dose is conservative and well-tolerated for most women.

Growth Hormone (GH)

1 IU daily — SubQ injection

Before bed or early morning (fasted). Consistent timing daily.

Low-dose GH for anti-aging, recovery, body composition, skin quality, and sleep improvement. 1 IU is a conservative, health-focused dose — enough to elevate IGF-1 into the upper-normal range without diabetogenic effects. Synergistic with your CJC/Ipamorelin stack for enhanced GH pulsatility. Monitor IGF-1, fasting glucose, and HbA1c every 12 weeks. Complementary to your Retatrutide for metabolic optimization.

Retatrutide (Reta)

2.5mg/week — SubQ injection

Once weekly — same day each week (e.g., Sunday)

Triple-receptor agonist (GIP/GLP-1/Glucagon). At 2.5mg/week, this is a maintenance dose for body composition optimization — not aggressive weight loss. The glucagon receptor activation specifically targets visceral fat while the GLP-1 component improves insulin sensitivity and appetite regulation. At 12% body fat, Reta helps maintain elite conditioning and supports metabolic health. Monitor for GI side effects (nausea, decreased appetite) — if appetite suppression threatens your caloric surplus, consider reducing to 2mg/week. Pair with regular lipid panels and liver enzyme monitoring.

Compound Monitoring Schedule

- **Every 8-12 weeks:** Comprehensive blood panel including hormones (see Baseline Assessments section)
- **TRT markers:** Total testosterone (target: 50-100 ng/dL for women), free testosterone, SHBG, estradiol, CBC (hematocrit/hemoglobin), lipid panel
- **GH markers:** IGF-1 (target: upper-normal range for age), fasting glucose, HbA1c, insulin
- **Reta markers:** Liver enzymes (ALT, AST), lipid panel, fasting glucose, body weight/composition trends
- **Report any side effects immediately:** Voice changes, acne, hair thinning, joint pain, numbness/tingling, persistent nausea, mood changes
- All compound dosing decisions should involve Dr. Smith. This protocol is a coaching recommendation — your physician has final authority on dosing adjustments.

Female Hormone Optimization

AGE 50 — PERIMENOPAUSE/MENOPAUSE

Hormonal Health at 50

At age 50, you are likely in the peri- or post-menopausal transition. This is a critical period for hormone optimization, bone density preservation, cardiovascular protection, and body composition management. Your current TRT and GH protocols provide a strong foundation. The following section outlines additional considerations specific to female hormonal health at this stage of life.

Hormone Panel — What to Monitor

- **Estradiol (E2):** Primary female estrogen. Declines significantly during menopause. Impacts bone density, cardiovascular health, skin quality, mood, and cognitive function. Target range depends on HRT status — discuss with Dr. Smith.
- **Progesterone:** Declines before estrogen during perimenopause. Critical for sleep quality, mood stability, and uterine health. If you are not on HRT, discuss progesterone supplementation with your physician.
- **DHEA-S:** Adrenal androgen precursor. Declines with age. Supports energy, mood, immune function, and is a precursor to both testosterone and estrogen. Supplementation (25-50mg/day) may be appropriate — check levels first.
- **Thyroid Panel (TSH, Free T3, Free T4):** Thyroid disorders are significantly more common in women post-menopause. Your ashwagandha and Selank support thyroid function, but regular monitoring is essential. Low T3 can mimic symptoms of menopause and stall fat loss/muscle gain.
- **Testosterone (Total & Free):** You are on TRT — monitor every 8-12 weeks. Target: physiological female range (50-100 ng/dL total) for optimal body composition and wellbeing without virilization.
- **SHBG (Sex Hormone Binding Globulin):** Binds testosterone and estrogen. Higher SHBG = less free (active) hormone. TRT can lower SHBG — if it drops too low, free testosterone may spike. Monitor alongside total testosterone.
- **Follicle-Stimulating Hormone (FSH):** Elevated FSH (>30 IU/L) confirms menopausal transition. Useful for establishing where you are in the menopause timeline.

- **Prolactin:** Baseline check. Elevated prolactin can interfere with menstrual function, libido, and mood. Should be normal — rule out pituitary issues.

Menopause Considerations

- **Bone Density:** Estrogen decline accelerates bone loss. Your weight training, Vitamin D3, magnesium, and TRT all support bone health. Request a DEXA scan (bone density) if not done in the last 2 years. Your training load provides excellent mechanical stimulus for bone remodeling.
- **Cardiovascular Risk:** Post-menopausal women lose the cardiovascular protection of estrogen. Your fish oil, CoQ10, regular cardio, and metabolic optimization via Reta all mitigate this risk. Monitor lipid panel and hs-CRP closely.
- **Sleep Disruptions:** You report occasional sleep disruptions — this is very common during the menopausal transition. Your magnesium glycinate, CJC/Ipamorelin (enhances deep sleep), and Selank (calming) all address this. If hot flashes or night sweats are an issue, discuss estrogen/progesterone HRT with Dr. Smith.
- **Cognitive Function:** Estrogen is neuroprotective. Your Semax, NAD+, and Dihexa peptides provide robust cognitive support during this transition period. If you notice brain fog or memory changes, prioritize sleep and discuss HRT with your physician.
- **Mood & Anxiety:** Hormonal fluctuations during perimenopause can affect mood. Your Selank (anxiolytic), ashwagandha (adaptogen), and regular exercise are excellent first-line interventions. Your low-moderate stress level is a significant advantage.
- **Skin & Hair:** Estrogen decline impacts skin elasticity and hair thickness. Your GHK-Cu peptide, collagen peptides, and GH all directly counteract these effects. This is one of the most comprehensive anti-aging stacks available.

Anti-Aging Benefits of Your Current Stack

- **GHK-Cu:** Skin remodeling, collagen synthesis, scar remodeling, hair follicle stimulation
- **Collagen Peptides (15g/day):** Skin hydration, elasticity, joint lubrication, nail/hair strength
- **GH (1 IU/day):** Skin thickness, body composition, energy, sleep quality
- **NAD+ (100mg 3x/week):** Cellular repair, DNA maintenance, sirtuin activation, mitochondrial function
- **Epithalon (cyclical):** Telomere lengthening, circadian rhythm regulation, melatonin production
- **CoQ10 (200mg/day):** Mitochondrial energy, antioxidant protection, cardiac health
- **Ashwagandha:** Cortisol management (cortisol accelerates aging), thyroid support
- Combined, this stack addresses aging at every level: cellular (NAD+, Epithalon), tissue (GHK-Cu, collagen, BPC-157), hormonal (TRT, GH), and systemic (CoQ10, fish oil, Reta).

Baseline Assessments

ACTION REQUIRED

Complete both baseline assessments within your first week to establish reference points for tracking progress and optimizing your protocol.

1. Blood Lab Panel

UPLOAD TO APP

Request the following comprehensive panel from Dr. Smith. This covers metabolic, hormonal (including female-specific markers), and longevity biomarkers.

- **Metabolic Panel:** Fasting glucose, fasting insulin, HbA1c, comprehensive metabolic panel (CMP)
- **Lipid Panel:** Total cholesterol, LDL, HDL, triglycerides, VLDL, ApoB, Lp(a)
- **Liver Panel:** ALT, AST, GGT, alkaline phosphatase, bilirubin
- **Kidney Function:** BUN, creatinine, eGFR, uric acid
- **Thyroid:** TSH, Free T3, Free T4, thyroid antibodies (TPO, TgAb)
- **Female Hormones:** Estradiol (E2), progesterone, FSH, LH, prolactin, DHEA-S
- **Androgens:** Total testosterone, free testosterone, SHBG
- **Growth Markers:** IGF-1
- **Inflammation:** hs-CRP, ESR, homocysteine
- **CBC:** Complete blood count with differential (monitor hematocrit on TRT)
- **Vitamins:** Vitamin D (25-OH), B12, ferritin, iron, magnesium (RBC)
- **Bone Health:** Calcium, phosphorus, vitamin D, PTH (parathyroid hormone)

Why This Matters

Your blood work provides the complete picture of your metabolic, hormonal, and longevity health. With your compound and peptide stack, regular monitoring ensures safety and efficacy. We will re-test at 12 weeks and 24 weeks to track improvements and make protocol adjustments. Upload results to the FBF app or send via chat.

2. InBody Composition Scan

FREE AT YOUR GYM

Complete your baseline InBody scan at your gym within the first week.

- **What it measures:** Body fat %, lean muscle mass (per limb), visceral fat level, total body water, basal metabolic rate
- **When to scan:** Morning, fasted (same conditions as your weigh-in). Before your Monday workout is ideal.
- **How often:** Baseline (Week 1), then every 4 weeks. This is how we track lean gain — at 12% BF, the scale alone is meaningless.
- **Upload:** Photo of your InBody results to the FBF app with your first check-in.

Why InBody Over Scale Weight

At 12% body fat targeting 125 lbs at 11%, the scale tells almost nothing. You need to gain ~5 lbs of lean mass while losing a small amount of fat. The InBody scan separates these — verifying muscle is going up and fat is staying flat or decreasing. This is the gold standard for tracking lean gain progress at your level.

3. DEXA Bone Density Scan

RECOMMENDED

If you have not had a DEXA scan in the last 2 years, request one from Dr. Smith. At age 50 during the menopausal transition, establishing a bone density baseline is important.

- Measures bone mineral density at hip and spine — the two most clinically relevant sites
- Your training, TRT, Vitamin D, and magnesium all support bone health — DEXA confirms this objectively
- Re-scan annually to track trends

📱 Daily Check-In

Log Your Daily Check-In

Consistency is everything. Your daily check-in takes less than 2 minutes and gives your coach the data needed to keep your program dialed in. Tap the link below to open your check-in directly in the FBF app.

Open Daily Check-In

fbf://checkin

Scan to Check In

What to Log Every Day

- **Temperature:** Waking oral body temperature — immediately upon waking, before getting out of bed (see Temperature Check section below)
- **Body:** Morning weight (scale), how you look/feel, any progress photos
- **Nutrition:** Meals eaten, calorie/macro adherence, water intake
- **Activity:** Workout completed (exercises, weights, reps), step count
- **Sleep:** Hours slept, quality rating (1-10), any disruptions (hot flashes, night sweats)
- **Supplements:** Which supplements/peptides were taken (compliance tracking)
- **Recovery:** Foam rolling, sauna, cold plunge completed
- **Notes:** Energy level, mood, hunger, soreness, any menopause-related symptoms

Weekly Check-In (Monday AM)

- **Weigh in** first thing Monday morning — after bathroom, before food/water
- **Progress photos** every 2 weeks (front, side, back) — same lighting, same time
- **Rate your week** 1-10 in the notes section — energy, mood, recovery, soreness
- **InBody scan** every 4 weeks (fasted, Monday morning before workout)

Communication

Message your coach anytime through the FBF app chat. Response time is typically same-day. This program is designed to complement your medical care with Dr. Smith — coordinate all compound and peptide dosing changes through your physician.

Daily Temperature Check

METABOLIC TRACKING

Why We Track Your Morning Temperature

Your waking body temperature is one of the most underused and powerful biomarkers in coaching. It gives us a direct, daily window into your metabolic rate, thyroid function, recovery status, and overall hormonal health — all without a blood draw. This is especially important during the menopausal transition when hormone fluctuations can impact every system.

How to Take Your Temperature

- **When:** Immediately upon waking, before getting out of bed, before drinking water, before any activity
- **How:** Use a digital oral thermometer. Place under your tongue for the full reading cycle (usually 30-60 seconds). Do not talk or breathe through your mouth.
- **Where to log:** Record it in your daily check-in in the FBF app under the body/notes section
- **Keep your thermometer on your nightstand** — if you forget and get up first, the reading is no longer valid for that day
- **Consistency is key:** Same thermometer, same method, every single morning. The trend over days and weeks is what matters, not any single reading.

What Your Temperature Tells Us

Metabolic Rate & Thyroid Function

Your basal body temperature reflects your metabolic rate — how much energy your body produces at rest. Thyroid hormones (T3/T4) regulate this process. During menopause, thyroid issues become more common.

- **Healthy range: 97.8°F - 98.6°F** upon waking indicates a well-functioning metabolism and adequate thyroid output
- **Consistently below 97.6°F** is a red flag for metabolic downregulation — your body is slowing its engine. At 50, this could indicate thyroid suppression (common in menopause) or over-training.

- **Why this matters for you:** Your ashwagandha and training support thyroid function, but the menopausal transition can affect thyroid output. Temperature tracking catches declines weeks before lab work would.

Recovery, Stress & Overtraining

With 5 days of intense advanced training techniques plus daily cardio, monitoring recovery is critical.

- **A sudden temperature drop (0.5°F+ from baseline)** after a hard training week indicates overreaching — your nervous system is fatigued
- **A spike above normal range** can indicate acute stress, inflammation, infection, or immune response
- **Pattern recognition:** Over 4-6 weeks, we establish your personal baseline. Deviations tell us when you need a deload week, more sleep, or protocol adjustment
- **Cortisol connection:** Chronically elevated cortisol suppresses thyroid conversion (T4 to T3) and lowers waking temperature. Your ashwagandha, infrared sauna, and cold plunge all help manage cortisol.

Hormonal Health & Peptide Response

Temperature is a downstream marker of your entire hormonal cascade — thyroid, testosterone, growth hormone, estrogen, and more.

- **Menopausal fluctuations:** Hot flashes cause temperature spikes; estrogen decline can lower baseline temperature. Tracking helps us distinguish between menopause effects and genuine metabolic issues.
- **Peptide response:** CJC/Ipamorelin should improve sleep and recovery — expect a stable or slightly elevated waking temp over 4-6 weeks. If temperature doesn't respond, peptide dose or timing may need adjustment.
- **TRT/GH response:** Optimized testosterone and GH typically correspond with a higher, more stable waking temperature. This confirms your compounds are working.

What to Expect

TEMPERATURE	WHAT IT MEANS	ACTION
98.0-98.6°F	Optimal. Metabolism humming, thyroid healthy, well-recovered.	Stay the course. Protocol is working.
97.6-97.9°F	Acceptable low-normal. Monitor trend over 7-10 days.	Watch for downward trend. May schedule calorie bump or deload.
Below 97.5°F	Metabolic suppression likely. Thyroid, recovery, or hormonal issue.	Notify coach immediately. Likely need deload, calorie increase, or thyroid labs.
Above 99.0°F	Possible infection, acute inflammation, or hot flash residual.	Monitor. If sustained 2+ days, check with Dr. Smith.

The Bottom Line

Your daily temperature reading — combined with your weight, training logs, sleep data, and periodic InBody scans — gives us a complete metabolic picture. At 50, with a comprehensive compound and peptide stack, this 10-second morning habit is one of the most valuable tools for detecting issues early and keeping your protocol optimized. Over time, this data becomes incredibly powerful for fine-tuning every aspect of your program.

Coach Recommendations

LONGEVITY · ANTI-AGING · COGNITIVE

Longevity & Anti-Aging Focus

- **Infrared Sauna (3x/week):** Continue current protocol. Heat shock proteins support cardiovascular health, detoxification, and skin quality. 20-30 min at 130-150°F. Pairs with your NAD+ and Epithalon for cellular longevity.
- **Cold Plunge (Daily):** Continue current protocol. 2-4 minutes at 50-59°F. Enhances norepinephrine, reduces inflammation, supports mitochondrial biogenesis. Do NOT cold plunge within 4 hours of training if your goal is hypertrophy — cold can blunt the anabolic signaling. Morning or evening on non-training days is ideal.
- **Sleep Optimization:** Target 7.5-8 hours. Your CJC/Ipamorelin, magnesium glycinate, and Selank all enhance sleep quality. Consider a consistent sleep/wake schedule (even weekends). Blue light blocking glasses 2 hours before bed. Keep bedroom at 65-68°F.
- **Stress Management:** Your low-moderate stress level is a significant advantage. Continue foam rolling, stretching, sauna, and cold plunge as recovery modalities. Your ashwagandha and Selank provide pharmacological stress support. Consider 10 minutes of meditation or breathwork on rest days.

Cognitive Optimization

- **Morning Stack:** Semax (200mcg SubQ) + espresso 15-20 min before training. This combination provides focused intensity for early morning sessions.
- **Evening Stack:** Selank (200mcg SubQ) for PM wind-down. Supports GABA, reduces anxiety, enhances sleep onset.
- **NAD+ Protocol:** Your 100mg SubQ 3x/week directly supports mitochondrial function in the brain. NAD+ decline is one of the primary drivers of age-related cognitive decline.
- **Dihexa (When Added):** Cycle 4 weeks on/4 weeks off. Potent nootropic that enhances synaptogenesis. Pair with Semax for comprehensive cognitive support during the menopausal transition.
- **Nutritional Support:** Your fish oil (3g/day), B-complex, and high-protein diet all provide the building blocks for neurotransmitter production and brain health.

Recovery Protocol

- **Foam Rolling:** 10-15 minutes daily. Focus on quads, IT band, glutes, upper back, and lats. Pre-workout on training days, evening on rest days.
- **Dynamic Stretching:** 5-10 minutes pre-workout. Hip circles, arm circles, leg swings, cat-cow, world's greatest stretch.
- **Static Stretching:** 10-15 minutes post-workout or evening. Hold each stretch 30-60 seconds. Focus on hip flexors, hamstrings, chest, and shoulders.
- **Deload Week:** Every 4th week. Reduce volume by 40%, intensity by 20%. Maintain frequency. This is non-negotiable at your training intensity and age — it prevents overreaching and allows connective tissue to catch up with muscular adaptation.

Weekly Schedule

DAY	TRAINING (5:30 AM)	CARDIO	RECOVERY	NOTES
Monday	Push (Chest/Tri)	15 min incline walk post	Foam roll PM	Weigh-in (fasted AM)
Tuesday	Pull (Back/Bi)	20 min stairmaster post	Foam roll PM	—
Wednesday	Legs (Quad/Glute)	15 min incline walk post	Infrared sauna PM	—
Thursday	Shoulders/Arms	20 min stairmaster post	Foam roll PM	—
Friday	Legs (Glute/Ham)	15 min incline walk post	Infrared sauna PM	—
Saturday	OFF	20 min stairmaster or hike	Infrared sauna, cold plunge, stretch	Active recovery day
Sunday	OFF	45 min walk (steps)	Cold plunge, stretch	Meal prep day. MOTS-c injection.

Daily Non-Negotiables

- 12,000 steps — walk 45 min daily plus accumulate throughout the day
- 128 oz water (1 gallon)
- 5 meals on schedule (every 3 hours starting 5:00 AM)
- All supplements taken
- All peptide injections on schedule
- Morning temperature reading
- Daily check-in logged in FBF app
- Cold plunge (daily)
- 7.5+ hours of sleep

FORGED BY FREEDOM

BUILD THE BODY. FREE THE MIND.

This program is designed for Wendy Antonelli as a personalized coaching plan. It is not medical advice. All compound, peptide, and hormone recommendations should be reviewed with your licensed healthcare provider (Dr. Smith, Reno NV). Coordinate all protocol changes with your physician. All peptides are administered via subcutaneous injection only.

© 2026 Forged by Freedom Coaching. All rights reserved. I forgedbyfreedom@proton.me