

User Management Module

Unified user management for firm admin — list, search, profile, permissions, activity, bulk operations.

Base path: `/api/v1/modules/users`

Purpose: This module sits on top of the Employee and Client endpoints. Those handle creation and mutations. This module handles READ operations, cross-cutting concerns, and power features (bulk ops, profile, permissions view, activity).

1. List & Search

Method	Path	Description
GET	<code>/api/v1/modules/users</code>	List all users with optional filters
GET	<code>/api/v1/modules/users/search?q=</code>	Search users by name, email, username, or mobile

```
GET /api/v1/modules/users?userType=FIRM_USER&roleId=uuid&isActive=true

Response: [
  {
    "userId": "uuid",
    "username": "advocate1",
    "fullName": "Shyam Sharma",
    "email": "advocate@lawfirm.com",
    "userType": "FIRM_USER",
    "roleName": "ADVOCATE",
    "roleCode": "ADVOCATE",
    "isActive": true,
    "lastLogin": "2026-07-20T10:30:00"
  }
]
```

```
GET /api/v1/modules/users/search?q=shyam
Response: Same format, case-insensitive partial match on name/email/username/mobile.
```

2. User Profile

Method	Path	Description
GET	<code>/api/v1/modules/users/{userId}/profile</code>	Full profile + permissions + recent activity

```
Response: {
  "user": { "id": "uuid", "fullName": "...", "email": "...", ... },
  "role": { "name": "ADVOCATE", "code": "ADVOCATE", ... },
  "permissions": ["CASE_MANAGEMENT:VIEW", "CASE_MANAGEMENT:EDIT", ...],
  "groupedPermissions": {
    "CASE_MANAGEMENT": ["VIEW", "EDIT"],
    "DOCUMENT_MANAGEMENT": ["ACCESS", "UPLOAD"]
  },
  "recentActivity": [ ...last 10 audit entries... ],
  "monthlyActionCount": 42
}
```

3. User Permissions (Read-only View)

Method	Path	Description
GET	/api/v1/modules/users/{userId}/permissions	Flat + grouped permissions for a user

```
Response: {
  "userId": "uuid",
  "roleName": "ADVOCATE",
  "roleCode": "ADVOCATE",
  "flatPermissions": [
    { "code": "CASE_MANAGEMENT:VIEW", "action": "VIEW", "scope": "TENANT" }
  ],
  "groupedPermissions": {
    "CASE_MANAGEMENT": [
      { "code": "CASE_MANAGEMENT:VIEW", "action": "VIEW" }
    ]
  }
}
```

4. User Activity

Method	Path	Description
GET	/api/v1/modules/users/{userId}/activity	Paginated activity timeline

```
GET /api/v1/modules/users/{userId}/activity?from=...&to=...&page=0&size=20
```

```
Response: [ ...paginated audit logs for this user... ]
```

5. Password Reset

Method	Path	Description
POST	/api/v1/modules/users/{userId}/reset-password	Reset user's password (invalidates JWT)

Request:

```
{
  "data": {
    "newPassword": "Temp@123",
    "sendEmail": true
  }
}
```

Response: 200 OK – User must re-login with new password.

6. Bulk Operations

Method	Path	Description
POST	/api/v1/modules/users/bulk-deactivate	Deactivate multiple users at once
POST	/api/v1/modules/users/bulk-role-change	Reassign role for multiple users at once

Bulk Deactivate Request:

```
{
  "data": {
    "userIds": ["uuid1", "uuid2", "uuid3"],
    "reason": "Restructuring"
  }
}
```

Response: {

```
  "totalProcessed": 3,
  "successCount": 2,
  "failureCount": 1,
  "results": [
    { "userId": "uuid1", "success": true },
    { "userId": "uuid2", "success": true },
    { "userId": "uuid3", "success": false, "error": "Cannot deactivate yourself" }
  ]
}
```

Bulk Role Change Request:

```
{
  "data": {
    "userIds": ["uuid1", "uuid2"],
    "newRoleId": "uuid-of-target-role"
  }
}
```

```
}
```

```
Response: Same bulk result format.
```