

Firm Management Module

Firm profiles, employees, clients, firm modules, and firm config.

Base paths: `/api/v1/firm/profile` , `/api/v1/firm/employees` , `/api/v1/firm/clients` , `/api/v1/firm/modules`

1. Firm Profile

Base: `/api/v1/firm/profile` (Firm Admin only)

Method	Path	Description
GET	<code>/api/v1/firm/profile</code>	Get current firm's profile
PUT / POST	<code>/api/v1/firm/profile</code>	Update firm profile

```
Update Firm Profile Request:
{
  "data": {
    "firmName": "Apex Law Associates",
    "firmCode": "CLAW",
    "firmType": "LAW_FIRM",
    "email": "contact@apexlaw.com",
    "phone": "+977-1-4XXXXXX",
    "address": "Kathmandu, Nepal",
    "website": "https://apexlaw.com",
    "logoUrl": "https://..."
  }
}
```

2. Employees

Base: `/api/v1/firm/employees` (Firm Admin only)

Method	Path	Description
GET	<code>/api/v1/firm/employees?page=0&size=20</code>	Get all employees (paginated)
GET	<code>/api/v1/firm/employees/{id}</code>	Get employee by ID
POST	<code>/api/v1/firm/employees</code>	Create a new employee
PUT	<code>/api/v1/firm/employees/{id}</code>	Update employee details

PATCH	/api/v1/firm/employees/{id}/role	Update employee's role
PATCH	/api/v1/firm/employees/{id}/toggle	Activate/deactivate employee

```
Create Employee Request:
{
  "data": {
    "fullName": "Shyam Sharma",
    "email": "advocate@lawfirm.com",
    "mobileNo": "9800000001",
    "designation": "Senior Advocate",
    "barCouncilNo": "BC-2025-001",
    "specialization": "Criminal Law",
    "joiningDate": "2025-06-01",
    "roleId": "uuid-of-role",
    "emergencyContactName": "Ram Sharma",
    "emergencyContactPhone": "9800000002",
    "notes": "Experienced criminal lawyer"
  }
}

Response:
{
  "success": true,
  "data": {
    "id": "uuid",
    "employeeCode": "CLAW-0002",
    "fullName": "Shyam Sharma",
    "username": "claw_advocate",
    "email": "advocate@lawfirm.com",
    "mobileNo": "9800000001",
    "designation": "Senior Advocate",
    "roleId": "uuid",
    "roleName": "ADVOCATE",
    "roleCode": "ADVOCATE",
    "userType": "FIRM_USER",
    "isActive": true,
    ...
  }
}
```

3. Clients

Base: `/api/v1/firm/clients` (Firm Admin only)

Method	Path	Description
GET	/api/v1/firm/clients?page=0&size=20	Get all clients (paginated)
GET	/api/v1/firm/clients/{id}	Get client by ID

POST	/api/v1/firm/clients	Create a new client
PATCH	/api/v1/firm/clients/{id}/portal-access	Enable/disable client portal access

```

Create Client Request:
{
  "data": {
    "fullName": "Hari Prasad",
    "email": "hari@email.com",
    "mobileNo": "9800000100",
    "address": "Kathmandu",
    "caseDescription": "Property dispute case",
    "enablePortalAccess": true
  }
}

```

4. Firm Modules

Base: `/api/v1/firm/modules` (Firm Admin, read-only)

Method	Path	Description
GET	/api/v1/firm/modules	Get enabled modules for my firm

Super Admin can enable/disable modules for a firm via:

POST `/api/v1/super-admin/firms/{firmId}/modules` — Enable or disable a module

GET `/api/v1/super-admin/firms/{firmId}/modules` — Get all modules with their status for a firm

5. Firm Config

Base: `/api/v1/firm/config` (Firm Admin)

Method	Path	Description
GET	/api/v1/firm/config	Get firm brand colors, email footer, timezone
PUT	/api/v1/firm/config	Update firm config values (bulk key-value)

Configurable keys: BRAND_COLOR_PRIMARY, BRAND_COLOR_SECONDARY, EMAIL_FOOTER_TEXT, EMAIL_SIGNATURE, TIMEZONE

6. Firm Email Config

Base: `/api/v1/firm/email-config` (Firm Admin)

Method	Path	Description
GET	/api/v1/firm/email-config	Get SMTP config (password never returned)
PUT	/api/v1/firm/email-config	Create/update SMTP config
POST	/api/v1/firm/email-config/test	Test SMTP connection
DELETE	/api/v1/firm/email-config	Delete SMTP config — fallback to platform SMTP

Update Email Config Request:

```
{
  "smtpHost": "smtp.gmail.com",
  "smtpPort": 587,
  "smtpUsername": "apex@apexlaw.com",
  "smtpPassword": "app-password-here",
  "fromName": "Apex Law Associates",
  "fromAddress": "noreply@apexlaw.com",
  "useTls": true,
  "isActive": true
}
```

Use `"__UNCHANGED__"` for `smtpPassword` to keep existing password.