apps / simpler labels and colors

Revision 3 · one hide / unhide toggle, quieter controls and consistent labels throughout.

01 Browse

Filter and visibility controls form one row above the grouped list.

```
apps  · installed apps                                  17:23  ×

❯ find, do, or ask.

back Esc  ask Ctrl+Enter   open Enter  details →


all categories ⌄                       hidden apps: hide / unhide

system

  btop++                System Monitor
› foot                  Terminal
  manage printing

web

  chromium              Web Browser
  firefox               Web Browser
  pyradio               Terminal Radio Player
  steam

office

  aerc                  Mail Client

media

  mpv media player      Multimedia player

utilities

  micro                 Text Editor

  ↓ 3 more

                                ◇

attach                  model · source ⌄                  talk
```

02 Details

The selected app, technical disclosure and preferences use the same grid.

```
apps  · installed apps                                  17:23  ×

❯ find, do, or ask.

back Esc  ask Ctrl+Enter   change Enter


foot

  A wayland native terminal emulator

  version               …
  installed via         system package
  source                …

  open application

technical details                                              ›

preferences

  category              system (mapped)                        ⌄
› visibility            hide / unhide
  launch                application default                    ⌄


    save      cancel

                                ◇

attach                  model · source ⌄                  talk
```

One hierarchy, without a color code

Bold headings, a blank row, then content indented two cells.
Names, field labels and idle controls use the normal foreground.
Supporting text is muted; the focused item alone uses blue text.

One explicit toggle

Hidden entries start concealed: hide is selected by default.
The current choice is bold and underlined, independent of focus.
unhide reveals entries for inspection; it does not restore them.

Readable content, preserved choices

Use shorter supplied names such as firefox; retain btop++ and
mpv media player when no shorter name is provided. Keep roles short.
Missing roles stay blank; original names and full descriptions stay searchable.

Labels and affordances stay consistent

Interface labels use lowercase. Metadata keeps its supplied spelling.
Keycaps, chevrons and underlined actions identify controls.
Focus adds a row highlight and marker; the footer diamond stays blue.

Design proposal · lowercase interface labels; supplied metadata, paths and physical key names keep their spelling.

Native validation remains required after implementation; these drawings do not prove window behavior or accessibility compliance.

apps / hiding and restoring

The same hierarchy continues through visibility changes, drafts and saved preferences.

03 Reveal hidden entries

Select unhide to include hidden entries; keep their explicit hidden label.



04 Restore from Details

Visibility → unhide is a draft until save; cancel keeps the saved state.



Find and restore

foot is visible by default. foot client and foot server start hidden.
Hidden entries have a text label in a separate column, so their names remain readable. unhide → select → details → visibility → save.

A draft stays a draft

In details, visibility changes this app's saved launcher preference.
save applies the draft; cancel discards it. Leaving with edits offers save, discard or keep editing; the initial choice keeps editing.

Return to the list

Back restores the category, search, selection and scroll position.
A restored entry remains visible when the list toggle returns to hide.
Each fresh Apps visit starts at hide; ordinary back keeps list state.

The reverse path is the same

To hide a visible app, set visibility to hide and save.
A save failure retains the draft and explains the error in shared feedback.
The app stays installed; its system launcher is not edited.

Design proposal · lowercase interface labels; supplied metadata, paths and physical key names keep their spelling.
Native validation remains required after implementation; these drawings do not prove window behavior or accessibility compliance.

apps / expanded and constrained states

Hierarchy survives expansion and reflow; content yields space to the shared controls.

05 Expanded Technical details

Metadata uses the same child inset and value column as Preferences.

```
apps  · installed apps                                  17:23  ×

❯ find, do, or ask.

back Esc  ask Ctrl+Enter   change Enter


foot

  A wayland native terminal emulator

  version              …
  installed via        system package
  source               …

  open application

technical details                                              ⌄

  executable           /usr/bin/foot
  command              foot
  launcher             /usr/share/applications/
                       foot.desktop
  identity             foot.desktop
  access               not declared
  running windows      none

  copy launcher path

preferences

  category             system (mapped)                         ⌄
  visibility           hide / unhide

  ↓ more preferences

                              ◇

attach                 model · source ⌄                  talk
```

Keep long metadata legible

Long values wrap under their value column. Copyable paths keep their original spelling. Expand/collapse does not move the footer. Further preferences and actions remain reachable by scrolling.

Fullscreen and both snaps

Keep the type size and row rhythm. The body stays bounded on the shared left grid. Equal snap work areas use identical spacing. Resize preserves the query, selected app, expanded sections and drafts.

06 Minimum window · Preferences

36 × 20 cells; labels and values stack, keeping their hierarchy.

```
apps                                    17:23  ×

❯ find, do, or ask.

back Esc  ask Ctrl+Enter


preferences

  category                                      ⌄
    system (mapped)

› visibility
    hide / unhide
  ↓ more preferences

                    ◇

attach          model ⌄                   talk
```

07 Minimum window · No matches

```
apps                                    17:23  ×

❯ no-such-app

clear Esc  ask Ctrl+Enter


all categories ⌄

hidden apps: hide / unhide

  no apps match this search.


                    ◇

attach          model ⌄                   talk
```

Use the same rules at every size

On narrow screens, values move below labels with one further indent. The filter row reflows; empty states stay inside the body. Save, Cancel and metadata stay reachable above the reserved footer.

Design proposal · lowercase interface labels; supplied metadata, paths and physical key names keep their spelling.

Native validation remains required after implementation; these drawings do not prove window behavior or accessibility compliance.