

```
forh1@gb: ~/gb_task
Файл Правка Вид Поиск Терминал Справка
[forh1@gb gb_task]$ mkdir \Игрушки\ для\ школьников\ \Игрушки\ для\ дошколят\
[forh1@gb gb_task]$ ll
total 16
drwxrwxr-x 4 forh1 forh1 4096 May  2 07:52 ./
drwxr-x-- 3 forh1 forh1 4096 May  2 07:47 ../
drwxrwxr-x 2 forh1 forh1 4096 May  2 07:52 'Игрушки для дошколят'/
drwxrwxr-x 2 forh1 forh1 4096 May  2 07:52 'Игрушки для школьников'/
[forh1@gb gb_task]$
```

```
forh1@gb: ~/gb_task/Игрушки для школьников
Файл Правка Вид Поиск Терминал Справка
[forh1@gb gb_task]$ cd \Игрушки\ для\ школьников\
[forh1@gb \Игрушки для школьников]$ touch Роботы.txt Конструкторы.txt Настольные\ игры.txt
[forh1@gb \Игрушки для школьников]$ ll
total 8
drwxrwxr-x 2 forh1 forh1 4096 May  2 08:06 ./
drwxrwxr-x 4 forh1 forh1 4096 May  2 07:52 ../
-rw-rw-r-- 1 forh1 forh1  0 May  2 08:06 Конструкторы.txt
-rw-rw-r-- 1 forh1 forh1  0 May  2 08:06 'Настольные игры.txt'
-rw-rw-r-- 1 forh1 forh1  0 May  2 08:06 Роботы.txt
[forh1@gb \Игрушки для школьников]$
```

```
forh1@gb: ~/gb_task
[forh1@gb gb_task]$ touch Игрушки\ для\ дошколят\Мягкие\ игрушки.txt
[forh1@gb gb_task]$ touch Игрушки\ для\ дошколят\Куклы.txt
[forh1@gb gb_task]$ touch Игрушки\ для\ дошколят\Машинки.txt
[forh1@gb gb_task]$ ll Игрушки\ для\ дошколят/
total 8
drwxrwxr-x 2 forh1 forh1 4096 May  2 08:09 ./
drwxrwxr-x 4 forh1 forh1 4096 May  2 07:52 ../
-rw-rw-r-- 1 forh1 forh1   0 May  2 08:08 Куклы.txt
-rw-rw-r-- 1 forh1 forh1   0 May  2 08:09 Машинки.txt
-rw-rw-r-- 1 forh1 forh1   0 May  2 08:08 'Мягкие игрушки.txt'
[forh1@gb gb_task]$
```

```
forh1@gb: ~/gb_task
[forh1@gb gb_task]$ mkdir Имя\ игрушки
[forh1@gb gb_task]$ mv Игрушки\ для\ школьников\ Игрушки\ для\ дошколят/ Имя\ игрушки/
[forh1@gb gb_task]$ ll Имя\ игрушки/
total 16
drwxrwxr-x 4 forh1 forh1 4096 May  2 08:26 ./
drwxrwxr-x 3 forh1 forh1 4096 May  2 08:26 ../
drwxrwxr-x 2 forh1 forh1 4096 May  2 08:09 'Игрушки для дошколят'/
drwxrwxr-x 2 forh1 forh1 4096 May  2 08:07 'Игрушки для школьников'/
[forh1@gb gb_task]$
```

```
forh1@gb: ~/gb_task
[forh1@gb gb_task]$ mv /dev\ игрушки/ Игрушки
[forh1@gb gb_task]$ ll
total 12
drwxrwxr-x 3 forh1 forh1 4096 May  2 08:21 ./
drwxr-x-- 3 forh1 forh1 4096 May  2 07:47 ../
drwxrwxr-x 4 forh1 forh1 4096 May  2 08:20 Игрушки/
[forh1@gb gb_task]$
```

```
forh1@gb: ~/gb_task
[forh1@gb gb_task]$ sudo snap install labplot
labplot 2.9.0 from KDE installed
[forh1@gb gb_task]$ sudo snap remove labplot
labplot removed
[forh1@gb gb_task]$
```

```
forh1@gb: ~/gb_task
[forh1@gb gb_task]$ crontab -e
no modification made
[forh1@gb gb_task]$ ll
total 16
drwxr-xr-x 3 forh1 forh1 4096 May 2 10:37 ./
drwxr-xr-x 9 forh1 forh1 4096 May 2 10:28 ../
-rw-rw-r-- 1 forh1 forh1 7 May 2 10:37 cron.txt
-rw-rw-r-- 1 forh1 forh1 0 May 2 10:31 file.txt
drwxr-xr-x 4 forh1 forh1 4096 May 2 08:20 Игрушки/
[forh1@gb gb_task]$ cat cron.txt
update
update
update
[forh1@gb gb_task]$
```

```
forh1@gb: ~/gb_task
GNU nano 6.2 /tmp/crontab.5uH6ZK/crontab
#
# Edit this file to introduce tasks to be run by cron.
#
# Each task to run has to be defined through a single line
# indicating with different fields when the task will be run
# and what command to run for the task
#
# To define the time you can provide concrete values for
# minutes (m), hour (h), day of month (dom), month (mon),
# and day of week (dow) or use '*' in these fields (for 'any').
#
# Notice that tasks will be started based on the cron's system
# daemon's notion of time and timezones.
#
# Output of the crontab jobs (including errors) is sent through
# email to the user the crontab file belongs to (unless redirected).
#
# For example, you can run a backup of all your user accounts
# at 5 a.m every week with:
# 5 5 * * 1 tar -zcf /var/backups/home.tgz /home/
#
# For more information see the manual pages of crontab(5) and cron(8)
#
# m h dom mon dow   command
*/1 * * * * echo "update" >> /home/forh1/gb_task/cron.txt
```